

Xin-Bo Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5174942/publications.pdf>

Version: 2024-02-01

216
papers

30,783
citations

2423

97
h-index

4419

172
g-index

237
all docs

237
docs citations

237
times ranked

24516
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxygen electrocatalysts in metal-air batteries: from aqueous to nonaqueous electrolytes. <i>Chemical Society Reviews</i> , 2014, 43, 7746-7786.	18.7	1,264
2	Electrochemical Reduction of N_2 under Ambient Conditions for Artificial N_2 Fixation and Renewable Energy Storage Using N_2/NH_3 Cycle. <i>Advanced Materials</i> , 2017, 29, 1604799.	11.1	969
3	ZIF-8 Derived Graphene-Based Nitrogen-Doped Porous Carbon Sheets as Highly Efficient and Durable Oxygen Reduction Electrocatalysts. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 14235-14239.	7.2	849
4	In Situ Coupling of Strung Co_4N and Intertwined $N-C$ Fibers toward Free-Standing Bifunctional Cathode for Robust, Efficient, and Flexible Zn-Air Batteries. <i>Journal of the American Chemical Society</i> , 2016, 138, 10226-10231.	6.6	839
5	Advances and challenges for flexible energy storage and conversion devices and systems. <i>Energy and Environmental Science</i> , 2014, 7, 2101.	15.6	767
6	Metal-organic framework (MOF) as a template for syntheses of nanoporous carbons as electrode materials for supercapacitor. <i>Carbon</i> , 2010, 48, 456-463.	5.4	621
7	Nitrogen-Doped Porous Carbon Nanosheets as Low-Cost, High-Performance Anode Material for Sodium-Ion Batteries. <i>ChemSusChem</i> , 2013, 6, 56-60.	3.6	593
8	Integrated Three-Dimensional Carbon Paper/Carbon Tubes/Cobalt-Sulfide Sheets as an Efficient Electrode for Overall Water Splitting. <i>ACS Nano</i> , 2016, 10, 2342-2348.	7.3	575
9	Tailoring deposition and morphology of discharge products towards high-rate and long-life lithium-oxygen batteries. <i>Nature Communications</i> , 2013, 4, 2438.	5.8	519
10	Synthesis of Perovskite-Based Porous $La_{0.75}Sr_{0.25}MnO_3$ Nanotubes as a Highly Efficient Electrocatalyst for Rechargeable Lithium-Oxygen Batteries. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 3887-3890.	7.2	482
11	One-Step Seeding Growth of Magnetically Recyclable Au@Co Core-Shell Nanoparticles: Highly Efficient Catalyst for Hydrolytic Dehydrogenation of Ammonia Borane. <i>Journal of the American Chemical Society</i> , 2010, 132, 5326-5327.	6.6	453
12	Artificial Protection Film on Lithium Metal Anode toward Long-Cycle-Life Lithium-Oxygen Batteries. <i>Advanced Materials</i> , 2015, 27, 5241-5247.	11.1	439
13	Iron-Nanoparticle-Catalyzed Hydrolytic Dehydrogenation of Ammonia Borane for Chemical Hydrogen Storage. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 2287-2289.	7.2	433
14	Engraving Copper Foil to Give Large-Scale Binder-Free Porous CuO Arrays for a High-Performance Sodium-Ion Battery Anode. <i>Advanced Materials</i> , 2014, 26, 2273-2279.	11.1	427
15	Liquid-Phase Chemical Hydrogen Storage: Catalytic Hydrogen Generation under Ambient Conditions. <i>ChemSusChem</i> , 2010, 3, 541-549.	3.6	396
16	<i>In Situ</i> Fabrication of Porous Graphene Electrodes for High-Performance Energy Storage. <i>ACS Nano</i> , 2013, 7, 2422-2430.	7.3	394
17	Graphene Oxide Gel-Derived, Free-Standing, Hierarchically Porous Carbon for High-Capacity and High-Rate Rechargeable Li_2O_2 Batteries. <i>Advanced Functional Materials</i> , 2012, 22, 3699-3705.	7.8	390
18	C and N Hybrid Coordination Derived Co-C-N Complex as a Highly Efficient Electrocatalyst for Hydrogen Evolution Reaction. <i>Journal of the American Chemical Society</i> , 2015, 137, 15070-15073.	6.6	377

#	ARTICLE	IF	CITATIONS
19	Materials Design and System Construction for Conventional and New-Concept Supercapacitors. <i>Advanced Science</i> , 2017, 4, 1600382.	5.6	365
20	Electrospun materials for lithium and sodium rechargeable batteries: from structure evolution to electrochemical performance. <i>Energy and Environmental Science</i> , 2015, 8, 1660-1681.	15.6	362
21	Reactive Multifunctional Template-Induced Preparation of Fe-N-Doped Mesoporous Carbon Microspheres Towards Highly Efficient Electrocatalysts for Oxygen Reduction. <i>Advanced Materials</i> , 2016, 28, 7948-7955.	11.1	342
22	3D ordered macroporous LaFeO ₃ as efficient electrocatalyst for Li-O ₂ batteries with enhanced rate capability and cyclic performance. <i>Energy and Environmental Science</i> , 2014, 7, 2213.	15.6	339
23	Boron- and nitrogen-based chemical hydrogen storage materials. <i>International Journal of Hydrogen Energy</i> , 2009, 34, 2303-2311.	3.8	337
24	Homogeneous CoO on Graphene for Binder-Free and Ultralong-Life Lithium Ion Batteries. <i>Advanced Functional Materials</i> , 2013, 23, 4345-4353.	7.8	333
25	A Biodegradable Polydopamine-Derived Electrode Material for High-Capacity and Long-Life Lithium-Ion and Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 10662-10666.	7.2	325
26	Tailored Aromatic Carbonyl Derivative Polyimides for High-Power and Long-Cycle Sodium-Organic Batteries. <i>Advanced Energy Materials</i> , 2014, 4, 1301651.	10.2	319
27	An Efficient Three-Dimensional Oxygen Evolution Electrode. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 5248-5253.	7.2	307
28	Synergistic Effect between Metal-Nitrogen-Carbon Sheets and NiO Nanoparticles for Enhanced Electrochemical Water-Oxidation Performance. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 10530-10534.	7.2	301
29	Functional and stability orientation synthesis of materials and structures in aprotic Li-O ₂ batteries. <i>Chemical Society Reviews</i> , 2018, 47, 2921-3004.	18.7	282
30	Novel DMSO-based electrolyte for high performance rechargeable Li-O ₂ batteries. <i>Chemical Communications</i> , 2012, 48, 6948.	2.2	281
31	Flexible lithium-oxygen battery based on a recoverable cathode. <i>Nature Communications</i> , 2015, 6, 7892.	5.8	279
32	Room-Temperature Hydrogen Generation from Hydrous Hydrazine for Chemical Hydrogen Storage. <i>Journal of the American Chemical Society</i> , 2009, 131, 9894-9895.	6.6	278
33	Prevention of dendrite growth and volume expansion to give high-performance aprotic bimetallic Li-Na alloy-O ₂ batteries. <i>Nature Chemistry</i> , 2019, 11, 64-70.	6.6	265
34	Challenges and perspectives for manganese-based oxides for advanced aqueous zinc-ion batteries. <i>Informa-Materials</i> , 2020, 2, 237-260.	8.5	264
35	Self-assembly of ultrathin porous NiO nanosheets/graphene hierarchical structure for high-capacity and high-rate lithium storage. <i>Journal of Materials Chemistry</i> , 2012, 22, 2844.	6.7	248
36	Transformation of Rusty Stainless-Steel Meshes into Stable, Low-Cost, and Binder-Free Cathodes for High-Performance Potassium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 7881-7885.	7.2	241

#	ARTICLE	IF	CITATIONS
37	Facile, mild and fast thermal-decomposition reduction of graphene oxide in air and its application in high-performance lithium batteries. <i>Chemical Communications</i> , 2012, 48, 976-978.	2.2	240
38	Recent Progress in Electrocatalyst for Li ⁺ Batteries. <i>Advanced Energy Materials</i> , 2017, 7, 1700875.	10.2	235
39	Cathode Surface-Induced, Solvation-Mediated, Micrometer-Sized Li ₂ O ₂ Cycling for Li ⁺ Batteries. <i>Advanced Materials</i> , 2016, 28, 9620-9628.	11.1	232
40	Surfactant-Free Aqueous Synthesis of Pure Single-Crystalline SnSe Nanosheet Clusters as Anode for High Energy and Power Density Sodium-Ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1602469.	11.1	231
41	Generating Defect-Rich Bismuth for Enhancing the Rate of Nitrogen Electroreduction to Ammonia. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 9464-9469.	7.2	226
42	Converting cobalt oxide subunits in cobalt metal-organic framework into agglomerated Co ₃ O ₄ nanoparticles as an electrode material for lithium ion battery. <i>Journal of Power Sources</i> , 2010, 195, 857-861.	4.0	223
43	Electrostatic Induced Stretch Growth of Homogeneous Ni(OH) ₂ on Graphene with Enhanced High-Rate Cycling for Supercapacitors. <i>Scientific Reports</i> , 2014, 4, 3669.	1.6	222
44	Rhodium-nickel nanoparticles grown on graphene as highly efficient catalyst for complete decomposition of hydrous hydrazine at room temperature for chemical hydrogen storage. <i>Energy and Environmental Science</i> , 2012, 5, 6885.	15.6	214
45	Three-dimensionally ordered macroporous FeF ₃ and its in situ homogenous polymerization coating for high energy and power density lithium ion batteries. <i>Energy and Environmental Science</i> , 2012, 5, 8538.	15.6	213
46	Room temperature hydrolytic dehydrogenation of ammonia borane catalyzed by Co nanoparticles. <i>Journal of Power Sources</i> , 2010, 195, 1091-1094.	4.0	202
47	High-Energy-Density Flexible Potassium-Ion Battery Based on Patterned Electrodes. <i>Joule</i> , 2018, 2, 736-746.	11.7	199
48	Bimetallic Au-Ni Nanoparticles Embedded in SiO ₂ Nanospheres: Synergetic Catalysis in Hydrolytic Dehydrogenation of Ammonia Borane. <i>Chemistry - A European Journal</i> , 2010, 16, 3132-3137.	1.7	196
49	General and Controllable Synthesis Strategy of Metal Oxide/TiO ₂ Hierarchical Heterostructures with Improved Lithium-Ion Battery Performance. <i>Scientific Reports</i> , 2012, 2, 701.	1.6	195
50	Advanced catalysts for sustainable hydrogen generation and storage via hydrogen evolution and carbon dioxide/nitrogen reduction reactions. <i>Progress in Materials Science</i> , 2018, 92, 64-111.	16.0	195
51	Synthesis of Longtime Water/Air-Stable Ni Nanoparticles and Their High Catalytic Activity for Hydrolysis of Ammonia-Borane for Hydrogen Generation. <i>Inorganic Chemistry</i> , 2009, 48, 7389-7393.	1.9	185
52	Reconstructed Orthorhombic V ₂ O ₅ Polyhedra for Fast Ion Diffusion in K-Ion Batteries. <i>CheM</i> , 2019, 5, 168-179.	5.8	174
53	In Situ Activating Ubiquitous Rust towards Low-Cost, Efficient, Free-Standing, and Recoverable Oxygen Evolution Electrodes. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 9937-9941.	7.2	173
54	Preparation and catalysis of poly(N-vinyl-2-pyrrolidone) (PVP) stabilized nickel catalyst for hydrolytic dehydrogenation of ammonia borane. <i>International Journal of Hydrogen Energy</i> , 2009, 34, 3816-3822.	3.8	170

#	ARTICLE	IF	CITATIONS
55	Magnetically Recyclable Fe@Pt Core-Shell Nanoparticles and Their Use as Electrocatalysts for Ammonia Borane Oxidation: The Role of Crystallinity of the Core. <i>Journal of the American Chemical Society</i> , 2009, 131, 2778-2779.	6.6	170
56	Alkali Metal Anodes for Rechargeable Batteries. <i>CheM</i> , 2019, 5, 313-338.	5.8	170
57	Facile synthesis of a Co ₃ O ₄ -carbon nanotube composite and its superior performance as an anode material for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1141-1147.	5.2	169
58	In situ anchoring of Co ₉ S ₈ nanoparticles on N and S co-doped porous carbon tube as bifunctional oxygen electrocatalysts. <i>NPG Asia Materials</i> , 2016, 8, e308-e308.	3.8	164
59	Recent Advances toward the Rational Design of Efficient Bifunctional Air Electrodes for Rechargeable Zn-Air Batteries. <i>Small</i> , 2018, 14, e1703843.	5.2	163
60	Macroporous Interconnected Hollow Carbon Nanofibers Inspired by Golden-Road Eggs toward a Binder-Free, High-Rate, and Flexible Electrode. <i>Advanced Materials</i> , 2016, 28, 7494-7500.	11.1	162
61	In Situ Construction of Stable Tissue-Directed/Reinforced Bifunctional Separator/Protection Film on Lithium Anode for Lithium-Oxygen Batteries. <i>Advanced Materials</i> , 2017, 29, 1606552.	11.1	162
62	Facile and effective synthesis of reduced graphene oxide encapsulated sulfur via oil/water system for high performance lithium sulfur cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 11452.	6.7	161
63	Flexible Metal-Air Batteries: Progress, Challenges, and Perspectives. <i>Small Methods</i> , 2018, 2, 1700231.	4.6	157
64	Magnetically recyclable Fe-Ni alloy catalyzed dehydrogenation of ammonia borane in aqueous solution under ambient atmosphere. <i>Journal of Power Sources</i> , 2009, 194, 478-481.	4.0	156
65	Flexible Electrodes for Sodium-Ion Batteries: Recent Progress and Perspectives. <i>Advanced Materials</i> , 2017, 29, 1703012.	11.1	156
66	Multi-ring aromatic carbonyl compounds enabling high capacity and stable performance of sodium-organic batteries. <i>Energy and Environmental Science</i> , 2015, 8, 3160-3165.	15.6	155
67	Electrospun V ₂ O ₅ Nanostructures with Controllable Morphology as High-Performance Cathode Materials for Lithium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2012, 18, 8987-8993.	1.7	153
68	In situ synthesis of magnetically recyclable graphene-supported Pd@Co core-shell nanoparticles as efficient catalysts for hydrolytic dehydrogenation of ammonia borane. <i>Journal of Materials Chemistry</i> , 2012, 22, 12468.	6.7	147
69	Reversible Nitrogen Fixation Based on a Rechargeable Lithium-Nitrogen Battery for Energy Storage. <i>CheM</i> , 2017, 2, 525-532.	5.8	146
70	Gelatin-derived sustainable carbon-based functional materials for energy conversion and storage with controllability of structure and component. <i>Science Advances</i> , 2015, 1, e1400035.	4.7	144
71	Hollow Ni-SiO ₂ nanosphere-catalyzed hydrolytic dehydrogenation of ammonia borane for chemical hydrogen storage. <i>Journal of Power Sources</i> , 2009, 191, 209-216.	4.0	138
72	A Flexible and Wearable Lithium-Oxygen Battery with Record Energy Density achieved by the Interlaced Architecture inspired by Bamboo Slips. <i>Advanced Materials</i> , 2016, 28, 8413-8418.	11.1	138

#	ARTICLE	IF	CITATIONS
73	Non-noble metals applied to solar water splitting. <i>Energy and Environmental Science</i> , 2018, 11, 3128-3156.	15.6	134
74	A Biodegradable Polydopamine-Derived Electrode Material for High-Capacity and Long-Life Lithium-Ion and Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2016, 128, 10820-10824.	1.6	131
75	Decorating Waste Cloth via Industrial Wastewater for Tube-Type Flexible and Wearable Sodium-Ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1603719.	11.1	131
76	One-step and rapid synthesis of clean and monodisperse dendritic Pt nanoparticles and their high performance toward methanol oxidation and p-nitrophenol reduction. <i>Nanoscale</i> , 2012, 4, 1549.	2.8	130
77	Engineering Ultrathin $C_{3N_{4}}$ Quantum Dots on Graphene as a Metal-Free Water Reduction Electrocatalyst. <i>ACS Catalysis</i> , 2018, 8, 3965-3970.	5.5	130
78	Efficient PdNi and PdNi@Pd-catalyzed hydrogen generation via formic acid decomposition at room temperature. <i>Chemical Communications</i> , 2013, 49, 10028.	2.2	129
79	Recent Progress on Stability Enhancement for Cathode in Rechargeable Non-Aqueous Lithium-Oxygen Battery. <i>Advanced Energy Materials</i> , 2015, 5, 1500633.	10.2	128
80	Progress of rechargeable lithium metal batteries based on conversion reactions. <i>National Science Review</i> , 2017, 4, 54-70.	4.6	128
81	In Situ Coupling FeM (M = Ni, Co) with Nitrogen-Doped Porous Carbon toward Highly Efficient Trifunctional Electrocatalyst for Overall Water Splitting and Rechargeable Zn-Air Battery. <i>Advanced Sustainable Systems</i> , 2017, 1, 1700020.	2.7	122
82	Flexible and Foldable LiO_2 Battery Based on Paper-Ink Cathode. <i>Advanced Materials</i> , 2015, 27, 8095-8101.	11.1	117
83	One-step hydrothermal synthesis of SnS_2 /graphene composites as anode material for highly efficient rechargeable lithium ion batteries. <i>RSC Advances</i> , 2012, 2, 5084.	1.7	115
84	In Situ Designing a Gradient Li^{+} Capture and Quasi-Spontaneous Diffusion Anode Protection Layer toward Long-Life LiO_2 Batteries. <i>Advanced Materials</i> , 2020, 32, e2004157.	11.1	114
85	Recent progress on transition metal oxides as advanced materials for energy conversion and storage. <i>Energy Storage Materials</i> , 2021, 42, 317-369.	9.5	113
86	Flexible 1D Batteries: Recent Progress and Prospects. <i>Advanced Materials</i> , 2020, 32, e1901961.	11.1	111
87	Pure Single-Crystalline $Na_{1.1}V_{0.3}O_{7.9}$ Nanobelts as Superior Cathode Materials for Rechargeable Sodium-Ion Batteries. <i>Advanced Science</i> , 2015, 2, 1400018.	5.6	110
88	High aspect ratio \hat{I}^3 -MnOOH nanowires for high performance rechargeable nonaqueous lithium-oxygen batteries. <i>Chemical Communications</i> , 2012, 48, 7598.	2.2	109
89	Recent advances in metal-nitrogen-carbon catalysts for electrochemical water splitting. <i>Materials Chemistry Frontiers</i> , 2017, 1, 2155-2173.	3.2	109
90	Nanoengineered Ultralight and Robust All-Metal Cathode for High-Capacity, Stable Lithium-Oxygen Batteries. <i>ACS Central Science</i> , 2017, 3, 598-604.	5.3	109

#	ARTICLE	IF	CITATIONS
91	Bloodâ€Capillaryâ€Inspired, Freeâ€Standing, Flexible, and Lowâ€Cost Superâ€Hydrophobic Nâ€CNTs@SS Cathodes for Highâ€Capacity, Highâ€Rate, and Stable Liâ€Air Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1702242.	10.2	108
92	Lithiumâ€Air Batteries: Air-Electrochemistry and Anode Stabilization. <i>Accounts of Chemical Research</i> , 2021, 54, 632-641.	7.6	104
93	Dendritic Niâ€Pâ€Coated Melamine Foam for a Lightweight, Lowâ€Cost, and Amphipathic Threeâ€Dimensional Current Collector for Binderâ€Free Electrodes. <i>Advanced Materials</i> , 2014, 26, 7264-7270.	11.1	103
94	Three-dimensional interconnected Ni(Fe)OxHy nanosheets on stainless steel mesh as a robust integrated oxygen evolution electrode. <i>Nano Research</i> , 2018, 11, 1294-1300.	5.8	103
95	Cableâ€Type Waterâ€Survivable Flexible Liâ€O ₂ Battery. <i>Small</i> , 2016, 12, 3101-3105.	5.2	102
96	In situ generated FeF ₃ in homogeneous iron matrix toward high-performance cathode material for sodium-ion batteries. <i>Nano Energy</i> , 2014, 10, 295-304.	8.2	101
97	A stable sulfone based electrolyte for high performance rechargeable Liâ€O ₂ batteries. <i>Chemical Communications</i> , 2012, 48, 11674.	2.2	99
98	Iron-chelated hydrogel-derived bifunctional oxygen electrocatalyst for high-performance rechargeable Znâ€air batteries. <i>Nano Research</i> , 2017, 10, 4436-4447.	5.8	98
99	Co-gelation synthesis of porous graphitic carbons with high surface area and their applications. <i>Carbon</i> , 2011, 49, 161-169.	5.4	97
100	Facile and controllable one-pot synthesis of an ordered nanostructure of Co(OH) ₂ nanosheets and their modification by oxidation for high-performance lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 3764.	6.7	94
101	The PVDF-HFP gel polymer electrolyte for Li-O ₂ battery. <i>Solid State Ionics</i> , 2018, 318, 88-94.	1.3	93
102	Self-assembled large-area Co(OH) ₂ nanosheets/ionic liquid modified graphene heterostructures toward enhanced energy storage. <i>Journal of Materials Chemistry</i> , 2012, 22, 3404.	6.7	88
103	Direct electrodeposition of cobalt oxide nanosheets on carbon paper as free-standing cathode for Liâ€O ₂ battery. <i>Journal of Materials Chemistry A</i> , 2014, 2, 6081-6085.	5.2	83
104	Recent Progress on the Development of Metalâ€Air Batteries. <i>Advanced Sustainable Systems</i> , 2017, 1, 1700036.	2.7	83
105	Designing a self-healing protective film on a lithium metal anode for long-cycle-life lithium-oxygen batteries. <i>Energy Storage Materials</i> , 2019, 18, 382-388.	9.5	83
106	Protecting the Lithium Metal Anode for a Safe Flexible Lithiumâ€Air Battery in Ambient Air. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 18240-18245.	7.2	81
107	Facile and Lowâ€Cost Synthesis of Largeâ€Area Pure V ₂ O ₅ Nanosheets for Highâ€Capacity and Highâ€Rate Lithium Storage over a Wide Temperature Range. <i>ChemPlusChem</i> , 2012, 77, 124-128.	1.3	80
108	The developments and challenges of cerium half-cell in zincâ€cerium redox flow battery for energy storage. <i>Electrochimica Acta</i> , 2013, 90, 695-704.	2.6	80

#	ARTICLE	IF	CITATIONS
109	An Illumination-Assisted Flexible Self-Powered Energy System Based on a $\text{Li}^{10}\text{O}_{20}$ Battery. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 16411-16415.	7.2	78
110	Co-SiO ₂ nanosphere-catalyzed hydrolytic dehydrogenation of ammonia borane for chemical hydrogen storage. <i>Journal of Power Sources</i> , 2010, 195, 8209-8214.	4.0	76
111	Crystallographic and electrochemical characteristics of $\text{La}_{0.7}\text{Mg}_{0.3}\text{Ni}_{3.5}\text{Al}_{0.5}\text{Mo}_{0.5}\text{O}_x$ ($x=0\text{--}0.8$) hydrogen storage alloys. <i>Journal of Power Sources</i> , 2006, 154, 290-297.	4.0	72
112	High-Performance Integrated Self-Package Flexible $\text{Li}^{10}\text{O}_{20}$ Battery Based on Stable Composite Anode and Flexible Gas Diffusion Layer. <i>Advanced Materials</i> , 2017, 29, 1700378.	11.1	72
113	N-Doped $\text{C}@Zn_3\text{B}_2\text{O}_6$ as a Low Cost and Environmentally Friendly Anode Material for Na-Ion Batteries: High Performance and New Reaction Mechanism. <i>Advanced Materials</i> , 2019, 31, e1805432.	11.1	72
114	The Stabilization Effect of CO_2 in Lithium-Oxygen/ CO_2 Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 16661-16667.	7.2	71
115	A new fuel cell using aqueous ammonia-borane as the fuel. <i>Journal of Power Sources</i> , 2007, 168, 167-171.	4.0	69
116	Ultrathin, Lightweight, and Wearable $\text{Li}^{10}\text{O}_{20}$ Battery with High Robustness and Gravimetric/Volumetric Energy Density. <i>Small</i> , 2017, 13, 1602952.	5.2	69
117	Ethnopharmacology of Hypericum species in China: A comprehensive review on ethnobotany, phytochemistry and pharmacology. <i>Journal of Ethnopharmacology</i> , 2020, 254, 112686.	2.0	69
118	A renaissance of <i>N,N</i> -dimethylacetamide-based electrolytes to promote the cycling stability of $\text{Li}^{10}\text{O}_{20}$ batteries. <i>Energy and Environmental Science</i> , 2020, 13, 3075-3081.	15.6	68
119	Green and Facile Fabrication of $\text{MWNTs}@Sb_2\text{S}_3@PPy$ Coaxial Nanocables for High-Performance Na-Ion Batteries. <i>Particle and Particle Systems Characterization</i> , 2016, 33, 493-499.	1.2	66
120	Hierarchical Co_3O_4 porous nanowires as an efficient bifunctional cathode catalyst for long life Li-O ₂ batteries. <i>Nano Research</i> , 2015, 8, 576-583.	5.8	65
121	Organic Carbonyl Compounds for Sodium-Ion Batteries: Recent Progress and Future Perspectives. <i>Chemistry - A European Journal</i> , 2018, 24, 18235-18245.	1.7	65
122	Integrating 3D Flower-Like Hierarchical $\text{Cu}_2\text{NiSnS}_4$ with Reduced Graphene Oxide as Advanced Anode Materials for Na-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 9178-9184.	4.0	64
123	In Situ CVD Derived Co-N-C Composite as Highly Efficient Cathode for Flexible $\text{Li}^{10}\text{O}_{20}$ Batteries. <i>Small</i> , 2018, 14, e1800590.	5.2	64
124	High-Capacity and Stable $\text{Li}^{10}\text{O}_{20}$ Batteries Enabled by a Trifunctional Soluble Redox Mediator. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19311-19319.	7.2	62
125	Electrode Protection in High-Efficiency $\text{Li}^{10}\text{O}_{20}$ Batteries. <i>ACS Central Science</i> , 2020, 6, 2136-2148.	5.3	62
126	CO_2 -expanded ethanol chemical synthesis of a Fe_3O_4 @graphene composite and its good electrochemical properties as anode material for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 3954.	5.2	58

#	ARTICLE	IF	CITATIONS
127	Co-embedded N-doped carbon fibers as highly efficient and binder-free cathode for Na ⁺ /O ₂ batteries. <i>Energy Storage Materials</i> , 2017, 6, 1-8.	9.5	57
128	Low-cost and facile one-pot synthesis of pure single-crystalline μ -Cu _{0.95} V ₂ O ₅ nanoribbons: high capacity cathode material for rechargeable Li-ion batteries. <i>Chemical Communications</i> , 2011, 47, 5250.	2.2	56
129	Suppressing Sodium Dendrites by Multifunctional Polyvinylidene Fluoride (PVDF) Interlayers with Nonthrough Pores and High Flux/Affinity of Sodium Ions toward Long Cycle Life Sodium Oxygen Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1703931.	7.8	54
130	Composition-tunable synthesis of α -clean syngas via a one-step synthesis of metal-free pyridinic-N-enriched self-supported CNTs: the synergy of electrocatalyst pyrolysis temperature and potential. <i>Green Chemistry</i> , 2017, 19, 4284-4288.	4.6	53
131	In Situ Activating Ubiquitous Rust towards Low-Cost, Efficient, Free-Standing, and Recoverable Oxygen Evolution Electrodes. <i>Angewandte Chemie</i> , 2016, 128, 10091-10095.	1.6	50
132	An Adjustable Porosity Plastic Crystal Electrolyte Enables High-Performance All-Solid-State Lithium-Oxygen Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9382-9387.	7.2	50
133	Hybrid electrolyte with robust garnet-ceramic electrolyte for lithium anode protection in lithium-oxygen batteries. <i>Nano Research</i> , 2018, 11, 3434-3441.	5.8	49
134	Effect of Mn content on the structure and electrochemical characteristics of La _{0.7} Mg _{0.3} Ni _{2.975} xCo _{0.525} Mnx (x=0-0.4) hydrogen storage alloys. <i>Electrochimica Acta</i> , 2005, 50, 2911-2918.	2.6	48
135	Mild and Cost-Effective One-Pot Synthesis of Pure Single-Crystalline β -Ag _{0.33} V ₂ O ₅ Nanowires for Rechargeable Li-ion Batteries. <i>ChemSusChem</i> , 2011, 4, 1091-1094.	3.6	48
136	Recent Progresses and Prospects of Cathode Materials for Non-aqueous Potassium-Ion Batteries. <i>Electrochemical Energy Reviews</i> , 2018, 1, 548-566.	13.1	48
137	Generating Defect-Rich Bismuth for Enhancing the Rate of Nitrogen Electroreduction to Ammonia. <i>Angewandte Chemie</i> , 2019, 131, 9564-9569.	1.6	47
138	Transformation of Rusty Stainless Steel Meshes into Stable, Low-Cost, and Binder-Free Cathodes for High-Performance Potassium-Ion Batteries. <i>Angewandte Chemie</i> , 2017, 129, 7989-7993.	1.6	46
139	Li-air batteries: Decouple to stabilize. <i>Nature Energy</i> , 2017, 2, .	19.8	46
140	Silver-Intermediated Perovskite La _{0.9} FeO ₃ toward High-Performance Cathode Catalysts for Nonaqueous Lithium-Oxygen Batteries. <i>ACS Catalysis</i> , 2019, 9, 11743-11752.	5.5	46
141	Highly efficient and selective CO ₂ electro-reduction with atomic Fe-C-N hybrid coordination on porous carbon nematosphere. <i>Nano Research</i> , 2019, 12, 2318-2323.	5.8	45
142	Complete Dehydrogenation of N ₂ H ₄ BH ₃ over Noble-Metal-Free Ni _{0.5} Fe _{0.5} -CeO _x /MIL-101 with High Activity and 100% H ₂ Selectivity. <i>Advanced Energy Materials</i> , 2018, 8, 1800625.	10.2	44
143	Decoupled aqueous batteries using pH-decoupling electrolytes. <i>Nature Reviews Chemistry</i> , 2022, 6, 505-517.	13.8	44
144	Hydronium Ion Batteries: A Sustainable Energy Storage Solution. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 6378-6380.	7.2	43

#	ARTICLE	IF	CITATIONS
145	P3-type $K_{0.33}Co_{0.53}Mn_{0.47}O_2 \cdot 0.39H_2O$: a novel bifunctional electrode for Na-ion batteries. <i>Materials Horizons</i> , 2017, 4, 1122-1127.	6.4	41
146	Hybrid solid electrolyte enabled dendrite-free Li anodes for high-performance quasi-solid-state lithium-oxygen batteries. <i>National Science Review</i> , 2021, 8, nwaal150.	4.6	41
147	Imine-Rich Poly(<i>o</i> -phenylenediamine) as High-Capacity Trifunctional Organic Electrode for Alkali-Ion Batteries. <i>CCS Chemistry</i> , 2019, 1, 365-372.	4.6	40
148	A Low-Volatile and Durable Deep Eutectic Electrolyte for High-Performance Lithium-Oxygen Battery. <i>Journal of the American Chemical Society</i> , 2022, 144, 5827-5833.	6.6	39
149	Rapid and shape-controlled synthesis of clean-like and concave Pd nanocrystallites and their high performance toward methanol oxidation. <i>Journal of Materials Chemistry</i> , 2012, 22, 14861.	6.7	38
150	A high performance anion exchange membrane-type ammonia borane fuel cell. <i>Journal of Power Sources</i> , 2008, 182, 515-519.	4.0	37
151	Effect of La/Ce ratio on the structure and electrochemical characteristics of $La_{0.7}Ce_xMg_{0.3}Ni_{2.8}Co_{0.5}$ ($x=0.1 \sim 0.5$) hydrogen storage alloys. <i>Electrochimica Acta</i> , 2005, 50, 1957-1964.	2.6	36
152	pH-switched luminescence and sensing properties of a carbon dot-polyaniline composite. <i>RSC Advances</i> , 2013, 3, 5475.	1.7	36
153	Electrochemical oxidation of ammonia borane on gold electrode. <i>International Journal of Hydrogen Energy</i> , 2009, 34, 174-179.	3.8	35
154	Crystal structure and electrochemical properties of rare earth non-stoichiometric AB ₅ -type alloy as negative electrode material in Ni-MH battery. <i>Journal of Solid State Chemistry</i> , 2004, 177, 2373-2377.	1.4	34
155	Superior Oxygen Reduction Electrocatalyst: Hollow Porous Spinel Microsphere. <i>CheM</i> , 2018, 4, 196-198.	5.8	34
156	Crystallographic and Electrochemical Characteristics of $La_{0.7}Mg_{0.3}Ni_{5.0}x(Al_{0.5}Mo_{0.5})_x$ Hydrogen-Storage Alloys. <i>ChemPhysChem</i> , 2005, 6, 520-525.	1.0	33
157	Synthesis and electrochemical properties of LiFePO ₄ /C composite cathode material prepared by a new route using supercritical carbon dioxide as a solvent. <i>Journal of Materials Chemistry</i> , 2011, 21, 6975.	6.7	33
158	Growth of Ru-Modified Co_3O_4 Nanosheets on Carbon Textiles toward Flexible and Efficient Cathodes for Flexible Li-O ₂ Batteries. <i>Particle and Particle Systems Characterization</i> , 2016, 33, 500-505.	1.2	33
159	Decorating carbon nanofibers with Mo ₂ C nanoparticles towards hierarchically porous and highly catalytic cathode for high-performance Li-O ₂ batteries. <i>Science Bulletin</i> , 2018, 63, 433-440.	4.3	33
160	Synthesis of porous and metallic CoB nanosheets towards a highly efficient electrocatalyst for rechargeable Na-O ₂ batteries. <i>Energy and Environmental Science</i> , 2018, 11, 2833-2838.	15.6	33
161	In Situ Coupling of Colloidal Silica and Li Salt Anion toward Stable Li Anode for Long-Cycle-Life Li-O ₂ Batteries. <i>Matter</i> , 2019, 1, 881-892.	5.0	33
162	Cation Segregation of A-Site Deficiency Perovskite $La_{0.85}FeO_{3-\delta}$ Nanoparticles toward High-Performance Cathode Catalysts for Rechargeable Li-O ₂ Battery. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 25465-25472.	4.0	31

#	ARTICLE	IF	CITATIONS
163	The development and challenges of rechargeable non-aqueous lithium-air batteries. <i>International Journal of Smart and Nano Materials</i> , 2013, 4, 27-46.	2.0	30
164	Trace Amounts of Water-Induced Distinct Growth Behaviors of NiO Nanostructures on Graphene in CO ₂ -Expanded Ethanol and Their Applications in Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 7065-7071.	4.0	29
165	Optimized nitrogen-doped carbon with a hierarchically porous structure as a highly efficient cathode for Na ⁺ /O ₂ batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10008-10013.	5.2	29
166	High Capacity and Stable Li ⁺ /O ₂ Batteries Enabled by a Trifunctional Soluble Redox Mediator. <i>Angewandte Chemie</i> , 2020, 132, 19473-19481.	1.6	28
167	Achieving of High Density/Utilization of Active Groups via Synergic Integration of C=N and C=O Bonds for Ultra-Stable and High-Rate Lithium-Ion Batteries. <i>Research</i> , 2018, 2018, 1936735.	2.8	28
168	Soluble and Perfluorinated Polyelectrolyte for Safe and High Performance Li ⁺ /O ₂ Batteries. <i>Angewandte Chemie - International Edition</i> , 2022, 61, e202116635.	7.2	28
169	Photoinduced decoration of NiO nanosheets/Ni foam with Pd nanoparticles towards a carbon-free and self-standing cathode for a lithium-air oxygen battery with a low overpotential and long cycle life. <i>Materials Horizons</i> , 2018, 5, 298-302.	6.4	27
170	Unique Structural Trends in the Lanthanoid Oxocarbonyl Complexes. <i>Inorganic Chemistry</i> , 2008, 47, 4826-4831.	1.9	26
171	N,O-codoped porous carbon nanosheets for capacitors with ultra-high capacitance. <i>Science China Materials</i> , 2016, 59, 547-557.	3.5	26
172	Lithium and Stannum Hybrid Anodes for Flexible Wire-type Lithium-Oxygen Batteries. <i>Small Structures</i> , 2020, 1, 2000015.	6.9	26
173	Solvation Effect on the Improved Sodium Storage Performance of N-Heteropentacenequinone for Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 26806-26812.	7.2	26
174	Crystallographic and electrochemical characteristics of La _{0.7} Mg _{0.3} Ni ₃ Al _x (Al _{0.5} Mo _{0.5}) _x (x = 0-0.4) hydrogen storage alloys. <i>Electrochimica Acta</i> , 2005, 50, 3407-3413.	2.6	24
175	CeO ₂ @NiCo ₂ O ₄ nanowire arrays on carbon textiles as high performance cathode for Li-O ₂ batteries. <i>Science China Chemistry</i> , 2017, 60, 1540-1545.	4.2	24
176	Hydrogen-Bond-Assisted Solution Discharge in Aprotic Li ⁺ /O ₂ Batteries. <i>Advanced Materials</i> , 2022, 34, e2110416.	11.1	24
177	Anchoring Iron-EDTA Complex on Graphene toward the Synthesis of Highly Efficient Fe-N Oxygen Reduction Electrocatalyst for Fuel Cells. <i>Chinese Journal of Chemistry</i> , 2018, 36, 287-292.	2.6	22
178	P3-type K _{0.32} Fe _{0.35} Mn _{0.65} O ₂ ·0.39H ₂ O: a promising cathode for Na-ion full batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 13075-13081.	5.2	22
179	Integrated Bismuth Oxide Ultrathin Nanosheets/Carbon Foam Electrode for Highly Selective and Energy-Efficient Electrocatalytic Conversion of CO ₂ to HCOOH. <i>Chemistry - A European Journal</i> , 2020, 26, 4013-4018.	1.7	21
180	±-MnO ₂ hollow clews for rechargeable Li-air batteries with improved cyclability. <i>Science Bulletin</i> , 2012, 57, 4210-4214.	1.7	19

#	ARTICLE	IF	CITATIONS
181	Structure and electrochemical characteristics of RENi3 alloy. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2005, 117, 123-128.	1.7	18
182	Experimental and theoretical investigation of the cycle durability against CO and degradation mechanism of the LaNi5 hydrogen storage alloy. <i>Journal of Alloys and Compounds</i> , 2007, 446-447, 208-211.	2.8	18
183	A binder-free, flexible cathode for rechargeable Na-O2 batteries. <i>Chinese Journal of Catalysis</i> , 2016, 37, 1172-1179.	6.9	18
184	Batteries: Homogeneous CoO on Graphene for Binder-Free and Ultralong-Life Lithium Ion Batteries (<i>Adv. Funct. Mater.</i> 35/2013). <i>Advanced Functional Materials</i> , 2013, 23, 4274-4274.	7.8	17
185	Copper tetrazolate based metal-organic frameworks as highly efficient catalysts for artificially chemical and electrochemical CO ₂ conversion. <i>Nano Select</i> , 2020, 1, 311-319.	1.9	17
186	Interface between Lithium Metal and Garnet Electrolyte: Recent Progress and Perspective. <i>Batteries and Supercaps</i> , 2020, 3, 1006-1015.	2.4	17
187	Structure and electrochemical characteristics of Ti _{0.25} xZrxV _{0.35} Cr _{0.1} Ni _{0.3} (x=0.05-0.15) alloys. <i>Intermetallics</i> , 2005, 13, 1141-1145.	1.8	15
188	Hydroniumionenbatterien: eine nachhaltige Lösung zur Energiespeicherung. <i>Angewandte Chemie</i> , 2017, 129, 6476-6478.	1.6	14
189	Preparation and performance of a sulfur/graphene composite for rechargeable lithium-sulfur battery. <i>Journal of Physics: Conference Series</i> , 2012, 339, 012003.	0.3	13
190	Non-noble-metal bismuth nanoparticle-decorated bismuth vanadate nanoarray photoanode for efficient water splitting. <i>Materials Chemistry Frontiers</i> , 2018, 2, 1799-1804.	3.2	13
191	An Adjustable Porosity Plastic Crystal Electrolyte Enables High-Performance All-Solid-State Lithium-Oxygen Batteries. <i>Angewandte Chemie</i> , 2020, 132, 9468-9473.	1.6	13
192	Designing multi-shelled metal oxides: towards high energy-density lithium-ion batteries. <i>Science China Materials</i> , 2016, 59, 521-522.	3.5	12
193	Creation of a rigid host framework with optimum crystal structure and interface for zero-strain K-ion storage. <i>Energy and Environmental Science</i> , 2022, 15, 1529-1535.	15.6	12
194	Three Birds with One Stone: An Integrated Cathode-Electrolyte Structure for High-Performance Solid-State Lithium-Oxygen Batteries. <i>Small</i> , 2022, 18, e2107833.	5.2	11
195	Ligand centered electrocatalytic efficient CO2 reduction reaction at low overpotential on single-atom Ni regulated molecular catalyst. <i>Nano Research</i> , 2022, 15, 5816-5823.	5.8	11
196	The role of anisotropic structure and its aspect ratio: high-loading carbon nanospheres supported Pt nanowires with high performance toward methanol electrooxidation. <i>RSC Advances</i> , 2012, 2, 401-403.	1.7	10
197	Hybrid Film from Nickel Oxide and Oxygenated Carbon Nanotube as Flexible Electrodes for Pseudocapacitors. <i>ChemNanoMat</i> , 2016, 2, 698-703.	1.5	10
198	Crystallographic and Electrochemical Characteristics of La _{0.7} Mg _{0.3} Ni _{4.5-x} (Al _{0.5} Mo _{0.5}) _x (x = 0-0.8) Hydrogen Storage Alloys. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 2235-2241.	1.0	9

#	ARTICLE	IF	CITATIONS
199	Electrodes: Engraving Copper Foil to Give Large-Scale Binder-Free Porous CuO Arrays for a High-Performance Sodium-Ion Battery Anode (Adv. Mater. 14/2014). Advanced Materials, 2014, 26, 2284-2284.	11.1	9
200	Electrochemical properties of Ti _{0.17} Zr _{0.08} V _{0.35} Cr _{0.10} Ni _{0.30} alloy electrode. Journal of Applied Electrochemistry, 2006, 36, 739-743.	1.5	8
201	Structural Optimization of Metal Oxyhalide for CO_2 Reduction with High Selectivity and Current Density. Chinese Journal of Chemistry, 2020, 38, 1752-1756.	2.6	8
202	Investigation of Pt nanoparticles with controlled size supported on carbon for dimethyl ether electrooxidation. Journal of Power Sources, 2013, 225, 231-239.	4.0	7
203	Stretchable Electrode Breakthrough: Archimedean Spiral Coil Lithium Anode. Joule, 2018, 2, 1654-1656.	11.7	7
204	Pt/C anodic catalysts with controlled morphology for direct dimethyl ether fuel cell: The role of consecutive surface. Electrochimica Acta, 2011, 56, 5966-5971.	2.6	6
205	The Stabilization Effect of CO ₂ in Lithium-Oxygen/CO ₂ Batteries. Angewandte Chemie, 2020, 132, 16804.	1.6	6
206	Existence of the Na-H \cdots H \cdots H \cdots H \cdots O Dihydrogen Bond in the Hydrogenation Process by Na ₂ O: A First-Principles Identification. Journal of Physical Chemistry C, 2007, 111, 5064-5068.	1.5	5
207	CO Adsorption on a LaNi ₅ Hydrogen Storage Alloy Surface: A Theoretical Investigation. ChemPhysChem, 2008, 9, 1564-1569.	1.0	5
208	Soluble and Perfluorinated Polyelectrolyte for Safe and High-Performance Li ₂ O Batteries. Angewandte Chemie, 2022, 134, .	1.6	4
209	The structure and electrochemical characteristics of La _{0.67} Mg _{0.33} (Ni _{0.8} Co _{0.1} Mn _{0.1}) _x (x=2.5-5.0) multiphase alloys for nickel-metal hydride batteries. Journal of Solid State Electrochemistry, 2006, 10, 236-242.	1.2	3
210	Crystal structure and electrochemical characteristics of La _{0.9} Mg _{0.1} Ni _{5-x} Sn _x (x=0.1, 0.2, 0.3, 0.4) alloy electrodes. Scripta Materialia, 2005, 53, 1123-1128.	2.6	2
211	Dehydrogenation Reaction for Na \cdots O \cdots H System: A First-Principles Study. ChemPhysChem, 2007, 8, 1979-1987.	1.0	2
212	Lithium Ion Batteries: Graphene Oxide Gel-Derived, Free-Standing, Hierarchically Porous Carbon for High-Capacity and High-Rate Rechargeable Li ₂ O Batteries (Adv. Funct. Mater. 17/2012). Advanced Functional Materials, 2012, 22, 3745-3745.	7.8	2
213	Solvation Effect on the Improved Sodium Storage Performance of N-heteropentacenequinone. Angewandte Chemie, 0, , .	1.6	2
214	Overcharge to Remove Cathode Passivation Layer for Reviving Failed Li ₂ O Batteries. CCS Chemistry, 2023, 5, 641-653.	4.6	2
215	Crystallographic and electrochemical characteristics of La _{0.7} Mg _{0.3} Ni _{5-x} (Al _{0.5} Mo _{0.5}) _x (x=0 to 0.8) hydrogen storage alloys. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2005, 36, 2025-2030.	1.1	1
216	Structures and electrochemical characteristics of several kinds of alloys. Research on Chemical Intermediates, 2006, 32, 403-417.	1.3	0