Ilan Goldenberg

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5175023/ilan-goldenberg-publications-by-year.pdf
Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

325 papers	13,259 citations	58 h-index	108 g-index
346 ext. papers	15,466 ext. citations	5.2 avg, IF	6.02 L-index

#	Paper	IF	Citations
325	Junctional AV ablation in patients with atrial fibrillation undergoing cardiac resynchronization therapy (JAVA-CRT): results of a multicenter randomized clinical trial pilot program.. *Journal of Interventional Cardiac Electrophysiology*, **2022**, 1	2.4	
324	Sex-Specific Platelet Activation Through Protease-Activated Receptors Reverses in Myocardial Infarction. *Arteriosclerosis, Thrombosis, and Vascular Biology*, **2021**, 41, 390-400	9.4	4
323	Effectiveness of Implantable Cardioverter-Defibrillators to Reduce Mortality in Patients With Long QT Syndrome. *Journal of the American College of Cardiology*, **2021**, 78, 2076-2088	15.1	2
322	Systolic Blood Pressure and Risk for Ventricular Arrhythmia in Patients With an Implantable Cardioverter Defibrillator. *American Journal of Cardiology*, **2021**, 143, 74-79	3	1
321	Risk factors for ventricular tachyarrhythmic events in patients without left bundle branch block who receive cardiac resynchronization therapy. *Annals of Noninvasive Electrocardiology*, **2021**, 26, e12847	1.5	1
320	Extending the MADIT-ICD benefit score to heterogenous heart failure populations. *European Heart Journal*, **2021**, 42, 4774-4775	9.5	1
319	Cardiac resynchronization therapy and ventricular tachyarrhythmia burden. *Heart Rhythm*, **2021**, 18, 762-769	6.7	2
318	Ethnic Disparity in Mortality Among Ischemic Heart Disease Patients. A-20 Years Outcome Study From Israel. *Frontiers in Cardiovascular Medicine*, **2021**, 8, 661390	5.4	0
317	Risk Prediction in Women With Congenital Long QT Syndrome. *Journal of the American Heart Association*, **2021**, 10, e021088	6	2
316	Temporal trends in prognosis of patients with acute coronary syndrome complicated by ventricular tachyarrhythmia. *International Journal of Clinical Practice*, **2021**, 75, e14623	2.9	
315	Combining diastolic dysfunction and natriuretic peptides to risk stratify patients with heart failure with reduced ejection fraction. *International Journal of Cardiology*, **2021**, 335, 59-65	3.2	0
314	Risk of arrhythmic events after alcohol septal ablation for hypertrophic cardiomyopathy using continuous implantable cardiac monitoring. *Heart Rhythm*, **2021**, 18, 50-56	6.7	4
313	Telehealth for the Management of Left Ventricular Assist Device Patients: The University of Rochester TeleLVAD Study. *Journal of Cardiac Failure*, **2021**, 27, 112-113	3.3	1
312	Predicted benefit of an implantable cardioverter-defibrillator: the MADIT-ICD benefit score. *European Heart Journal*, **2021**, 42, 1676-1684	9.5	16
311	Outcome of patients with prior coronary bypass surgery admitted with an acute coronary syndrome. *Heart*, **2021**, 107, 1820-1825	5.1	0
310	Arrhythmic and Mortality Outcomes Among Ischemic Versus Nonischemic Cardiomyopathy Patients Receiving Primary Implantable Cardioverter-Defibrillator Therapy. *JACC: Clinical Electrophysiology*, **2021**,	4.6	1
309	Comparison of Low and Full Dose Apixaban Versus Warfarin in Patients With Atrial Fibrillation and Renal Dysfunction (from a National Registry). *American Journal of Cardiology*, **2021**, 159, 87-93	3	

308	Hospitalization for Heart Failure and Subsequent Ventricular Tachyarrhythmias in Patients With Left Ventricular Dysfunction. *JACC: Clinical Electrophysiology*, **2021**, 7, 1099-1107	4.6	
307	Predicting 30-day mortality after ST elevation myocardial infarction: Machine learning- based random forest and its external validation using two independent nationwide datasets. *Journal of Cardiology*, **2021**, 78, 439-446	3	4
306	Heart Team/Guidelines Discordance Is Associated With Increased Mortality: Data From a National Survey of Revascularization in Patients With Complex Coronary Artery Disease. *Circulation: Cardiovascular Interventions*, **2021**, 14, e009686	6	3
305	Safety of High-Dose Dabigatran in Elderly and Younger Patients with a Low Bleeding Risk: A Prospective Observational Study. *Cardiology*, **2021**, 146, 641-645	1.6	
304	Apixaban in Patients with Atrial Fibrillation and Severe Renal Dysfunction: Findings from a National Registry. *Israel Medical Association Journal*, **2021**, 23, 353-358	0.9	1
303	High fitness might be associated with the development of new-onset atrial fibrillation in obese non-athletic adults. *International Journal of Clinical Practice*, **2020**, 74, e13638	2.9	1
302	Long-term milrinone therapy as a bridge to heart transplantation: Safety, efficacy, and predictors of failure. *International Journal of Cardiology*, **2020**, 313, 83-88	3.2	5
301	Norton score and clinical outcomes following acute decompensated heart failure hospitalization. *Journal of Cardiology*, **2020**, 76, 335-341	3	5
300	The role and outcomes of new supraventricular tachycardia among patients with mild heart failure. *Journal of Cardiovascular Electrophysiology*, **2020**, 31, 1099-1104	2.7	
299	Cardiac Resynchronization Therapy and Risk of Recurrent Hospitalizations in Patients Without Left Bundle Branch Block: The Long-Term Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy. *Circulation: Heart Failure*, **2020**, 13, e006925	7.6	0
298	Circadian variation and seasonal distribution of implantable defibrillator detected new onset atrial fibrillation. *PACE - Pacing and Clinical Electrophysiology*, **2020**, 43, 1495-1500	1.6	3
297	Implantable cardioverter-defibrillator programming after first occurrence of ventricular tachycardia in the Multicenter Automatic Defibrillator Implantation Trial-Reduce Inappropriate Therapy (MADIT-RIT). *Heart Rhythm O2*, **2020**, 1, 77-82	1.5	0
296	Relation between resting heart rate and the risk of ventricular tachyarrhythmias in MADIT-RIT. *Europace*, **2020**, 22, 281-287	3.9	1
295	Need for pacing in patients who qualify for an implantable cardioverter-defibrillator: Clinical implications for the subcutaneous ICD. *Annals of Noninvasive Electrocardiology*, **2020**, 25, e12744	1.5	3
294	The role of implantable cardioverter-defibrillators in asymptomatic patients with left ventricular dysfunction. *European Heart Journal*, **2020**, 41, 2035	9.5	1
293	Trends in long-term prognosis according to left ventricular ejection fraction after acute coronary syndrome. *Journal of Cardiology*, **2020**, 76, 303-308	3	1
292	Arrhythmia Burden in Patients with Indolent Lymphoma. *Blood*, **2020**, 136, 6-7	2.2	0
291	Genotype-Phenotype Correlation in Congenital LQTS: Implications for Diagnosis and Risk Stratification **2020**, 141-164		0

290	Response to "How to consider optimal therapeutic strategy for bridge to heart transplantation". *International Journal of Cardiology*, **2020**, 320, 126	3.2	
289	The role of implantable cardioverter-defibrillators and sudden cardiac death prevention: indications, device selection, and outcome. *European Heart Journal*, **2020**, 41, 2003-2011	9.5	11
288	Prognostic Usefulness of Systolic Blood Pressure One-Year Following Cardiac Resynchronization Therapy (from MADIT-CRT). *American Journal of Cardiology*, **2020**, 125, 777-782	3	1
287	Avoidance of Coronary Angiography in High-Risk Patients With Acute Coronary Syndromes: The ACSIS Registry Findings. *Cardiovascular Revascularization Medicine*, **2020**, 21, 1230-1236	1.6	3
286	Implantation of a fully magnetically levitated left ventricular assist device using a sternal-sparing surgical technique. *Journal of Heart and Lung Transplantation*, **2020**, 39, 37-44	5.8	22
285	Predictors and outcomes of atrial tachyarrhythmia among patients with implantable defibrillators. *Heart Rhythm*, **2020**, 17, 553-559	6.7	1
284	Outcome by Sex in Patients With Long QT Syndrome With an Implantable Cardioverter Defibrillator. *Journal of the American Heart Association*, **2020**, 9, e016398	6	1
283	Utility of 6-Minute Walk Test to Predict Response to Cardiac Resynchronization Therapy in Patients With Mild Heart Failure. *American Journal of Cardiology*, **2020**, 132, 79-86	3	0
282	Ethnic Differences Among Acute Coronary Syndrome Patients in Israel. *Cardiovascular Revascularization Medicine*, **2020**, 21, 1431-1435	1.6	2
281	Association of previous cardiac surgery with outcomes in left ventricular assist device patients. *Interactive Cardiovascular and Thoracic Surgery*, **2020**, 31, 1-8	1.8	
280	Do all intra-ventricular conduction defect ECG patterns respond equally to CRT?. *Journal of Interventional Cardiac Electrophysiology*, **2020**, 58, 87-94	2.4	1
279	Left Ventricular Reverse Remodeling in Cardiac Resynchronization Therapy and Long-Term Outcomes. *JACC: Clinical Electrophysiology*, **2019**, 5, 1001-1010	4.6	5
278	Risk of Ventricular Tachyarrhythmic Events in Patients Who Improved Beyond Guidelines for a Defibrillator in MADIT-CRT. *JACC: Clinical Electrophysiology*, **2019**, 5, 1172-1181	4.6	2
277	Comparison of Outcomes in Patients With Acute Coronary Syndrome Presenting With Typical Versus Atypical Symptoms. *American Journal of Cardiology*, **2019**, 124, 1851-1856	3	4
276	Sildenafil for Pulmonary Hypertension in the Early Postoperative Period After Mitral Valve Surgery. *Journal of Cardiothoracic and Vascular Anesthesia*, **2019**, 33, 1648-1656	2.1	5
275	Trends in management and outcome of acute coronary syndrome in women 80 years versus those . *International Journal of Cardiology*, **2019**, 281, 22-27	3.2	2
274	Arrhythmic burden among asymptomatic patients with ischemic cardiomyopathy and an implantable cardioverter-defibrillator. *Heart Rhythm*, **2019**, 16, 813-819	6.7	0
273	Statin therapy among chronic kidney disease patients presenting with acute coronary syndrome. *Atherosclerosis*, **2019**, 286, 14-19	3.1	3

272	Prognostic Importance of Defibrillator-Appropriate Shocks and Antitachycardia Pacing in Patients With Mild Heart Failure. *Journal of the American Heart Association*, **2019**, 8, e010346	6	4
271	Real-world referral pattern and outcomes of diabetic patients who undergo revascularization: data from the prospective Multi-vessel Coronary Artery Disease (MULTICAD) Israeli Registry *European Journal of Cardio-thoracic Surgery*, **2019**,	3	3
270	Primary prevention with the implantable cardioverter-defibrillator in high-risk long-QT syndrome patients. *Europace*, **2019**, 21, 339-346	3.9	17
269	Association of Bezafibrate Treatment With Reduced Risk of Cancer in Patients With Coronary Artery Disease. *Mayo Clinic Proceedings*, **2019**, 94, 1171-1179	6.4	2
268	Death with an implantable cardioverter-defibrillator: a MADIT-II substudy. *Europace*, **2019**, 21, 1843-1850	3.9	5
267	Thrombocytopenia and thrombocytosis are associated with different outcome in atrial fibrillation patients on anticoagulant therapy. *PLoS ONE*, **2019**, 14, e0224709	3.7	2
266	Association of Cardiac Resynchronization Therapy With Change in Left Ventricular Ejection Fraction in Patients With Chemotherapy-Induced Cardiomyopathy. *JAMA - Journal of the American Medical Association*, **2019**, 322, 1799-1805	27.4	19
265	Acute myocardial infarction severity, complications, and mortality associated with lack of magnesium intake through consumption of desalinated seawater. *Magnesium Research*, **2019**, 32, 39-50	1.7	3
264	Quality of life predicting long-term outcomes in cardiac resynchronization therapy patients. *Europace*, **2019**, 21, 1865-1875	3.9	4
263	Revascularization Strategies and Survival in Patients With Multivessel Coronary Artery Disease. *Annals of Thoracic Surgery*, **2019**, 107, 106-111	2.7	7
262	The Association of Body Mass Index and 20-Year All-Cause Mortality Among Patients With Stable Coronary Artery Disease. *Heart Lung and Circulation*, **2019**, 28, 719-726	1.8	3
261	Characteristics and outcomes associated with 30-day readmissions following acute coronary syndrome 2000-2013: the Acute Coronary Syndrome Israeli Survey. *European Heart Journal: Acute Cardiovascular Care*, **2019**, 8, 738-744	4.3	1
260	Comparison of Long-Term Survival Benefits With Cardiac Resynchronization Therapy in Patients With Mild Heart Failure With Versus Without Diabetes Mellitus (from the Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy [MADIT-CRT]). *American Journal of Cardiology*, **2018**, 121, 1567-1574	3	3
259	Incidence and Prognosis of Pericarditis After ST-Elevation Myocardial Infarction (from the Acute Coronary Syndrome Israeli Survey 2000 to 2013 Registry Database). *American Journal of Cardiology*, **2018**, 121, 690-694	3	10
258	Impact of quadripolar LV leads on heart failure hospitalization rates among patients implanted with CRT-D: data from the Israeli ICD Registry. *Journal of Interventional Cardiac Electrophysiology*, **2018**, 51, 5-12	2.4	5
257	Low ALT blood levels are associated with lower baseline fitness amongst participants of a cardiac rehabilitation program. *Journal of Exercise Science and Fitness*, **2018**, 16, 1-4	3.1	8
256	Comparison of patients with multivessel disease treated at centers with and without on-site cardiac surgery. *Journal of Thoracic and Cardiovascular Surgery*, **2018**, 155, 865-873.e3	1.5	10
255	Long-Term Survival With Implantable Cardioverter-Defibrillator in Different Symptomatic Functional Classes of Heart Failure. *American Journal of Cardiology*, **2018**, 121, 615-620	3	8

254	High-grade atrioventricular block in patients with acute myocardial infarction. Insights from a contemporary multi-center survey. *Journal of Electrocardiology*, **2018**, 51, 386-391	1.4	9
253	Real-life characteristics and outcomes of patients who undergo percutaneous coronary intervention versus coronary artery bypass grafting for left main coronary artery disease: data from the prospective Multi-vessel Coronary Artery Disease (MULTICAD) Israeli Registry. *European Journal of Cardiothoracic Surgery*, **2018**, 54, 717-723	3	11
252	Impact of mobile intensive care unit use on total ischemic time and clinical outcomes in ST-elevation myocardial infarction patients - real-world data from the Acute Coronary Syndrome Israeli Survey. *European Heart Journal: Acute Cardiovascular Care*, **2018**, 7, 497-503	4.3	5
251	Early Referral to Coronary Artery Bypass Grafting Following Acute Coronary Syndrome, Trends and Outcomes from the Acute Coronary Syndrome Israeli Survey (ACSIS) 2000-2010. *Heart Lung and Circulation*, **2018**, 27, 175-182	1.8	4
250	Impact of Self-Reported Family History of Premature Cardiovascular Disease on the Outcomes of Patients Hospitalized for Acute Coronary Syndrome (from the Acute Coronary Syndrome Israel Survey [ACSIS] 2000 to 2013). *American Journal of Cardiology*, **2018**, 122, 917-921	3	5
249	One-year follow-up of the prospective registry of patients using the wearable defibrillator (WEARIT-II Registry). *PACE - Pacing and Clinical Electrophysiology*, **2018**, 41, 1307-1313	1.6	9
248	Non-response to Cardiac Resynchronization Therapy. *Current Heart Failure Reports*, **2018**, 15, 315-321	2.8	10
247	Predictors of long-term mortality with cardiac resynchronization therapy in mild heart failure patients with left bundle branch block. *Clinical Cardiology*, **2018**, 41, 1358-1366	3.3	3
246	Relation of Atrial Premature Complexes During Exercise Stress Testing to the Risk for the Development of Atrial Fibrillation in Patients Undergoing Cardiac Rehabilitation. *American Journal of Cardiology*, **2018**, 122, 395-399	3	0
245	De novo mitral regurgitation as a cause of heart failure exacerbation in patients with hypertrophic cardiomyopathy. *International Journal of Cardiology*, **2018**, 252, 122-127	3.2	3
244	Donor-recipient ethnic mismatching impacts short- and long-term results of heart transplantation. *Clinical Transplantation*, **2018**, 32, e13389	3.8	1
243	Left Ventricular Lead Location and Long-Term Outcomes in Cardiac Resynchronization Therapy Patients. *JACC: Clinical Electrophysiology*, **2018**, 4, 1410-1420	4.6	11
242	Developing a risk score to predict mortality in the first year after implantable cardioverter defibrillator implantation: Data from the Israeli ICD Registry. *Journal of Cardiovascular Electrophysiology*, **2018**, 29, 1540-1547	2.7	2
241	Experience with the wearable cardioverter-defibrillator in older patients: Results from the Prospective Registry of Patients Using the Wearable Cardioverter-Defibrillator. *Heart Rhythm*, **2018**, 15, 1379-1386	6.7	6
240	The role and outcome of cardiac rehabilitation program in patients with atrial fibrillation. *Clinical Cardiology*, **2018**, 41, 1170-1176	3.3	13
239	Participation in an Exercise-Based Cardiac Rehabilitation Program and Functional Improvement of Heart Failure Patients with Preserved Versus Reduced Left Ventricular Systolic Function. *Israel Medical Association Journal*, **2018**, 20, 358-362	0.9	4
238	Sub-acute vs. Late-onset Presentation of Oncotherapy Related Cardiotoxicity: Predictors of Cardiac Function Recovery and Long-Term Outcome. *Israel Medical Association Journal*, **2018**, 20, 486-490	0.9	
237	The Association Between the Risk Scores for Cardiovascular Disease and Long-Term Mortality Following an Acute Coronary Event. *Israel Medical Association Journal*, **2018**, 20, 419-422	0.9	1

236	Admission plasma glucose levels within the normal to mildly impaired range and the outcome of patients with acute coronary syndrome. *European Heart Journal: Acute Cardiovascular Care*, **2017**, 6, 738-743	4.2	4
235	Temporal trends in management and outcomes of patients with acute coronary syndrome according to renal function. *International Journal of Cardiology*, **2017**, 232, 48-52	3.2	7
234	Gender disparities in the functional significance of anemia among apparently healthy adults. *European Journal of Haematology*, **2017**, 98, 435-442	3.8	4
233	Temporal trends and outcomes associated with atrial fibrillation observed during acute coronary syndrome: Real-world data from the Acute Coronary Syndrome Israeli Survey (ACSIS), 2000-2013. *Clinical Cardiology*, **2017**, 40, 275-280	3.3	15
232	Triggers and Timing of Acute Coronary Syndromes. *American Journal of Cardiology*, **2017**, 119, 1560-1565	3	9
231	Sex Differences in the Management and 5-Year Outcome of Young Patients (. *American Journal of Medicine*, **2017**, 130, 1324.e15-1324.e22	2.4	27
230	The addition of vildagliptin to metformin prevents the elevation of interleukin 1 in patients with type 2 diabetes and coronary artery disease: a prospective, randomized, open-label study. *Cardiovascular Diabetology*, **2017**, 16, 69	8.7	17
229	The Effect of Admission Renal Function on the Treatment and Outcome of Patients with Acute Coronary Syndrome. *CardioRenal Medicine*, **2017**, 7, 169-178	2.8	12
228	Impaired Fasting Glucose Is the Major Determinant of the 20-Year Mortality Risk Associated With Metabolic Syndrome in Nondiabetic Patients With Stable Coronary Artery Disease. *Journal of the American Heart Association*, **2017**, 6,	6	8
227	Addition of albumin to Traditional Risk Score Improved Prediction of Mortality in Individuals Undergoing Transcatheter Aortic Valve Replacement. *Journal of the American Geriatrics Society*, **2017**, 65, 2413-2417	5.6	10
226	Early aspirin initiation following heart transplantation is associated with reduced risk of allograft vasculopathy during long-term follow-up. *Clinical Transplantation*, **2017**, 31, e13133	3.8	22
225	Admission blood glucose and 10-year mortality among patients with or without pre-existing diabetes mellitus hospitalized with heart failure. *Cardiovascular Diabetology*, **2017**, 16, 102	8.7	16
224	Trends in the management and outcomes of patients admitted with acute coronary syndrome complicated by cardiogenic shock over the past decade: Real world data from the acute coronary syndrome Israeli survey (ACSIS). *Oncotarget*, **2017**, 8, 42876-42886	3.3	6
223	Morbidity and mortality with cardiac resynchronization therapy with pacing vs. with defibrillation in octogenarian patients in a real-world setting. *Europace*, **2017**, 19, 1357-1363	3.9	7
222	Machine learning for prediction of 30-day mortality after ST elevation myocardial infraction: An Acute Coronary Syndrome Israeli Survey data mining study. *International Journal of Cardiology*, **2017**, 246, 7-13	3.2	47
221	Metformin therapy reduces the risk of malignancy after heart transplantation. *Journal of Heart and Lung Transplantation*, **2017**, 36, 1350-1357	5.8	7
220	Risk of early, intermediate, and late rejection following heart transplantation: Trends over the past 25 years and relation to changes in medical management. Tertiary center experience: The Sheba Heart Transplantation Registry. *Clinical Transplantation*, **2017**, 31, e13063	3.8	6
219	Outcomes of Patients Presenting With Clinical Indices of Spontaneous Reperfusion in ST-Elevation Acute Coronary Syndrome Undergoing Deferred Angiography. *Journal of the American Heart Association*, **2017**, 6,	6	5

218	Comparison of Outcomes of Acute Coronary Syndrome in Patients ≥80 Years Versus Those . *American Journal of Cardiology*, **2017**, 120, 1230-1237	3	3
217	Elevated Admission Potassium Levels and 1-Year and 10-Year Mortality Among Patients With Heart Failure. *American Journal of the Medical Sciences*, **2017**, 354, 268-277	2.2	4
216	Long-Term Survival of Patients With Left Bundle Branch Block Who Are Hypo-Responders to Cardiac Resynchronization Therapy. *American Journal of Cardiology*, **2017**, 120, 825-830	3	8
215	Multicenter Automatic Defibrillator Implantation Trial-Subcutaneous Implantable Cardioverter Defibrillator (MADIT S-ICD): Design and clinical protocol. *American Heart Journal*, **2017**, 189, 158-166	4.9	27
214	Effect of supplemented intake of omega-3 fatty acids on arrhythmias in patients with ICD: fish oil therapy may reduce ventricular arrhythmia. *Journal of Interventional Cardiac Electrophysiology*, **2017**, 49, 255-261	2.4	12
213	Effect of cardiac resynchronization therapy on the risk of ventricular tachyarrhythmias in patients with chronic kidney disease. *Annals of Noninvasive Electrocardiology*, **2017**, 22,	1.5	2
212	Contemporary rates and outcomes of single- vs. dual-coil implantable cardioverter defibrillator lead implantation: data from the Israeli ICD Registry. *Europace*, **2017**, 19, 1485-1492	3.9	8
211	Cardiac rehabilitation following an acute coronary syndrome: Trends in referral, predictors and mortality outcome in a multicenter national registry between years 2006-2013: Report from the Working Group on Cardiac Rehabilitation, the Israeli Heart Society. *European Journal of Preventive Cardiology*, **2017**, 24, 123-132	3.9	18
210	Study of the wearable cardioverter defibrillator in advanced heart-failure patients (SWIFT). *Journal of Cardiovascular Electrophysiology*, **2017**, 28, 778-784	2.7	10
209	Rationale and design of the BUDAPEST-CRT Upgrade Study: a prospective, randomized, multicentre clinical trial. *Europace*, **2017**, 19, 1549-1555	3.9	14
208	Prevalence and Significance of Unrecognized Renal Dysfunction in Patients with Acute Coronary Syndrome. *American Journal of Medicine*, **2016**, 129, 187-94	2.4	11
207	Cardiac Resynchronization in Different Age Groups: A MADIT-CRT Long-Term Follow-Up Substudy. *Journal of Cardiac Failure*, **2016**, 22, 143-9	3.3	5
206	Lessons learned from the Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy (MADIT-CRT). *Trends in Cardiovascular Medicine*, **2016**, 26, 137-46	6.9	4
205	The impact of inflammatory rheumatic diseases on the presentation, severity, and outcome of acute coronary syndrome. *Clinical Rheumatology*, **2016**, 35, 233-7	3.9	7
204	Clinical Aspects of Type 3 Long-QT Syndrome: An International Multicenter Study. *Circulation*, **2016**, 134, 872-82	16.7	118
203	Desalinated seawater supply and all-cause mortality in hospitalized acute myocardial infarction patients from the Acute Coronary Syndrome Israeli Survey 2002-2013. *International Journal of Cardiology*, **2016**, 220, 544-50	3.2	22
202	Poor Heart Rate Recovery Is Associated With the Development of New-Onset Atrial Fibrillation in Middle-Aged Adults. *Mayo Clinic Proceedings*, **2016**, 91, 1769-1777	6.4	3
201	Metabolic syndrome is independently associated with increased 20-year mortality in patients with stable coronary artery disease. *Cardiovascular Diabetology*, **2016**, 15, 149	8.7	30

200	Characteristics and outcomes of diabetic patients with an implantable cardioverter defibrillator in a real world setting: results from the Israeli ICD registry. *Cardiovascular Diabetology*, **2016**, 15, 160	8.7	3
199	Predictors and Risk of Ventricular Tachyarrhythmias or Death in Black and White Cardiac Patients: A MADIT-CRT Trial Substudy. *JACC: Clinical Electrophysiology*, **2016**, 2, 448-455	4.6	11
198	Bezafibrate for the treatment of dyslipidemia in patients with coronary artery disease: 20-year mortality follow-up of the BIP randomized control trial. *Cardiovascular Diabetology*, **2016**, 15, 11	8.7	21
197	Sustained clinical benefit of cardiac resynchronization therapy in non-LBBB patients with prolonged PR-interval: MADIT-CRT long-term follow-up. *Clinical Research in Cardiology*, **2016**, 105, 944-952	6.1	32
196	Short- and Long-Term Prognostic Implications of Jugular Venous Distension in Patients Hospitalized With Acute Heart Failure. *American Journal of Cardiology*, **2016**, 118, 226-31	3	6
195	The wearable cardioverter defibrillator as a bridge to implantable defibrillator post myocardial infarction: what do we know?. *Expert Review of Medical Devices*, **2016**, 13, 627-32	3.5	
194	Time Dependence of Ventricular Tachyarrhythmias After Myocardial Infarction: A MADIT-CRT Substudy. *JACC: Clinical Electrophysiology*, **2016**, 2, 565-573	4.6	
193	Comparison of Noninvasively and Invasively Managed Patients, With or Without Revascularization in Non-ST Elevation Myocardial Infarction (from the Acute Coronary Syndrome Israeli Survey). *American Journal of Cardiology*, **2016**, 118, 1-5	3	7
192	Exercise systolic blood pressure variability is associated with increased risk for new-onset hypertension among normotensive adults. *Journal of the American Society of Hypertension*, **2016**, 10, 527-535.e2		5
191	Clinical Outcomes of Single- versus Dual-Chamber Implantable Cardioverter Defibrillators: Lessons from the Israeli ICD Registry. *Journal of Cardiovascular Electrophysiology*, **2016**, 27, 718-23	2.7	5
190	Outcome of contemporary acute coronary syndrome complicated by ventricular tachyarrhythmias. *Europace*, **2016**, 18, 219-26	3.9	13
189	Temporal trends in the outcomes of patients with acute myocardial infarction associated with renal dysfunction over the past decade. *European Journal of Internal Medicine*, **2016**, 29, 88-92	3.9	9
188	Relative Wall Thickness and the Risk for Ventricular Tachyarrhythmias in Patients With Left Ventricular Dysfunction. *Journal of the American College of Cardiology*, **2016**, 67, 303-12	15.1	29
187	Association between statin treatment and LDL-cholesterol levels on the rate of ST-elevation myocardial infarction among patients with acute coronary syndromes: ACS Israeli Survey (ACSIS) 2002-2010. *International Journal of Cardiology*, **2016**, 210, 133-8	3.2	4
186	Relation of QRS Duration to Clinical Benefit of Cardiac Resynchronization Therapy in Mild Heart Failure Patients Without Left Bundle Branch Block: The Multicenter Automatic Defibrillator Implantation Trial with Cardiac Resynchronization Therapy Substudy. *Circulation: Heart Failure*, **2016**, 9, e002667	7.6	9
185	Use of exercise capacity to improve SCORE risk prediction model in asymptomatic adults. *European Heart Journal*, **2016**, 37, 2300-6	9.5	17
184	Elevated Triglyceride Level Is Independently Associated With Increased All-Cause Mortality in Patients With Established Coronary Heart Disease: Twenty-Two-Year Follow-Up of the Bezafibrate Infarction Prevention Study and Registry. *Circulation: Cardiovascular Quality and Outcomes*, **2016**, 9, 100-8	5.8	92
183	Body mass index and the risk of new-onset atrial fibrillation in middle-aged adults. *American Heart Journal*, **2016**, 173, 41-8	4.9	36

182	Brain natriuretic peptide and the risk of ventricular tachyarrhythmias in mildly symptomatic heart failure patients enrolled in MADIT-CRT. *Heart Rhythm*, **2016**, 13, 852-9	6.7	9
181	Obesity and exercise-induced ectopic ventricular arrhythmias in apparently healthy middle aged adults. *European Journal of Preventive Cardiology*, **2016**, 23, 511-7	3.9	12
180	Incidence and Clinical Features of Early Stent Thrombosis in the Era of New P2y12 Inhibitors (PLATIS-2). *PLoS ONE*, **2016**, 11, e0157437	3.7	4
179	Comparison of acute kidney injury classifications in patients undergoing transcatheter aortic valve implantation: Predictors and long-term outcomes. *Catheterization and Cardiovascular Interventions*, **2016**, 87, 523-31	2.7	9
178	Relationship between age and inappropriate implantable cardioverter-defibrillator therapy in MADIT-RIT (Multicenter Automatic Defibrillator Implantation Trial-Reduce Inappropriate Therapy). *Heart Rhythm*, **2016**, 13, 888-93	6.7	9
177	Clinical Implications of Complete Left-Sided Reverse Remodeling With Cardiac Resynchronization Therapy: A MADIT-CRT Substudy. *Journal of the American College of Cardiology*, **2016**, 68, 1268-76	15.1	26
176	Gender-Related Cardiovascular Risk in Healthy Middle-Aged Adults. *American Journal of Cardiology*, **2016**, 118, 1669-1673	3	5
175	CHA2DS2-VASc score and clinical outcomes of patients with acute coronary syndrome. *European Journal of Internal Medicine*, **2016**, 36, 57-61	3.9	31
174	Efficacy of exercise training in symptomatic patients with hypertrophic cardiomyopathy: results of a structured exercise training program in a cardiac rehabilitation center. *European Journal of Preventive Cardiology*, **2015**, 22, 13-9	3.9	46
173	Cryotherapy ablation of parahisian accessory pathways in children. *Heart Rhythm*, **2015**, 12, 917-25	6.7	15
172	Outcome of Patients with Advanced Heart Failure Who Receive Device-Based Therapy for Primary Prevention of Sudden Cardiac Death: Insights from the Israeli ICD Registry. *PACE - Pacing and Clinical Electrophysiology*, **2015**, 38, 738-45	1.6	1
171	Long-Term Outcomes With Cardiac Resynchronization Therapy in Patients With Mild Heart Failure With Moderate Renal Dysfunction. *Circulation: Heart Failure*, **2015**, 8, 725-32	7.6	15
170	Temporal trends in management and outcome of diabetic and non-diabetic patients with acute coronary syndrome (ACS): residual risk of long-term mortality persists: Insights from the ACS Israeli Survey (ACSIS) 2000-2010. *International Journal of Cardiology*, **2015**, 179, 546-51	3.2	21
169	The association between cardiorespiratory fitness and cardiovascular risk may be modulated by known cardiovascular risk factors. *American Heart Journal*, **2015**, 169, 916-923.e1	4.9	19
168	Changes in Drug Utilization and Outcome With Cardiac Resynchronization Therapy: A MADIT-CRT Substudy. *Journal of Cardiac Failure*, **2015**, 21, 541-7	3.3	7
167	Exercise blood pressure and the risk for future hypertension among normotensive middle-aged adults. *Journal of the American Heart Association*, **2015**, 4,	6	31
166	Ethnic differences among implantable cardioverter defibrillators recipients in Israel. *American Journal of Cardiology*, **2015**, 115, 1102-6	3	3
165	Recent temporal trends in the presentation, management, and outcome of women hospitalized with acute coronary syndromes. *American Journal of Medicine*, **2015**, 128, 380-8	2.4	17

164	Comparison of the usefulness of heart rate variability versus exercise stress testing for the detection of myocardial ischemia in patients without known coronary artery disease. *American Journal of Cardiology*, **2015**, 115, 1518-22	3	12
163	Sex Differences in Long-Term Outcomes With Cardiac Resynchronization Therapy in Mild Heart Failure Patients With Left Bundle Branch Block. *Journal of the American Heart Association*, **2015**, 4,	6	25
162	Impaired fasting glucose and left ventricular diastolic dysfunction in middle-age adults: a retrospective cross-sectional analysis of 2971 subjects. *Cardiovascular Diabetology*, **2015**, 14, 119	8.7	17
161	Contemporary rates of appropriate shock therapy in patients who receive implantable device therapy in a real-world setting: From the Israeli ICD Registry. *Heart Rhythm*, **2015**, 12, 2426-33	6.7	53
160	Inverse Relationship of Blood Pressure to Long-Term Outcomes and Benefit of Cardiac Resynchronization Therapy in Patients With Mild Heart Failure: A Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy Long-Term Follow-Up Substudy. *Circulation: Heart Failure*, **2015**, 8, 921-6	7.6	10
159	Inverse Relationship Between Membranous Septal Length and the Risk of Atrioventricular Block in Patients Undergoing Transcatheter Aortic Valve Implantation. *JACC: Cardiovascular Interventions*, **2015**, 8, 1218-1228	5	104
158	Short and long term survival following hospitalization with a primary versus non-primary diagnosis of acute heart failure. *European Journal of Internal Medicine*, **2015**, 26, 420-4	3.9	4
157	Use of the wearable cardioverter defibrillator in high-risk cardiac patients: data from the Prospective Registry of Patients Using the Wearable Cardioverter Defibrillator (WEARIT-II Registry). *Circulation*, **2015**, 132, 1613-9	16.7	148
156	The significance of pulmonary arterial hypertension pre- and post-transfemoral aortic valve implantation for severe aortic stenosis. *Journal of Cardiology*, **2015**, 65, 337-42	3	13
155	Early intervention and long-term outcome with cardiac resynchronization therapy in patients without a history of advanced heart failure symptoms. *European Journal of Heart Failure*, **2015**, 17, 964-70	12.3	9
154	Reduced risk of life-threatening ventricular tachyarrhythmias with cardiac resynchronization therapy: relationship to left ventricular ejection fraction. *European Journal of Heart Failure*, **2015**, 17, 971-8	12.3	16
153	Clinical impact of diabetes mellitus in patients undergoing transcatheter aortic valve replacement. *Cardiovascular Diabetology*, **2015**, 14, 131	8.7	21
152	Identification of Low-Risk Adult Congenital LQTS Patients. *Journal of Cardiovascular Electrophysiology*, **2015**, 26, 853-858	2.7	6
151	Clinical Outcomes in Patients with Severe Renal Dysfunction Including Dialysis Following Defibrillator Implantation. *American Journal of Nephrology*, **2015**, 42, 295-304	4.6	7
150	Time-dependent risk reduction of ventricular tachyarrhythmias in cardiac resynchronization therapy patients: a MADIT-RIT sub-study. *Europace*, **2015**, 17, 1085-91	3.9	14
149	Time-dependent relation between smoking cessation and improved exercise tolerance in apparently healthy middle-age men and women. *European Journal of Preventive Cardiology*, **2015**, 22, 807-14	3.9	8
148	The association between admission systolic blood pressure of heart failure patients with preserved systolic function and mortality outcomes. *European Journal of Internal Medicine*, **2015**, 26, 807-12	3.9	16
147	The association between elevated admission systolic blood pressure in patients with acute coronary syndrome and favorable early and late outcomes. *Journal of the American Society of Hypertension*, **2015**, 9, 97-103		8

146	Effects of Statins on First and Recurrent Supraventricular Arrhythmias in Patients With Mild Heart Failure (from the Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy). *American Journal of Cardiology*, **2015**, 116, 1869-74	3	5
145	Coronary CT angiography for the detection of coronary artery stenosis in patients referred for transcatheter aortic valve replacement. *Journal of Cardiovascular Computed Tomography*, **2015**, 9, 31-41	2.8	37
144	Hereditary Arrhythmias. *In Clinical Practice*, **2015**, 167-190	0	
143	The effect of intermittent atrial tachyarrhythmia on heart failure or death in cardiac resynchronization therapy with defibrillator versus implantable cardioverter-defibrillator patients: a MADIT-CRT substudy (Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy). *Journal of the American College of Cardiology*, **2014**, 63, 1190-1197	15.1	26
142	Survival after intervention in patients with low gradient severe aortic stenosis and preserved left ventricular function. *Journal of Thoracic and Cardiovascular Surgery*, **2014**, 148, 2823-7	1.5	10
141	Survival with cardiac-resynchronization therapy in mild heart failure. *New England Journal of Medicine*, **2014**, 370, 1694-701	59.2	220
140	Temporal trends in all-cause mortality of smokers versus non-smokers hospitalized with ST-segment elevation myocardial infarction. *International Journal of Cardiology*, **2014**, 176, 171-6	3.2	19
139	Congenital long QT syndromes: prevalence, pathophysiology and management. *Paediatric Drugs*, **2014**, 16, 447-56	4.2	23
138	Temporal trends in management of hypertension among Israeli adults, 2002-2010: lesson from the Acute Coronary Syndromes Israeli Survey (ACSIS). *Journal of the American Society of Hypertension*, **2014**, 8, 94-102		5
137	Factors affecting survival in men versus women following transcatheter aortic valve implantation. *American Journal of Cardiology*, **2014**, 113, 701-5	3	24
136	Syncope in genotype-negative long QT syndrome family members. *American Journal of Cardiology*, **2014**, 114, 1223-8	3	3
135	Comparison of low versus high (>40 mm Hg) pulse pressure to predict the benefit of cardiac resynchronization therapy for heart failure (from the Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy Trial). *American Journal of Cardiology*, **2014**, 114, 1053-8	3	3
134	Cardiac resynchronization therapy is associated with reductions in left atrial volume and inappropriate implantable cardioverter-defibrillator therapy in MADIT-CRT. *Heart Rhythm*, **2014**, 11, 1001-7	6.7	4
133	Smoking is associated with an increased risk of first and recurrent ventricular tachyarrhythmias in ischemic and nonischemic patients with mild heart failure: a MADIT-CRT substudy. *Heart Rhythm*, **2014**, 11, 822-7	6.7	7
132	The Israel Nationwide Heart Failure Survey: Sex differences in early and late mortality for hospitalized heart failure patients. *Journal of Cardiac Failure*, **2014**, 20, 193-8	3.3	11
131	PR interval identifies clinical response in patients with non-left bundle branch block: a Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy substudy. *Circulation: Arrhythmia and Electrophysiology*, **2014**, 7, 645-51	6.4	68
130	Relation between stroke volume index to risk of death in patients with low-gradient severe aortic stenosis and preserved left ventricular function. *American Journal of Cardiology*, **2014**, 114, 449-55	3	11
129	Response to letter regarding, "PR interval identifies clinical response in patients with non-left bundle branch block: a multicenter automatic defibrillator implantation trial-cardiac resynchronization therapy sub-study" by Kutyifa et al. *Circulation: Arrhythmia and Electrophysiology*, **2014**, 7, 1280	6.4	1

128	Predictors and outcome of sustained improvement in left ventricular function in dilated cardiomyopathy. *Clinical Cardiology*, **2014**, 37, 687-92	3.3	8
127	Left ventricular pacing threshold and outcome in MADIT-CRT. *Journal of Cardiovascular Electrophysiology*, **2014**, 25, 1005-1011	2.7	7
126	Influenza vaccine and survival in acute heart failure. *European Journal of Heart Failure*, **2014**, 16, 264-70	12.3	30
125	Multidisciplinary rehabilitation program in recently hospitalized patients with heart failure and preserved ejection fraction: rationale and design of a randomized controlled trial. *American Heart Journal*, **2014**, 168, 830-7.e1	4.9	10
124	Comparison of age (. *American Journal of Cardiology*, **2014**, 114, 1855-60	3	12
123	Renal dysfunction and clinical outcomes of patients undergoing ICD and CRTD implantation: data from the Israeli ICD registry. *Journal of Cardiovascular Electrophysiology*, **2014**, 25, 990-997	2.7	10
122	Predictors of spontaneous reverse remodeling in mild heart failure patients with left ventricular dysfunction. *Circulation: Heart Failure*, **2014**, 7, 565-72	7.6	18
121	Functional response to cardiac resynchronization therapy in patients with renal dysfunction and subsequent long-term mortality. *Journal of Cardiovascular Electrophysiology*, **2014**, 25, 1188-95	2.7	9
120	Role of defibrillation threshold testing during implantable cardioverter-defibrillator placement: data from the Israeli ICD Registry. *Heart Rhythm*, **2014**, 11, 814-21	6.7	11
119	Aspiration thrombectomy in patients with ST elevation myocardial infarction undergoing primary percutaneous coronary intervention (from the Acute Coronary Syndrome Israeli Survey 2010). *American Journal of Cardiology*, **2014**, 113, 809-14	3	2
118	Comparison of statin alone versus bezafibrate and statin combination in patients with diabetes mellitus and acute coronary syndrome. *American Journal of Cardiology*, **2014**, 113, 12-6	3	11
117	Clinical characteristics and outcomes of elderly patients treated with an implantable cardioverter-defibrillator or cardiac resynchronization therapy in a real-world setting: data from the Israeli ICD Registry. *Heart Rhythm*, **2014**, 11, 435-41	6.7	18
116	Time dependent changes in high density lipoprotein cholesterol and cardiovascular risk. *International Journal of Cardiology*, **2014**, 173, 295-9	3.2	7
115	A metric for evaluating the cardiac response to resynchronization therapy. *American Journal of Cardiology*, **2014**, 113, 1371-7	3	9
114	The influence of left ventricular ejection fraction on the effectiveness of cardiac resynchronization therapy: MADIT-CRT (Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy). *Journal of the American College of Cardiology*, **2013**, 61, 936-44	15.1	64
113	Dyssynchrony and the risk of ventricular arrhythmias. *JACC: Cardiovascular Imaging*, **2013**, 6, 432-44	8.4	58
112	Risk of life-threatening cardiac events among patients with long QT syndrome and multiple mutations. *Heart Rhythm*, **2013**, 10, 378-82	6.7	38
111	Prognostic implications of mutation-specific QTc standard deviation in congenital long QT syndrome. *Heart Rhythm*, **2013**, 10, 720-5	6.7	14

110	Risk stratification for implantable cardioverter defibrillator therapy: the role of the wearable cardioverter-defibrillator. *European Heart Journal*, **2013**, 34, 2230-42	9.5	84
109	Genotype-specific risk stratification and management of patients with long QT syndrome. *Annals of Noninvasive Electrocardiology*, **2013**, 18, 499-509	1.5	26
108	Left ventricular lead location and the risk of ventricular arrhythmias in the MADIT-CRT trial. *European Heart Journal*, **2013**, 34, 184-90	9.5	37
107	Predictors of super-response to cardiac resynchronization therapy and associated improvement in clinical outcome: the MADIT-CRT (multicenter automatic defibrillator implantation trial with cardiac resynchronization therapy) study. *Journal of the American College of Cardiology*, **2012**, 59, 2366-73	15.1	200
106	Evaluation of a Patient with a Positive Family History for Long QT Syndrome. *Cardiac Electrophysiology Clinics*, **2012**, 4, 239-48	1.4	1
105	Combined assessment of sex- and mutation-specific information for risk stratification in type 1 long QT syndrome. *Heart Rhythm*, **2012**, 9, 892-8	6.7	43
104	In silico cardiac risk assessment in patients with long QT syndrome: type 1: clinical predictability of cardiac models. *Journal of the American College of Cardiology*, **2012**, 60, 2182-91	15.1	19
103	Trigger-specific ion-channel mechanisms, risk factors, and response to therapy in type 1 long QT syndrome. *Heart Rhythm*, **2012**, 9, 49-56	6.7	42
102	Applicability of a risk score for prediction of the long-term (8-year) benefit of the implantable cardioverter-defibrillator. *Journal of the American College of Cardiology*, **2012**, 59, 2075-9	15.1	100
101	Reduction in life-threatening ventricular tachyarrhythmias in statin-treated patients with nonischemic cardiomyopathy enrolled in the MADIT-CRT (Multicenter Automatic Defibrillator Implantation Trial with Cardiac Resynchronization Therapy). *Journal of the American College of Cardiology*, **2012**, 60, 749-55	15.1	26
100	Effect of cardiac resynchronization therapy on the risk of first and recurrent ventricular tachyarrhythmic events in MADIT-CRT. *Journal of the American College of Cardiology*, **2012**, 60, 1809-16	15.1	49
99	Risk of mortality for ventricular arrhythmia in ambulatory LVAD patients. *Journal of Cardiovascular Electrophysiology*, **2012**, 23, 515-20	2.7	70
98	The Role of the Implantable Cardioverter-Defibrillator in the Long QT Syndrome. *Cardiac Electrophysiology Clinics*, **2012**, 4, 87-95	1.4	2
97	Lipid-modifying therapies and risk of pancreatitis: a meta-analysis. *JAMA - Journal of the American Medical Association*, **2012**, 308, 804-11	27.4	99
96	Mutations in cytoplasmic loops of the KCNQ1 channel and the risk of life-threatening events: implications for mutation-specific response to β-blocker therapy in type 1 long-QT syndrome. *Circulation*, **2012**, 125, 1988-96	16.7	138
95	Cardiac resynchronization therapy is more effective in women than in men: the MADIT-CRT (Multicenter Automatic Defibrillator Implantation Trial with Cardiac Resynchronization Therapy) trial. *Journal of the American College of Cardiology*, **2011**, 57, 813-20	15.1	224
94	Risk for life-threatening cardiac events in patients with genotype-confirmed long-QT syndrome and normal-range corrected QT intervals. *Journal of the American College of Cardiology*, **2011**, 57, 51-9	15.1	205
93	Risk factors for recurrent syncope and subsequent fatal or near-fatal events in children and adolescents with long QT syndrome. *Journal of the American College of Cardiology*, **2011**, 57, 941-50	15.1	84

92	Reverse remodeling and the risk of ventricular tachyarrhythmias in the MADIT-CRT (Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy). *Journal of the American College of Cardiology*, **2011**, 57, 2416-23	15.1	160
91	Reduction of the risk of recurring heart failure events with cardiac resynchronization therapy: MADIT-CRT (Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy). *Journal of the American College of Cardiology*, **2011**, 58, 729-37	15.1	53
90	Left atrial contractile function following a successful modified Maze procedure at surgery and the risk for subsequent thromboembolic stroke. *Journal of the American College of Cardiology*, **2011**, 58, 1614-21	15.1	61
89	Cardiac resynchronization therapy reduces left atrial volume and the risk of atrial tachyarrhythmias in MADIT-CRT (Multicenter Automatic Defibrillator Implantation Trial with Cardiac Resynchronization Therapy). *Journal of the American College of Cardiology*, **2011**, 58, 1682-9	15.1	78
88	Effectiveness of Cardiac Resynchronization Therapy by QRS Morphology in the Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy (MADIT-CRT). *Circulation*, **2011**, 123, 1061-72	16.7	559
87	Predictors of response to cardiac resynchronization therapy in the Multicenter Automatic Defibrillator Implantation Trial with Cardiac Resynchronization Therapy (MADIT-CRT). *Circulation*, **2011**, 124, 1527-36	16.7	216
86	Long-term implications of cumulative right ventricular pacing among patients with an implantable cardioverter-defibrillator. *Heart Rhythm*, **2011**, 8, 212-8	6.7	65
85	Thrombospondin-4 polymorphism (A387P) predicts cardiovascular risk in postinfarction patients with high HDL cholesterol and C-reactive protein levels. *Thrombosis and Haemostasis*, **2011**, 106, 1170-8	7	18
84	Age and effectiveness of prophylactic implantable cardioverter-defibrillators. *Annals of Internal Medicine*, **2011**, 154, 505; author reply 505-6	8	1
83	Improved outcome with preventive cardiac resynchronization therapy in the elderly: a MADIT-CRT substudy. *Journal of Cardiovascular Electrophysiology*, **2011**, 22, 892-7	2.7	42
82	Effect of elapsed time from coronary revascularization to implantation of a cardioverter defibrillator on long-term survival in the MADIT-II trial. *Journal of Cardiovascular Electrophysiology*, **2011**, 22, 1237-42	2.7	17
81	Relation of bundle branch block to long-term (four-year) mortality in hospitalized patients with systolic heart failure. *American Journal of Cardiology*, **2011**, 107, 540-4	3	43
80	Predictors and course of high-degree atrioventricular block after transcatheter aortic valve implantation using the CoreValve Revalving System. *American Journal of Cardiology*, **2011**, 108, 1600-5	3	94
79	Wearable defibrillator in congenital structural heart disease and inherited arrhythmias. *American Journal of Cardiology*, **2011**, 108, 1632-8	3	28
78	Genetics of sudden cardiac death. *Current Cardiology Reports*, **2011**, 13, 364-76	4.2	23
77	Ion channel mechanisms related to sudden cardiac death in phenotype-negative long-QT syndrome genotype-phenotype correlations of the KCNQ1(S349W) mutation. *Journal of Cardiovascular Electrophysiology*, **2011**, 22, 193-200	2.7	6
76	Mutation and gender-specific risk in type 2 long QT syndrome: implications for risk stratification for life-threatening cardiac events in patients with long QT syndrome. *Heart Rhythm*, **2011**, 8, 1537-43	6.7	93
75	Risk of syncope in family members who are genotype-negative for a family-associated long-QT syndrome mutation. *Circulation: Cardiovascular Genetics*, **2011**, 4, 491-9		6

74	Relationship between improvement in left ventricular dyssynchrony and contractile function and clinical outcome with cardiac resynchronization therapy: the MADIT-CRT trial. *European Heart Journal*, **2011**, 32, 1720-9	9.5	83
73	Risk of recurrent cardiac events after onset of menopause in women with congenital long-QT syndrome types 1 and 2. *Circulation*, **2011**, 123, 2784-91	16.7	53
72	Dyssynchrony, contractile function, and response to cardiac resynchronization therapy. *Circulation: Heart Failure*, **2011**, 4, 433-40	7.6	62
71	Left ventricular lead position and clinical outcome in the multicenter automatic defibrillator implantation trial-cardiac resynchronization therapy (MADIT-CRT) trial. *Circulation*, **2011**, 123, 1159-66	16.7	420
70	Use of mutant-specific ion channel characteristics for risk stratification of long QT syndrome patients. *Science Translational Medicine*, **2011**, 3, 76ra28	17.5	39
69	Timing of coronary angiography and outcome in patients with non-ST elevation acute coronary syndromes and kidney disease: real-world data from the acute coronary syndromes Israeli survey. *Cardiology*, **2011**, 119, 224-34	1.6	5
68	Clinical course and outcome of patients enrolled in US and non-US centres in MADIT-CRT. *European Heart Journal*, **2011**, 32, 2697-704	9.5	7
67	Response to preventive cardiac resynchronization therapy in patients with ischaemic and nonischaemic cardiomyopathy in MADIT-CRT. *European Heart Journal*, **2011**, 32, 1622-30	9.5	102
66	Implantable cardioverter defibrillators in patients with coronary artery disease **2011**, 417-427		
65	Beta-blocker efficacy in high-risk patients with the congenital long-QT syndrome types 1 and 2: implications for patient management. *Journal of Cardiovascular Electrophysiology*, **2010**, 21, 893-901	2.7	76
64	Risk factors for recurrent heart failure events in the Multicenter Automatic Defibrillator Implantation Trial II (MADIT-II). *Journal of Cardiovascular Electrophysiology*, **2010**, 21, 1217-23	2.7	8
63	Long QT syndrome in African-Americans. *Annals of Noninvasive Electrocardiology*, **2010**, 15, 73-6	1.5	14
62	Hereditary arrhythmia corner: learning from challenging patients. Family with suspect LQTS. *Annals of Noninvasive Electrocardiology*, **2010**, 15, 384-6	1.5	0
61	Relation between renal function and outcomes in patients with non-ST-segment elevation acute coronary syndrome: real-world data from the European Public Health Outcome Research and Indicators Collection Project. *Archives of Internal Medicine*, **2010**, 170, 888-95		43
60	Predictors of long-term (4-year) mortality in elderly and young patients with acute heart failure. *European Journal of Heart Failure*, **2010**, 12, 833-40	12.3	49
59	Long-term benefit of primary prevention with an implantable cardioverter-defibrillator: an extended 8-year follow-up study of the Multicenter Automatic Defibrillator Implantation Trial II. *Circulation*, **2010**, 122, 1265-71	16.7	154
58	Time dependence of life-threatening ventricular tachyarrhythmias after coronary revascularization in MADIT-CRT. *Heart Rhythm*, **2010**, 7, 1421-7	6.7	18
57	Relation between renal function and response to cardiac resynchronization therapy in Multicenter Automatic Defibrillator Implantation Trial--Cardiac Resynchronization Therapy (MADIT-CRT). *Heart Rhythm*, **2010**, 7, 1777-82	6.7	33

56	Risk of fatal arrhythmic events in long QT syndrome patients after syncope. *Journal of the American College of Cardiology*, **2010**, 55, 783-8	15.1	101
55	Trigger-specific risk factors and response to therapy in long QT syndrome type 2. *Heart Rhythm*, **2010**, 7, 1797-805	6.7	64
54	Influence of diabetes mellitus on outcome in patients over 40 years of age with the long QT syndrome. *American Journal of Cardiology*, **2010**, 105, 87-9	3	2
53	Mutation-specific risk in two genetic forms of type 3 long QT syndrome. *American Journal of Cardiology*, **2010**, 105, 210-3	3	22
52	Relation of body mass index to sudden cardiac death and the benefit of implantable cardioverter-defibrillator in patients with left ventricular dysfunction after healing of myocardial infarction. *American Journal of Cardiology*, **2010**, 105, 581-6	3	32
51	Long-term benefit of high-density lipoprotein cholesterol-raising therapy with bezafibrate: 16-year mortality follow-up of the bezafibrate infarction prevention trial. *Archives of Internal Medicine*, **2009**, 169, 508-14		36
50	Reversible acute kidney injury following contrast exposure and the risk of long-term mortality. *American Journal of Nephrology*, **2009**, 29, 136-44	4.6	74
49	Relation of clinical benefit of raising high-density lipoprotein cholesterol to serum levels of low-density lipoprotein cholesterol in patients with coronary heart disease (from the Bezafibrate Infarction Prevention Trial). *American Journal of Cardiology*, **2009**, 103, 41-5	3	38
48	Efficacy of medical therapy for the reduction of heart failure events in patients with implanted cardioverter defibrillators. *Journal of Cardiovascular Electrophysiology*, **2009**, 20, 395-400	2.7	5
47	Clinical implications for patients with long QT syndrome who experience a cardiac event during infancy. *Journal of the American College of Cardiology*, **2009**, 54, 832-7	15.1	70
46	Genotype-phenotype aspects of type 2 long QT syndrome. *Journal of the American College of Cardiology*, **2009**, 54, 2052-62	15.1	187
45	Predictors of long-term mortality in Multicenter Automatic Defibrillator Implantation Trial II (MADIT II) patients with implantable cardioverter-defibrillators. *Heart Rhythm*, **2009**, 6, 468-73	6.7	55
44	Implantable Cardioverter Defibrillator in Patients with Coronary Artery Disease. *Cardiac Electrophysiology Clinics*, **2009**, 1, 79-93	1.4	
43	Long QT Syndrome. *Current Problems in Cardiology*, **2008**, 33, 629-94	17.1	148
42	Implantable device therapy. *Progress in Cardiovascular Diseases*, **2008**, 50, 449-74	8.5	18
41	Risk stratification for primary implantation of a cardioverter-defibrillator in patients with ischemic left ventricular dysfunction. *Journal of the American College of Cardiology*, **2008**, 51, 288-96	15.1	390
40	Secondary prevention with bezafibrate therapy for the treatment of dyslipidemia: an extended follow-up of the BIP trial. *Journal of the American College of Cardiology*, **2008**, 51, 459-65	15.1	29
39	Long QT syndrome. *Journal of the American College of Cardiology*, **2008**, 51, 2291-300	15.1	352

38	Long-QT syndrome after age 40. *Circulation*, **2008**, 117, 2192-201	16.7	117
37	Risk factors for aborted cardiac arrest and sudden cardiac death in children with the congenital long-QT syndrome. *Circulation*, **2008**, 117, 2184-91	16.7	229
36	Importance of Knowing the Genotype and the Specific Mutation When Managing Patients with Long QT Syndrome. *Circulation: Arrhythmia and Electrophysiology*, **2008**, 1, 213-26; discussion 226	6.4	25
35	Implantable cardioverter defibrillator efficacy and chronic kidney disease: competing risks of arrhythmic and nonarrhythmic mortality. *Journal of Cardiovascular Electrophysiology*, **2008**, 19, 1281-3	2.7	16
34	Phenotypic variability in Caucasian and Japanese patients with matched LQT1 mutations. *Annals of Noninvasive Electrocardiology*, **2008**, 13, 234-41	1.5	9
33	Cumulative burden of atherosclerotic risk genotypes and the age at onset of a first myocardial infarction: a case-only carriership approach. *Annals of Noninvasive Electrocardiology*, **2008**, 13, 287-94	1.5	2
32	Update on the use of fibrates: focus on bezafibrate. *Vascular Health and Risk Management*, **2008**, 4, 131-41	4.4	52
31	Treatment of arrhythmias and use of implantable cardioverter-defibrillators to improve survival in elderly patients with cardiac disease. *Heart Failure Clinics*, **2007**, 3, 519-28	3.3	
30	Long QT syndrome in adults. *Journal of the American College of Cardiology*, **2007**, 49, 329-37	15.1	311
29	Long QT syndrome and pregnancy. *Journal of the American College of Cardiology*, **2007**, 49, 1092-8	15.1	233
28	Inverse relationship of blood pressure levels to sudden cardiac mortality and benefit of the implantable cardioverter-defibrillator in patients with ischemic left ventricular dysfunction. *Journal of the American College of Cardiology*, **2007**, 49, 1427-33	15.1	25
27	Obesity as a risk factor for sustained ventricular tachyarrhythmias in MADIT II patients. *Journal of Cardiovascular Electrophysiology*, **2007**, 18, 181-4	2.7	69
26	Polymorphism in the cholesteryl ester transfer protein gene and the risk of early onset myocardial infarction among cigarette smokers. *Annals of Noninvasive Electrocardiology*, **2007**, 12, 364-74	1.5	12
25	Prognostic significance of fragmented QRS complex for predicting the risk of recurrent cardiac events in patients with Q-wave myocardial infarction. *American Journal of Cardiology*, **2007**, 100, 583-6	3	101
24	Risk factors for sudden cardiac death in patients with chronic renal insufficiency and left ventricular dysfunction. *American Journal of Nephrology*, **2007**, 27, 7-14	4.6	24
23	Clinical aspects of type-1 long-QT syndrome by location, coding type, and biophysical function of mutations involving the KCNQ1 gene. *Circulation*, **2007**, 115, 2481-9	16.7	326
22	Treatment of arrhythmias and use of implantable cardioverter-defibrillators to improve survival in elderly patients with cardiac disease. *Clinics in Geriatric Medicine*, **2007**, 23, 205-19	3.8	16
21	Relation between on-treatment increments in serum high-density lipoprotein cholesterol levels and cardiac mortality in patients with coronary heart disease (from the Bezafibrate Infarction Prevention trial). *American Journal of Cardiology*, **2006**, 97, 466-71	3	36

20	Relations among renal function, risk of sudden cardiac death, and benefit of the implanted cardiac defibrillator in patients with ischemic left ventricular dysfunction. *American Journal of Cardiology*, **2006**, 98, 485-90	3	164
19	Effectiveness of the implantable cardioverter defibrillator in blacks versus whites (from MADIT-II). *American Journal of Cardiology*, **2006**, 98, 1383-6	3	27
18	Risk of aborted cardiac arrest or sudden cardiac death during adolescence in the long-QT syndrome. *JAMA - Journal of the American Medical Association*, **2006**, 296, 1249-54	27.4	216
17	Causes and consequences of heart failure after prophylactic implantation of a defibrillator in the multicenter automatic defibrillator implantation trial II. *Circulation*, **2006**, 113, 2810-7	16.7	177
16	Polymorphism in the angiotensinogen gene, hypertension, and ethnic differences in the risk of recurrent coronary events. *Hypertension*, **2006**, 48, 693-9	8.5	18
15	Time dependence of defibrillator benefit after coronary revascularization in the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II. *Journal of the American College of Cardiology*, **2006**, 47, 1811-7	15.1	80
14	Corrected QT variability in serial electrocardiograms in long QT syndrome: the importance of the maximum corrected QT for risk stratification. *Journal of the American College of Cardiology*, **2006**, 48, 1047-52	15.1	85
13	QT interval: how to measure it and what is "normal". *Journal of Cardiovascular Electrophysiology*, **2006**, 17, 333-6	2.7	369
12	Cigarette smoking and the risk of supraventricular and ventricular tachyarrhythmias in high-risk cardiac patients with implantable cardioverter defibrillators. *Journal of Cardiovascular Electrophysiology*, **2006**, 17, 931-6	2.7	56
11	Clinical course and risk stratification of patients affected with the Jervell and Lange-Nielsen syndrome. *Journal of Cardiovascular Electrophysiology*, **2006**, 17, 1161-8	2.7	71
10	Nephropathy induced by contrast media: pathogenesis, risk factors and preventive strategies. *Cmaj* , **2005**, 172, 1461-71	3.5	243
9	Cost-effectiveness of implanted defibrillators in young people with inherited cardiac arrhythmias. *Annals of Noninvasive Electrocardiology*, **2005**, 10, 67-83	1.5	30
8	Sudden cardiac death without structural heart disease: update on the long QT and Brugada syndromes. *Current Cardiology Reports*, **2005**, 7, 349-56	4.2	20
7	Oral acetylcysteine as an adjunct to saline hydration for the prevention of contrast-induced nephropathy following coronary angiography. A randomized controlled trial and review of the current literature. *European Heart Journal*, **2004**, 25, 212-8	9.5	111
6	Clopidogrel resistance is associated with increased risk of recurrent atherothrombotic events in patients with acute myocardial infarction. *Circulation*, **2004**, 109, 3171-5	16.7	1104
5	Peroxisome proliferator-activated receptor ligand bezafibrate for prevention of type 2 diabetes mellitus in patients with coronary artery disease. *Circulation*, **2004**, 109, 2197-202	16.7	139
4	Current smoking, smoking cessation, and the risk of sudden cardiac death in patients with coronary artery disease. *Archives of Internal Medicine*, **2003**, 163, 2301-5		112
3	Adenosine protects against angiotensin II-induced apoptosis in rat cardiocyte cultures. *Molecular and Cellular Biochemistry*, **2003**, 252, 133-9	4.2	18

2	Primary angioplasty with routine stenting compared with thrombolytic therapy in elderly patients with acute myocardial infarction. *American Heart Journal*, **2003**, 145, 862-7	4.9	48
1	Time-Dependent Gender Differences in the Clinical Course of Patients with the Congenital Long-QT Syndrome	2	28-36