# Ilan Goldenberg

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/5175023/publications.pdf

Version: 2024-02-01

| | | | |
|---|---|---|---|
| 341 papers | 17,027 citations | 16411 64 h-index | 17546 121 g-index |
| 346 all docs | 346 docs citations | 346 times ranked | 13816 citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Clopidogrel Resistance Is Associated With Increased Risk of Recurrent Atherothrombotic Events in Patients With Acute Myocardial Infarction. Circulation, 2004, 109, 3171-3175. | 1.6 | 1,274 |
| 2 | Effectiveness of Cardiac Resynchronization Therapy by QRS Morphology in the Multicenter Automatic Defibrillator Implantation Trialâ€“Cardiac Resynchronization Therapy (MADIT-CRT). Circulation, 2011, 123, 1061-1072. | 1.6 | 714 |
| 3 | Left Ventricular Lead Position and Clinical Outcome in the Multicenter Automatic Defibrillator Implantation Trialâ€“Cardiac Resynchronization Therapy (MADIT-CRT) Trial. Circulation, 2011, 123, 1159-1166. | 1.6 | 510 |
| 4 | Risk Stratification for Primary Implantation of a Cardioverter-Defibrillator in Patients With Ischemic Left Ventricular Dysfunction. Journal of the American College of Cardiology, 2008, 51, 288-296. | 1.2 | 492 |
| 5 | Long QT Syndrome. Journal of the American College of Cardiology, 2008, 51, 2291-2300. | 1.2 | 458 |
| 6 | QT Interval: How to Measure It and What Is "Normal". Journal of Cardiovascular Electrophysiology, 2006, 17, 333-336. | 0.8 | 447 |
| 7 | Clinical Aspects of Type-1 Long-QT Syndrome by Location, Coding Type, and Biophysical Function of Mutations Involving the KCNQ1 Gene. Circulation, 2007, 115, 2481-2489. | 1.6 | 394 |
| 8 | Long QT Syndrome in Adults. Journal of the American College of Cardiology, 2007, 49, 329-337. | 1.2 | 369 |
| 9 | Nephropathy induced by contrast media: pathogenesis, risk factors and preventive strategies. Cmaj, 2005, 172, 1461-1471. | 0.9 | 305 |
| 10 | Long QT Syndrome and Pregnancy. Journal of the American College of Cardiology, 2007, 49, 1092-1098. | 1.2 | 299 |
| 11 | Cardiac Resynchronization Therapy Is More Effective in Women Than in Men. Journal of the American College of Cardiology, 2011, 57, 813-820. | 1.2 | 291 |
| 12 | Survival with Cardiac-Resynchronization Therapy in Mild Heart Failure. New England Journal of Medicine, 2014, 370, 1694-1701. | 13.9 | 283 |
| 13 | Predictors of Response to Cardiac Resynchronization Therapy in the Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy (MADIT-CRT). Circulation, 2011, 124, 1527-1536. | 1.6 | 275 |
| 14 | Risk for Life-Threatening Cardiac Events in Patients With Genotype-Confirmed Long-QT Syndrome and Normal-Range Corrected QT Intervals. Journal of the American College of Cardiology, 2011, 57, 51-59. | 1.2 | 268 |
| 15 | Risk of Aborted Cardiac Arrest or Sudden Cardiac Death During Adolescence in the Long-QT Syndrome. JAMA - Journal of the American Medical Association, 2006, 296, 1249. | 3.8 | 258 |
| 16 | Risk Factors for Aborted Cardiac Arrest and Sudden Cardiac Death in Children With the Congenital Long-QT Syndrome. Circulation, 2008, 117, 2184-2191. | 1.6 | 255 |
| 17 | Predictors of Super-Response to Cardiac Resynchronization Therapy and Associated Improvement in Clinical Outcome. Journal of the American College of Cardiology, 2012, 59, 2366-2373. | 1.2 | 252 |
| 18 | Genotype-Phenotype Aspects of Type 2 Long QT Syndrome. Journal of the American College of Cardiology, 2009, 54, 2052-2062. | 1.2 | 236 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Causes and Consequences of Heart Failure After Prophylactic Implantation of a Defibrillator in the Multicenter Automatic Defibrillator Implantation Trial II. Circulation, 2006, 113, 2810-2817. | 1.6 | 213 |
| 20 | Long-Term Benefit of Primary Prevention With an Implantable Cardioverter-Defibrillator. Circulation, 2010, 122, 1265-1271. | 1.6 | 205 |
| 21 | Reverse Remodeling and the Risk of Ventricular Tachyarrhythmias in the MADIT-CRT (Multicenter) Tj ETQq1 1 0.784314 rgBT /Overloc<br>American College of Cardiology, 2011, 57, 2416-2423. | 1.2 | 200 |
| 22 | Use of the Wearable Cardioverter Defibrillator in High-Risk Cardiac Patients. Circulation, 2015, 132, 1613-1619. | 1.6 | 199 |
| 23 | Relations Among Renal Function, Risk of Sudden Cardiac Death, and Benefit of the Implanted Cardiac Defibrillator in Patients With Ischemic Left Ventricular Dysfunction. American Journal of Cardiology, 2006, 98, 485-490. | 0.7 | 195 |
| 24 | Mutations in Cytoplasmic Loops of the KCNQ1 Channel and the Risk of Life-Threatening Events. Circulation, 2012, 125, 1988-1996. | 1.6 | 187 |
| 25 | Long QT Syndrome. Current Problems in Cardiology, 2008, 33, 629-694. | 1.1 | 174 |
| 26 | Inverse Relationship Between MembranousÂSeptal Length and the RiskÂofÂAtrioventricular Block in PatientsÂUndergoing Transcatheter AorticÂValve Implantation. JACC: Cardiovascular Interventions, 2015, 8, 1218-1228. | 1.1 | 170 |
| 27 | Clinical Aspects of Type 3 Long-QT Syndrome. Circulation, 2016, 134, 872-882. | 1.6 | 162 |
| 28 | Peroxisome Proliferatorâ€“Activated Receptor Ligand Bezafibrate for Prevention of Type 2 Diabetes Mellitus in Patients With Coronary Artery Disease. Circulation, 2004, 109, 2197-2202. | 1.6 | 157 |
| 29 | Current Smoking, Smoking Cessation, and the Risk of Sudden Cardiac Death in Patients With Coronary Artery Disease. Archives of Internal Medicine, 2003, 163, 2301. | 4.3 | 141 |
| 30 | Lipid-Modifying Therapies and Risk of Pancreatitis. JAMA - Journal of the American Medical Association, 2012, 308, 804. | 3.8 | 140 |
| 31 | Oral acetylcysteine as an adjunct to saline hydration for the prevention of contrast-induced nephropathy following coronary angiography A randomized controlled trial and review of the current literature. European Heart Journal, 2004, 25, 212-218. | 1.0 | 138 |
| 32 | Elevated Triglyceride Level Is Independently Associated With Increased All-Cause Mortality in Patients With Established Coronary Heart Disease. Circulation: Cardiovascular Quality and Outcomes, 2016, 9, 100-108. | 0.9 | 138 |
| 33 | Applicability of a Risk Score for Prediction of the Long-Term (8-Year) Benefit of the Implantable Cardioverter-Defibrillator. Journal of the American College of Cardiology, 2012, 59, 2075-2079. | 1.2 | 137 |
| 34 | Long-QT Syndrome After Age 40. Circulation, 2008, 117, 2192-2201. | 1.6 | 134 |
| 35 | Response to preventive cardiac resynchronization therapy in patients with ischaemic and nonischaemic cardiomyopathy in MADIT-CRT. European Heart Journal, 2011, 32, 1622-1630. | 1.0 | 128 |
| 36 | Risk of Fatal Arrhythmic Events in Long QT Syndrome Patients After Syncope. Journal of the American College of Cardiology, 2010, 55, 783-788. | 1.2 | 123 |

| # | Article | IF | Citations |
|---|---|---|---|
| 37 | Prognostic Significance of Fragmented QRS Complex for Predicting the Risk of Recurrent Cardiac Events in Patients With Q-Wave Myocardial Infarction. American Journal of Cardiology, 2007, 100, 583-586. | 0.7 | 118 |
| 38 | Mutation and gender-specific risk in type 2 long QT syndrome: Implications for risk stratification for life-threatening cardiac events in patients with long QT syndrome. Heart Rhythm, 2011, 8, 1537-1543. | 0.3 | 117 |
| 39 | Predictors and Course of High-Degree Atrioventricular Block After Transcatheter Aortic Valve Implantation Using the CoreValve Revalving system. American Journal of Cardiology, 2011, 108, 1600-1605. | 0.7 | 115 |
| 40 | Risk Factors for Recurrent Syncope and Subsequent Fatal or Near-Fatal Events in Children and Adolescents With Long QT Syndrome. Journal of the American College of Cardiology, 2011, 57, 941-950. | 1.2 | 110 |
| 41 | Relationship between improvement in left ventricular dyssynchrony and contractile function and clinical outcome with cardiac resynchronization therapy: the MADIT-CRT trial. European Heart Journal, 2011, 32, 1720-1729. | 1.0 | 107 |
| 42 | Risk stratification for implantable cardioverter defibrillator therapy: the role of the wearable cardioverter-defibrillator. European Heart Journal, 2013, 34, 2230-2242. | 1.0 | 104 |
| 43 | Betaâ€Blocker Efficacy in Highâ€Risk Patients with the Congenital Longâ€QT Syndrome Types 1 and 2: Implications for Patient Management. Journal of Cardiovascular Electrophysiology, 2010, 21, 893-901. | 0.8 | 99 |
| 44 | Cardiac Resynchronization Therapy Reduces Left Atrial Volume and the Risk of Atrial Tachyarrhythmias in MADIT-CRT (Multicenter Automatic Defibrillator Implantation Trial with Cardiac) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 99 | |
| 45 | Corrected QT Variability in Serial Electrocardiograms in Long QT Syndrome. Journal of the American College of Cardiology, 2006, 48, 1047-1052. | 1.2 | 98 |
| 46 | PR Interval Identifies Clinical Response in Patients With Nonâ€“Left Bundle Branch Block. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 645-651. | 2.1 | 98 |
| 47 | Time Dependence of Defibrillator Benefit After Coronary Revascularization in the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II. Journal of the American College of Cardiology, 2006, 47, 1811-1817. | 1.2 | 96 |
| 48 | Obesity As a Risk Factor for Sustained Ventricular Tachyarrhythmias in MADIT II Patients. Journal of Cardiovascular Electrophysiology, 2007, 18, 181-184. | 0.8 | 88 |
| 49 | The Influence of Left Ventricular Ejection Fraction on the Effectiveness of Cardiac Resynchronization Therapy. Journal of the American College of Cardiology, 2013, 61, 936-944. | 1.2 | 86 |
| 50 | Reversible Acute Kidney Injury following Contrast Exposure and the Risk of Long-Term Mortality. American Journal of Nephrology, 2009, 29, 136-144. | 1.4 | 85 |
| 51 | Risk of Mortality for Ventricular Arrhythmia in Ambulatory LVAD Patients. Journal of Cardiovascular Electrophysiology, 2012, 23, 515-520. | 0.8 | 84 |
| 52 | Clinical Implications for Patients With Long QT Syndrome Who Experience a Cardiac Event During Infancy. Journal of the American College of Cardiology, 2009, 54, 832-837. | 1.2 | 82 |
| 53 | Contemporary rates of appropriate shock therapy in patients who receive implantable device therapy in a real-world setting: From the Israeli ICD Registry. Heart Rhythm, 2015, 12, 2426-2433. | 0.3 | 82 |
| 54 | Clinical Course and Risk Stratification of Patients Affected with the Jervell and Lange-Nielsen Syndrome. Journal of Cardiovascular Electrophysiology, 2006, 17, 1161-1168. | 0.8 | 78 |

| # | Article | IF | Citations |
|---|---|---|---|
| 55 | Long-term implications of cumulative right ventricular pacing among patients with an implantable cardioverter-defibrillator. Heart Rhythm, 2011, 8, 212-218. | 0.3 | 78 |
| 56 | Machine learning for prediction of 30-day mortality after ST elevation myocardial infraction: An Acute Coronary Syndrome Israeli Survey data mining study. International Journal of Cardiology, 2017, 246, 7-13. | 0.8 | 77 |
| 57 | Left Atrial Contractile Function Following a Successful Modified Maze Procedure at Surgery and the Risk for Subsequent Thromboembolic Stroke. Journal of the American College of Cardiology, 2011, 58, 1614-1621. | 1.2 | 76 |
| 58 | Trigger-specific risk factors and response to therapy in long QT syndrome type 2. Heart Rhythm, 2010, 7, 1797-1805. | 0.3 | 75 |
| 59 | Efficacy of exercise training in symptomatic patients with hypertrophic cardiomyopathy: Results of a structured exercise training program in a cardiac rehabilitation center. European Journal of Preventive Cardiology, 2015, 22, 13-19. | 0.8 | 74 |
| 60 | Dyssynchrony and the Risk of Ventricular Arrhythmias. JACC: Cardiovascular Imaging, 2013, 6, 432-444. | 2.3 | 72 |
| 61 | Dyssynchrony, Contractile Function, and Response to Cardiac Resynchronization Therapy. Circulation: Heart Failure, 2011, 4, 433-440. | 1.6 | 71 |
| 62 | Cigarette Smoking and the Risk of Supraventricular and Ventricular Tachyarrhythmias in High-Risk Cardiac Patients with Implantable Cardioverter Defibrillators. Journal of Cardiovascular Electrophysiology, 2006, 17, 931-936. | 0.8 | 69 |
| 63 | Risk of Recurrent Cardiac Events After Onset of Menopause in Women With Congenital Long-QT Syndrome Types 1 and 2. Circulation, 2011, 123, 2784-2791. | 1.6 | 69 |
| 64 | Predictors of long-term mortality in Multicenter Automatic Defibrillator Implantation Trial II (MADIT) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 0.3 | 66 |
| 65 | Relation Between Renal Function and Outcomes in Patients With Nonâ€“ST-Segment Elevation Acute Coronary Syndrome. Archives of Internal Medicine, 2010, 170, 888. | 4.3 | 66 |
| 66 | Reduction of the Risk of Recurring Heart Failure Events With Cardiac Resynchronization Therapy. Journal of the American College of Cardiology, 2011, 58, 729-737. | 1.2 | 66 |
| 67 | Effect of Cardiac Resynchronization Therapy on the Risk of First and Recurrent Ventricular Tachyarrhythmic Events in MADIT-CRT. Journal of the American College of Cardiology, 2012, 60, 1809-1816. | 1.2 | 65 |
| 68 | Update on the use of fibrates: focus on bezafibrate. Vascular Health and Risk Management, 2008, 4, 131-141. | 1.0 | 62 |
| 69 | Predicted benefit of an implantable cardioverter-defibrillator: the MADIT-ICD benefit score. European Heart Journal, 2021, 42, 1676-1684. | 1.0 | 61 |
| 70 | Combined assessment of sex- and mutation-specific information for risk stratification in type 1 long QT syndrome. Heart Rhythm, 2012, 9, 892-898. | 0.3 | 58 |
| 71 | Predictors of longâ€term (4â€year) mortality in elderly and young patients with acute heart failure. European Journal of Heart Failure, 2010, 12, 833-840. | 2.9 | 57 |
| 72 | Primary angioplasty with routine stenting compared with thrombolytic therapy in elderly patients with acute myocardial infarction. American Heart Journal, 2003, 145, 862-867. | 1.2 | 54 |

| # | Article | IF | Citations |
|---|---|---|---|
| 73 | Relation of Bundle Branch Block to Long-Term (Four-Year) Mortality in Hospitalized Patients With Systolic Heart Failure. American Journal of Cardiology, 2011, 107, 540-544. | 0.7 | 54 |
| 74 | Improved Outcome with Preventive Cardiac Resynchronization Therapy in the Elderly: A MADITâ€CRT Substudy. Journal of Cardiovascular Electrophysiology, 2011, 22, 892-897. | 0.8 | 53 |
| 75 | Trigger-specific ion-channel mechanisms, risk factors, and response to therapy in type 1 long QT syndrome. Heart Rhythm, 2012, 9, 49-56. | 0.3 | 51 |
| 76 | Body mass index and the risk of new-onset atrial fibrillation in middle-aged adults. American Heart Journal, 2016, 173, 41-48. | 1.2 | 50 |
| 77 | Coronary CT angiography for the detection of coronary artery stenosis in patients referred forÂtranscatheter aortic valve replacement. Journal of Cardiovascular Computed Tomography, 2015, 9, 31-41. | 0.7 | 49 |
| 78 | Clinical Implications of Complete Left-Sided Reverse Remodeling With CardiacÂResynchronization Therapy. Journal of the American College of Cardiology, 2016, 68, 1268-1276. | 1.2 | 47 |
| 79 | Risk of life-threatening cardiac events among patients with long QT syndrome and multiple mutations. Heart Rhythm, 2013, 10, 378-382. | 0.3 | 46 |
| 80 | Relative Wall Thickness and the Risk for Ventricular Tachyarrhythmias in Patients With Left Ventricular Dysfunction. Journal of the American College of Cardiology, 2016, 67, 303-312. | 1.2 | 46 |
| 81 | Use of Mutant-Specific Ion Channel Characteristics for Risk Stratification of Long QT Syndrome Patients. Science Translational Medicine, 2011, 3, 76ra28. | 5.8 | 45 |
| 82 | Relation Between On-Treatment Increments in Serum High-Density Lipoprotein Cholesterol Levels and Cardiac Mortality in Patients With Coronary Heart Disease (from the Bezafibrate Infarction) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 377 T | 0.7 | 45 |
| 83 | Exercise Blood Pressure and the Risk for Future Hypertension Among Normotensive Middleâ€Aged Adults. Journal of the American Heart Association, 2015, 4, . | 1.6 | 43 |
| 84 | Relation of Clinical Benefit of Raising High-Density Lipoprotein Cholesterol to Serum Levels of Low-Density Lipoprotein Cholesterol in Patients With Coronary Heart Disease (from the Bezafibrate) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 0.7 | 42 |
| 85 | Left ventricular lead location and the risk of ventricular arrhythmias in the MADIT-CRT trial. European Heart Journal, 2013, 34, 184-190. | 1.0 | 42 |
| 86 | Metabolic syndrome is independently associated with increased 20-year mortality in patients with stable coronary artery disease. Cardiovascular Diabetology, 2016, 15, 149. | 2.7 | 42 |
| 87 | Long-term Benefit of High-Density Lipoprotein Cholesterolâ€“Raising Therapy With Bezafibrate. Archives of Internal Medicine, 2009, 169, 508. | 4.3 | 41 |
| 88 | Relation between renal function and response to cardiac resynchronization therapy in Multicenter Automatic Defibrillator Implantation Trialâ€”Cardiac Resynchronization Therapy (MADIT-CRT). Heart Rhythm, 2010, 7, 1777-1782. | 0.3 | 41 |
| 89 | Sustained clinical benefit of cardiac resynchronization therapy in non-LBBB patients with prolonged PR-interval: MADIT-CRT long-term follow-up. Clinical Research in Cardiology, 2016, 105, 944-952. | 1.5 | 41 |
| 90 | Reduction in Life-Threatening Ventricular Tachyarrhythmias in Statin-Treated Patients With Nonischemic Cardiomyopathy Enrolled in the MADIT-CRT (Multicenter Automatic Defibrillator) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 T<br>Cardiology, 2012, 60, 749-755. | 1.2 | 39 |

| # | Article | IF | Citations |
|---|---|---|---|
| 91 | Influenza vaccine and survival in acute heart failure. European Journal of Heart Failure, 2014, 16, 264-270. | 2.9 | 39 |
| 92 | Sex Differences in the Management and 5-Year Outcome of Young Patients (<55 Years) with Acute Coronary Syndromes. American Journal of Medicine, 2017, 130, 1324.e15-1324.e22. | 0.6 | 39 |
| 93 | CHA2DS2-VASc score and clinical outcomes of patients with acute coronary syndrome. European Journal of Internal Medicine, 2016, 36, 57-61. | 1.0 | 38 |
| 94 | Genotypeâ€Specific Risk Stratification and Management of Patients with Long QT Syndrome. Annals of Noninvasive Electrocardiology, 2013, 18, 499-509. | 0.5 | 37 |
| 95 | Sex Differences in Longâ€Term Outcomes With Cardiac Resynchronization Therapy in Mild Heart Failure Patients With Left Bundle Branch Block. Journal of the American Heart Association, 2015, 4, . | 1.6 | 37 |
| 96 | Secondary Prevention With Bezafibrate Therapy for the Treatment of Dyslipidemia. Journal of the American College of Cardiology, 2008, 51, 459-465. | 1.2 | 36 |
| 97 | Wearable Defibrillator in Congenital Structural Heart Disease and Inherited Arrhythmias. American Journal of Cardiology, 2011, 108, 1632-1638. | 0.7 | 36 |
| 98 | Implantation of a fully magnetically levitated left ventricular assist device using a sternal-sparing surgical technique. Journal of Heart and Lung Transplantation, 2020, 39, 37-44. | 0.3 | 36 |
| 99 | Relation of Body Mass Index to Sudden Cardiac Death and the Benefit of Implantable Cardioverterâ€“Defibrillator in Patients With Left Ventricular Dysfunction After Healing of Myocardial Infarction. American Journal of Cardiology, 2010, 105, 581-586. | 0.7 | 35 |
| 100 | Effectiveness of the Implantable Cardioverter Defibrillator in Blacks Versus Whites (from MADIT-II). American Journal of Cardiology, 2006, 98, 1383-1386. | 0.7 | 34 |
| 101 | In Silico Cardiac Risk Assessment in Patients With Long QT Syndrome. Journal of the American College of Cardiology, 2012, 60, 2182-2191. | 1.2 | 33 |
| 102 | Cost-Effectiveness of Implanted Defibrillators in Young People with Inherited Cardiac Arrhythmias. Annals of Noninvasive Electrocardiology, 2005, 10, 67-83. | 0.5 | 32 |
| 103 | Association of Cardiac Resynchronization Therapy With Change in Left Ventricular Ejection Fraction in Patients With Chemotherapy-Induced Cardiomyopathy. JAMA - Journal of the American Medical Association, 2019, 322, 1799. | 3.8 | 32 |
| 104 | Factors Affecting Survival in Men Versus Women Following Transcatheter Aortic Valve Implantation. American Journal of Cardiology, 2014, 113, 701-705. | 0.7 | 31 |
| 105 | Multicenter Automatic Defibrillator Implantation Trialâ€“Subcutaneous Implantable Cardioverter Defibrillator (MADIT S-ICD): Design and clinical protocol. American Heart Journal, 2017, 189, 158-166. | 1.2 | 31 |
| 106 | Importance of Knowing the Genotype and the Specific Mutation When Managing Patients With Long-QT Syndrome. Circulation: Arrhythmia and Electrophysiology, 2008, 1, 219-226. | 2.1 | 30 |
| 107 | Early aspirin initiation following heart transplantation is associated with reduced risk of allograft vasculopathy during longâ€term followâ€up. Clinical Transplantation, 2017, 31, e13133. | 0.8 | 30 |
| 108 | Inverse Relationship of Blood Pressure Levels to Sudden Cardiac Mortality and Benefit of the Implantable Cardioverter-Defibrillator in Patients With Ischemic Left Ventricular Dysfunction. Journal of the American College of Cardiology, 2007, 49, 1427-1433. | 1.2 | 29 |

| # | Article | IF | Citations |
|---|---|---|---|
| 109 | Cardiac rehabilitation following an acute coronary syndrome: Trends in referral, predictors and mortality outcome in a multicenter national registry between years 2006â€“2013: Report from the Working Group on Cardiac Rehabilitation, the Israeli Heart Society. European Journal of Preventive Cardiology, 2017, 24, 123-132. | 0.8 | 29 |
| 110 | Mutation-Specific Risk in Two Genetic Forms of Type 3 Long QT Syndrome. American Journal of Cardiology, 2010, 105, 210-213. | 0.7 | 28 |
| 111 | Clinical characteristics and outcomes of elderly patients treated with an implantable cardioverter-defibrillator or cardiac resynchronization therapy in a real-world setting: Data from the Israeli ICD Registry. Heart Rhythm, 2014, 11, 435-441. | 0.3 | 28 |
| 112 | The Effect of Intermittent Atrial Tachyarrhythmia on Heart Failure or Death inÂCardiac Resynchronization Therapy WithÂDefibrillator Versus Implantable Cardioverter-Defibrillator Patients. Journal of the American College of Cardiology, 2014, 63, 1190-1197. | 1.2 | 28 |
| 113 | Congenital Long QT Syndromes: Prevalence, Pathophysiology and Management. Paediatric Drugs, 2014, 16, 447-456. | 1.3 | 28 |
| 114 | Bezafibrate for the treatment of dyslipidemia in patients with coronary artery disease: 20-year mortality follow-up of the BIP randomized control trial. Cardiovascular Diabetology, 2016, 15, 11. | 2.7 | 28 |
| 115 | Genetics of Sudden Cardiac Death. Current Cardiology Reports, 2011, 13, 364-376. | 1.3 | 27 |
| 116 | Desalinated seawater supply and all-cause mortality in hospitalized acute myocardial infarction patients from the Acute Coronary Syndrome Israeli Survey 2002â€“2013. International Journal of Cardiology, 2016, 220, 544-550. | 0.8 | 27 |
| 117 | Outcome of contemporary acute coronary syndrome complicated by ventricular tachyarrhythmias. Europace, 2016, 18, 219-226. | 0.7 | 27 |
| 118 | Risk Factors for Sudden Cardiac Death in Patients with Chronic Renal Insufficiency and Left Ventricular Dysfunction. American Journal of Nephrology, 2007, 27, 7-14. | 1.4 | 26 |
| 119 | Use of exercise capacity to improve SCORE risk prediction model in asymptomatic adults. European Heart Journal, 2016, 37, 2300-2306. | 1.0 | 26 |
| 120 | Time dependence of life-threatening ventricular tachyarrhythmias after coronary revascularization in MADIT-CRT. Heart Rhythm, 2010, 7, 1421-1427. | 0.3 | 25 |
| 121 | The association between cardiorespiratory fitness and cardiovascular risk may be modulated by known cardiovascular risk factors. American Heart Journal, 2015, 169, 916-923.e1. | 1.2 | 25 |
| 122 | Temporal trends and outcomes associated with atrial fibrillation observed during acute coronary syndrome: Realâ€world data from the Acute Coronary Syndrome Israeli Survey (<scp>ACSIS</scp>), 2000â€“2013. Clinical Cardiology, 2017, 40, 275-280. | 0.7 | 25 |
| 123 | Predictors of Spontaneous Reverse Remodeling in Mild Heart Failure Patients With Left Ventricular Dysfunction. Circulation: Heart Failure, 2014, 7, 565-572. | 1.6 | 24 |
| 124 | Temporal trends in all-cause mortality of smokers versus non-smokers hospitalized with ST-segment elevation myocardial infarction. International Journal of Cardiology, 2014, 176, 171-176. | 0.8 | 24 |
| 125 | Polymorphism in the Angiotensinogen Gene, Hypertension, and Ethnic Differences in the Risk of Recurrent Coronary Events. Hypertension, 2006, 48, 693-699. | 1.3 | 23 |
| 126 | Reduced risk of lifeâ€threatening ventricular tachyarrhythmias with cardiac resynchronization therapy: relationship to left ventricular ejection fraction. European Journal of Heart Failure, 2015, 17, 971-978. | 2.9 | 23 |

| # | Article | IF | Citations |
|---|---|---|---|
| 127 | Clinical impact of diabetes mellitus in patients undergoing transcatheter aortic valve replacement. Cardiovascular Diabetology, 2015, 14, 131. | 2.7 | 23 |
| 128 | The addition of vildagliptin to metformin prevents the elevation of interleukin 1ÃŸ in patients with type 2 diabetes and coronary artery disease: a prospective, randomized, open-label study. Cardiovascular Diabetology, 2017, 16, 69. | 2.7 | 23 |
| 129 | The role and outcome of cardiac rehabilitation program in patients with atrial fibrillation. Clinical Cardiology, 2018, 41, 1170-1176. | 0.7 | 23 |
| 130 | Effect of Elapsed Time From Coronary Revascularization to Implantation of a Cardioverter Defibrillator on Long-Term Survival in the MADIT-II Trial. Journal of Cardiovascular Electrophysiology, 2011, 22, 1237-1242. | 0.8 | 22 |
| 131 | Impaired fasting glucose and left ventricular diastolic dysfunction in middle-age adults: a retrospective cross-sectional analysis of 2971 subjects. Cardiovascular Diabetology, 2015, 14, 119. | 2.7 | 22 |
| 132 | Admission blood glucose and 10-year mortality among patients with or without pre-existing diabetes mellitus hospitalized with heart failure. Cardiovascular Diabetology, 2017, 16, 102. | 2.7 | 22 |
| 133 | Primary prevention with the implantable cardioverter-defibrillator in high-risk long-QT syndrome patients. Europace, 2019, 21, 339-346. | 0.7 | 22 |
| 134 | The role of implantable cardioverter-defibrillators and sudden cardiac death prevention: indications, device selection, and outcome. European Heart Journal, 2020, 41, 2003-2011. | 1.0 | 22 |
| 135 | Implantable Device Therapy. Progress in Cardiovascular Diseases, 2008, 50, 449-474. | 1.6 | 21 |
| 136 | Thrombospondin-4 polymorphism (A387P) predicts cardiovascular risk in postinfarction patients with high HDL cholesterol and C-reactive protein levels. Thrombosis and Haemostasis, 2011, 106, 1170-1178. | 1.8 | 21 |
| 137 | Temporal trends in management and outcome of diabetic and non-diabetic patients with acute coronary syndrome (ACS): Residual risk of long-term mortality persists. International Journal of Cardiology, 2015, 179, 546-551. | 0.8 | 21 |
| 138 | Recent Temporal Trends in the Presentation, Management, and Outcome of Women Hospitalized with Acute Coronary Syndromes. American Journal of Medicine, 2015, 128, 380-388. | 0.6 | 21 |
| 139 | Obesity and exercise-induced ectopic ventricular arrhythmias in apparently healthy middle aged adults. European Journal of Preventive Cardiology, 2016, 23, 511-517. | 0.8 | 21 |
| 140 | Adenosine protects against angiotensin II-induced apoptosis in rat cardiocyte cultures. Molecular and Cellular Biochemistry, 2003, 252, 133-139. | 1.4 | 20 |
| 141 | Sudden cardiac death without structural heart disease: Update on the long QT and brugada syndromes. Current Cardiology Reports, 2005, 7, 349-356. | 1.3 | 20 |
| 142 | Prognostic implications of mutation-specific QTc standard deviation in congenital long QT syndrome. Heart Rhythm, 2013, 10, 720-725. | 0.3 | 20 |
| 143 | The association between admission systolic blood pressure of heart failure patients with preserved systolic function and mortality outcomes. European Journal of Internal Medicine, 2015, 26, 807-812. | 1.0 | 20 |
| 144 | Cryotherapy ablation of parahisian accessory pathways in children. Heart Rhythm, 2015, 12, 917-925. | 0.3 | 20 |

| # | Article | IF | Citations |
|---|---|---|---|
| 145 | The significance of pulmonary arterial hypertension pre- and post-transfemoral aortic valve implantation for severe aortic stenosis. Journal of Cardiology, 2015, 65, 337-342. | 0.8 | 20 |
| 146 | Left Ventricular Lead Location and Long-Term Outcomes in Cardiac Resynchronization Therapy Patients. JACC: Clinical Electrophysiology, 2018, 4, 1410-1420. | 1.3 | 20 |
| 147 | Treatment of Arrhythmias and Use of Implantable Cardioverter-Defibrillators to Improve Survival in Elderly Patients with Cardiac Disease. Clinics in Geriatric Medicine, 2007, 23, 205-219. | 1.0 | 18 |
| 148 | Long-Term Outcomes With Cardiac Resynchronization Therapy in Patients With Mild Heart Failure With Moderate Renal Dysfunction. Circulation: Heart Failure, 2015, 8, 725-732. | 1.6 | 18 |
| 149 | Comparison of the Usefulness of Heart Rate Variability Versus Exercise Stress Testing for the Detection of Myocardial Ischemia in Patients Without Known Coronary Artery Disease. American Journal of Cardiology, 2015, 115, 1518-1522. | 0.7 | 18 |
| 150 | Addition of albumin to Traditional Risk Score Improved Prediction of Mortality in Individuals Undergoing Transcatheter Aortic Valve Replacement. Journal of the American Geriatrics Society, 2017, 65, 2413-2417. | 1.3 | 18 |
| 151 | Implantable Cardioverter Defibrillator Efficacy and Chronic Kidney Disease: Competing Risks of Arrhythmic and Nonarrhythmic Mortality. Journal of Cardiovascular Electrophysiology, 2008, 19, 1281-1283. | 0.8 | 17 |
| 152 | Rationale and design of the BUDAPEST-CRT Upgrade Study: a prospective, randomized, multicentre clinical trial. Europace, 2017, 19, euw193. | 0.7 | 17 |
| 153 | Comparison of acute kidney injury classifications in patients undergoing transcatheter aortic valve implantation: Predictors and longâ€term outcomes. Catheterization and Cardiovascular Interventions, 2016, 87, 523-531. | 0.7 | 17 |
| 154 | Predictors and Risk of Ventricular Tachyarrhythmias or Death in BlackÂandÂWhite Cardiac Patients. JACC: Clinical Electrophysiology, 2016, 2, 448-455. | 1.3 | 17 |
| 155 | High-grade atrioventricular block in patients with acute myocardial infarction. Insights from a contemporary multi-center survey. Journal of Electrocardiology, 2018, 51, 386-391. | 0.4 | 17 |
| 156 | Non-response to Cardiac Resynchronization Therapy. Current Heart Failure Reports, 2018, 15, 315-321. | 1.3 | 17 |
| 157 | Study of the wearable cardioverter defibrillator in advanced heartâ€failure patients (SWIFT). Journal of Cardiovascular Electrophysiology, 2017, 28, 778-784. | 0.8 | 17 |
| 158 | Long QT Syndrome in Africanâ€Americans. Annals of Noninvasive Electrocardiology, 2010, 15, 73-76. | 0.5 | 16 |
| 159 | Time-dependent risk reduction of ventricular tachyarrhythmias in cardiac resynchronization therapy patients: a MADIT-RIT sub-study. Europace, 2015, 17, 1085.1-1091. | 0.7 | 16 |
| 160 | Triggers and Timing of Acute Coronary Syndromes. American Journal of Cardiology, 2017, 119, 1560-1565. | 0.7 | 16 |
| 161 | The Effect of Admission Renal Function on the Treatment and Outcome of Patients with Acute Coronary Syndrome. CardioRenal Medicine, 2017, 7, 169-178. | 0.7 | 16 |
| 162 | Left Ventricular Reverse Remodeling in Cardiac Resynchronization Therapy and Long-TermÂOutcomes. JACC: Clinical Electrophysiology, 2019, 5, 1001-1010. | 1.3 | 16 |

| # | Article | IF | Citations |
|---|---|---|---|
| 163 | Predicting 30-day mortality after ST elevation myocardial infarction: Machine learning- based random forest and its external validation using two independent nationwide datasets. Journal of Cardiology, 2021, 78, 439-446. | 0.8 | 16 |
| 164 | Relation Between Stroke Volume Index to Risk of Death in Patients With Low-Gradient Severe Aortic Stenosis and Preserved Left Ventricular Function. American Journal of Cardiology, 2014, 114, 449-455. | 0.7 | 15 |
| 165 | Relation of QRS Duration to Clinical Benefit of Cardiac Resynchronization Therapy in Mild Heart Failure Patients Without Left Bundle Branch Block. Circulation: Heart Failure, 2016, 9, e002667. | 1.6 | 15 |
| 166 | Prevalence and Significance of Unrecognized Renal Dysfunction in Patients with Acute Coronary Syndrome. American Journal of Medicine, 2016, 129, 187-194. | 0.6 | 15 |
| 167 | Incidence and Prognosis of Pericarditis After ST-Elevation Myocardial Infarction (from the Acute) Tj ETQq1 1 0.784314 rgBT /Overlock 10<br>2018, 121, 690-694. | 0.7 | 15 |
| 168 | Low ALT blood levels are associated with lower baseline fitness amongst participants of a cardiac rehabilitation program. Journal of Exercise Science and Fitness, 2018, 16, 1-4. | 0.8 | 15 |
| 169 | Oneâ€year followâ€up of the prospective registry of patients using the wearable defibrillator (WEARITâ€II) Tj ETQq1 1 0.784314 rgBT /C | 0.5 | 15 |
| 170 | Comparison of Age (<75ÂYears Versus â‰¥75ÂYears) to Risk of Ventricular Tachyarrhythmias and Implantable Cardioverter Defibrillator Shocks (from the Multicenter Automatic Defibrillator) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 T<br>114, 1855-1860. | 0.7 | 14 |
| 171 | The association between elevated admission systolic blood pressure in patients with acute coronary syndrome and favorable early and late outcomes. Journal of the American Society of Hypertension, 2015, 9, 97-103. | 2.3 | 14 |
| 172 | Short- and Long-Term Prognostic Implications of Jugular Venous Distension in Patients Hospitalized With Acute Heart Failure. American Journal of Cardiology, 2016, 118, 226-231. | 0.7 | 14 |
| 173 | Metformin therapy reduces the risk of malignancy after heart transplantation. Journal of Heart and Lung Transplantation, 2017, 36, 1350-1357. | 0.3 | 14 |
| 174 | Effect of supplemented intake of omega-3 fatty acids on arrhythmias in patients with ICD: fish oil therapy may reduce ventricular arrhythmia. Journal of Interventional Cardiac Electrophysiology, 2017, 49, 255-261. | 0.6 | 14 |
| 175 | Comparison of patients with multivessel disease treated at centers with and without on-site cardiac surgery. Journal of Thoracic and Cardiovascular Surgery, 2018, 155, 865-873.e3. | 0.4 | 14 |
| 176 | Cardiac resynchronization therapy and ventricular tachyarrhythmia burden. Heart Rhythm, 2021, 18, 762-769. | 0.3 | 14 |
| 177 | Effectiveness of Implantable Cardioverter-Defibrillators to ReduceÂMortality in Patients With LongÂQT Syndrome. Journal of the American College of Cardiology, 2021, 78, 2076-2088. | 1.2 | 14 |
| 178 | Renal Dysfunction and Clinical Outcomes of Patients Undergoing ICD and CRTD Implantation: Data from the Israeli ICD Registry. Journal of Cardiovascular Electrophysiology, 2014, 25, 990-997. | 0.8 | 13 |
| 179 | Functional Response to Cardiac Resynchronization Therapy in Patients with Renal Dysfunction and Subsequent Longâ€Term Mortality. Journal of Cardiovascular Electrophysiology, 2014, 25, 1188-1195. | 0.8 | 13 |
| 180 | Role of defibrillation threshold testing during implantable cardioverter-defibrillator placement: Data from the Israeli ICD Registry. Heart Rhythm, 2014, 11, 814-821. | 0.3 | 13 |

| # | Article | IF | Citations |
|---|---|---|---|
| 181 | The Israel Nationwide Heart Failure Survey: Sex Differences in Early and Late Mortality for Hospitalized Heart Failure Patients. Journal of Cardiac Failure, 2014, 20, 193-198. | 0.7 | 13 |
| 182 | Polymorphism in the Cholesteryl Ester Transfer Protein Gene and the Risk of Early Onset Myocardial Infarction among Cigarette Smokers. Annals of Noninvasive Electrocardiology, 2007, 12, 364-374. | 0.5 | 12 |
| 183 | Multidisciplinary rehabilitation program in recently hospitalized patients with heart failure and preserved ejection fraction: Rationale and design of a randomized controlled trial. American Heart Journal, 2014, 168, 830-837.e1. | 1.2 | 12 |
| 184 | Comparison of Statin Alone Versus Bezafibrate and Statin Combination in Patients With Diabetes Mellitus and Acute Coronary Syndrome. American Journal of Cardiology, 2014, 113, 12-16. | 0.7 | 12 |
| 185 | Survival after intervention in patients with low gradient severe aortic stenosis and preserved left ventricular function. Journal of Thoracic and Cardiovascular Surgery, 2014, 148, 2823-2828. | 0.4 | 12 |
| 186 | Real-life characteristics and outcomes of patients who undergo percutaneous coronary intervention versus coronary artery bypass grafting for left main coronary artery disease: data from the prospective Multi-vessel Coronary Artery Disease (MULTICAD) Israeli Registryâ€. European Journal of Cardio-thoracic Surgery, 2018, 54, 717-723. | 0.6 | 12 |
| 187 | Arrhythmic and Mortality Outcomes Among Ischemic Versus Nonischemic Cardiomyopathy Patients Receiving Primary ICD Therapy. JACC: Clinical Electrophysiology, 2022, 8, 1-11. | 1.3 | 12 |
| 188 | Phenotypic Variability in Caucasian and Japanese Patients with Matched LQT1 Mutations. Annals of Noninvasive Electrocardiology, 2008, 13, 234-241. | 0.5 | 11 |
| 189 | A Metric for Evaluating the Cardiac Response to ResynchronizationÂTherapy. American Journal of Cardiology, 2014, 113, 1371-1377. | 0.7 | 11 |
| 190 | Early intervention and longâ€‘term outcome with cardiac resynchronization therapy in patients without a history of advanced heart failure symptoms. European Journal of Heart Failure, 2015, 17, 964-970. | 2.9 | 11 |
| 191 | Morbidity and mortality with cardiac resynchronization therapy with pacing vs. with defibrillation in octogenarian patients in a real-world setting. Europace, 2017, 19, euw238. | 0.7 | 11 |
| 192 | Brain natriuretic peptide and the risk of ventricular tachyarrhythmias in mildly symptomatic heart failure patients enrolled in MADIT-CRT. Heart Rhythm, 2016, 13, 852-859. | 0.3 | 11 |
| 193 | Impaired Fasting Glucose Is the Major Determinant of the 20â€Year Mortality Risk Associated With Metabolic Syndrome in Nondiabetic Patients With Stable Coronary Artery Disease. Journal of the American Heart Association, 2017, 6, . | 1.6 | 11 |
| 194 | Outcomes of Patients Presenting With Clinical Indices of Spontaneous Reperfusion in STâ€Elevation Acute Coronary Syndrome Undergoing Deferred Angiography. Journal of the American Heart Association, 2017, 6, . | 1.6 | 11 |
| 195 | Long-Term Survival of Patients With Left Bundle Branch Block Who Are Hypo-Responders to Cardiac Resynchronization Therapy. American Journal of Cardiology, 2017, 120, 825-830. | 0.7 | 11 |
| 196 | Contemporary rates and outcomes of single- vs. dual-coil implantable cardioverter defibrillator lead implantation: data from the Israeli ICD Registry. Europace, 2017, 19, 1485-1492. | 0.7 | 11 |
| 197 | Experience with the wearable cardioverter-defibrillator in older patients: Results from the Prospective Registry of Patients Using the Wearable Cardioverter-Defibrillator. Heart Rhythm, 2018, 15, 1379-1386. | 0.3 | 11 |
| 198 | Sildenafil for Pulmonary Hypertension in the Early Postoperative Period After Mitral Valve Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2019, 33, 1648-1656. | 0.6 | 11 |

| # | Article | IF | Citations |
|---|---|---|---|
| 199 | Long-term milrinone therapy as a bridge to heart transplantation: Safety, efficacy, and predictors of failure. International Journal of Cardiology, 2020, 313, 83-88. | 0.8 | 11 |
| 200 | Sex-Specific Platelet Activation Through Protease-Activated Receptors Reverses in Myocardial Infarction. Arteriosclerosis, Thrombosis, and Vascular Biology, 2021, 41, 390-400. | 1.1 | 11 |
| 201 | Clinical course and outcome of patients enrolled in US and non-US centres in MADIT-CRT. European Heart Journal, 2011, 32, 2697-2704. | 1.0 | 10 |
| 202 | Time dependent changes in high density lipoprotein cholesterol and cardiovascular risk. International Journal of Cardiology, 2014, 173, 295-299. | 0.8 | 10 |
| 203 | Inverse Relationship of Blood Pressure to Long-Term Outcomes and Benefit of Cardiac Resynchronization Therapy in Patients With Mild Heart Failure. Circulation: Heart Failure, 2015, 8, 921-926. | 1.6 | 10 |
| 204 | The impact of inflammatory rheumatic diseases on the presentation, severity, and outcome of acute coronary syndrome. Clinical Rheumatology, 2016, 35, 233-237. | 1.0 | 10 |
| 205 | Relationship between age and inappropriate implantable cardioverter-defibrillator therapy in MADIT-RIT (Multicenter Automatic Defibrillator Implantation Trial-Reduce Inappropriate Therapy). Heart Rhythm, 2016, 13, 888-893. | 0.3 | 10 |
| 206 | Temporal trends in the outcomes of patients with acute myocardial infarction associated with renal dysfunction over the past decade. European Journal of Internal Medicine, 2016, 29, 88-92. | 1.0 | 10 |
| 207 | Temporal trends in management and outcomes of patients with acute coronary syndrome according to renal function. International Journal of Cardiology, 2017, 232, 48-52. | 0.8 | 10 |
| 208 | Long-Term Survival With Implantable Cardioverter-Defibrillator in Different Symptomatic Functional Classes of Heart Failure. American Journal of Cardiology, 2018, 121, 615-620. | 0.7 | 10 |
| 209 | Comparison of Outcomes in Patients With Acute Coronary Syndrome Presenting With Typical Versus Atypical Symptoms. American Journal of Cardiology, 2019, 124, 1851-1856. | 0.7 | 10 |
| 210 | Revascularization Strategies and Survival in Patients With Multivessel Coronary Artery Disease. Annals of Thoracic Surgery, 2019, 107, 106-111. | 0.7 | 10 |
| 211 | Trends in long-term prognosis according to left ventricular ejection fraction after acute coronary syndrome. Journal of Cardiology, 2020, 76, 303-308. | 0.8 | 10 |
| 212 | Efficacy of Medical Therapy for the Reduction of Heart Failure Events in Patients with Implanted Cardioverter Defibrillators. Journal of Cardiovascular Electrophysiology, 2009, 20, 395-400. | 0.8 | 9 |
| 213 | Risk Factors for Recurrent Heart Failure Events in the Multicenter Automatic Defibrillator Implantation Trial II (MADITâ€II). Journal of Cardiovascular Electrophysiology, 2010, 21, 1217-1223. | 0.8 | 9 |
| 214 | Risk of Syncope in Family Members Who Are Genotype-Negative for a Family-Associated Long-QT Syndrome Mutation. Circulation: Cardiovascular Genetics, 2011, 4, 491-499. | 5.1 | 9 |
| 215 | Timing of Coronary Angiography and Outcome in Patients with Non-ST Elevation Acute Coronary Syndromes and Kidney Disease: Real-World Data from the Acute Coronary Syndromes Israeli Survey. Cardiology, 2011, 119, 224-234. | 0.6 | 9 |
| 216 | Predictors and Outcome of Sustained Improvement in Left Ventricular Function in Dilated Cardiomyopathy. Clinical Cardiology, 2014, 37, 687-692. | 0.7 | 9 |

| # | Article | IF | Citations |
|---|---|---|---|
| 217 | Clinical Outcomes in Patients with Severe Renal Dysfunction Including Dialysis Following Defibrillator Implantation. American Journal of Nephrology, 2015, 42, 295-304. | 1.4 | 9 |
| 218 | Time-dependent relation between smoking cessation and improved exercise tolerance in apparently healthy middle-age men and women. European Journal of Preventive Cardiology, 2015, 22, 807-814. | 0.8 | 9 |
| 219 | Cardiac Resynchronization in Different Age Groups: A MADIT-CRT Long-Term Follow-Up Substudy. Journal of Cardiac Failure, 2016, 22, 143-149. | 0.7 | 9 |
| 220 | Prognostic Importance of Defibrillatorâ€Appropriate Shocks and Antitachycardia Pacing in Patients With Mild Heart Failure. Journal of the American Heart Association, 2019, 8, e010346. | 1.6 | 9 |
| 221 | Norton score and clinical outcomes following acute decompensated heart failure hospitalization. Journal of Cardiology, 2020, 76, 335-341. | 0.8 | 9 |
| 222 | Radial strain imaging-guided lead placement for improving response to cardiac resynchronization therapy in patients with ischaemic cardiomyopathy: the Raise CRT trial. Europace, 2022, 24, 835-844. | 0.7 | 9 |
| 223 | Smoking is associated with an increased risk of first and recurrent ventricular tachyarrhythmias in ischemic and nonischemic patients with mild heart failure: A MADIT-CRT substudy. Heart Rhythm, 2014, 11, 822-827. | 0.3 | 8 |
| 224 | Changes in Drug Utilization and Outcome With Cardiac Resynchronization Therapy: A MADIT-CRT Substudy. Journal of Cardiac Failure, 2015, 21, 541-547. | 0.7 | 8 |
| 225 | Comparison of Noninvasively and Invasively Managed Patients, With or Without Revascularization in Nonâ€“ST Elevation Myocardial Infarction (from the Acute Coronary Syndrome Israeli Survey). American Journal of Cardiology, 2016, 118, 1-5. | 0.7 | 8 |
| 226 | Trends in the management and outcomes of patients admitted with acute coronary syndrome complicated by cardiogenic shock over the past decade: Real world data from the acute coronary syndrome Israeli survey (ACSIS). Oncotarget, 2017, 8, 42876-42886. | 0.8 | 8 |
| 227 | Impact of quadripolar LV leads on heart failure hospitalization rates among patients implanted with CRT-D: data from the Israeli ICD Registry. Journal of Interventional Cardiac Electrophysiology, 2018, 51, 5-12. | 0.6 | 8 |
| 228 | Early Referral to Coronary Artery Bypass Grafting Following Acute Coronary Syndrome, Trends and Outcomes from the Acute Coronary Syndrome Israeli Survey (ACSIS) 2000â€“2010. Heart Lung and Circulation, 2018, 27, 175-182. | 0.2 | 8 |
| 229 | Need for pacing in patients who qualify for an implantable cardioverterâ€defibrillator: Clinical implications for the subcutaneous ICD. Annals of Noninvasive Electrocardiology, 2020, 25, e12744. | 0.5 | 8 |
| 230 | Machine learning-based prediction of 1-year mortality for acute coronary syndromeâœ°. Journal of Cardiology, 2022, 79, 342-351. | 0.8 | 8 |
| 231 | Treatment of Arrhythmias and Use of Implantable Cardioverter-Defibrillators to Improve Survival in Elderly Patients with Cardiac Disease. Heart Failure Clinics, 2007, 3, 519-528. | 1.0 | 7 |
| 232 | Left Ventricular Pacing Threshold and Outcome in MADITâ€CRT. Journal of Cardiovascular Electrophysiology, 2014, 25, 1005-1011. | 0.8 | 7 |
| 233 | Identification of Lowâ€Risk Adult Congenital LQTS Patients. Journal of Cardiovascular Electrophysiology, 2015, 26, 853-858. | 0.8 | 7 |
| 234 | Gender-Related Cardiovascular Risk in Healthy Middle-Aged Adults. American Journal of Cardiology, 2016, 118, 1669-1673. | 0.7 | 7 |

| # | Article | IF | Citations |
|---|---|---|---|
| 235 | Exercise systolic blood pressure variability is associated with increased risk for new-onset hypertension among normotensive adults. Journal of the American Society of Hypertension, 2016, 10, 527-535.e2. | 2.3 | 7 |
| 236 | Lessons learned from the Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy (MADIT-CRT). Trends in Cardiovascular Medicine, 2016, 26, 137-146. | 2.3 | 7 |
| 237 | Risk of early, intermediate, and late rejection following heart transplantation: Trends over the past 25Âyears and relation to changes in medical management. Tertiary center experience: The Sheba Heart Transplantation Registry. Clinical Transplantation, 2017, 31, e13063. | 0.8 | 7 |
| 238 | Elevated Admission Potassium Levels and 1-Year and 10-Year Mortality Among Patients With Heart Failure. American Journal of the Medical Sciences, 2017, 354, 268-277. | 0.4 | 7 |
| 239 | Statin therapy among chronic kidney disease patients presenting with acute coronary syndrome. Atherosclerosis, 2019, 286, 14-19. | 0.4 | 7 |
| 240 | Risk of arrhythmic events after alcohol septal ablation for hypertrophic cardiomyopathy using continuous implantable cardiac monitoring. Heart Rhythm, 2021, 18, 50-56. | 0.3 | 7 |
| 241 | Risk Prediction in Women With Congenital Long QT Syndrome. Journal of the American Heart Association, 2021, 10, e021088. | 1.6 | 7 |
| 242 | Use of oral contraceptives in women with congenital long QT syndrome. Heart Rhythm, 2022, 19, 41-48. | 0.3 | 7 |
| 243 | Ion Channel Mechanisms Related to Sudden Cardiac Death in Phenotype-Negative Long-QT Syndrome Genotype-Phenotype Correlations of the KCNQ1(S349W) Mutation. Journal of Cardiovascular Electrophysiology, 2010, 22, no-no. | 0.8 | 6 |
| 244 | Syncope in Genotype-Negative Long QT Syndrome Family Members. American Journal of Cardiology, 2014, 114, 1223-1228. | 0.7 | 6 |
| 245 | Short and long term survival following hospitalization with a primary versus non-primary diagnosis of acute heart failure. European Journal of Internal Medicine, 2015, 26, 420-424. | 1.0 | 6 |
| 246 | Clinical Outcomes of Singleâ€•versus Dualâ€Chamber Implantable Cardioverter Defibrillators: Lessons from the Israeli ICD Registry. Journal of Cardiovascular Electrophysiology, 2016, 27, 718-723. | 0.8 | 6 |
| 247 | Association between statin treatment and LDL-cholesterol levels on the rate of ST-elevation myocardial infarction among patients with acute coronary syndromes: ACS Israeli Survey (ACSIS) 2002â€“2010. International Journal of Cardiology, 2016, 210, 133-138. | 0.8 | 6 |
| 248 | Developing a risk score to predict mortality in the first year after implantable cardioverter defibrillator implantation: Data from the Israeli ICD Registry. Journal of Cardiovascular Electrophysiology, 2018, 29, 1540-1547. | 0.8 | 6 |
| 249 | Impact of Self-Reported Family History of Premature Cardiovascular Disease on the Outcomes of Patients Hospitalized for Acute Coronary Syndrome (from the Acute Coronary Syndrome Israel Survey) Tj ETQq1 1 0.784314 rgBT /Ov | 0.7 | 6 |
| 250 | The Association of Body Mass Index and 20-Year All-Cause Mortality Among Patients With Stable Coronary Artery Disease. Heart Lung and Circulation, 2019, 28, 719-726. | 0.2 | 6 |
| 251 | Avoidance of Coronary Angiography in High-Risk Patients With Acute Coronary Syndromes: The ACSIS Registry Findings. Cardiovascular Revascularization Medicine, 2020, 21, 1230-1236. | 0.3 | 6 |
| 252 | Ethnic Differences Among Acute Coronary Syndrome Patients in Israel. Cardiovascular Revascularization Medicine, 2020, 21, 1431-1435. | 0.3 | 6 |

| # | Article | IF | Citations |
|---|---|---|---|
| 253 | Heart Team/Guidelines Discordance Is Associated With Increased Mortality: Data From a National Survey of Revascularization in Patients With Complex Coronary Artery Disease. Circulation: Cardiovascular Interventions, 2021, 14, e009686. | 1.4 | 6 |
| 254 | OUP accepted manuscript. Europace, 2019, 21, 1865-1875. | 0.7 | 6 |
| 255 | Participation in an Exercise-Based Cardiac Rehabilitation Program and Functional Improvement of Heart Failure Patients with Preserved Versus Reduced Left Ventricular Systolic Function. Israel Medical Association Journal, 2018, 20, 358-362. | 0.1 | 6 |
| 256 | Sex hormones and repolarization dynamics during the menstrual cycle in women with congenital long QT syndrome. Heart Rhythm, 2022, 19, 1532-1540. | 0.3 | 6 |
| 257 | Sex Differences in the Risk of First and Recurrent Ventricular Tachyarrhythmias Among Patients Receiving an Implantable Cardioverter-Defibrillator for Primary Prevention. JAMA Network Open, 2022, 5, e2217153. | 2.8 | 6 |
| 258 | Role of Implantable Cardioverter Defibrillator in Heart Failure With Contemporary Medical Therapy. Circulation: Heart Failure, 2022, 15, . | 1.6 | 6 |
| 259 | Temporal trends in management of hypertension among Israeli adults, 2002â€“2010: Lesson from the Acute Coronary Syndromes Israeli Survey (ACSIS). Journal of the American Society of Hypertension, 2014, 8, 94-102. | 2.3 | 5 |
| 260 | Effects of Statins on First and Recurrent Supraventricular Arrhythmias in Patients With Mild Heart Failure (from the Multicenter Automatic Defibrillator Implantation Trial With Cardiac) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 457 Td (Resy | 1.7 | 5 |
| 261 | Characteristics and outcomes of diabetic patients with an implantable cardioverter defibrillator in a real world setting: results from the Israeli ICD registry. Cardiovascular Diabetology, 2016, 15, 160. | 2.7 | 5 |
| 262 | Admission plasma glucose levels within the normal to mildly impaired range and the outcome of patients with acute coronary syndrome. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 738-743. | 0.4 | 5 |
| 263 | Gender disparities in the functional significance of anemia among apparently healthy adults. European Journal of Haematology, 2017, 98, 435-442. | 1.1 | 5 |
| 264 | Comparison of Outcomes of Acute Coronary Syndrome in Patients â‰¥80 Years Versus Those <80 Years in Israel from 2000 to 2013. American Journal of Cardiology, 2017, 120, 1230-1237. | 0.7 | 5 |
| 265 | Comparison of Long-Term Survival Benefits With Cardiac Resynchronization Therapy in Patients With Mild Heart Failure With Versus Without Diabetes Mellitus (from the Multicenter Automatic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T<br>Journal of Cardiology, 2018, 121, 1567-1574. | 0.7 | 5 |
| 266 | Impact of mobile intensive care unit use on total ischemic time and clinical outcomes in ST-elevation myocardial infarction patients â€“ real-world data from the Acute Coronary Syndrome Israeli Survey. European Heart Journal: Acute Cardiovascular Care, 2018, 7, 497-503. | 0.4 | 5 |
| 267 | Death with an implantable cardioverter-defibrillator: a MADIT-II substudy. Europace, 2019, 21, 1843-1850. | 0.7 | 5 |
| 268 | Arrhythmic burden among asymptomatic patients with ischemic cardiomyopathy and an implantable cardioverter-defibrillator. Heart Rhythm, 2019, 16, 813-819. | 0.3 | 5 |
| 269 | Characteristics and outcomes associated with 30-day readmissions following acute coronary syndrome 2000â€“2013: the Acute Coronary Syndrome Israeli Survey. European Heart Journal: Acute Cardiovascular Care, 2019, 8, 738-744. | 0.4 | 5 |
| 270 | Predictors and outcomes of atrial tachyarrhythmia among patients with implantable defibrillators. Heart Rhythm, 2020, 17, 553-559. | 0.3 | 5 |

| # | Article | IF | Citations |
|---|---|---|---|
| 271 | Incidence and Clinical Features of Early Stent Thrombosis in the Era of New P2y12 Inhibitors (PLATIS-2). PLoS ONE, 2016, 11, e0157437. | 1.1 | 5 |
| 272 | Aspiration Thrombectomy in Patients With ST Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention (from the Acute Coronary Syndrome Israeli Survey 2010). American Journal of Cardiology, 2014, 113, 809-814. | 0.7 | 4 |
| 273 | Comparison of Low Versus High (>40Âmm Hg) Pulse Pressure to Predict the Benefit of Cardiac Resynchronization Therapy for Heart Failure (from the Multicenter Automatic Defibrillator) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 1053-1058. | 0.7 | 4 |
| 274 | Cardiac resynchronization therapy is associated with reductions in left atrial volume and inappropriate implantable cardioverter-defibrillator therapy in MADIT-CRT. Heart Rhythm, 2014, 11, 1001-1007. | 0.3 | 4 |
| 275 | Outcome of Patients with Advanced Heart Failure Who Receive Deviceâ€Based Therapy for Primary Prevention of Sudden Cardiac Death: Insights from the Israeli ICD Registry. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 738-745. | 0.5 | 4 |
| 276 | Ethnic Differences Among Implantable Cardioverter Defibrillators Recipients in Israel. American Journal of Cardiology, 2015, 115, 1102-1106. | 0.7 | 4 |
| 277 | Poor Heart Rate Recovery Is Associated With the Development of New-Onset Atrial Fibrillation in Middle-Aged Adults. Mayo Clinic Proceedings, 2016, 91, 1769-1777. | 1.4 | 4 |
| 278 | Risk Stratification for Sudden Cardiac Death in Individuals Without Structural Disease. Circulation: Arrhythmia and Electrophysiology, 2017, 10, . | 2.1 | 4 |
| 279 | Predictors of longâ€term mortality with cardiac resynchronization therapy in mild heart failure patients with left bundle branch block. Clinical Cardiology, 2018, 41, 1358-1366. | 0.7 | 4 |
| 280 | Association of Bezafibrate Treatment With Reduced Risk of Cancer in Patients With Coronary Artery Disease. Mayo Clinic Proceedings, 2019, 94, 1171-1179. | 1.4 | 4 |
| 281 | Thrombocytopenia and thrombocytosis are associated with different outcome in atrial fibrillation patients on anticoagulant therapy. PLoS ONE, 2019, 14, e0224709. | 1.1 | 4 |
| 282 | Do all intra-ventricular conduction defect ECG patterns respond equally to CRT?. Journal of Interventional Cardiac Electrophysiology, 2020, 58, 87-94. | 0.6 | 4 |
| 283 | Outcome by Sex in Patients With Long QT Syndrome With an Implantable Cardioverter Defibrillator. Journal of the American Heart Association, 2020, 9, e016398. | 1.6 | 4 |
| 284 | Association of previous cardiac surgery with outcomes in left ventricular assist device patients. Interactive Cardiovascular and Thoracic Surgery, 2020, 31, 1-8. | 0.5 | 4 |
| 285 | Circadian variation and seasonal distribution of implantable defibrillator detected new onset atrial fibrillation. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 1495-1500. | 0.5 | 4 |
| 286 | Implantable cardioverter-defibrillator programming after first occurrence of ventricular tachycardia in the Multicenter Automatic Defibrillator Implantation Trialâ€“Reduce Inappropriate Therapy (MADIT-RIT). Heart Rhythm O2, 2020, 1, 77-82. | 0.6 | 4 |
| 287 | Intraoperative Ventricular Tachycardia Ablation During Left Ventricular Assist Device Implantation in High-Risk Heart Failure Patients. Circulation: Arrhythmia and Electrophysiology, 2022, 15, . | 2.1 | 4 |
| 288 | Cumulative Burden of Atherosclerotic Risk Genotypes and the Age at Onset of a First Myocardial Infarction: A Caseâ€Only Carriership Approach. Annals of Noninvasive Electrocardiology, 2008, 13, 287-294. | 0.5 | 3 |

| # | Article | IF | Citations |
|---|---|---|---|
| 289 | Influence of Diabetes Mellitus on Outcome in Patients Over 40 Years of Age With the Long QT Syndrome. American Journal of Cardiology, 2010, 105, 87-89. | 0.7 | 3 |
| 290 | Response to Letter Regarding, â€œPR Interval Identifies Clinical Response in Patients With Non-Left Bundle Branch Block: A Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy Sub-Studyâ€•by Kutyifa et al. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 1280-1280. | 2.1 | 3 |
| 291 | De novo mitral regurgitation as a cause of heart failure exacerbation in patients with hypertrophic cardiomyopathy. International Journal of Cardiology, 2018, 252, 122-127. | 0.8 | 3 |
| 292 | Risk of Ventricular Tachyarrhythmic Events in Patients Who Improved BeyondÂGuidelines for a Defibrillator inÂMADIT-CRT. JACC: Clinical Electrophysiology, 2019, 5, 1172-1181. | 1.3 | 3 |
| 293 | Real-world referral pattern and outcomes of diabetic patients who undergo revascularization: data from the prospective Multi-vessel Coronary Artery Disease (MULTICAD) Israeli Registryâ€. European Journal of Cardio-thoracic Surgery, 2019, 56, 328-334. | 0.6 | 3 |
| 294 | Cardiac Resynchronization Therapy and Risk of Recurrent Hospitalizations in Patients Without Left Bundle Branch Block. Circulation: Heart Failure, 2020, 13, e006925. | 1.6 | 3 |
| 295 | Patient selection for wearable cardioverter defibrillator therapy after myocardial infarction: How can we incorporate compliance into decisionâ€making?. Journal of Cardiovascular Electrophysiology, 2020, 31, 1019-1021. | 0.8 | 3 |
| 296 | Relation between resting heart rate and the risk of ventricular tachyarrhythmias in MADIT-RIT. Europace, 2020, 22, 281-287. | 0.7 | 3 |
| 297 | Telehealth for the Management of Left Ventricular Assist Device Patients: The University of Rochester TeleLVAD Study. Journal of Cardiac Failure, 2021, 27, 112-113. | 0.7 | 3 |
| 298 | Systolic Blood Pressure and Risk for Ventricular Arrhythmia in Patients With an Implantable Cardioverter Defibrillator. American Journal of Cardiology, 2021, 143, 74-79. | 0.7 | 3 |
| 299 | Acute myocardial infarction severity, complications, and mortality associated with lack of magnesium intake through consumption of desalinated seawater. Magnesium Research, 2019, 32, 39-50. | 0.4 | 3 |
| 300 | Pharmacists as members of an interdisciplinary pulmonary embolism response team. JACCP Journal of the American College of Clinical Pharmacy, 0, , . | 0.5 | 3 |
| 301 | Time-Dependent Gender Differences in the Clinical Course of Patients with the Congenital Long-QT Syndrome. , 0, , 28-36. | | 2 |
| 302 | Age and Effectiveness of Prophylactic Implantable Cardioverter-Defibrillators. Annals of Internal Medicine, 2011, 154, 505. | 2.0 | 2 |
| 303 | The Role of the Implantable Cardioverter-Defibrillator in the Long QT Syndrome. Cardiac Electrophysiology Clinics, 2012, 4, 87-95. | 0.7 | 2 |
| 304 | Effect of cardiac resynchronization therapy on the risk of ventricular tachyarrhythmias in patients with chronic kidney disease. , 2017, 22, e12404. | | 2 |
| 305 | Donorâ€•recipient ethnic mismatching impacts shortâ€•and longâ€•term results of heart transplantation. Clinical Transplantation, 2018, 32, e13389. | 0.8 | 2 |
| 306 | Trends in management and outcome of acute coronary syndrome in women â‰¥80â€¯years versus those <80â€¯years in Israel from 2000â€“2016. International Journal of Cardiology, 2019, 281, 22-27. | 0.8 | 2 |

| # | Article | IF | Citations |
|---|---|---|---|
| 307 | Extending the MADIT-ICD benefit score to heterogenous heart failure populations. European Heart Journal, 2021, 42, 4774-4775. | 1.0 | 2 |
| 308 | Ethnic Disparity in Mortality Among Ischemic Heart Disease Patients. A-20 Years Outcome Study From Israel. Frontiers in Cardiovascular Medicine, 2021, 8, 661390. | 1.1 | 2 |
| 309 | Combining diastolic dysfunction and natriuretic peptides to risk stratify patients with heart failure with reduced ejection fraction. International Journal of Cardiology, 2021, 335, 59-65. | 0.8 | 2 |
| 310 | Outcomes Associated with Introduction of the 5th Generation High-Sensitivity Cardiac Troponin in Patients Presenting with Cardiovascular Disorders. Journal of Emergency Medicine, 2022, , . | 0.3 | 2 |
| 311 | Family with Suspect LQTS. , 2010, 15, 384-386. | | 1 |
| 312 | Evaluation of a Patient with a Positive Family History for Long QT Syndrome. Cardiac Electrophysiology Clinics, 2012, 4, 239-248. | 0.7 | 1 |
| 313 | Relation of Atrial Premature Complexes During Exercise Stress Testing to the Risk for the Development of Atrial Fibrillation in Patients Undergoing Cardiac Rehabilitation. American Journal of Cardiology, 2018, 122, 395-399. | 0.7 | 1 |
| 314 | Prognostic Usefulness of Systolic Blood Pressure One-Year Following Cardiac Resynchronization Therapy (from MADIT-CRT). American Journal of Cardiology, 2020, 125, 777-782. | 0.7 | 1 |
| 315 | Utility of 6-Minute Walk Test to Predict Response to Cardiac Resynchronization Therapy in Patients With Mild Heart Failure. American Journal of Cardiology, 2020, 132, 79-86. | 0.7 | 1 |
| 316 | High fitness might be associated with the development of newâ€onset atrial fibrillation in obese nonâ€athletic adults. International Journal of Clinical Practice, 2020, 74, e13638. | 0.8 | 1 |
| 317 | The role of implantable cardioverter-defibrillators in asymptomatic patients with left ventricular dysfunction. European Heart Journal, 2020, 41, 2035-2035. | 1.0 | 1 |
| 318 | Outcome of patients with prior coronary bypass surgery admitted with an acute coronary syndrome. Heart, 2021, 107, heartjnl-2020-318047. | 1.2 | 1 |
| 319 | Risk factors for ventricular tachyarrhythmic events in patients without left bundle branch block who receive cardiac resynchronization therapy. Annals of Noninvasive Electrocardiology, 2021, 26, e12847. | 0.5 | 1 |
| 320 | Comparison of Low and Full Dose Apixaban Versus Warfarin in Patients With Atrial Fibrillation and Renal Dysfunction (from a National Registry). American Journal of Cardiology, 2021, 159, 87-93. | 0.7 | 1 |
| 321 | Safety of High-Dose Dabigatran in Elderly and Younger Patients with a Low Bleeding Risk: A Prospective Observational Study. Cardiology, 2021, 146, 641-645. | 0.6 | 1 |
| 322 | Genotype-Phenotype Correlation in Congenital LQTS: Implications for Diagnosis and Risk Stratification. , 2020, , 141-164. | | 1 |
| 323 | Arrhythmia Burden in Patients with Indolent Lymphoma. Blood, 2020, 136, 6-7. | 0.6 | 1 |
| 324 | Junctional AV ablation in patients with atrial fibrillation undergoing cardiac resynchronization therapy (JAVA-CRT): results of a multicenter randomized clinical trial pilot program. Journal of Interventional Cardiac Electrophysiology, 2022, 64, 519-530. | 0.6 | 1 |

| # | Article | IF | Citations |
|---|---|---|---|
| 325 | The Association Between the Risk Scores for Cardiovascular Disease and Long-Term Mortality Following an Acute Coronary Event. Israel Medical Association Journal, 2018, 20, 419-422. | 0.1 | 1 |
| 326 | Apixaban in Patients with Atrial Fibrillation and Severe Renal Dysfunction: Findings from a National Registry. Israel Medical Association Journal, 2021, 23, 353-358. | 0.1 | 1 |
| 327 | Implantable Cardioverter Defibrillator in Patients with Coronary Artery Disease. Cardiac Electrophysiology Clinics, 2009, 1, 79-93. | 0.7 | 0 |
| 328 | Response to Letter Regarding Article, â€œPredictors of Response to Cardiac Resynchronization Therapy in The Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy (MADIT-CRT)â€• Circulation, 2012, 125, . | 1.6 | 0 |
| 329 | Instability of ventricular repolarization in long QT syndrome: Is the corrected QT interval sufficient for risk assessment?. Heart Rhythm, 2013, 10, 1176-1177. | 0.3 | 0 |
| 330 | Hereditary Arrhythmias. In Clinical Practice, 2015, , 167-190. | 0.1 | 0 |
| 331 | The wearable cardioverter defibrillator as a bridge to implantable defibrillator post myocardial infarction: what do we know?. Expert Review of Medical Devices, 2016, 13, 627-632. | 1.4 | 0 |
| 332 | Time Dependence of VentricularÂTachyarrhythmias AfterÂMyocardial Infarction. JACC: Clinical Electrophysiology, 2016, 2, 565-573. | 1.3 | 0 |
| 333 | QRS change in heart failure: When is the right time for cardiac resynchronization therapy?. International Journal of Cardiology, 2019, 296, 87-88. | 0.8 | 0 |
| 334 | The role and outcomes of new supraventricular tachycardia among patients with mild heart failure. Journal of Cardiovascular Electrophysiology, 2020, 31, 1099-1104. | 0.8 | 0 |
| 335 | Temporal trends in prognosis of patients with acute coronary syndrome complicated by ventricular tachyarrhythmia. International Journal of Clinical Practice, 2021, 75, e14623. | 0.8 | 0 |
| 336 | Hospitalization for HeartÂFailure and Subsequent Ventricular Tachyarrhythmias in Patients With LeftÂVentricular Dysfunction. JACC: Clinical Electrophysiology, 2021, 7, 1099-1107. | 1.3 | 0 |
| 337 | Implantable cardioverter defibrillators in patients with coronary artery disease. , 2011, , 417-427. | | 0 |
| 338 | Abstract 13444: Complete Left-Sided Reverse Remodeling in Cardiac Resynchronization Therapy and Clinical Implications: a MADIT-CRT Long-term Follow-up Sub-study. Circulation, 2014, 130, . | 1.6 | 0 |
| 339 | Response to â€œHow to consider optimal therapeutic strategy for bridge to heart transplantationâ€• International Journal of Cardiology, 2020, 320, 126. | 0.8 | 0 |
| 340 | Sub-acute vs. Late-onset Presentation of Oncotherapy Related Cardiotoxicity: Predictors of Cardiac Function Recovery and Long-Term Outcome. Israel Medical Association Journal, 2018, 20, 486-490. | 0.1 | 0 |
| 341 | Reduction in Ventricular Tachyarrhythmia Burden in Patients Enrolled in the RAIDÂTrial. JACC: Clinical Electrophysiology, 2022, , . | 1.3 | 0 |