

Ciro Romano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5175647/publications.pdf>

Version: 2024-02-01

65
papers

2,187
citations

279487

23
h-index

233125

45
g-index

66
all docs

66
docs citations

66
times ranked

3264
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Does poor glycaemic control affect the immunogenicity of the COVID-19 vaccination in patients with type 2 diabetes: The CAVEAT study. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 160-165. | 2.2 | 75 |
| 2 | Remdesivir Plus Dexamethasone Versus Dexamethasone Alone for the Treatment of Coronavirus Disease 2019 (COVID-19) Patients Requiring Supplemental O2 Therapy: A Prospective Controlled Nonrandomized Study. <i>Clinical Infectious Diseases</i> , 2022, 75, e403-e409. | 2.9 | 40 |
| 3 | Comparison of Timing to Develop Anti-Drug Antibodies to Infliximab and Adalimumab Between Adult and Pediatric Age Groups, Males and Females. <i>Journal of Pediatric Pharmacology and Therapeutics</i> , 2022, 27, 63-71. | 0.3 | 8 |
| 4 | Prevalence and Outcome of Serum Autoantibodies in Chronic Hepatitis C Patients Undergoing Direct-Acting Antiviral Treatment. <i>Frontiers in Immunology</i> , 2022, 13, 882064. | 2.2 | 7 |
| 5 | Prediction of SARS-CoV-2-Related Lung Inflammation Spreading by V:ERITAS (Vanvitelli Early) Tj ETQq1 1 0.784314 IgBT /Overlock 10 | 1.8 | 3 |
| 6 | Safety and Effectiveness of Dupilumab in Prurigo Nodularis. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2021, 31, 162-163. | 0.6 | 14 |
| 7 | Tailoring biologic therapy for real-world rheumatoid arthritis patients. <i>Expert Opinion on Biological Therapy</i> , 2021, 21, 661-674. | 1.4 | 4 |
| 8 | Changes in clinical scenarios, management, and perspectives of patients with chronic hepatitis C after viral clearance by direct-acting antivirals. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021, 15, 643-656. | 1.4 | 8 |
| 9 | Long-term methotrexate use in rheumatoid arthritis patients: real-world data from the MARTE study. <i>Minerva Medica</i> , 2021, 112, 246-254. | 0.3 | 2 |
| 10 | Autonomic nervous system dysfunction correlates with microvascular damage in systemic sclerosis patients. <i>Journal of Scleroderma and Related Disorders</i> , 2021, 6, 256-263. | 1.0 | 2 |
| 11 | Detection of neutralizing anti-severe acute respiratory syndrome coronavirus 2 antibodies in patients with common variable immunodeficiency after immunization with messenger RNA vaccines. <i>Annals of Allergy, Asthma and Immunology</i> , 2021, 127, 499-501. | 0.5 | 16 |
| 12 | Authors' response. <i>Annals of Allergy, Asthma and Immunology</i> , 2021, 127, 703-704. | 0.5 | 0 |
| 13 | Clinical application of lung ultrasound score on COVID-19 setting: a regional experience in Southern Italy. <i>European Review for Medical and Pharmacological Sciences</i> , 2021, 25, 3623-3631. | 0.5 | 2 |
| 14 | Choosing the most appropriate biologic therapy for Crohn's disease according to concomitant extra-intestinal manifestations, comorbidities, or physiologic conditions. <i>Expert Opinion on Biological Therapy</i> , 2020, 20, 49-62. | 1.4 | 6 |
| 15 | Omalizumab as a last resort therapy for intractable, severe chronic allergic rhinosinusitis. <i>Allergo Journal International</i> , 2019, 28, 99-102. | 0.9 | 2 |
| 16 | AB0648...CORRELATIONS BETWEEN NEUTROPHIL/LYMPHOCYTE RATIO AND CLINICAL CHARACTERISTICS OF PATIENTS WITH SYSTEMIC SCLEROSIS. , 2019, , . | | 0 |
| 17 | Tocilizumab reduces complement C3 and C4 serum levels in rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2018, 37, 1695-1700. | 1.0 | 18 |
| 18 | Plantar Kaposi Sarcoma Revealed by Antisynthetase Syndrome. <i>Journal of Clinical Rheumatology</i> , 2018, 24, 281-285. | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Uncommon immune-mediated extrahepatic manifestations of HCV infection. <i>Expert Review of Clinical Immunology</i> , 2018, 14, 1089-1099. | 1.3 | 11 |
| 20 | Chronic Hepatitis C Virus Infection and Depression. <i>Clinics in Liver Disease</i> , 2017, 21, 517-534. | 1.0 | 46 |
| 21 | Preoperative Neutrophil to Lymphocyte Ratio and Lymphocyte to Monocyte Ratio are Prognostic Factors in Gastric Cancers Undergoing Surgery. <i>Journal of Gastrointestinal Surgery</i> , 2017, 21, 1764-1774. | 0.9 | 49 |
| 22 | Atrial fibrillation following therapy with high-dose i.v. methylprednisolone: A brief case-based review. <i>European Journal of Rheumatology</i> , 2017, 4, 231-233. | 1.3 | 5 |
| 23 | Effects of omalizumab treatment on serum cytokine concentrations of atopic patients with chronic spontaneous urticaria: a preliminary report. <i>European Annals of Allergy and Clinical Immunology</i> , 2017, 49, 171. | 0.4 | 1 |
| 24 | Neutrophil to lymphocyte ratio (NLR) for prediction of distant metastasis-free survival (DMFS) in early breast cancer: a propensity score-matched analysis. <i>ESMO Open</i> , 2016, 1, e000038. | 2.0 | 66 |
| 25 | Chronic hepatitis C virus infection and neurological and psychiatric disorders: An overview. <i>World Journal of Gastroenterology</i> , 2015, 21, 2269. | 1.4 | 134 |
| 26 | Omalizumab for Difficult-to-Treat Dermatological Conditions: Clinical and Immunological Features from a Retrospective Real-Life Experience. <i>Clinical Drug Investigation</i> , 2015, 35, 159-168. | 1.1 | 30 |
| 27 | CD26-positive/CD326-negative circulating cancer cells as prognostic markers for colorectal cancer recurrence. <i>Oncology Letters</i> , 2015, 9, 542-550. | 0.8 | 18 |
| 28 | Neutrophil to lymphocyte ratio is a strong predictor of tumor recurrence in early colon cancers: A propensity score-matched analysis. <i>Surgery</i> , 2015, 158, 112-120. | 1.0 | 71 |
| 29 | Clinical and phenotypic features of CD5-negative B cell chronic lymphoproliferative disease resembling chronic lymphocytic leukemia. <i>International Journal of Hematology</i> , 2015, 101, 67-74. | 0.7 | 10 |
| 30 | Omalizumab therapy for children and adolescents with severe allergic asthma. <i>Expert Review of Clinical Immunology</i> , 2015, 11, 1309-1319. | 1.3 | 4 |
| 31 | Postoperative Detection of Circulating Tumor Cells Predicts Tumor Recurrence in Colorectal Cancer Patients. <i>Journal of Gastrointestinal Surgery</i> , 2013, 17, 1809-1818. | 0.9 | 45 |
| 32 | Granulomatous Lobular Mastitis: Another Manifestation of Systemic Lupus Erythematosus?. <i>Breast Journal</i> , 2013, 19, 331-332. | 0.4 | 8 |
| 33 | Chronic HCV infection and inflammation: Clinical impact on hepatic and extra-hepatic manifestations. <i>World Journal of Hepatology</i> , 2013, 5, 528. | 0.8 | 178 |
| 34 | Clinically-Irrelevant Positivity for Serum Proteinase 3-ANCA in HIV Disease. <i>International Journal of Immunopathology and Pharmacology</i> , 2013, 26, 957-959. | 1.0 | 5 |
| 35 | Behavior of Circulating CD4+CD25+Foxp3+ Regulatory T Cells in Colon Cancer Patients Undergoing Surgery. <i>Journal of Clinical Immunology</i> , 2011, 31, 1095-1104. | 2.0 | 38 |
| 36 | A subtle case of iron-deficiency anemia. <i>Internal and Emergency Medicine</i> , 2011, 6, 191-192. | 1.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Lupus Mastitis in Systemic Lupus Erythematosus: A Rare Condition Requiring a Minimally Invasive Diagnostic Approach. <i>International Journal of Immunopathology and Pharmacology</i> , 2011, 24, 1125-1129. | 1.0 | 7 |
| 38 | Maintenance of Remission With Low-Dose Omalizumab in Long-Lasting, Refractory Chronic Urticaria. <i>Annals of Allergy, Asthma and Immunology</i> , 2010, 104, 95-97. | 0.5 | 32 |
| 39 | A Scleroderma-Like Cutaneous Syndrome Associated With a Marked Th2-Type Immune Response Occurring After a Prosthetic Joint Implant. <i>Journal of Clinical Rheumatology</i> , 2009, 15, 133-137. | 0.5 | 3 |
| 40 | T-2 toxin immunotoxicity on human B and T lymphoid cell lines. <i>Toxicology</i> , 2005, 210, 81-91. | 2.0 | 58 |
| 41 | Induction of CD95 upregulation does not render chronic lymphocytic leukemia B-cells susceptible to CD95-mediated apoptosis. <i>Immunology Letters</i> , 2005, 97, 131-139. | 1.1 | 19 |
| 42 | Determination of Molecular Marker Expression Can Predict Clinical Outcome in Colon Carcinomas. <i>Clinical Cancer Research</i> , 2004, 10, 3490-3499. | 3.2 | 103 |
| 43 | Prognostic Value of p27, p53, and Vascular Endothelial Growth Factor in Dukes A and B Colon Cancer Patients Undergoing Potentially Curative Surgery. <i>Diseases of the Colon and Rectum</i> , 2004, 47, 1904-1914. | 0.7 | 30 |
| 44 | Primary cardiac T-cell lymphoma. <i>Annals of Hematology</i> , 2004, 83, 450-454. | 0.8 | 46 |
| 45 | Elevated perioperative serum vascular endothelial growth factor levels in patients with colon carcinoma. <i>Cancer</i> , 2004, 100, 270-278. | 2.0 | 100 |
| 46 | Normal Interleukin-10 Serum Level Opposed to High Serum Levels of Carbohydrate Antigen 19-9 and Cancer Antigens 125 and 50 in a Case of True Splenic Cyst. <i>Archives of Medical Research</i> , 2003, 34, 145-148. | 1.5 | 12 |
| 47 | Effects of Stress Hyperglycemia on Acute Myocardial Infarction: Role of inflammatory immune process in functional cardiac outcome. <i>Diabetes Care</i> , 2003, 26, 3129-3135. | 4.3 | 153 |
| 48 | Effects of Preactivated Autologous T Lymphocytes on CD80, CD86 and CD95 Expression by Chronic Lymphocytic Leukemia B Cells. <i>Leukemia and Lymphoma</i> , 2003, 44, 1963-1971. | 0.6 | 14 |
| 49 | A True Splenic Cyst Producing Carbohydrate Antigen 19-9 and Cancer Antigens 50 and 125, but Not Interleukin 10. <i>Digestive Surgery</i> , 2003, 20, 71-74. | 0.6 | 7 |
| 50 | Differences in constitutive and activation-induced expression of CD69 and CD95 between normal and chronic lymphocytic leukemia B cells. <i>Oncology Reports</i> , 2003, 10, 653-8. | 1.2 | 4 |
| 51 | Efficacy of L-Carnitine in Reducing Hyperammonaemia and Improving Neuropsychological Test Performance in Patients with Hepatic Cirrhosis. <i>Clinical Drug Investigation</i> , 2002, 22, 7-14. | 1.1 | 11 |
| 52 | Prognostic Significance of Circulating IL-10 and IL-6 Serum Levels in Colon Cancer Patients Undergoing Surgery. <i>Clinical Immunology</i> , 2002, 102, 169-178. | 1.4 | 196 |
| 53 | Relationship between total and allergen-specific IgE serum levels and presence of symptoms in farm workers sensitized to <i>Tetranychus urticae</i> . <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2002, 57, 1044-1047. | 2.7 | 7 |
| 54 | Circulating Levels of Interleukin-10 and Interleukin-6 in Gastric and Colon Cancer Patients Before and After Surgery: Relationship with Radicality and Outcome. <i>Journal of Interferon and Cytokine Research</i> , 2002, 22, 473-482. | 0.5 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Altered constitutive and activation-induced expression of CD95 by B- and T-cells in B-cell chronic lymphocytic leukemia. <i>Haematologica</i> , 2002, 87, 325-7. | 1.7 | 2 |
| 56 | Long-term absence of sensitization to mepivacaine as assessed by a diagnostic protocol including patch testing. <i>Clinical and Experimental Allergy</i> , 2001, 31, 1762-1770. | 1.4 | 15 |
| 57 | Epidemiology of allergic occupational diseases induced by <i>Tetranychus urticae</i> in greenhouse and open-field farmers living in a temperate climate area. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001, 56, 1157-1163. | 2.7 | 9 |
| 58 | Interleukin-6 Serum Level Correlates with Survival in Advanced Gastrointestinal Cancer Patients but Is Not an Independent Prognostic Indicator. <i>Journal of Interferon and Cytokine Research</i> , 2001, 21, 45-52. | 0.5 | 76 |
| 59 | Semiallogeneic Cell Hybrids as Therapeutic Vaccines for Cancer. <i>Journal of Immunotherapy</i> , 2000, 23, 246-254. | 1.2 | 16 |
| 60 | Behaviour of interleukin-2 serum levels in advanced non-small-cell lung cancer patients: relationship with response to therapy and survival. <i>Cancer Immunology, Immunotherapy</i> , 2000, 49, 530-536. | 2.0 | 51 |
| 61 | Serum Interleukin-10 Levels as a Prognostic Factor in Advanced Non-small Cell Lung Cancer Patients. <i>Chest</i> , 2000, 117, 365-373. | 0.4 | 139 |
| 62 | Lymphoblastoid $\hat{I}\pm$ -IFN, leukocytic $\hat{I}\pm$ -IFN and natural \hat{I}^2 -IFN in the treatment of chronic hepatitis C: a clinical comparison of 150 cases. <i>Hepatology Research</i> , 1999, 15, 225-237. | 1.8 | 3 |
| 63 | Serum interleukin-10 levels in patients with advanced gastrointestinal malignancies. , 1999, 86, 1936-1943. | | 75 |
| 64 | Serum interleukin-10 levels in patients with advanced gastrointestinal malignancies. , 1999, 86, 1936. | | 4 |
| 65 | Eosinophilia triggered by \hat{I}^2 -interferon therapy for chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , 1997, 9, 909-911. | 0.8 | 7 |