

Bingwei Lu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5175671/publications.pdf>

Version: 2024-02-01

86
papers

11,495
citations

50170

46
h-index

56606

83
g-index

89
all docs

89
docs citations

89
times ranked

17365
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of reverse electron transfer at mitochondrial complex I by unconventional Notch action in cancer stem cells. <i>Developmental Cell</i> , 2022, 57, 260-276.e9.	3.1	22
2	Ischemic Stroke and SARS-CoV-2 Infection: The Bidirectional Pathology and Risk Morbidities. <i>Neurology International</i> , 2022, 14, 391-405.	1.3	25
3	Pantothenate kinase 2 interacts with PINK1 to regulate mitochondrial quality control via acetyl-CoA metabolism. <i>Nature Communications</i> , 2022, 13, 2412.	5.8	8
4	Cognitive deficits and memory impairments after COVID-19 (Covishield) vaccination. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 22, 100463.	1.3	8
5	Protein products of nonstop mRNA disrupt nucleolar homeostasis. <i>Cell Stress and Chaperones</i> , 2021, 26, 549-561.	1.2	7
6	A zebrafish screen reveals Renin-angiotensin system inhibitors as neuroprotective via mitochondrial restoration in dopamine neurons. <i>ELife</i> , 2021, 10, .	2.8	21
7	Inefficient quality control of ribosome stalling during APP synthesis generates CAT-tailed species that precipitate hallmarks of Alzheimer's disease. <i>Acta Neuropathologica Communications</i> , 2021, 9, 169.	2.4	28
8	Genetic and genomic studies of pathogenic EXOSC2 mutations in the newly described disease SHRF implicate the autophagy pathway in disease pathogenesis. <i>Human Molecular Genetics</i> , 2020, 29, 541-553.	1.4	21
9	Quality-control mechanisms targeting translationally stalled and C-terminally extended poly(GR) associated with ALS/FTD. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 25104-25115.	3.3	39
10	Altered MICOS Morphology and Mitochondrial Ion Homeostasis Contribute to Poly(GR) Toxicity Associated with C9-ALS/FTD. <i>Cell Reports</i> , 2020, 32, 107989.	2.9	32
11	Actin-microtubule crosslinker Pod-1 tunes PAR-1 signaling to control synaptic development and tau-mediated synaptic toxicity. <i>Neurobiology of Aging</i> , 2020, 90, 93-98.	1.5	2
12	Mechanisms Linking Mitochondrial Dysfunction and Proteostasis Failure. <i>Trends in Cell Biology</i> , 2020, 30, 317-328.	3.6	27
13	MISTERMINATE Mechanistically Links Mitochondrial Dysfunction with Proteostasis Failure. <i>Molecular Cell</i> , 2019, 75, 835-848.e8.	4.5	56
14	Outcomes of ultrasound-guided percutaneous microwave ablation versus surgical resection for symptomatic large hepatic hemangiomas. <i>International Journal of Hyperthermia</i> , 2019, 36, 631-638.	1.1	15
15	Mechanisms and roles of mitophagy in neurodegenerative diseases. <i>CNS Neuroscience and Therapeutics</i> , 2019, 25, 859-875.	1.9	145
16	Grape skin extract improves muscle function and extends lifespan of a <i>Drosophila</i> model of Parkinson's disease through activation of mitophagy. <i>Experimental Gerontology</i> , 2018, 113, 10-17.	1.2	50
17	Altered ER-mitochondria contact impacts mitochondria calcium homeostasis and contributes to neurodegeneration in vivo in disease models. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E8844-E8853.	3.3	166
18	Ubiquitination of ABCE1 by NOT4 in Response to Mitochondrial Damage Links Co-translational Quality Control to PINK1-Directed Mitophagy. <i>Cell Metabolism</i> , 2018, 28, 130-144.e7.	7.2	61

#	ARTICLE	IF	CITATIONS
19	Miro (Mitochondrial Rho)., 2018, , 3127-3130.		0
20	The bantam microRNA acts through Numb to exert cell growth control and feedback regulation of Notch in tumor-forming stem cells in the Drosophila brain. PLoS Genetics, 2017, 13, e1006785.	1.5	17
21	Autophagy regulates the apoptosis of bone marrow-derived mesenchymal stem cells under hypoxic condition via AMP-activated protein kinase/mammalian target of rapamycin pathway. Cell Biology International, 2016, 40, 671-685.	1.4	47
22	Quantitative Assessment of Eye Phenotypes for Functional Genetic Studies Using Drosophila melanogaster. G3: Genes, Genomes, Genetics, 2016, 6, 1427-1437.	0.8	67
23	Polo Kinase Phosphorylates Miro to Control ER-Mitochondria Contact Sites and Mitochondrial Ca ²⁺ Homeostasis in Neural Stem Cell Development. Developmental Cell, 2016, 37, 174-189.	3.1	93
24	PINK1 and Parkin are genetic modifiers for FUS-induced neurodegeneration. Human Molecular Genetics, 2016, 25, ddw310.	1.4	36
25	Miro (Mitochondrial Rho)., 2016, , 1-4.		0
26	PINK1 and Parkin Control Localized Translation of Respiratory Chain Component mRNAs on Mitochondria Outer Membrane. Cell Metabolism, 2015, 21, 95-108.	7.2	175
27	Neuronal Mitophagy: Long-Distance Delivery or Eating Locally?. Current Biology, 2014, 24, R1006-R1008.	1.8	3
28	The myriad roles of Miro in the nervous system: axonal transport of mitochondria and beyond. Frontiers in Cellular Neuroscience, 2014, 8, 330.	1.8	38
29	Zinc Binding Directly Regulates Tau Toxicity Independent of Tau Hyperphosphorylation. Cell Reports, 2014, 8, 831-842.	2.9	101
30	LRRK2 directing ER-to-Golgi transport? (ER) by ES!. EMBO Journal, 2014, 33, 2279-2280.	3.5	1
31	Synergistic contribution of SMAD signaling blockade and high localized cell density in the differentiation of neuroectoderm from H9 cells. Biochemical and Biophysical Research Communications, 2014, 452, 895-900.	1.0	7
32	RNA metabolism in the pathogenesis of Parkinson's disease. Brain Research, 2014, 1584, 105-115.	1.1	16
33	Smaller Sized Inhaled Anesthetics have More Potency on Senescence-Accelerated Prone-8 Mice Compared with Senescence-Resistant-1 Mice. Journal of Alzheimer's Disease, 2014, 39, 29-34.	1.2	9
34	Targeting PINK1 and MQC in brain tumors. Oncotarget, 2014, 5, 2864-2865.	0.8	4
35	Tricornered/NDR kinase signaling mediates PINK1-directed mitochondrial quality control and tissue maintenance. Genes and Development, 2013, 27, 157-162.	2.7	45
36	Roles of PINK1, mTORC2, and mitochondria in preserving brain tumor-forming stem cells in a noncanonical Notch signaling pathway. Genes and Development, 2013, 27, 2642-2647.	2.7	86

#	ARTICLE	IF	CITATIONS
37	Loss of Axonal Mitochondria Promotes Tau-Mediated Neurodegeneration and Alzheimer's Disease-Related Tau Phosphorylation Via PAR-1. <i>PLoS Genetics</i> , 2012, 8, e1002918.	1.5	122
38	Parkinson's Disease-Associated Kinase PINK1 Regulates Miro Protein Level and Axonal Transport of Mitochondria. <i>PLoS Genetics</i> , 2012, 8, e1002537.	1.5	325
39	A critical role for the PAR-1/MARK-tau axis in mediating the toxic effects of A β 2 on synapses and dendritic spines. <i>Human Molecular Genetics</i> , 2012, 21, 1384-1390.	1.4	94
40	Molecular chaperones protect against JNK- and Nmnat-regulated axon degeneration in <i>Drosophila</i> . <i>Journal of Cell Science</i> , 2012, 126, 838-49.	1.2	18
41	Interaction of Notch Signaling Modulator Numb with $\hat{\text{I}}\pm$ -Adaptin Regulates Endocytosis of Notch Pathway Components and Cell Fate Determination of Neural Stem Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 17716-17728.	1.6	38
42	Kinase Signaling Dysfunction in Parkinson's Disease: A Reverse Genetic Approach in <i>Drosophila</i> . <i>Journal of Neurogenetics</i> , 2012, 26, 158-167.	0.6	1
43	Closing the gap between clinic and cage: Sensori-motor and cognitive behavioural testing regimens in neurotoxin-induced animal models of Parkinson's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2012, 36, 2305-2324.	2.9	18
44	The synaptic function of LRRK2. <i>Biochemical Society Transactions</i> , 2012, 40, 1047-1051.	1.6	24
45	Phospho-dependent ubiquitination and degradation of PAR-1 regulates synaptic morphology and tau-mediated A β 2 toxicity in <i>Drosophila</i> . <i>Nature Communications</i> , 2012, 3, 1312.	5.8	49
46	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	4.3	3,122
47	dp53 Restrains Ectopic Neural Stem Cell Formation in the <i>Drosophila</i> Brain in a Non-Apoptotic Mechanism Involving Archipelago and Cyclin E. <i>PLoS ONE</i> , 2011, 6, e28098.	1.1	7
48	Mitochondrial dynamics and mitophagy in Parkinson's disease: disordered cellular power plant becomes a big deal in a major movement disorder. <i>Current Opinion in Neurobiology</i> , 2011, 21, 935-941.	2.0	56
49	Dronc caspase exerts a non-apoptotic function to restrain phospho-Numb-induced ectopic neuroblast formation in <i>Drosophila</i> . <i>Development (Cambridge)</i> , 2011, 138, 2185-2196.	1.2	31
50	Pink1 regulates the oxidative phosphorylation machinery via mitochondrial fission. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 12920-12924.	3.3	163
51	<i>Drosophila tao</i> Controls Mushroom Body Development and Ethanol-Stimulated Behavior through <i>par-1</i> . <i>Journal of Neuroscience</i> , 2011, 31, 1139-1148.	1.7	59
52	Regulation of cell growth by Notch signaling and its differential requirement in normal vs. tumor-forming stem cells in <i>Drosophila</i> . <i>Genes and Development</i> , 2011, 25, 2644-2658.	2.7	68
53	The PINK1/Parkin pathway regulates mitochondrial dynamics and function in mammalian hippocampal and dopaminergic neurons. <i>Human Molecular Genetics</i> , 2011, 20, 3227-3240.	1.4	191
54	Pathogenic LRRK2 negatively regulates microRNA-mediated translational repression. <i>Nature</i> , 2010, 466, 637-641.	13.7	353

#	ARTICLE	IF	CITATIONS
55	Activation of FoxO by LRRK2 induces expression of proapoptotic proteins and alters survival of postmitotic dopaminergic neuron in <i>Drosophila</i> . <i>Human Molecular Genetics</i> , 2010, 19, 3747-3758.	1.4	84
56	LRRK2 Kinase Regulates Synaptic Morphology through Distinct Substrates at the Presynaptic and Postsynaptic Compartments of the <i>Drosophila</i> Neuromuscular Junction. <i>Journal of Neuroscience</i> , 2010, 30, 16959-16969.	1.7	110
57	Reduction of Protein Translation and Activation of Autophagy Protect against PINK1 Pathogenesis in <i>Drosophila melanogaster</i> . <i>PLoS Genetics</i> , 2010, 6, e1001237.	1.5	103
58	The Loss of PGAM5 Suppresses the Mitochondrial Degeneration Caused by Inactivation of PINK1 in <i>Drosophila</i> . <i>PLoS Genetics</i> , 2010, 6, e1001229.	1.5	72
59	Atypical Cadherins Dachsous and Fat Control Dynamics of Noncentrosomal Microtubules in Planar Cell Polarity. <i>Developmental Cell</i> , 2010, 19, 389-401.	3.1	134
60	Leucine-rich repeat kinase 2 interacts with Parkin, DJ-1 and PINK-1 in a <i>Drosophila melanogaster</i> model of Parkinson's disease. <i>Human Molecular Genetics</i> , 2009, 18, 4390-4404.	1.4	170
61	Recent advances in using <i>Drosophila</i> to model neurodegenerative diseases. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009, 14, 1008-1020.	2.2	28
62	Mitochondrial dynamics and neurodegeneration. <i>Current Neurology and Neuroscience Reports</i> , 2009, 9, 212-219.	2.0	65
63	<i>Drosophila</i> Models of Neurodegenerative Diseases. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2009, 4, 315-342.	9.6	204
64	Mitochondrial Morphogenesis, Distribution, and Parkinson Disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2009, 68, 953-963.	0.9	21
65	Phosphorylation of 4E-BP by LRRK2 affects the maintenance of dopaminergic neurons in <i>Drosophila</i> . <i>EMBO Journal</i> , 2008, 27, 2432-2443.	3.5	392
66	Pink1 regulates mitochondrial dynamics through interaction with the fission/fusion machinery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 7070-7075.	3.3	485
67	Activation of PAR-1 Kinase and Stimulation of Tau Phosphorylation by Diverse Signals Require the Tumor Suppressor Protein LKB1. <i>Journal of Neuroscience</i> , 2007, 27, 574-581.	1.7	77
68	PAR-1 Kinase Phosphorylates Dlg and Regulates Its Postsynaptic Targeting at the <i>Drosophila</i> Neuromuscular Junction. <i>Neuron</i> , 2007, 53, 201-215.	3.8	74
69	Polo inhibits progenitor self-renewal and regulates Numb asymmetry by phosphorylating Pon. <i>Nature</i> , 2007, 449, 96-100.	13.7	159
70	Mitochondrial pathology and muscle and dopaminergic neuron degeneration caused by inactivation of <i>Drosophila</i> Pink1 is rescued by Parkin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 10793-10798.	3.3	717
71	HSP induction mediates selective clearance of tau phosphorylated at proline-directed Ser/Thr sites but not KXGS (MARK) sites. <i>FASEB Journal</i> , 2006, 20, 753-755.	0.2	157
72	RNA Interference Technologies for Understanding and Treating Neurodegenerative Diseases. <i>NeuroMolecular Medicine</i> , 2005, 6, 001-012.	1.8	2

#	ARTICLE	IF	CITATIONS
73	Understanding and treating neurodegeneration: insights from the flies. <i>Age</i> , 2005, 27, 225-239.	3.0	0
74	Inactivation of Drosophila DJ-1 leads to impairments of oxidative stress response and phosphatidylinositol 3-kinase/Akt signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 13670-13675.	3.3	325
75	Putting a PARKING brake on neurodegeneration. <i>Molecular Psychiatry</i> , 2004, 9, 6-7.	4.1	2
76	PAR-1 Kinase Plays an Initiator Role in a Temporally Ordered Phosphorylation Process that Confers Tau Toxicity in Drosophila. <i>Cell</i> , 2004, 116, 671-682.	13.5	323
77	Parkin Suppresses Dopaminergic Neuron-Selective Neurotoxicity Induced by Pael-R in Drosophila. <i>Neuron</i> , 2003, 37, 911-924.	3.8	350
78	Adherens junctions inhibit asymmetric division in the Drosophila epithelium. <i>Nature</i> , 2001, 409, 522-525.	13.7	223
79	PAR-1 is a Dishevelled-associated kinase and a positive regulator of Wnt signalling. <i>Nature Cell Biology</i> , 2001, 3, 628-636.	4.6	233
80	Drosophila par-1 is required for oocyte differentiation and microtubule organization. <i>Current Biology</i> , 2001, 11, 75-87.	1.8	131
81	Control of Cell Divisions in the Nervous System: Symmetry and Asymmetry. <i>Annual Review of Neuroscience</i> , 2000, 23, 531-556.	5.0	121
82	Flamingo controls the planar polarity of sensory bristles and asymmetric division of sensory organ precursors in Drosophila. <i>Current Biology</i> , 1999, 9, 1247-S1.	1.8	110
83	Modes of Protein Movement that Lead to the Asymmetric Localization of Partner of Numb during Drosophila Neuroblast Division. <i>Molecular Cell</i> , 1999, 4, 883-891.	4.5	90
84	Asymmetric cell division: lessons from flies and worms. <i>Current Opinion in Genetics and Development</i> , 1998, 8, 392-399.	1.5	54
85	Partner of Numb Colocalizes with Numb during Mitosis and Directs Numb Asymmetric Localization in Drosophila Neural and Muscle Progenitors. <i>Cell</i> , 1998, 95, 225-235.	13.5	191
86	A single nuclear gene specifies the abundance and extent of RNA editing of a plant mitochondrial transcript. <i>Nucleic Acids Research</i> , 1992, 20, 5699-5703.	6.5	69