

Waldomiro Borges Neto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5176041/publications.pdf>

Version: 2024-02-01

56
papers

931
citations

430442

18
h-index

476904

29
g-index

56
all docs

56
docs citations

56
times ranked

1303
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Data-Driven Soft Independent Modeling of Class Analogy in Paper Spray Ionization Mass Spectrometry-Based Metabolomics for Rapid Detection of Prostate Cancer. <i>Analytical Chemistry</i> , 2022, 94, 1925-1931. | 3.2 | 10 |
| 2 | Determination of Adulteration of the B10 Blend of Diesel and Crambe Biodiesel Using Proton Nuclear Magnetic Resonance (¹ H NMR) Spectroscopy with a Data Driven Soft Independent Modeling of Class Analogy (DD-SIMCA) Model. <i>Analytical Letters</i> , 2021, 54, 790-801. | 1.0 | 4 |
| 3 | Detection of illegal additives in Brazilian S-10/common diesel B7/5 and quantification of Jatropha biodiesel blended with diesel according to EU 2015/1513 by MIR spectroscopy with DD-SIMCA and MCR-ALS under correlation constraint. <i>Fuel</i> , 2021, 285, 119159. | 3.4 | 8 |
| 4 | Footprint of Arsenic Contamination in Sediments and Water from Mining Sites – A case study based on multivariate optimization by GF AAS. <i>Brazilian Journal of Analytical Chemistry</i> , 2021, , . | 0.3 | 0 |
| 5 | Chemical Profile and Chemometric Analysis of Genetically Modified Soybeans Produced in the Triângulo Mineiro Region (MG), Brazil. <i>Journal of Agricultural Studies</i> , 2021, 9, 73. | 0.2 | 0 |
| 6 | Rapid Quantification of the Palm Kernel Biokerosene Content in Mixtures with Aviation Kerosene using MIR Spectroscopy and Multivariate Regression by PLS. <i>Brazilian Journal of Analytical Chemistry</i> , 2021, 8, . | 0.3 | 0 |
| 7 | Quantification of <i>Jatropha</i> methyl biodiesel in mixtures with diesel using mid-infrared spectrometry and interval variable selection methods. <i>Analytical Letters</i> , 2020, 53, 589-605. | 1.0 | 2 |
| 8 | Analysis of ¹ H NMR spectra of diesel and crambe biodiesel mixtures using chemometrics tools to evaluate the authenticity of a Brazilian standard biodiesel blend. <i>Talanta</i> , 2020, 209, 120590. | 2.9 | 4 |
| 9 | Random forest as one-class classifier and infrared spectroscopy for food adulteration detection. <i>Food Chemistry</i> , 2019, 293, 323-332. | 4.2 | 103 |
| 10 | Quantification and classification of cotton biodiesel content in diesel blends, using mid-infrared spectroscopy and chemometric methods. <i>Fuel</i> , 2019, 237, 373-379. | 3.4 | 20 |
| 11 | Rapid Discrimination Between Authentic and Adulterated Andiroba Oil Using FTIR-HATR Spectroscopy and Random Forest. <i>Food Analytical Methods</i> , 2018, 11, 1927-1935. | 1.3 | 23 |
| 12 | Degradation of Direct Red 81 mediated by Fenton reactions: multivariate optimization, effect of chloride and sulfate, and acute ecotoxicity assessment. <i>Environmental Science and Pollution Research</i> , 2017, 24, 6176-6186. | 2.7 | 18 |
| 13 | Fast Quantitative and Qualitative Monitoring of Mafurra Biodiesel Content Using Fourier Transform Mid-Infrared Spectroscopy, Chemometric Tools, and Variable Selection. <i>Energy & Fuels</i> , 2017, 31, 571-577. | 2.5 | 6 |
| 14 | Improvement of glycerin removal from crude biodiesel through the application of a sulfonated polymeric adsorbent material. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45330. | 1.3 | 3 |
| 15 | Monitoring of biodiesel content and adulterant presence in methyl and ethyl biodiesels of jatropha in blends with mineral diesel using MIR spectrometry and multivariate control charts. <i>Fuel</i> , 2017, 191, 290-299. | 3.4 | 18 |
| 16 | Optimization of fipronil degradation by heterogeneous photocatalysis: Identification of transformation products and toxicity assessment. <i>Water Research</i> , 2017, 110, 133-140. | 5.3 | 41 |
| 17 | Characterization of Biodiesel by Infrared Spectroscopy with Partial Least Square Discriminant Analysis. <i>Analytical Letters</i> , 2017, 50, 2117-2128. | 1.0 | 5 |
| 18 | Non-destructive fraud detection in rosehip oil by MIR spectroscopy and chemometrics. <i>Food Chemistry</i> , 2016, 209, 228-233. | 4.2 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Determination of residual automotive lubricant oil and residual solvent used in a dry wash as adulterants in Brazilian S-10 diesel (B7) using mid-infrared spectroscopy data and chemometric methods. <i>Analytical Methods</i> , 2016, 8, 5427-5434. | 1.3 | 4 |
| 20 | Quality Control of Biodiesel Content of B7 Blends of Methyl Jatropha and Methyl Crambe Biodiesels Using Mid-Infrared Spectroscopy and Multivariate Control Charts Based on Net Analyte Signal. <i>Energy & Fuels</i> , 2016, , . | 2.5 | 9 |
| 21 | FTMIR-PLS as a promising method for rapid detection of adulteration by waste whey in raw milk. <i>Dairy Science and Technology</i> , 2016, 96, 123-131. | 2.2 | 7 |
| 22 | Multivariate control charts based on NAS and mid-infrared spectroscopy for quality control of B5 blends of methyl soybean biodiesel in diesel. <i>Journal of Chemometrics</i> , 2015, 29, 411-419. | 0.7 | 7 |
| 23 | Infrared Spectroscopy and Multivariate Calibration for Quantification of Soybean Oil as Adulterant in Biodiesel Fuels. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2015, 92, 777-782. | 0.8 | 10 |
| 24 | Fast Detection of Adulterants/Contaminants in Biodiesel/Diesel Blend (B5) Employing Mid-Infrared Spectroscopy and PLS-DA. <i>Energy & Fuels</i> , 2015, 29, 227-232. | 2.5 | 22 |
| 25 | Quantification of adulterations in extra virgin flaxseed oil using MIR and PLS. <i>Food Chemistry</i> , 2015, 182, 35-40. | 4.2 | 29 |
| 26 | Discrimination of the type of biodiesel/diesel blend (B5) using mid-infrared spectroscopy and PLS-DA. <i>Fuel</i> , 2015, 142, 222-226. | 3.4 | 46 |
| 27 | Fast Classification of Different Oils and Routes Used in Biodiesel Production Using Mid Infrared Spectroscopy and PLS2-DA. <i>Journal of the Brazilian Chemical Society</i> , 2015, , . | 0.6 | 1 |
| 28 | Qualitative and Quantitative Monitoring of Methyl Cotton Biodiesel Content in Biodiesel/Diesel Blends Using MIR Spectroscopy and Chemometrics Tools. <i>Journal of the Brazilian Chemical Society</i> , 2015, , . | 0.6 | 2 |
| 29 | Use of Mass Spectrometry with Electrospray Ionization and Exploratory Analysis for Classification of Extra Virgin Olive Oil Adulterated with Vegetable Oils. <i>Revista Virtual De Quimica</i> , 2015, 7, 2180-2189. | 0.1 | 2 |
| 30 | Application of Figures of Merit in Multivariate Methods Validation Biofuels Analysis using Middle Infrared Spectroscopy and PLS. <i>Revista Virtual De Quimica</i> , 2015, 7, 2242-2254. | 0.1 | 2 |
| 31 | Use of Multivariate Optimization to Develop Methods for Direct Copper and Lead Determination in Breast Milk by Graphite Furnace Atomic Absorption Spectrometry. <i>Food Analytical Methods</i> , 2014, 7, 790-797. | 1.3 | 3 |
| 32 | Quantification of Ethanol in Biodiesels Using Mid-Infrared Spectroscopy and Multivariate Calibration. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 13575-13580. | 1.8 | 8 |
| 33 | Homogeneous catalysis of soybean oil transesterification via methylic and ethylic routes: Multivariate comparison. <i>Energy</i> , 2014, 67, 569-574. | 4.5 | 8 |
| 34 | Quantification of soybean biodiesels in diesel blends according to ASTM E1655 using mid-infrared spectroscopy and multivariate calibration. <i>Fuel</i> , 2014, 117, 1111-1114. | 3.4 | 28 |
| 35 | Quantification of residual automotive lubricant oil as an adulterant in Brazilian S-10 diesel using MIR spectroscopy and PLS. <i>Fuel</i> , 2014, 130, 257-262. | 3.4 | 25 |
| 36 | Determination of Inorganic Elements in Teas Using Inductively Coupled Plasma Optical Emission Spectrometry and Classification with Exploratory Analysis. <i>Food Analytical Methods</i> , 2014, 7, 540-546. | 1.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Thermal expansion coefficient and algebraic models to correct values of specific mass as a function of temperature for corn biodiesel. <i>Fuel</i> , 2013, 106, 646-650. | 3.4 | 8 |
| 38 | Determination of cadmium and lead in cassava employing slurry sampling and graphite furnace atomic absorption spectrometry after multivariate optimization. <i>Analytical Methods</i> , 2013, 5, 5746. | 1.3 | 7 |
| 39 | Degradation of caffeine by photo-Fenton process: Optimization of treatment conditions using experimental design. <i>Chemosphere</i> , 2013, 90, 170-175. | 4.2 | 77 |
| 40 | Development and validation of methods for the determination of copper and iron in serum of dogs with canine visceral Leishmaniasis using multivariate optimization and GF AAS. <i>Analytical Methods</i> , 2013, 5, 3129. | 1.3 | 3 |
| 41 | Degradation of the herbicide paraquat by photo-fenton process: optimization by experimental design and toxicity assessment. <i>Journal of the Brazilian Chemical Society</i> , 2013, 24, 76-84. | 0.6 | 14 |
| 42 | Multivariate Approach in the Optimization Procedures for the Direct Determination of Manganese in Serum Samples by Graphite Furnace Atomic Absorption Spectrometry. <i>Journal of Analytical Toxicology</i> , 2011, 35, 571-576. | 1.7 | 5 |
| 43 | Solubiliza o alcalina de peixes e otimiza o multivariada para determina o de chumbo e mangan s usando espectrometria de absor o at mica com forno de grafite. <i>Quimica Nova</i> , 2011, 34, 1167-1172. | 0.3 | 3 |
| 44 | Extra virgin (EV) and ordinary (ON) olive oils: distinction and detection of adulteration (EV with ON) as determined by direct infusion electrospray ionization mass spectrometry and chemometric approaches. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 1875-1880. | 0.7 | 20 |
| 45 | Factorial and Doehlert Design Used as Optimization Procedures for the Direct Determination of Lead in Whole Blood Samples by Graphite Furnace Atomic Absorption Spectrometry. <i>Analytical Letters</i> , 2010, 43, 508-519. | 1.0 | 0 |
| 46 | Comparison between ordinary least squares regression and weighted least squares regression in the calibration of metals present in human milk determined by ICP-OES. <i>Talanta</i> , 2010, 80, 1102-1109. | 2.9 | 19 |
| 47 | Quantification of Inorganic Constituents in Brazilian Human Milk by ICP OES. <i>Analytical Letters</i> , 2010, 43, 960-971. | 1.0 | 6 |
| 48 | Direct Determination of Mn in Breast Milk by GF AAS After Multivariate Optimization. <i>Analytical Letters</i> , 2009, 42, 923-934. | 1.0 | 2 |
| 49 | Exploratory analysis and inductively coupled plasma optical emission spectrometry (ICP OES) applied in the determination of metals in soft drinks. <i>Microchemical Journal</i> , 2009, 92, 68-72. | 2.3 | 34 |
| 50 | Multivariate optimization by exploratory analysis applied to the determination of microelements in fruit juice by inductively coupled plasma optical emission spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2009, 64, 619-622. | 1.5 | 40 |
| 51 | Determination of manganese and nickel in slurry sampling by graphite furnace atomic absorption spectrometry. <i>Canadian Journal of Chemistry</i> , 2008, 86, 312-316. | 0.6 | 5 |
| 52 | Liquid Liquid Equilibrium Data for Reactional Systems of Ethanolysis at 298.3 K. <i>Journal of Chemical & Engineering Data</i> , 2008, 53, 5-15. | 1.0 | 47 |
| 53 | Determination of apparent reducing sugars, moisture and acidity in honey by attenuated total reflectance-Fourier transform infrared spectrometry. <i>Talanta</i> , 2007, 71, 1926-1931. | 2.9 | 48 |
| 54 | Electrospray Ionization Mass Spectrometry Fingerprinting of Brazilian Artisan Cacha sa Aged in Different Wood Casks. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 2094-2102. | 2.4 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Estudo da capacidade de complexação e sua relação com algumas variáveis ambientais em cinco represas do Rio Tietê/Brasil. Química Nova, 2007, 30, 1505-1511. | 0.3 | 5 |
| 56 | Classificação de água de coco processada e natural por meio de HCA, PCA e teores de íons metálicos determinados por ICP OES. Química Nova, 2006, 29, 654-656. | 0.3 | 11 |