
## Martin Hautzinger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/517811/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803.	21.4	1,191
2	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	21.4	629
3	Genome-wide association study reveals two new risk loci for bipolar disorder. Nature Communications, 2014, 5, 3339.	12.8	294
4	Effects of an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled trial. Internet Interventions, 2015, 2, 48-59.	2.7	149
5	Effects of a Psychological Internet Intervention in the Treatment of Mild to Moderate Depressive Symptoms: Results of the EVIDENT Study, a Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2016, 85, 218-228.	8.8	124
6	Neurofeedback, sham neurofeedback, and cognitive-behavioural group therapy in adults with attention-deficit hyperactivity disorder: a triple-blind, randomised, controlled trial. Lancet Psychiatry,the, 2017, 4, 673-684.	7.4	104
7	Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression. JAMA Psychiatry, 2017, 74, 233.	11.0	87
8	Attitudes Towards Internet Interventions Among Psychotherapists and Individuals with Mild to Moderate Depression Symptoms. Cognitive Therapy and Research, 2017, 41, 745-756.	1.9	79
9	Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. PLoS ONE, 2017, 12, e0171595.	2.5	77
10	The association between adherence and outcome in an Internet intervention for depression. Journal of Affective Disorders, 2018, 229, 443-449.	4.1	70
11	Outcome of Psychoanalytic and Cognitive-Behavioural Long-Term Therapy with Chronically Depressed Patients: A Controlled Trial with Preferential and Randomized Allocation. Canadian Journal of Psychiatry, 2019, 64, 47-58.	1.9	62
12	Telephone-based problem-solving intervention for family caregivers of stroke survivors: A randomized controlled trial Journal of Consulting and Clinical Psychology, 2014, 82, 628-643.	2.0	58
13	Cognitive emotion regulation in euthymic bipolar disorder. Journal of Affective Disorders, 2014, 160, 92-97.	4.1	56
14	The EVIDENT-trial: protocol and rationale of a multicenter randomized controlled trial testing the effectiveness of an online-based psychological intervention. BMC Psychiatry, 2013, 13, 239.	2.6	47
15	Food specific inhibitory control under negative mood in bingeâ€eating disorder: Evidence from a multimethod approach*. International Journal of Eating Disorders, 2018, 51, 112-123.	4.0	47
16	Motor skill failure or flow-experience? Functional brain asymmetry and brain connectivity in elite and amateur table tennis players. Biological Psychology, 2015, 105, 95-105.	2.2	46
17	Investigating Multidimensional Interoceptive Awareness in a Japanese Population: Validation of the Japanese MAIA-J. Frontiers in Psychology, 2018, 9, 1855.	2.1	43
18	How to measure sustained psychic transformations in long-term treatments of chronically depressed patients: Symptomatic and structural changes in the LAC Depression Study of the outcome of cognitive-behavioural and psychoanalytic long-term treatments. International Journal of Psychoanalysis, 2019, 100, 99-127.	0.4	42

#	Article	IF	CITATIONS
19	The Individual Therapy Process Questionnaire: Development and Validation of a Revised Measure to Evaluate General Change Mechanisms in Psychotherapy. Clinical Psychology and Psychotherapy, 2015, 22, 328-345.	2.7	39
20	Validation of the Behavioral Activation for Depression Scale (BADS)—Psychometric properties of the long and short form. Comprehensive Psychiatry, 2016, 66, 209-218.	3.1	38
21	Slow cortical potential and theta/beta neurofeedback training in adults: effects on attentional processes and motor system excitability. Frontiers in Human Neuroscience, 2014, 8, 555.	2.0	36
22	Differentiating early-onset chronic depression from episodic depression in terms of cognitive-behavioral and emotional avoidance. Journal of Affective Disorders, 2015, 175, 418-423.	4.1	32
23	Short- and Long-Term Effects of CBT-I in Groups for School-Age Children Suffering From Chronic Insomnia: The KiSS-Program. Behavioral Sleep Medicine, 2018, 16, 380-397.	2.1	32
24	Defining and Predicting Patterns of Early Response in a Web-Based Intervention for Depression. Journal of Medical Internet Research, 2017, 19, e206.	4.3	31
25	Aims and structure of the German Research Consortium BipoLife for the study of bipolar disorder. International Journal of Bipolar Disorders, 2016, 4, 26.	2.2	29
26	Theory of mind abilities in patients with psychogenic nonepileptic seizures. Epilepsy and Behavior, 2015, 53, 20-24.	1.7	28
27	Impact and change of attitudes toward Internet interventions within a randomized controlled trial on individuals with depression symptoms. Depression and Anxiety, 2018, 35, 421-430.	4.1	27
28	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. Psychotherapy and Psychosomatics, 2019, 88, 154-164.	8.8	26
29	Bridging the "digital divide†A comparison of use and effectiveness of an online intervention for depression between Baby Boomers and Millennials. Journal of Affective Disorders, 2018, 236, 243-251.	4.1	25
30	Time to remission from mild to moderate depressive symptoms: One year results from the EVIDENT-study, an RCT of an internet intervention for depression. Behaviour Research and Therapy, 2017, 97, 154-162.	3.1	24
31	Meditation and the brain – Neuronal correlates of mindfulness as assessed with near-infrared spectroscopy. Psychiatry Research - Neuroimaging, 2018, 271, 24-33.	1.8	24
32	Teachers or Psychologists: Who Should Facilitate Depression Prevention Programs in Schools?. International Journal of Environmental Research and Public Health, 2014, 11, 5294-5316.	2.6	23
33	Comparing Effectiveness of HRV-Biofeedback and Mindfulness for Workplace Stress Reduction: A Randomized Controlled Trial. Applied Psychophysiology Biofeedback, 2020, 45, 307-322.	1.7	23
34	The Efficacy of Physical Activity for Children with Attention Deficit Hyperactivity Disorder: A Meta-Analysis of Randomized Controlled Trials. Journal of Attention Disorders, 2022, 26, 656-673.	2.6	23
35	The effect of exercise and affect regulation skills on mental health during the COVID-19 pandemic: A cross-sectional survey. Psychiatry Research, 2022, 312, 114559.	3.3	22
36	Implicit motives and cognitive variables: Specific links to vulnerability for unipolar or bipolar disorder. Psychiatry Research, 2014, 215, 61-68.	3.3	21

#	Article	IF	CITATIONS
37	Does recruitment source moderate treatment effectiveness? A subgroup analysis from the EVIDENT study, a randomised controlled trial of an internet intervention for depressive symptoms. BMJ Open, 2017, 7, e015391.	1.9	20
38	Memory performance predicts recurrence of mania in bipolar disorder following psychotherapy: A preliminary study. Journal of Psychiatric Research, 2017, 84, 207-213.	3.1	19
39	Effects of an intervention to reduce fear of falling and increase physical activity during hip and pelvic fracture rehabilitation. Age and Ageing, 2020, 49, 771-778.	1.6	19
40	Hip and pelvic fracture patients with fear of falling: development and description of the "Step by Step― treatment protocol. Clinical Rehabilitation, 2017, 31, 571-581.	2.2	18
41	Feeling the sound – short-term effect of a vibroacoustic music intervention on well-being and subjectively assessed warmth distribution in cancer patients—A randomized controlled trial. Complementary Therapies in Medicine, 2018, 40, 171-178.	2.7	17
42	Testing the Causal Mediation Component of Dodge's Social Information Processing Model of Social Competence and Depression. Journal of Youth and Adolescence, 2006, 35, 842-851.	3.5	16
43	Costs of informal care in a sample of German geriatric stroke survivors. European Journal of Ageing, 2016, 13, 49-61.	2.8	16
44	The regression discontinuity design showed to be a valid alternative to a randomized controlled trial for estimating treatment effects. Journal of Clinical Epidemiology, 2017, 82, 94-102.	5.0	16
45	Theory of mind in remitted bipolar disorder: Younger patients struggle in tasks of higher ecological validity. Journal of Affective Disorders, 2018, 231, 32-40.	4.1	16
46	Excessive bodybuilding as pathology? A first neurophysiological classification. World Journal of Biological Psychiatry, 2019, 20, 626-636.	2.6	16
47	Demands and Needs for Psycho-Oncological eHealth Interventions in Women With Cancer: Cross-Sectional Study. JMIR Cancer, 2017, 3, e19.	2.4	16
48	Evaluation eines deutschsprachigen Instrumentes zur Erfassung positiver und negativer automatischer Gedanken. Zeitschrift Für Klinische Psychologie Und Psychotherapie, 2005, 34, 27-34.	0.3	15
49	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. Journal of Affective Disorders, 2018, 229, 262-268.	4.1	15
50	Measuring Mindfulness: A Psychophysiological Approach. Frontiers in Human Neuroscience, 2018, 12, 249.	2.0	15
51	Gene set enrichment analysis and expression pattern exploration implicate an involvement of neurodevelopmental processes in bipolar disorder. Journal of Affective Disorders, 2018, 228, 20-25.	4.1	14
52	Going meta on metacognitive interventions. Expert Review of Neurotherapeutics, 2018, 18, 739-741.	2.8	14
53	Moderating effect of comorbid anxiety disorders on treatment outcome in a randomized controlled psychotherapy trial in early-onset persistently depressed outpatients. Depression and Anxiety, 2018, 35, 1001-1008.	4.1	14
54	Reproductive Success, Relationship Orientation, and Sexual Behavior in Heterosexuals: Relationship With Chronotype, Sleep, and Sex. Evolutionary Psychology, 2019, 17, 147470491985976.	0.9	14

MARTIN HAUTZINGER

#	Article	IF	CITATIONS
55	Sleep Problems and Separation Anxiety in Preschool-Aged Children: A Path Analysis. Journal of Child and Family Studies, 2016, 25, 902-910.	1.3	13
56	Major depression – a study on the validity of clinicians' diagnoses in medicolegal assessment. Journal of Forensic Psychiatry and Psychology, 2018, 29, 794-809.	1.0	13
57	Health economic evaluation of a web-based intervention for depression: the EVIDENT-trial, a randomized controlled study. Health Economics Review, 2019, 9, 16.	2.0	13
58	Suicide attempts in chronically depressed individuals: What are the risk factors?. Psychiatry Research, 2020, 287, 112481.	3.3	13
59	Transdiagnostic efficacy of a group exercise intervention for outpatients with heterogenous psychiatric disorders: a randomized controlled trial. BMC Psychiatry, 2021, 21, 313.	2.6	13
60	Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). BMC Psychiatry, 2019, 19, 423.	2.6	11
61	The Positive Brain – Resting State Functional Connectivity in Highly Vital and Flourishing Individuals. Frontiers in Human Neuroscience, 2018, 12, 540.	2.0	11
62	Family caregiver adjustment and stroke survivor impairment: A path analytic model Rehabilitation Psychology, 2017, 62, 81-88.	1.3	11
63	Changes in Therapeutic Alliance and in Social Inhibition as Mediators of the Effect of the Cognitive Behavioral Analysis System of Psychotherapy: A Secondary Analysis from a Randomized Clinical Trial. Psychotherapy and Psychosomatics, 2020, 89, 261-262.	8.8	10
64	Problem-solving in caregiver-counselling (PLiPÂStudy): study protocol of a cluster randomized pragmatic trial. BMC Geriatrics, 2017, 17, 64.	2.7	9
65	Validation of the German Version of the Subjective Vitality Scale - a Cross-Sectional Study and a Randomized Controlled Trial. Journal of Well-Being Assessment, 2019, 3, 17-37.	0.7	9
66	Adverse events during a disorderâ€specific psychotherapy compared to a nonspecific psychotherapy in patients with chronic depression. Journal of Clinical Psychology, 2020, 76, 7-19.	1.9	9
67	Combining baseline characteristics to disentangle response differences to disorder-specific versus supportive psychotherapy in patients with persistent depressive disorder. Behaviour Research and Therapy, 2020, 124, 103512.	3.1	9
68	Impaired cognitive control over emotional material in euthymic bipolar disorder. Journal of Affective Disorders, 2017, 214, 108-114.	4.1	8
69	Confusion regarding operant conditioning of the EEG – Authors' reply. Lancet Psychiatry,the, 2017, 4, 897-898.	7.4	8
70	Developing an intervention to overcome procrastination. Journal of Prevention and Intervention in the Community, 2018, 46, 171-183.	0.7	8
71	CBT-I and HT-I group therapy for adults with insomnia in comparison to those with insomnia and comorbid depression – a pilot study. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 2429-2438.	2.2	8
72	Identifying change-dropout patterns during an Internet-based intervention for depression by applying the Muthen-Roy model. Cognitive Behaviour Therapy, 2020, 49, 22-40.	3.5	7

MARTIN HAUTZINGER

#	Article	IF	CITATIONS
73	Efficacy of extended clinical management, group CBT, and group plus individual CBT for major depression: Results of a two-year follow-up study. Journal of Affective Disorders, 2018, 238, 570-578.	4.1	6
74	Are Social Comparisons Detrimental for the Mood and Self-Esteem of Individuals with an Affective Disorder?. Cognitive Therapy and Research, 2015, 39, 279-291.	1.9	5
75	Reward sensitivity and the course of bipolar disorder: A survival analysis in a treatment seeking sample. Journal of Affective Disorders, 2020, 261, 126-130.	4.1	5
76	Impact of Baseline Characteristics on the Effectiveness of Disorder-Specific Cognitive Behavioral Analysis System of Psychotherapy (CBASP) and Supportive Psychotherapy in Outpatient Treatment for Persistent Depressive Disorder. Frontiers in Psychiatry, 2020, 11, 607300.	2.6	5
77	The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. International Journal of Bipolar Disorders, 2021, 9, 37.	2.2	5
78	Mood-incongruent processing during the recall of a sad life event predicts the course and severity of depression. Journal of Affective Disorders, 2015, 187, 91-96.	4.1	4
79	Symptoms, course of Illness, and comorbidity as predictors of expressed emotion in bipolar disorder. Psychiatry Research, 2019, 276, 12-17.	3.3	4
80	Adjuvant psychotherapy in early-stage bipolar disorder: study protocol for a randomized controlled trial. Trials, 2020, 21, 845.	1.6	4
81	The Impact of Childhood Maltreatment on Long-Term Outcomes in Disorder-Specific vs. Nonspecific Psychotherapy for Chronic Depression. Journal of Affective Disorders, 2020, 272, 152-157.	4.1	4
82	Processing of Ambiguous Facial Affect in Adolescents with Depressive Symptoms Prior to and Following Social Exclusion: The Role of Perceptual Sensitivity and Response Bias. Journal of Psychopathology and Behavioral Assessment, 2017, 39, 253-263.	1.2	3
83	A mania-related memory bias is associated with risk for relapse in bipolar disorder,. Journal of Affective Disorders, 2018, 235, 557-564.	4.1	3
84	To Regulate or Not to Regulate: Emotion Regulation in Participants With Low and High Impulsivity. Frontiers in Behavioral Neuroscience, 2021, 15, 645052.	2.0	3
85	Efficacy and cost-effectiveness of a Transdiagnostic group-based exercise intervention: study protocol for a pragmatic multi-site randomized controlled trial. BMC Psychiatry, 2021, 21, 540.	2.6	3
86	Sense of coherence in long-term follow-up of adolescents with anorexia nervosa. Nordic Journal of Psychiatry, 2021, 75, 415-419.	1.3	2
87	A structured group intervention (TüTASS) with focus on self-perception and mindfulness for children with autism spectrum disorder, ASD. A pilot study. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 177-185.	3.2	2
88	Auswirkungen von automatischen Gedanken und psychologischer FlexibilitĤauf die depressive Symptomatik und RA1⁄4ckfallwahrscheinlichkeit remittiert Depressiver. Verhaltenstherapie, 2016, 26, 270-277.	0.4	1
89	German version of the outcome expectations for exercise scale-2. Zeitschrift Fur Gerontologie Und Geriatrie, 2021, 54, 582-589.	1.8	1
90	Effects of alliance ruptures and repairs on outcomes. Psychotherapy Research, 2021, 31, 977-987.	1.8	1

#	Article	IF	CITATIONS
91	Stress events and Changes in Dysfunctional Attitudes and Automatic Thoughts Following Recovery from Depression in Inpatient Psychotherapy: Mediation Analyses with Longitudinal Data. Cognitive Therapy and Research, 0, , 1.	1.9	Ο
92	Perceived criticism and family attitudes as predictors of recurrence in bipolar disorder. Clinical Psychology in Europe, 2022, 4, .	1.1	0