

Martin Hautzinger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/517811/publications.pdf>

Version: 2024-02-01

92
papers

4,287
citations

236925

25
h-index

144013

57
g-index

97
all docs

97
docs citations

97
times ranked

7548
citing authors

#	ARTICLE	IF	CITATIONS
1	The Efficacy of Physical Activity for Children with Attention Deficit Hyperactivity Disorder: A Meta-Analysis of Randomized Controlled Trials. <i>Journal of Attention Disorders</i> , 2022, 26, 656-673.	2.6	23
2	A structured group intervention (TÄ¼TASS) with focus on self-perception and mindfulness for children with autism spectrum disorder, ASD. A pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 177-185.	3.2	2
3	Perceived criticism and family attitudes as predictors of recurrence in bipolar disorder. <i>Clinical Psychology in Europe</i> , 2022, 4, .	1.1	0
4	The effect of exercise and affect regulation skills on mental health during the COVID-19 pandemic: A cross-sectional survey. <i>Psychiatry Research</i> , 2022, 312, 114559.	3.3	22
5	German version of the outcome expectations for exercise scale-2. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2021, 54, 582-589.	1.8	1
6	Effects of alliance ruptures and repairs on outcomes. <i>Psychotherapy Research</i> , 2021, 31, 977-987.	1.8	1
7	Sense of coherence in long-term follow-up of adolescents with anorexia nervosa. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 415-419.	1.3	2
8	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
9	Transdiagnostic efficacy of a group exercise intervention for outpatients with heterogenous psychiatric disorders: a randomized controlled trial. <i>BMC Psychiatry</i> , 2021, 21, 313.	2.6	13
10	To Regulate or Not to Regulate: Emotion Regulation in Participants With Low and High Impulsivity. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 645052.	2.0	3
11	Efficacy and cost-effectiveness of a Transdiagnostic group-based exercise intervention: study protocol for a pragmatic multi-site randomized controlled trial. <i>BMC Psychiatry</i> , 2021, 21, 540.	2.6	3
12	The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 37.	2.2	5
13	Reward sensitivity and the course of bipolar disorder: A survival analysis in a treatment seeking sample. <i>Journal of Affective Disorders</i> , 2020, 261, 126-130.	4.1	5
14	Adverse events during a disorder-specific psychotherapy compared to a nonspecific psychotherapy in patients with chronic depression. <i>Journal of Clinical Psychology</i> , 2020, 76, 7-19.	1.9	9
15	Suicide attempts in chronically depressed individuals: What are the risk factors?. <i>Psychiatry Research</i> , 2020, 287, 112481.	3.3	13
16	Combining baseline characteristics to disentangle response differences to disorder-specific versus supportive psychotherapy in patients with persistent depressive disorder. <i>Behaviour Research and Therapy</i> , 2020, 124, 103512.	3.1	9
17	Adjuvant psychotherapy in early-stage bipolar disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2020, 21, 845.	1.6	4
18	Effects of an intervention to reduce fear of falling and increase physical activity during hip and pelvic fracture rehabilitation. <i>Age and Ageing</i> , 2020, 49, 771-778.	1.6	19

#	ARTICLE	IF	CITATIONS
19	Impact of Baseline Characteristics on the Effectiveness of Disorder-Specific Cognitive Behavioral Analysis System of Psychotherapy (CBASP) and Supportive Psychotherapy in Outpatient Treatment for Persistent Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 607300.	2.6	5
20	The Impact of Childhood Maltreatment on Long-Term Outcomes in Disorder-Specific vs. Nonspecific Psychotherapy for Chronic Depression. <i>Journal of Affective Disorders</i> , 2020, 272, 152-157.	4.1	4
21	Comparing Effectiveness of HRV-Biofeedback and Mindfulness for Workplace Stress Reduction: A Randomized Controlled Trial. <i>Applied Psychophysiology Biofeedback</i> , 2020, 45, 307-322.	1.7	23
22	Changes in Therapeutic Alliance and in Social Inhibition as Mediators of the Effect of the Cognitive Behavioral Analysis System of Psychotherapy: A Secondary Analysis from a Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 261-262.	8.8	10
23	Identifying change-dropout patterns during an Internet-based intervention for depression by applying the Muthen-Roy model. <i>Cognitive Behaviour Therapy</i> , 2020, 49, 22-40.	3.5	7
24	Reproductive Success, Relationship Orientation, and Sexual Behavior in Heterosexuals: Relationship With Chronotype, Sleep, and Sex. <i>Evolutionary Psychology</i> , 2019, 17, 147470491985976.	0.9	14
25	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 154-164.	8.8	26
26	Health economic evaluation of a web-based intervention for depression: the EVIDENT-trial, a randomized controlled study. <i>Health Economics Review</i> , 2019, 9, 16.	2.0	13
27	Validation of the German Version of the Subjective Vitality Scale - a Cross-Sectional Study and a Randomized Controlled Trial. <i>Journal of Well-Being Assessment</i> , 2019, 3, 17-37.	0.7	9
28	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	21.4	1,191
29	Symptoms, course of illness, and comorbidity as predictors of expressed emotion in bipolar disorder. <i>Psychiatry Research</i> , 2019, 276, 12-17.	3.3	4
30	How to measure sustained psychic transformations in long-term treatments of chronically depressed patients: Symptomatic and structural changes in the LAC Depression Study of the outcome of cognitive-behavioural and psychoanalytic long-term treatments. <i>International Journal of Psychoanalysis</i> , 2019, 100, 99-127.	0.4	42
31	Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). <i>BMC Psychiatry</i> , 2019, 19, 423.	2.6	11
32	Outcome of Psychoanalytic and Cognitive-Behavioural Long-Term Therapy with Chronically Depressed Patients: A Controlled Trial with Preferential and Randomized Allocation. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 47-58.	1.9	62
33	Excessive bodybuilding as pathology? A first neurophysiological classification. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 626-636.	2.6	16
34	Developing an intervention to overcome procrastination. <i>Journal of Prevention and Intervention in the Community</i> , 2018, 46, 171-183.	0.7	8
35	Impact and change of attitudes toward Internet interventions within a randomized controlled trial on individuals with depression symptoms. <i>Depression and Anxiety</i> , 2018, 35, 421-430.	4.1	27
36	Theory of mind in remitted bipolar disorder: Younger patients struggle in tasks of higher ecological validity. <i>Journal of Affective Disorders</i> , 2018, 231, 32-40.	4.1	16

#	ARTICLE	IF	CITATIONS
37	Food specific inhibitory control under negative mood in binge-eating disorder: Evidence from a multimethod approach*. International Journal of Eating Disorders, 2018, 51, 112-123.	4.0	47
38	The association between adherence and outcome in an Internet intervention for depression. Journal of Affective Disorders, 2018, 229, 443-449.	4.1	70
39	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. Journal of Affective Disorders, 2018, 229, 262-268.	4.1	15
40	A mania-related memory bias is associated with risk for relapse in bipolar disorder,. Journal of Affective Disorders, 2018, 235, 557-564.	4.1	3
41	Feeling the sound – short-term effect of a vibroacoustic music intervention on well-being and subjectively assessed warmth distribution in cancer patients–A randomized controlled trial. Complementary Therapies in Medicine, 2018, 40, 171-178.	2.7	17
42	Short- and Long-Term Effects of CBT-I in Groups for School-Age Children Suffering From Chronic Insomnia: The KiSS-Program. Behavioral Sleep Medicine, 2018, 16, 380-397.	2.1	32
43	Meditation and the brain – Neuronal correlates of mindfulness as assessed with near-infrared spectroscopy. Psychiatry Research - Neuroimaging, 2018, 271, 24-33.	1.8	24
44	Gene set enrichment analysis and expression pattern exploration implicate an involvement of neurodevelopmental processes in bipolar disorder. Journal of Affective Disorders, 2018, 228, 20-25.	4.1	14
45	Going meta on metacognitive interventions. Expert Review of Neurotherapeutics, 2018, 18, 739-741.	2.8	14
46	CBT-I and HT-I group therapy for adults with insomnia in comparison to those with insomnia and comorbid depression – a pilot study. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 2429-2438.	2.2	8
47	Investigating Multidimensional Interoceptive Awareness in a Japanese Population: Validation of the Japanese MAIA-J. Frontiers in Psychology, 2018, 9, 1855.	2.1	43
48	Moderating effect of comorbid anxiety disorders on treatment outcome in a randomized controlled psychotherapy trial in early-onset persistently depressed outpatients. Depression and Anxiety, 2018, 35, 1001-1008.	4.1	14
49	Bridging the –digital divide–: A comparison of use and effectiveness of an online intervention for depression between Baby Boomers and Millennials. Journal of Affective Disorders, 2018, 236, 243-251.	4.1	25
50	Measuring Mindfulness: A Psychophysiological Approach. Frontiers in Human Neuroscience, 2018, 12, 249.	2.0	15
51	Efficacy of extended clinical management, group CBT, and group plus individual CBT for major depression: Results of a two-year follow-up study. Journal of Affective Disorders, 2018, 238, 570-578.	4.1	6
52	Major depression – a study on the validity of clinicians–™ diagnoses in medicolegal assessment. Journal of Forensic Psychiatry and Psychology, 2018, 29, 794-809.	1.0	13
53	The Positive Brain – Resting State Functional Connectivity in Highly Vital and Flourishing Individuals. Frontiers in Human Neuroscience, 2018, 12, 540.	2.0	11
54	Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression. JAMA Psychiatry, 2017, 74, 233.	11.0	87

#	ARTICLE	IF	CITATIONS
55	Hip and pelvic fracture patients with fear of falling: development and description of the "Step by Step" treatment protocol. <i>Clinical Rehabilitation</i> , 2017, 31, 571-581.	2.2	18
56	Impaired cognitive control over emotional material in euthymic bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 214, 108-114.	4.1	8
57	Time to remission from mild to moderate depressive symptoms: One year results from the EVIDENT-study, an RCT of an internet intervention for depression. <i>Behaviour Research and Therapy</i> , 2017, 97, 154-162.	3.1	24
58	Does recruitment source moderate treatment effectiveness? A subgroup analysis from the EVIDENT study, a randomised controlled trial of an internet intervention for depressive symptoms. <i>BMJ Open</i> , 2017, 7, e015391.	1.9	20
59	Attitudes Towards Internet Interventions Among Psychotherapists and Individuals with Mild to Moderate Depression Symptoms. <i>Cognitive Therapy and Research</i> , 2017, 41, 745-756.	1.9	79
60	Neurofeedback, sham neurofeedback, and cognitive-behavioural group therapy in adults with attention-deficit hyperactivity disorder: a triple-blind, randomised, controlled trial. <i>Lancet Psychiatry</i> , 2017, 4, 673-684.	7.4	104
61	Problem-solving in caregiver-counselling (PLiPStudy): study protocol of a cluster randomized pragmatic trial. <i>BMC Geriatrics</i> , 2017, 17, 64.	2.7	9
62	The regression discontinuity design showed to be a valid alternative to a randomized controlled trial for estimating treatment effects. <i>Journal of Clinical Epidemiology</i> , 2017, 82, 94-102.	5.0	16
63	Processing of Ambiguous Facial Affect in Adolescents with Depressive Symptoms Prior to and Following Social Exclusion: The Role of Perceptual Sensitivity and Response Bias. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2017, 39, 253-263.	1.2	3
64	Memory performance predicts recurrence of mania in bipolar disorder following psychotherapy: A preliminary study. <i>Journal of Psychiatric Research</i> , 2017, 84, 207-213.	3.1	19
65	Confusion regarding operant conditioning of the EEG " Authors' reply. <i>Lancet Psychiatry</i> , 2017, 4, 897-898.	7.4	8
66	Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. <i>PLoS ONE</i> , 2017, 12, e0171595.	2.5	77
67	Family caregiver adjustment and stroke survivor impairment: A path analytic model. <i>Rehabilitation Psychology</i> , 2017, 62, 81-88.	1.3	11
68	Demands and Needs for Psycho-Oncological eHealth Interventions in Women With Cancer: Cross-Sectional Study. <i>JMIR Cancer</i> , 2017, 3, e19.	2.4	16
69	Defining and Predicting Patterns of Early Response in a Web-Based Intervention for Depression. <i>Journal of Medical Internet Research</i> , 2017, 19, e206.	4.3	31
70	Auswirkungen von automatischen Gedanken und psychologischer Flexibilität auf die depressive Symptomatik und Rückfallwahrscheinlichkeit remittierter Depressiver. <i>Verhaltenstherapie</i> , 2016, 26, 270-277.	0.4	1
71	Aims and structure of the German Research Consortium BipoLife for the study of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 26.	2.2	29
72	Effects of a Psychological Internet Intervention in the Treatment of Mild to Moderate Depressive Symptoms: Results of the EVIDENT Study, a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 218-228.	8.8	124

#	ARTICLE	IF	CITATIONS
73	Costs of informal care in a sample of German geriatric stroke survivors. <i>European Journal of Ageing</i> , 2016, 13, 49-61.	2.8	16
74	Sleep Problems and Separation Anxiety in Preschool-Aged Children: A Path Analysis. <i>Journal of Child and Family Studies</i> , 2016, 25, 902-910.	1.3	13
75	Validation of the Behavioral Activation for Depression Scale (BADSD) – Psychometric properties of the long and short form. <i>Comprehensive Psychiatry</i> , 2016, 66, 209-218.	3.1	38
76	Are Social Comparisons Detrimental for the Mood and Self-Esteem of Individuals with an Affective Disorder?. <i>Cognitive Therapy and Research</i> , 2015, 39, 279-291.	1.9	5
77	Effects of an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled trial. <i>Internet Interventions</i> , 2015, 2, 48-59.	2.7	149
78	Differentiating early-onset chronic depression from episodic depression in terms of cognitive-behavioral and emotional avoidance. <i>Journal of Affective Disorders</i> , 2015, 175, 418-423.	4.1	32
79	The Individual Therapy Process Questionnaire: Development and Validation of a Revised Measure to Evaluate General Change Mechanisms in Psychotherapy. <i>Clinical Psychology and Psychotherapy</i> , 2015, 22, 328-345.	2.7	39
80	Motor skill failure or flow-experience? Functional brain asymmetry and brain connectivity in elite and amateur table tennis players. <i>Biological Psychology</i> , 2015, 105, 95-105.	2.2	46
81	Theory of mind abilities in patients with psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2015, 53, 20-24.	1.7	28
82	Mood-incongruent processing during the recall of a sad life event predicts the course and severity of depression. <i>Journal of Affective Disorders</i> , 2015, 187, 91-96.	4.1	4
83	Teachers or Psychologists: Who Should Facilitate Depression Prevention Programs in Schools?. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 5294-5316.	2.6	23
84	Slow cortical potential and theta/beta neurofeedback training in adults: effects on attentional processes and motor system excitability. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 555.	2.0	36
85	Implicit motives and cognitive variables: Specific links to vulnerability for unipolar or bipolar disorder. <i>Psychiatry Research</i> , 2014, 215, 61-68.	3.3	21
86	Cognitive emotion regulation in euthymic bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 160, 92-97.	4.1	56
87	Genome-wide association study reveals two new risk loci for bipolar disorder. <i>Nature Communications</i> , 2014, 5, 3339.	12.8	294
88	Telephone-based problem-solving intervention for family caregivers of stroke survivors: A randomized controlled trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 628-643.	2.0	58
89	The EVIDENT-trial: protocol and rationale of a multicenter randomized controlled trial testing the effectiveness of an online-based psychological intervention. <i>BMC Psychiatry</i> , 2013, 13, 239.	2.6	47
90	Testing the Causal Mediation Component of Dodge's Social Information Processing Model of Social Competence and Depression. <i>Journal of Youth and Adolescence</i> , 2006, 35, 842-851.	3.5	16

#	ARTICLE	IF	CITATIONS
91	Evaluation eines deutschsprachigen Instrumentes zur Erfassung positiver und negativer automatischer Gedanken. Zeitschrift für Klinische Psychologie Und Psychotherapie, 2005, 34, 27-34.	0.3	15
92	Stress events and Changes in Dysfunctional Attitudes and Automatic Thoughts Following Recovery from Depression in Inpatient Psychotherapy: Mediation Analyses with Longitudinal Data. Cognitive Therapy and Research, 0, , 1.	1.9	0