

# Hamish S Scott

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5178464/publications.pdf>

Version: 2024-02-01

275  
papers

19,015  
citations

10388

72  
h-index

13770

129  
g-index

282  
all docs

282  
docs citations

282  
times ranked

22413  
citing authors

#	ARTICLE	IF	CITATIONS
1	Positional cloning of the APECED gene. <i>Nature Genetics</i> , 1997, 17, 393-398.	21.4	1,294
2	Use of within-array replicate spots for assessing differential expression in microarray experiments. <i>Bioinformatics</i> , 2005, 21, 2067-2075.	4.1	1,250
3	TWEAK, a New Secreted Ligand in the Tumor Necrosis Factor Family That Weakly Induces Apoptosis. <i>Journal of Biological Chemistry</i> , 1997, 272, 32401-32410.	3.4	603
4	A network-biology perspective of microRNA function and dysfunction in cancer. <i>Nature Reviews Genetics</i> , 2016, 17, 719-732.	16.8	579
5	Heritable GATA2 mutations associated with familial myelodysplastic syndrome and acute myeloid leukemia. <i>Nature Genetics</i> , 2011, 43, 1012-1017.	21.4	524
6	RANK signals from CD4+3 $\beta$ inducer cells regulate development of Aire-expressing epithelial cells in the thymic medulla. <i>Journal of Experimental Medicine</i> , 2007, 204, 1267-1272.	8.5	434
7	Dodecamer repeat expansion in cystatin B gene in progressive myoclonus epilepsy. <i>Nature</i> , 1997, 386, 847-851.	27.8	366
8	In vitro analyses of known and novel RUNX1/AML1 mutations in dominant familial platelet disorder with predisposition to acute myelogenous leukemia: implications for mechanisms of pathogenesis. <i>Blood</i> , 2002, 99, 1364-1372.	1.4	348
9	Gene Dosage—limiting Role of Aire in Thymic Expression, Clonal Deletion, and Organ-specific Autoimmunity. <i>Journal of Experimental Medicine</i> , 2004, 200, 1015-1026.	8.5	271
10	Isolation and Initial Characterization of a Novel Zinc Finger Gene, DNMT3L, on 21q22.3, Related to the Cytosine-5- Methyltransferase 3 Gene Family. <i>Genomics</i> , 2000, 65, 293-298.	2.9	270
11	Autoimmune Polyendocrine Syndrome Type 1 and NALP5, a Parathyroid Autoantigen. <i>New England Journal of Medicine</i> , 2008, 358, 1018-1028.	27.0	270
12	A recurrent germline PAX5 mutation confers susceptibility to pre-B cell acute lymphoblastic leukemia. <i>Nature Genetics</i> , 2013, 45, 1226-1231.	21.4	270
13	Autoimmune Regulator Is Expressed in the Cells Regulating Immune Tolerance in Thymus Medulla. <i>Biochemical and Biophysical Research Communications</i> , 1999, 257, 821-825.	2.1	263
14	Meiotic and epigenetic defects in Dnmt3L-knockout mouse spermatogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 4068-4073.	7.1	261
15	Loss-of-function germline GATA2 mutations in patients with MDS/AML or MonoMAC syndrome and primary lymphedema reveal a key role for GATA2 in the lymphatic vasculature. <i>Blood</i> , 2012, 119, 1283-1291.	1.4	244
16	Autoantigen-Specific Interactions with CD4+ Thymocytes Control Mature Medullary Thymic Epithelial Cell Cellularity. <i>Immunity</i> , 2008, 29, 451-463.	14.3	219
17	A common mutation in Sardinian autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy patients. <i>Human Genetics</i> , 1998, 103, 428-434.	3.8	217
18	The Autoimmune Regulator Protein Has Transcriptional Transactivating Properties and Interacts with the Common Coactivator CREB-binding Protein. <i>Journal of Biological Chemistry</i> , 2000, 275, 16802-16809.	3.4	212

#	ARTICLE	IF	CITATIONS
19	Insertion of $\hat{2}$ -satellite repeats identifies a transmembrane protease causing both congenital and childhood onset autosomal recessive deafness. <i>Nature Genetics</i> , 2001, 27, 59-63.	21.4	208
20	Medullary thymic epithelial cells expressing Aire represent a unique lineage derived from cells expressing claudin. <i>Nature Immunology</i> , 2007, 8, 304-311.	14.5	199
21	Loss of LKB1 Kinase Activity in Peutz-Jeghers Syndrome, and Evidence for Allelic and Locus Heterogeneity. <i>American Journal of Human Genetics</i> , 1998, 63, 1641-1650.	6.2	194
22	Molecular genetics of mucopolysaccharidosis type I: Diagnostic, clinical, and biological implications. <i>Human Mutation</i> , 1995, 6, 288-302.	2.5	186
23	Novel germ line DDX41 mutations define families with a lower age of MDS/AML onset and lymphoid malignancies. <i>Blood</i> , 2016, 127, 1017-1023.	1.4	179
24	GATA2 is required for lymphatic vessel valve development and maintenance. <i>Journal of Clinical Investigation</i> , 2015, 125, 2979-2994.	8.2	177
25	The Phenotypic Spectrum of GLI3 Morphopathies Includes Autosomal Dominant Preaxial Polydactyly Type-IV and Postaxial Polydactyly Type-A/B; No Phenotype Prediction from the Position of GLI3 Mutations. <i>American Journal of Human Genetics</i> , 1999, 65, 645-655.	6.2	175
26	Aire regulates the transfer of antigen from mTECs to dendritic cells for induction of thymic tolerance. <i>Blood</i> , 2011, 118, 2462-2472.	1.4	174
27	RNA and protein expression of the murine autoimmune regulator gene (Aire) in normal, RelB-deficient and in NOD mouse. <i>European Journal of Immunology</i> , 2000, 30, 1884-1893.	2.9	168
28	Modifiers of epigenetic reprogramming show paternal effects in the mouse. <i>Nature Genetics</i> , 2007, 39, 614-622.	21.4	154
29	The transmembrane serine protease (TMPRSS3) mutated in deafness DFNB8/10 activates the epithelial sodium channel (ENaC) in vitro. <i>Human Molecular Genetics</i> , 2002, 11, 2829-2836.	2.9	153
30	Cloning of the sulphamidase gene and identification of mutations in Sanfilippo A syndrome. <i>Nature Genetics</i> , 1995, 11, 465-467.	21.4	152
31	Integrative genomic analysis reveals cancer-associated mutations at diagnosis of CML in patients with high-risk disease. <i>Blood</i> , 2018, 132, 948-961.	1.4	152
32	Identification and Characterization of Two Putative Human Arginine Methyltransferases (HRMT1L1 and Tj ETQq0 0,0 rgBT /Overlock 10	2.9	151
33	Common Mutations in Autoimmune Polyendocrinopathy-Candidiasis-Ectodermal Dystrophy Patients of Different Origins. <i>Molecular Endocrinology</i> , 1998, 12, 1112-1119.	3.7	150
34	Human alpha-L-iduronidase: cDNA isolation and expression.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 9695-9699.	7.1	137
35	Cancer and Central Nervous System Tumor Surveillance in Pediatric Neurofibromatosis 1. <i>Clinical Cancer Research</i> , 2017, 23, e46-e53.	7.0	133
36	APECED mutations in the autoimmune regulator (AIRE) gene. <i>Human Mutation</i> , 2001, 18, 205-211.	2.5	124

#	ARTICLE	IF	CITATIONS
37	Post-Aire Maturation of Thymic Medullary Epithelial Cells Involves Selective Expression of Keratinocyte-Specific Autoantigens. <i>Frontiers in Immunology</i> , 2012, 3, 19.	4.8	123
38	Aire-Deficient C57BL/6 Mice Mimicking the Common Human 13-Base Pair Deletion Mutation Present with Only a Mild Autoimmune Phenotype. <i>Journal of Immunology</i> , 2009, 182, 3902-3918.	0.8	117
39	Integrative analysis of RUNX1 downstream pathways and target genes. <i>BMC Genomics</i> , 2008, 9, 363.	2.8	116
40	Mucopolysaccharidosis type I: identification of 8 novel mutations and determination of the frequency of the two common Î±-L-iduronidase mutations (W402X and Q70X) among European patients. <i>Human Molecular Genetics</i> , 1994, 3, 861-866.	2.9	111
41	NOMENCLATURE. <i>Genomics</i> , 1997, 45, 468-471.	2.9	109
42	Mutation analyses of North American APS-1 patients. <i>Human Mutation</i> , 1999, 13, 69-74.	2.5	109
43	Structure and sequence of the human Î±-L-iduronidase gene. <i>Genomics</i> , 1992, 13, 1311-1313.	2.9	108
44	RUNX1-mutated families show phenotype heterogeneity and a somatic mutation profile unique to germline predisposed AML. <i>Blood Advances</i> , 2020, 4, 1131-1144.	5.2	102
45	Mice trisomic for a bacterial artificial chromosome with the single-minded 2 gene (Sim2) show phenotypes similar to some of those present in the partial trisomy 16 mouse models of Down syndrome. <i>Human Molecular Genetics</i> , 2000, 9, 1853-1864.	2.9	99
46	Interferon autoantibodies associated with AIRE deficiency decrease the expression of IFN-stimulated genes. <i>Blood</i> , 2008, 112, 2657-2666.	1.4	98
47	Molecular cloning and characterization of a novel gene family of four ancient conserved domain proteins (ACDP). <i>Gene</i> , 2003, 306, 37-44.	2.2	97
48	Genomic subtyping and therapeutic targeting of acute erythroleukemia. <i>Nature Genetics</i> , 2019, 51, 694-704.	21.4	97
49	The Lymphotoxin Pathway Regulates Aire-Independent Expression of Ectopic Genes and Chemokines in Thymic Stromal Cells. <i>Journal of Immunology</i> , 2008, 180, 5384-5392.	0.8	96
50	<i>ARMC5</i> Mutations Are Common in Familial Bilateral Macronodular Adrenal Hyperplasia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1784-E1792.	3.6	96
51	HENMT1 and piRNA Stability Are Required for Adult Male Germ Cell Transposon Repression and to Define the Spermatogenic Program in the Mouse. <i>PLoS Genetics</i> , 2015, 11, e1005620.	3.5	95
52	APECED: a monogenic autoimmune disease providing new clues to self-tolerance. <i>Trends in Immunology</i> , 1998, 19, 384-386.	7.5	93
53	Two Isoforms of a Human Intersectin (ITSN) Protein Are Produced by Brain-Specific Alternative Splicing in a Stop Codon. <i>Genomics</i> , 1998, 53, 369-376.	2.9	93
54	Statistical modeling of sequencing errors in SAGE libraries. <i>Bioinformatics</i> , 2004, 20, i31-i39.	4.1	93

#	ARTICLE	IF	CITATIONS
55	Recommendations for Childhood Cancer Screening and Surveillance in DNA Repair Disorders. <i>Clinical Cancer Research</i> , 2017, 23, e23-e31.	7.0	93
56	Modulation of Aire regulates the expression of tissue-restricted antigens. <i>Molecular Immunology</i> , 2008, 45, 25-33.	2.2	92
57	A Specific Anti-Aire Antibody Reveals Aire Expression Is Restricted to Medullary Thymic Epithelial Cells and Not Expressed in Periphery. <i>Journal of Immunology</i> , 2008, 180, 3824-3832.	0.8	92
58	Autoimmune Regulator Deficiency Results in Decreased Expression of CCR4 and CCR7 Ligands and in Delayed Migration of CD4+ Thymocytes. <i>Journal of Immunology</i> , 2009, 183, 7682-7691.	0.8	90
59	Knobloch syndrome: Novel mutations in <i>COL18A1</i> , evidence for genetic heterogeneity, and a functionally impaired polymorphism in endostatin. <i>Human Mutation</i> , 2004, 23, 77-84.	2.5	89
60	Disruption of the histone acetyltransferase MYST4 leads to a Noonan syndrome-like phenotype and hyperactivated MAPK signaling in humans and mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 3479-3491.	8.2	89
61	Redefining epithelial progenitor potential in the developing thymus. <i>European Journal of Immunology</i> , 2007, 37, 2411-2418.	2.9	86
62	Sensitive Detection of <i>BCR-ABL1</i> Mutations in Patients With Chronic Myeloid Leukemia After Imatinib Resistance Is Predictive of Outcome During Subsequent Therapy. <i>Journal of Clinical Oncology</i> , 2011, 29, 4250-4259.	1.6	86
63	A comparative analysis of algorithms for somatic SNV detection in cancer. <i>Bioinformatics</i> , 2013, 29, 2223-2230.	4.1	86
64	Novel RUNX1 mutations in familial platelet disorder with enhanced risk for acute myeloid leukemia: clues for improved identification of the FPD/AML syndrome. <i>Leukemia</i> , 2010, 24, 242-246.	7.2	85
65	Expression of autoimmune regulator gene (AIRE) and T regulatory cells in human thymomas. <i>Clinical and Experimental Immunology</i> , 2007, 149, 504-512.	2.6	83
66	Ablation and Regeneration of Tolerance-Inducing Medullary Thymic Epithelial Cells after Cyclosporine, Cyclophosphamide, and Dexamethasone Treatment. <i>Journal of Immunology</i> , 2009, 183, 823-831.	0.8	83
67	The Mouse Brain Transcriptome by SAGE: Differences in Gene Expression between P30 Brains of the Partial Trisomy 16 Mouse Model of Down Syndrome (Ts65Dn) and Normals. <i>Genome Research</i> , 2000, 10, 2006-2021.	5.5	81
68	AIRE's CARD Revealed, a New Structure for Central Tolerance Provokes Transcriptional Plasticity. <i>Journal of Biological Chemistry</i> , 2008, 283, 1723-1731.	3.4	80
69	Recommendations for Surveillance for Children with Leukemia-Predisposing Conditions. <i>Clinical Cancer Research</i> , 2017, 23, e14-e22.	7.0	80
70	Secondary leukemia in patients with germline transcription factor mutations (RUNX1, GATA2, CEBPA). <i>Blood</i> , 2020, 136, 24-35.	1.4	79
71	$\beta$ -L-iduronidase mutations (Q70X and P533R) associate with a severe Hurler phenotype. <i>Human Mutation</i> , 1992, 1, 333-339.	2.5	78
72	Myeloid neoplasms with germline DDX41 mutation. <i>International Journal of Hematology</i> , 2017, 106, 163-174.	1.6	77

#	ARTICLE	IF	CITATIONS
73	Novel missense mutations of TMPRSS3 in two consanguineous Tunisian families with non-syndromic autosomal recessive deafness. <i>Human Mutation</i> , 2001, 18, 101-108.	2.5	76
74	Two novel JAK2 exon 12 mutations in JAK2V617F-negative polycythaemia vera patients. <i>Leukemia</i> , 2008, 22, 870-873.	7.2	76
75	Cancer and Central Nervous System Tumor Surveillance in Pediatric Neurofibromatosis 2 and Related Disorders. <i>Clinical Cancer Research</i> , 2017, 23, e54-e61.	7.0	76
76	Expression of Aire and the Early Wave of Apoptosis in Spermatogenesis. <i>Journal of Immunology</i> , 2008, 180, 1338-1343.	0.8	75
77	Cloning and expression of the gene involved in Sanfilippo B syndrome (mucopolysaccharidosis III B). <i>Human Molecular Genetics</i> , 1996, 5, 771-777.	2.9	74
78	Sequential phases in the development of Aire-expressing medullary thymic epithelial cells involve distinct cellular input. <i>European Journal of Immunology</i> , 2008, 38, 942-947.	2.9	74
79	A common mutation for mucopolysaccharidosis type I associated with a severe Hurler syndrome phenotype. <i>Human Mutation</i> , 1992, 1, 103-108.	2.5	73
80	Tmprss3, a Transmembrane Serine Protease Deficient in Human DFNB8/10 Deafness, Is Critical for Cochlear Hair Cell Survival at the Onset of Hearing. <i>Journal of Biological Chemistry</i> , 2011, 286, 17383-17397.	3.4	71
81	An integrated genetic and functional analysis of the role of type II transmembrane serine proteases (TMPRSSs) in hearing loss. <i>Human Mutation</i> , 2008, 29, 130-141.	2.5	70
82	A testis-specific gene, TPTE, encodes a putative transmembrane tyrosine phosphatase and maps to the pericentromeric region of human chromosomes 21 and 13, and to chromosomes 15, 22, and Y. <i>Human Genetics</i> , 1999, 105, 399-409.	3.8	69
83	Poor response to second-line kinase inhibitors in chronic myeloid leukemia patients with multiple low-level mutations, irrespective of their resistance profile. <i>Blood</i> , 2012, 119, 2234-2238.	1.4	69
84	Long-term clinical progress in bone marrow transplanted mucopolysaccharidosis type I patients with a defined genotype. <i>Journal of Inherited Metabolic Disease</i> , 1993, 16, 1024-1033.	3.6	67
85	Decreased phosphatidylethanolamine binding protein expression correlates with A $\beta$ <sup>2</sup> accumulation in the Tg2576 mouse model of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006, 27, 614-623.	3.1	67
86	Cloning of Two Human Homologs of the <i>Drosophila</i> single-minded Gene SIM1 on Chromosome 6q and SIM2 on 21q Within the Down Syndrome Chromosomal Region. <i>Genome Research</i> , 1997, 7, 615-624.	5.5	66
87	Mice Deficient for the Type II Transmembrane Serine Protease, TMPRSS1/hepsin, Exhibit Profound Hearing Loss. <i>American Journal of Pathology</i> , 2007, 171, 608-616.	3.8	66
88	Short-term inhibition of p53 combined with keratinocyte growth factor improves thymic epithelial cell recovery and enhances T-cell reconstitution after murine bone marrow transplantation. <i>Blood</i> , 2010, 115, 1088-1097.	1.4	66
89	Mutations in the TMPRSS3 gene are a rare cause of childhood nonsyndromic deafness in Caucasian patients. <i>Journal of Molecular Medicine</i> , 2002, 80, 124-131.	3.9	65
90	Identification and characterization of a novel cyclic nucleotide phosphodiesterase gene (PDE9A) that maps to 21q22.3: alternative splicing of mRNA transcripts, genomic structure and sequence. <i>Human Genetics</i> , 1998, 103, 386-392.	3.8	64

#	ARTICLE	IF	CITATIONS
91	A PCR Amplification Method Reveals Instability of the Dodecamer Repeat in Progressive Myoclonus Epilepsy (EPM1) and No Correlation between the Size of the Repeat and Age at Onset. <i>American Journal of Human Genetics</i> , 1998, 62, 842-847.	6.2	62
92	Spliceosome mutations in hematopoietic malignancies. <i>Nature Genetics</i> , 2012, 44, 9-10.	21.4	61
93	Functional transcriptome analysis of the postnatal brain of the Ts1Cje mouse model for Down syndrome reveals global disruption of interferon-related molecular networks. <i>BMC Genomics</i> , 2014, 15, 624.	2.8	61
94	Brief Report: Identification of a Pathogenic Variant in TREX1 in Early-Onset Cerebral Systemic Lupus Erythematosus by Whole-Exome Sequencing. <i>Arthritis and Rheumatology</i> , 2014, 66, 3382-3386.	5.6	61
95	Molecular Defects in Sanfilippo Syndrome Type A. <i>Human Molecular Genetics</i> , 1997, 6, 787-791.	2.9	60
96	Isolation and Characterization of the Mouse Aire Gene. <i>Biochemical and Biophysical Research Communications</i> , 1999, 255, 483-490.	2.1	60
97	Proteomic and Metabolomic Analyses of Mitochondrial Complex I-deficient Mouse Model Generated by Spontaneous B2 Short Interspersed Nuclear Element (SINE) Insertion into NADH Dehydrogenase (Ubiquinone) Fe-S Protein 4 (Ndufs4) Gene. <i>Journal of Biological Chemistry</i> , 2012, 287, 20652-20663.	3.4	58
98	Hematopoietic defects in the Ts1Cje mouse model of Down syndrome. <i>Blood</i> , 2009, 113, 1929-1937.	1.4	56
99	Novel mutations of TMPRSS3 in four DFNB8/B10 families segregating congenital autosomal recessive deafness. <i>Journal of Medical Genetics</i> , 2001, 38, 396-400.	3.2	55
100	Cloning of a Human RNA Editing Deaminase (ADARB1) of Glutamate Receptors That Maps to Chromosome 21q22.3. <i>Genomics</i> , 1997, 41, 210-217.	2.9	54
101	A Serial Analysis of Gene Expression Profile of the Alzheimer's Disease Tg2576 Mouse Model. <i>Neurotoxicity Research</i> , 2010, 17, 360-379.	2.7	54
102	Deep sequencing analysis of the developing mouse brain reveals a novel microRNA. <i>BMC Genomics</i> , 2011, 12, 176.	2.8	53
103	Revealing Missing Human Protein Isoforms Based on Ab Initio Prediction, RNA-seq and Proteomics. <i>Scientific Reports</i> , 2015, 5, 10940.	3.3	51
104	Nedd4-WW Domain-Binding Protein 5 (Ndfip1) Is Associated with Neuronal Survival after Acute Cortical Brain Injury. <i>Journal of Neuroscience</i> , 2006, 26, 7234-7244.	3.6	49
105	GATA2 monoallelic expression underlies reduced penetrance in inherited GATA2-mutated MDS/AML. <i>Leukemia</i> , 2018, 32, 2502-2507.	7.2	48
106	Axonemal Beta Heavy Chain Dynein DNAH9: cDNA Sequence, Genomic Structure, and Investigation of Its Role in Primary Ciliary Dyskinesia. <i>Genomics</i> , 2001, 72, 21-33.	2.9	47
107	Isolation and characterization of the UBASH3A gene on 21q22.3 encoding a potential nuclear protein with a novel combination of domains. <i>Human Genetics</i> , 2001, 108, 140-147.	3.8	47
108	Vinclozolin Exposure in Utero Induces Postpubertal Prostatitis and Reduces Sperm Production via a Reversible Hormone-Regulated Mechanism. <i>Endocrinology</i> , 2010, 151, 783-792.	2.8	46

#	ARTICLE	IF	CITATIONS
109	A cSNP Map and Database for Human Chromosome 21. <i>Genome Research</i> , 2001, 11, 300-307.	5.5	46
110	Structure and Sequence of the Human Sulphamidase Gene. <i>DNA Research</i> , 1996, 3, 269-271.	3.4	45
111	Isolation and Characterization of a Human Chromosome 21q22.3 Gene (WDR4) and Its Mouse Homologue That Code for a WD-Repeat Protein. <i>Genomics</i> , 2000, 68, 71-79.	2.9	45
112	Gene Network Disruptions and Neurogenesis Defects in the Adult Ts1Cje Mouse Model of Down Syndrome. <i>PLoS ONE</i> , 2010, 5, e11561.	2.5	44
113	Differential effects on gene transcription and hematopoietic differentiation correlate with GATA2 mutant disease phenotypes. <i>Leukemia</i> , 2018, 32, 194-202.	7.2	44
114	Altered Spacing of Promoter Elements Due to the Dodecamer Repeat Expansion Contributes to Reduced Expression of the Cystatin B Gene in EPM1. <i>Human Molecular Genetics</i> , 1999, 8, 1791-1798.	2.9	43
115	Splice factor mutations and alternative splicing as drivers of hematopoietic malignancy. <i>Immunological Reviews</i> , 2015, 263, 257-278.	6.0	43
116	The mutational burden of therapy-related myeloid neoplasms is similar to primary myelodysplastic syndrome but has a distinctive distribution. <i>Leukemia</i> , 2019, 33, 2842-2853.	7.2	43
117	Mutation analysis of 19 North American mucopolysaccharidosis type I patients: Identification of two additional frequent mutations. <i>Human Mutation</i> , 1994, 3, 275-282.	2.5	42
118	Familial vasopressin-sensitive ACTH-independent macronodular adrenal hyperplasia (VPs-CAIMAH): clinical studies of three kindreds. <i>Clinical Endocrinology</i> , 2009, 70, 883-891.	2.4	41
119	Increased IL-17A secretion in response to <i>Candida albicans</i> in autoimmune polyendocrine syndrome type 1 and its animal model. <i>European Journal of Immunology</i> , 2011, 41, 235-245.	2.9	41
120	AML1 Interconnected Pathways of Leukemogenesis. <i>Cancer Investigation</i> , 2003, 21, 105-136.	1.3	39
121	TMPRSS3, a type II transmembrane serine protease mutated in non-syndromic autosomal recessive deafness. <i>Frontiers in Bioscience - Landmark</i> , 2008, 13, 1557.	3.0	39
122	The susceptibility of Aire <sup>-/-</sup> mice to experimental myasthenia gravis involves alterations in regulatory T cells. <i>Journal of Autoimmunity</i> , 2011, 36, 16-24.	6.5	38
123	Genetic regulators of myelopoiesis and leukemic signaling identified by gene profiling and linear modeling. <i>Journal of Leukocyte Biology</i> , 2006, 80, 433-447.	3.3	37
124	MicroSAGE is highly representative and reproducible but reveals major differences in gene expression among samples obtained from similar tissues. <i>Genome Biology</i> , 2003, 4, R17.	9.6	36
125	A four-gene LincRNA expression signature predicts risk in multiple cohorts of acute myeloid leukemia patients. <i>Leukemia</i> , 2018, 32, 263-272.	7.2	36
126	Thymic Deletion and Regulatory T Cells Prevent Antimyeloperoxidase GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 573-585.	6.1	35



#	ARTICLE	IF	CITATIONS
127	A case of Aromatase deficiency due to a novel CYP19A1 mutation. BMC Endocrine Disorders, 2014, 14, 16.	2.2	35
128	Mutations among Italian mucopolysaccharidosis type I patients. Journal of Inherited Metabolic Disease, 1997, 20, 803-806.	3.6	34
129	Education and promiscuity. Nature, 2002, 420, 468-469.	27.8	34
130	Autoimmune regulator controls T cell help for pathogenetic autoantibody production in collagen-induced arthritis. Arthritis and Rheumatism, 2009, 60, 1683-1693.	6.7	34
131	Molecular networks involved in mouse cerebral corticogenesis and spatio-temporal regulation of Sox4 and Sox11 novel antisense transcripts revealed by transcriptome profiling. Genome Biology, 2009, 10, R104.	9.6	34
132	Differential gene expression studies to explore the molecular pathophysiology of Down syndrome. Brain Research Reviews, 2001, 36, 265-274.	9.0	33
133	Spatiotemporal Regulation of Multiple Overlapping Sense and Novel Natural Antisense Transcripts at the Nrgn and Camk2n1 Gene Loci during Mouse Cerebral Corticogenesis. Cerebral Cortex, 2011, 21, 683-697.	2.9	33
134	Germline variants in familial pituitary tumour syndrome genes are common in young patients and families with additional endocrine tumours. European Journal of Endocrinology, 2017, 176, 635-644.	3.7	33
135	Huntington disease-linked locus D4S111 exposed as the $\beta$ -l-iduronidase gene. Somatic Cell and Molecular Genetics, 1991, 17, 421-425.	0.7	32
136	A tale of two siblings: two cases of AML arising from a single pre-leukemic DNMT3A mutant clone. Leukemia, 2015, 29, 2101-2104.	7.2	32
137	Autoimmune hepatitis in a murine autoimmune polyendocrine syndrome type 1 model is directed against multiple autoantigens. Hepatology, 2015, 61, 1295-1305.	7.3	32
138	Targeted gene panels identify a high frequency of pathogenic germline variants in patients diagnosed with a hematological malignancy and at least one other independent cancer. Leukemia, 2021, 35, 3245-3256.	7.2	32
139	Identification of a novel member of the CLIC family, CLIC6, mapping to 21q22.12. Gene, 2003, 320, 31-40.	2.2	31
140	Many BCR-ABL1 compound mutations reported in chronic myeloid leukemia patients may actually be artifacts due to PCR-mediated recombination. Blood, 2014, 124, 153-155.	1.4	31
141	Cloning and Characterization of a Putative Human Glycerol 3-Phosphate Permease Gene (SLC37A1 or Tj ETQq1 1 0.784314 rgBT /Overl Deficiency. Genomics, 2000, 70, 190-200.	2.9	30
142	DNA methylation signatures of the AIRE promoter in thymic epithelial cells, thymomas and normal tissues. Molecular Immunology, 2011, 49, 518-526.	2.2	30
143	Ectrodactyly and Lethal Pulmonary Acinar Dysplasia Associated with Homozygous <i>FGFR2</i> Mutations Identified by Exome Sequencing. Human Mutation, 2016, 37, 955-963.	2.5	30
144	GATA2 deficiency syndrome: A decade of discovery. Human Mutation, 2021, 42, 1399-1421.	2.5	30

#	ARTICLE	IF	CITATIONS
145	Morquio A Syndrome: Cloning, Sequence, and Structure of the Human N-Acetylgalactosamine 6-Sulfatase (GALNS) Gene. <i>Genomics</i> , 1994, 22, 652-654.	2.9	29
146	Refined Localization of Autosomal Recessive Nonsyndromic Deafness DFNB10 Locus Using 34 Novel Microsatellite Markers, Genomic Structure, and Exclusion of Six Known Genes in the Region. <i>Genomics</i> , 2000, 68, 22-29.	2.9	29
147	Reduced Thymic Aire Expression and Abnormal NF- $\kappa$ B2 Signaling in a Model of Systemic Autoimmunity. <i>Journal of Immunology</i> , 2009, 182, 2690-2699.	0.8	29
148	The RUNX1 database (RUNX1db): establishment of an expert curated RUNX1 registry and genomics database as a public resource for familial platelet disorder with myeloid malignancy. <i>Haematologica</i> , 2021, 106, 3004-3007.	3.5	29
149	Tmprss3 loss of function impairs cochlear inner hair cell Kcnma1 channel membrane expression. <i>Human Molecular Genetics</i> , 2013, 22, 1289-1299.	2.9	28
150	Aberrant RAG-mediated recombination contributes to multiple structural rearrangements in lymphoid blast crisis of chronic myeloid leukemia. <i>Leukemia</i> , 2020, 34, 2051-2063.	7.2	27
151	Self-reverting mutations partially correct the blood phenotype in a Diamond Blackfan anemia patient. <i>Haematologica</i> , 2017, 102, e506-e509.	3.5	26
152	Characterization of a Novel Gene, C21orf2, on Human Chromosome 21q22.3 and Its Exclusion as the APECED Gene by Mutation Analysis. <i>Genomics</i> , 1998, 47, 64-70.	2.9	25
153	C21orf5, a Novel Human Chromosome 21 Gene, Has a <i>Caenorhabditis elegans</i> Ortholog (pad-1) Required for Embryonic Patterning. <i>Genomics</i> , 2000, 68, 30-40.	2.9	25
154	PCR of a VNTR linked to mucopolysaccharidosis type I and Huntington disease. <i>Nucleic Acids Research</i> , 1991, 19, 6348-6348.	14.5	24
155	Isolation of a human gene (HES1) with homology to an <i>Escherichia coli</i> and a zebrafish protein that maps to chromosome 21q22.3. <i>Human Genetics</i> , 1997, 99, 616-623.	3.8	24
156	CBG Santiago: A Novel CBG Mutation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E151-E155.	3.6	24
157	Integrating Massively Parallel Sequencing into Diagnostic Workflows and Managing the Annotation and Clinical Interpretation Challenge. <i>Human Mutation</i> , 2014, 35, 413-423.	2.5	23
158	Linearization and purification of BAC DNA for the development of transgenic mice. <i>Transgenic Research</i> , 1999, 8, 147-150.	2.4	22
159	Estimating the proportion of microarray probes expressed in an RNA sample. <i>Nucleic Acids Research</i> , 2010, 38, 2168-2176.	14.5	21
160	Mucopolysaccharidosis type I (Hurler syndrome): Linkage disequilibrium indicates the presence of a major allele. <i>Human Genetics</i> , 1992, 88, 701-702.	3.8	20
161	The epilepsy, the protease inhibitor and the dodecamer: progressive myoclonus epilepsy, cystatin b and a 12-mer repeat expansion. <i>Cytogenetic and Genome Research</i> , 2003, 100, 213-223.	1.1	20
162	DNMT3L Is a Regulator of X Chromosome Compaction and Post-Meiotic Gene Transcription. <i>PLoS ONE</i> , 2011, 6, e18276.	2.5	20

#	ARTICLE	IF	CITATIONS
163	Two novel mutations causing mucopolysaccharidosis type I detected by single strand conformational analysis of the Î±-L-iduronidase gene. <i>Human Molecular Genetics</i> , 1993, 2, 1311-1312.	2.9	19
164	Transplantation of autoimmune regulatorâ€ encoding bone marrow cells delays the onset of experimental autoimmune encephalomyelitis. <i>European Journal of Immunology</i> , 2010, 40, 3499-3509.	2.9	19
165	BCR-ABL1 kinase domain mutations may persist at very low levels for many years and lead to subsequent TKI resistance. <i>British Journal of Cancer</i> , 2013, 109, 1593-1598.	6.4	19
166	A comparative analysis of transcribed genes in the mouse hypothalamus and neocortex reveals chromosomal clustering. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 14972-14977.	7.1	18
167	Autoimmune regulator (AIRE)-deficient CD8 <sup>+</sup> CD28 <sup>low</sup> regulatory T lymphocytes fail to control experimental colitis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 12437-12442.	7.1	18
168	Poor prognosis in familial acute myeloid leukaemia with combined biallelic <i>CEBPA</i> mutations and downstream events affecting the <i>ATM</i> , <i>FLT3</i> and <i>CDX2</i> genes. <i>British Journal of Haematology</i> , 2010, 150, 382-385.	2.5	17
169	ASXL1 and BIM germ line variants predict response and identify CML patients with the greatest risk of imatinib failure. <i>Blood Advances</i> , 2017, 1, 1369-1381.	5.2	17
170	Localization of a novel human RNA-editing deaminase (hRED2 or ADARB2) to chromosome 10p15. <i>Human Genetics</i> , 1997, 100, 398-400.	3.8	16
171	Identification and targeted management of a neurodegenerative disorder caused by biallelic mutations in <i>SLC5A6</i> . <i>Npj Genomic Medicine</i> , 2019, 4, 28.	3.8	16
172	What is expanded in progressive myoclonus epilepsy?. <i>Nature Genetics</i> , 1997, 17, 17-17.	21.4	15
173	Construction of a 2.5-Mb Integrated Physical and Gene Map of Distal 21q22.3. <i>Genomics</i> , 1998, 49, 1-13.	2.9	15
174	Localization of <i>Idd11</i> Is Not Associated With Thymus and NKT Cell Abnormalities in NOD Mice. <i>Diabetes</i> , 2005, 54, 3453-3457.	0.6	15
175	SAGE Analysis of Genes Differentially Expressed in Presymptomatic TgSOD1G93A Transgenic Mice Identified Cellular Processes Involved in Early Stage of ALS Pathology. <i>Journal of Molecular Neuroscience</i> , 2010, 41, 172-182.	2.3	15
176	PCR of a KpnI RFLP in the Î±-L-iduronidase ( <i>IDUA</i> ) gene. <i>Nucleic Acids Research</i> , 1991, 19, 5796-5796.	14.5	14
177	Immunochemical Characterization of a Novel Mitochondrially Located Protein Encoded by a Nuclear Gene within the <i>DFNB8/10</i> Critical Region on 21q22.3. <i>Biochemical and Biophysical Research Communications</i> , 1997, 238, 806-810.	2.1	14
178	Genetic heterogeneity of granulocytes for the <i>JAK2</i> V617F mutation in essential thrombocythaemia: implications for mutation detection in peripheral blood. <i>Pathology</i> , 2006, 38, 336-342.	0.6	14
179	NKT cell development in the absence of the autoimmune regulator gene ( <i>Aire</i> ). <i>European Journal of Immunology</i> , 2008, 38, 2689-2696.	2.9	14
180	Derivation of an endogenous small RNA from double-stranded <i>Sox4</i> sense and natural antisense transcripts in the mouse brain. <i>Genomics</i> , 2016, 107, 88-99.	2.9	14

#	ARTICLE	IF	CITATIONS
181	The Genomic Landscape of Sporadic Prolactinomas. <i>Endocrine Pathology</i> , 2019, 30, 318-328.	9.0	14
182	A novel germline <i>SAMD9L</i> mutation in a family with ataxia-pancytopenia syndrome and pediatric acute lymphoblastic leukemia. <i>Haematologica</i> , 2019, 104, e318-e321.	3.5	14
183	A synonymous GATA2 variant underlying familial myeloid malignancy with striking intrafamilial phenotypic variability. <i>British Journal of Haematology</i> , 2020, 190, e297-e301.	2.5	14
184	Pathogenic variants in <i>MDFIC</i> cause recessive central conducting lymphatic anomaly with lymphedema. <i>Science Translational Medicine</i> , 2022, 14, eabm4869.	12.4	14
185	Clonal hematopoiesis in patients with <i>ANKRD26</i> or <i>ETV6</i> germline mutations. <i>Blood Advances</i> , 2022, 6, 4357-4359.	5.2	14
186	The Mouse Brain Transcriptome by SAGE: Differences in Gene Expression between P30 Brains of the Partial Trisomy 16 Mouse Model of Down Syndrome (Ts65Dn) and Normals. <i>Genome Research</i> , 2000, 10, 2006-2021.	5.5	13
187	Global Transcript Expression Profiling by Serial Analysis of Gene Expression (SAGE)., 2001, 23, 201-219.		12
188	Ultrastructure of medullary thymic epithelial cells of autoimmune regulator (Aire) deficient mice. <i>Immunology and Cell Biology</i> , 2010, 88, 50-56.	2.3	12
189	Apparent <i>JAK2</i> negative polycythaemia vera due to compound mutations in exon 14. <i>British Journal of Haematology</i> , 2017, 178, 333-336.	2.5	12
190	Paternal mosaicism for a novel <i>PBX1</i> mutation associated with recurrent perinatal death: Phenotypic expansion of the <i>PBX1</i> related syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2020, 182, 1273-1277.	1.2	12
191	Targeted pharmacotherapy after somatic cancer mutation screening. <i>F1000Research</i> , 2016, 5, 1551.	1.6	12
192	Linkage, but not gene order, of homologous loci, including $\beta$ -L-iduronidase ( <i>Idua</i> ), is conserved in the Huntington disease region of the mouse and human genomes. <i>Mammalian Genome</i> , 1992, 3, 23-27.	2.2	11
193	Rare and Novel Epidermal Growth Factor Receptor Mutations in Non-Small-Cell Lung Cancer and Lack of Clinical Response to Gefitinib in Two Cases. <i>Journal of Thoracic Oncology</i> , 2012, 7, 941-942.	1.1	11
194	Clonal and lineage analysis of somatic <i>DNMT3A</i> and <i>JAK2</i> mutations in a chronic phase polycythemia vera patient. <i>British Journal of Haematology</i> , 2012, 156, 268-270.	2.5	11
195	Gene and protein expression profiles of JAK-STAT signalling pathway in the developing brain of the Ts1Cje down syndrome mouse model. <i>International Journal of Neuroscience</i> , 2019, 129, 871-881.	1.6	11
196	Investigating the Potential Role of Genetic and Epigenetic Variation of DNA Methyltransferase Genes in Hyperplastic Polyposis Syndrome. <i>PLoS ONE</i> , 2011, 6, e16831.	2.5	11
197	Genomic organisation and nervous system expression of radial spoke protein 3. <i>Gene</i> , 2004, 336, 15-23.	2.2	10
198	Thyroxine treatments do not correct inner ear defects in <i>tmprss1</i> mutant mice. <i>NeuroReport</i> , 2010, 21, 897-901.	1.2	10

#	ARTICLE	IF	CITATIONS
199	Characterisation of a compound in-cis GATA2 germline mutation in a pedigree presenting with myelodysplastic syndrome/acute myeloid leukemia with concurrent thrombocytopenia. <i>Leukemia</i> , 2015, 29, 1795-1797.	7.2	10
200	T cell receptor assessment in autoimmune disease requires access to the most adjacent immunologically active organ. <i>Journal of Autoimmunity</i> , 2017, 81, 24-33.	6.5	10
201	GATA2 is a New Predisposition Gene for Familial Myelodysplastic Syndrome (MDS) and Acute Myeloid Leukemia (AML). <i>Blood</i> , 2010, 116, LBA-3-LBA-3.	1.4	10
202	Structure of the human Lanosterol Synthase gene and its analysis as a candidate for holoprosencephaly (HPE1). <i>Human Genetics</i> , 1999, 105, 489-495.	3.8	9
203	Allanâ€“Herndonâ€“Dudley syndrome with unusual profound sensorineural hearing loss. <i>American Journal of Medical Genetics, Part A</i> , 2015, 167, 1872-1876.	1.2	9
204	Aberrant Splicing of <i>SDHC</i> in Families With Unexplained Succinate Dehydrogenase-Deficient Paragangliomas. <i>Journal of the Endocrine Society</i> , 2020, 4, bvaa071.	0.2	9
205	Delayed diagnosis leading to accelerated-phase chronic eosinophilic leukemia due to a cytogenetically cryptic, imatinib-responsive TNIP1â€“PDGFRB fusion gene. <i>Leukemia</i> , 2016, 30, 1402-1405.	7.2	8
206	A novel, somatic, transforming mutation in the extracellular domain of Epidermal Growth Factor Receptor identified in myeloproliferative neoplasm. <i>Scientific Reports</i> , 2017, 7, 2467.	3.3	8
207	Insights into pituitary tumorigenesis: from Sanger sequencing to next-generation sequencing and beyond. <i>Expert Review of Endocrinology and Metabolism</i> , 2019, 14, 399-418.	2.4	8
208	Pseudodiastrophic dysplasia expands the known phenotypic spectrum of defects in proteoglycan biosynthesis. <i>Journal of Medical Genetics</i> , 2020, 57, 454-460.	3.2	8
209	An 86-bp VNTR within IDUA is the basis of the D4S111 polymorphic locus. <i>Genomics</i> , 1992, 14, 1118-1120.	2.9	7
210	Multiplex ligation-dependent probe amplification (MLPA) genotyping assay for mouse models of down syndrome. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 3010.	3.0	7
211	Case report of whole genome sequencing in the XY female: identification of a novel SRY mutation and revision of a misdiagnosis of androgen insensitivity syndrome. <i>BMC Endocrine Disorders</i> , 2016, 16, 58.	2.2	7
212	OUP accepted manuscript. <i>Human Molecular Genetics</i> , 2021, 30, 2068-2081.	2.9	7
213	Genetic Testing in Endocrinology. <i>Clinical Biochemist Reviews</i> , 2018, 39, 17-28.	3.3	7
214	A pedigree with autosomal dominant thrombocytopenia, red cell macrocytosis, and an occurrence of t(12:21) positive pre-B acute lymphoblastic leukemia. <i>Blood Cells, Molecules, and Diseases</i> , 2007, 39, 107-114.	1.4	6
215	Metallophilic macrophages are fully developed in the thymus of autoimmune regulator (Aire)-deficient mice. <i>Histochemistry and Cell Biology</i> , 2009, 131, 643-649.	1.7	6
216	Diversity and clonotypic composition of influenzaâ€“specific CD8 <sup>+</sup> TCR repertoires remain unaltered in the absence of Aire. <i>European Journal of Immunology</i> , 2010, 40, 849-858.	2.9	6

#	ARTICLE	IF	CITATIONS
217	Genome-wide gene expression profiling identifies overlap with malignant adrenocortical tumours and novel mechanisms of inefficient steroidogenesis in familial ACTH-independent macronodular adrenal hyperplasia. <i>Endocrine-Related Cancer</i> , 2012, 19, L19-L23.	3.1	6
218	A putative role for the aryl hydrocarbon receptor (AHR) gene in a patient with cyclical Cushing's disease. <i>BMC Endocrine Disorders</i> , 2020, 20, 18.	2.2	6
219	Targeted pharmacotherapy after somatic cancer mutation screening. <i>F1000Research</i> , 2016, 5, 1551.	1.6	6
220	Discovering a new part of the phenotypic spectrum of Coffin-Siris syndrome in a fetal cohort. <i>Genetics in Medicine</i> , 2022, 24, 1753-1760.	2.4	6
221	No evidence for core-binding factor CBF $\beta$ as a leukemia predisposing factor in chromosome 16q22-linked familial AML. <i>Leukemia</i> , 2004, 18, 881-881.	7.2	5
222	Compound heterozygous variants in LAMC3 in association with posterior periventricular nodular heterotopia. <i>BMC Medical Genomics</i> , 2021, 14, 64.	1.5	5
223	Childhood acute myeloid leukemia shows a high level of germline predisposition. <i>Blood</i> , 2021, 138, 2293-2298.	1.4	5
224	Chromosome band 16q22-linked familial AML: Exclusion of candidate genes, and possible disease risk modification byNQO1 polymorphisms. <i>Genes Chromosomes and Cancer</i> , 2004, 41, 278-282.	2.8	4
225	In depth analysis of the Sox4 gene locus that consists of sense and natural antisense transcripts. <i>Data in Brief</i> , 2016, 7, 282-290.	1.0	4
226	ARMC5 is not implicated in familial hyperaldosteronism type II (FH-II). <i>Journal of Human Hypertension</i> , 2017, 31, 857-859.	2.2	4
227	Recurrent <i>de novo</i> missense variants in <i>GNB2</i> can cause syndromic intellectual disability. <i>Journal of Medical Genetics</i> , 2022, 59, 511-516.	3.2	4
228	High Incidence of Mutated Cancer-Associated Genes at Diagnosis in CML Patients with Early Transformation to Blast Crisis. <i>Blood</i> , 2015, 126, 600-600.	1.4	4
229	Universal fluorescent labeling of PCR products for DHPLC analysis: reducing cost and increasing sample throughput. <i>BioTechniques</i> , 2005, 39, 34-40.	1.8	3
230	Transcriptional profiling of the postnatal brain of the Ts1Cje mouse model of Down syndrome. <i>Genomics Data</i> , 2014, 2, 314-317.	1.3	3
231	Presentation of m.3243A>G (MT $\beta$ L1; tRNA <sup>Leu</sup> ) variant with focal neurology in infancy. <i>American Journal of Medical Genetics, Part A</i> , 2015, 167, 2697-2701.	1.2	3
232	8q13.1-q13.2 Deletion Associated With Inferior Cerebellar Vermian Hypoplasia and Digital Anomalies: A New Syndrome?. <i>Pediatric Neurology</i> , 2015, 52, 230-234.e1.	2.1	3
233	Expression Profiling of Notch Signalling Pathway and Gamma-Secretase Activity in the Brain of Ts1Cje Mouse Model of Down Syndrome. <i>Journal of Molecular Neuroscience</i> , 2019, 67, 632-642.	2.3	3
234	<i>RNF43</i> pathogenic Germline variant in a family with colorectal cancer. <i>Clinical Genetics</i> , 2022, 101, 122-126.	2.0	3

#	ARTICLE	IF	CITATIONS
235	Two monogenic disorders masquerading as one: severe congenital neutropenia with monocytosis and non-syndromic sensorineural hearing loss. BMC Medical Genetics, 2020, 21, 35.	2.1	3
236	NOMINATOR: Feasibility of genomic testing of rare cancers to match cancer to treatment.. Journal of Clinical Oncology, 2020, 38, 103-103.	1.6	3
237	A response to Suzuki et al. ?How pathogenic is the p.D104N/endostatin polymorphic allele ofCOL18A1 in Knobloch syndrome??. Human Mutation, 2005, 25, 316-316.	2.5	2
238	<i>RUNX1</i> mutations are rare in chronic phase polycythaemia vera. British Journal of Haematology, 2011, 153, 672-675.	2.5	2
239	Clinical implications of transient myeloproliferative disorder in a neonate without Down syndrome features. Journal of Paediatrics and Child Health, 2017, 53, 1018-1020.	0.8	2
240	Correct application of variant classification guidelines in germline RUNX1 mutated disorders to assist clinical diagnosis. Leukemia and Lymphoma, 2020, 61, 246-247.	1.3	2
241	Australian Familial Haematological Cancer Study - Findings from 15 Years of Aggregated Clinical, Genomic and Transcriptomic Data. Blood, 2019, 134, 1439-1439.	1.4	2
242	Rare and Common Germline Variants Contribute to Occurrence of Myelodysplastic Syndrome. Blood, 2015, 126, 1644-1644.	1.4	2
243	BCR-ABL Assay Sensitivity of MR4.5 Achieved in >90%, and MR5 in >75% of Samples, through mRNA Selection before qRT-PCR. Blood, 2015, 126, 2777-2777.	1.4	2
244	Expanded Phenotypic and Genetic Heterogeneity in the Clinical Spectrum of FPD-AML: Lymphoid Malignancies and Skin Disorders Are Common Features in Carriers of Germline RUNX1 Mutations. Blood, 2016, 128, 1212-1212.	1.4	2
245	Novel Fusion Genes at CML Diagnosis Reveal a Complex Pattern of Genomic Rearrangements and Sequence Inversions Associated with the Philadelphia Chromosome in Patients with Early Blast Crisis. Blood, 2016, 128, 1219-1219.	1.4	2
246	RNA-Based Targeted Gene Sequencing Improves the Diagnostic Yield of Mutant Detection in Chronic Myeloid Leukemia. Journal of Molecular Diagnostics, 2022, 24, 803-822.	2.8	2
247	Autosomal dominant hypocalcaemia due to a novel <sc>CASR</sc> mutation: clinical and genetic implications. Clinical Endocrinology, 2016, 85, 495-497.	2.4	1
248	The human genome project and its impact in medicine. European Review, 1996, 4, 415-426.	0.7	1
249	Metabolic Profiling of Adult Acute Myeloid Leukemia (AML). Blood, 2016, 128, 1684-1684.	1.4	1
250	RNA Splicing Defects in Cancer-Linked Genes Indicate Mutation or Focal Gene Deletion and Are Associated with TKI Resistance in CML. Blood, 2019, 134, 662-662.	1.4	1
251	Expanding the Phenotype of NUP85 Mutations beyond Nephrotic Syndrome to Primary Autosomal Recessive Microcephaly and Seckel Syndrome Spectrum Disorders. , 2021, 52, .		1
252	The clinical and genetic features of hereditary pancreatitis in South Australia. Medical Journal of Australia, 2022, 216, 578-582.	1.7	1

#	ARTICLE	IF	CITATIONS
253	The human genome project and its impact in medicine. <i>European Review</i> , 1996, 4, 415.	0.7	0
254	One of the Reasons Why Humans, and not Sponges or Worms, get Psychiatric Disorders?. <i>Human Mutation</i> , 2010, 31, v-v.	2.5	0
255	Human "Monogenic" Disease Gene Discovery: When Models of Inheritance Go Wrong. <i>Human Mutation</i> , 2013, 34, v-v.	2.5	0
256	When to WES in the Pediatric Disease Clinic? Now!. <i>Human Mutation</i> , 2014, 35, v-v.	2.5	0
257	Cover Image, Volume 37, Issue 9. <i>Human Mutation</i> , 2016, 37, i-i.	2.5	0
258	Laboratory quality assessment of candidate gene panel testing for acute myeloid leukaemia: a joint ALLG / RCPAQAP initiative. <i>Pathology</i> , 2021, 53, 487-492.	0.6	0
259	Tmprss3. , 2003, , .		0
260	Detection of Low Level Nilotinib or Dasatinib Resistant BCR-ABL Mutations by Mass Spectrometry In CML Patients Who Fail Imatinib Is Highly Predictive of Their Subsequent Clonal Expansion When Treated with the Drug for Which Their Mutation Confers Resistance. <i>Blood</i> , 2010, 116, 891-891.	1.4	0
261	Mechanisms of Co-Operation of DNMT3A Mutations with JAK2 V617F Through Histone H4 Arginine 3 Provides New Insights in MPN Disease Pathogenesis. <i>Blood</i> , 2011, 118, 2823-2823.	1.4	0
262	Multiple Low Level Mutations Identifies Imatinib Resistant CML Patients At Risk of Poor Response to Second-Line Inhibitor Therapy, Irrespective of the Resistance Profile of the Mutations. <i>Blood</i> , 2011, 118, 111-111.	1.4	0
263	The patient's BCR-ABL1 Kinase Domain Mutation History Is Important for Decisions Regarding Tyrosine Kinase Inhibitor Therapy. <i>Blood</i> , 2012, 120, 1692-1692.	1.4	0
264	PCR-Mediated Recombination Can Lead To Artificial Chimera Formation, Which May Pose As BCR-ABL1 Compound Mutations. <i>Blood</i> , 2013, 122, 4014-4014.	1.4	0
265	Familial AML With Germline CEBPA Mutations: Extended Clinical Outcomes and Analysis Of Secondary Mutations Using Whole Exome Sequencing. <i>Blood</i> , 2013, 122, 740-740.	1.4	0
266	Aberrant Activation of Epidermal Growth Factor Receptor in MPN May Respond to the Kinase Inhibitor Gefitinib. <i>Blood</i> , 2014, 124, 1882-1882.	1.4	0
267	Clonal Diversity of Recurrently Mutated Genes in Myelodysplastic Syndromes. <i>Blood</i> , 2014, 124, 4634-4634.	1.4	0
268	The Frequency of Genetic Mutations in T-MN Is High and Comparable to Primary MDS but the Spectrum Is Different. <i>Blood</i> , 2016, 128, 3157-3157.	1.4	0
269	Therapy-Related Myeloid Neoplasms (T-MN) and Primary MDS (PMDS) Patients with Very Low (VL) or Low (L) IPSS-R Score Share Clinical and Biological Characteristics and Have Similar Outcome. <i>Blood</i> , 2018, 132, 3078-3078.	1.4	0
270	Development of a Data Portal for Aggregation and Analysis of Genomics Data in Familial Platelet Disorder with Predisposition to Myeloid Malignancy - the RUNX1.DB. <i>Blood</i> , 2018, 132, 5241-5241.	1.4	0



#	ARTICLE	IF	CITATIONS
271	OR34-6 A Novel Mechanism of SDH-Deficient Tumorigenesis and Implications for Genetic Testing in Patients with Pheochromocytoma-Paraganglioma. Journal of the Endocrine Society, 2019, 3, .	0.2	0
272	An RNA-Based Next Generation Sequencing (NGS) Strategy Detects More Cancer Gene Mutations Than a DNA-Based Approach for the Prediction and Assessment of Resistance in CML. Blood, 2019, 134, 2918-2918.	1.4	0
273	Familial Clustering of Hematological Malignancies: Harbingers of Wider Germline Cancer Susceptibility. Blood, 2019, 134, 3794-3794.	1.4	0
274	Dodecamer Repeat Expansion in Progressive Myoclonus Epilepsy 1. , 2006, , 121-141.		0
275	Molecular therapy selection in treatment-refractory advanced cancers: A retrospective cohort study determining the utility of TOPOGRAPH knowledge base.. Journal of Clinical Oncology, 2022, 40, 3073-3073.	1.6	0