

Sarah R Lancaster

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5180529/publications.pdf>

Version: 2024-02-01

19
papers

299
citations

1040056

9
h-index

888059

17
g-index

19
all docs

19
docs citations

19
times ranked

307
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of repeated glyphosate applications on soil microbial community composition and the mineralization of glyphosate. <i>Pest Management Science</i> , 2010, 66, 59-64.	3.4	117
2	Imazethapyr Aqueous Photolysis, Reaction Quantum Yield, and Hydroxyl Radical Rate Constant. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 2635-2639.	5.2	29
3	Sicklepod (<i>Senna obtusifolia</i>) Control and Seed Production after 2,4-DB Applied Alone and with Fungicides or Insecticides. <i>Weed Technology</i> , 2005, 19, 451-455.	0.9	27
4	Influence of Selected Fungicides on Efficacy of Clethodim and Sethoxydim. <i>Weed Technology</i> , 2005, 19, 397-403.	0.9	19
5	Soil Microbial Activity Is Affected by Roundup WeatherMax and Pesticides Applied to Cotton (<i>Gossypium hirsutum</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 7221-7226.	5.2	15
6	Interactions of Clethodim and Sethoxydim with Selected Agrichemicals Applied to Peanut. <i>Weed Technology</i> , 2005, 19, 456-461.	0.9	13
7	Weed Management in Peanut with Herbicide Combinations Containing Imazapic and Other Pesticides. <i>Weed Technology</i> , 2009, 23, 6-10.	0.9	12
8	Interactions of Late-Season Morningglory (<i>Ipomoea</i> spp.) Management Practices in Peanut (<i>Arachis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.9	10
9	Influence of Graminicide Formulation on Compatibility with Other Pesticides. <i>Weed Technology</i> , 2008, 22, 580-583.	0.9	10
10	Microbial Degradation of Fluometuron Is Influenced by Roundup WeatherMAX. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 8588-8593.	5.2	8
11	Herbicides for Postemergence Control of Mile-a-Minute (<i>Mikania micrantha</i>). <i>Invasive Plant Science and Management</i> , 2014, 7, 303-309.	1.1	8
12	Weed and Peanut (<i>Arachis hypogaea</i>) Response to Diclosulam Applied Post. <i>Weed Technology</i> , 2007, 21, 618-622.	0.9	7
13	Influence of Application Variables on Efficacy of Boron-Containing Fertilizers Applied to Peanut (<i>Arachis hypogaea</i> L.). <i>Peanut Science</i> , 2006, 33, 104-111.	0.1	6
14	Peanut and Eclipta (<i>Eclipta prostrata</i>) Response to Flumioxazin. <i>Weed Technology</i> , 2009, 23, 231-235.	0.9	5
15	Influence of Application Variables on Efficacy of Manganese-Containing Fertilizers Applied to Peanut (<i>Arachis hypogaea</i> L.). <i>Peanut Science</i> , 2012, 39, 1-8.	0.1	4
16	Compatibility of Diclosulam with Postemergence Herbicides and Fungicides. <i>Weed Technology</i> , 2007, 21, 869-872.	0.9	3
17	Accelerated Solvent Extraction of Fluometuron from Selected Soils. <i>Journal of AOAC INTERNATIONAL</i> , 2007, 90, 1142-1145.	1.5	3
18	Response of non-dicamba-resistant soybean (<i>Glycine max</i>) varieties to dicamba. <i>Weed Technology</i> , 0, , 1-7.	0.9	3

#	ARTICLE	IF	CITATIONS
19	Assessment of 4-H Range Management Programs in the United States. <i>Rangelands</i> , 2010, 32, 32-36.	1.9	0