

Necmettin Kilinc

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5180948/necmettin-kilinc-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|-------------------|-------------------------|----------------|-----------------|
| 45 papers | 1,426 citations | 23 h-index | 37 g-index |
| 53 ext. papers | 1,591 ext. citations | 4.4 avg, IF | 4.65 L-index |

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 45 | Platinum-Nickel alloy thin films for low concentration hydrogen sensor application. <i>Journal of Alloys and Compounds</i> , 2022 , 892, 162237 | 5.7 | 2 |
| 44 | Palladium and platinum thin films for low-concentration resistive hydrogen sensor: a comparative study. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 5567-5578 | 2.1 | 3 |
| 43 | Hybrid liquid crystalline zinc phthalocyanine@Cu ₂ O nanowires for NO ₂ sensor application. <i>Sensors and Actuators B: Chemical</i> , 2021 , 345, 130431 | 8.5 | 0 |
| 42 | Adsorption of Phthalocyanines on Stoichiometric and Reduced Rutile TiO ₂ (110). <i>ECS Journal of Solid State Science and Technology</i> , 2020 , 9, 061021 | 2 | 3 |
| 41 | Electrical and NO ₂ Sensing Properties of a Series of Liquid Crystalline Porphyrins. <i>ECS Journal of Solid State Science and Technology</i> , 2020 , 9, 061027 | 2 | 2 |
| 40 | Electrochemically growth of Pd doped ZnO nanorods on QCM for room temperature VOC sensors. <i>Sensors and Actuators B: Chemical</i> , 2016 , 222, 280-289 | 8.5 | 76 |
| 39 | Structural, electrical and H ₂ sensing properties of copper oxide nanowires on glass substrate by anodization. <i>Sensors and Actuators B: Chemical</i> , 2016 , 236, 1118-1125 | 8.5 | 14 |
| 38 | Pd thin films on flexible substrate for hydrogen sensor. <i>Journal of Alloys and Compounds</i> , 2016 , 674, 179-184 | 5.1 | 46 |
| 37 | Poly(3-Methylthiophene) Thin Films Deposited Electrochemically on QCMs for the Sensing of Volatile Organic Compounds. <i>Sensors</i> , 2016 , 16, | 3.8 | 17 |
| 36 | Sputtered platinum thin films for resistive hydrogen sensor application. <i>Materials Letters</i> , 2016 , 177, 104-107 | 3.3 | 16 |
| 35 | Precision density and viscosity measurement using two cantilevers with different widths. <i>Sensors and Actuators A: Physical</i> , 2015 , 232, 141-147 | 3.9 | 32 |
| 34 | Gas Sensor Application of Hydrothermally Growth TiO ₂ Nanorods. <i>Procedia Engineering</i> , 2015 , 120, 1162-1165 | 3.3 | 33 |
| 33 | A cartridge based sensor array platform for multiple coagulation measurements from plasma. <i>Lab on A Chip</i> , 2015 , 15, 113-20 | 7.2 | 36 |
| 32 | Optical sensor for hydrogen gas based on a palladium-coated polymer microresonator. <i>Sensors and Actuators B: Chemical</i> , 2015 , 212, 78-83 | 8.5 | 37 |
| 31 | Electrochemical Growth of Pd Doped ZnO Nanorods. <i>Journal of the Electrochemical Society</i> , 2015 , 162, D142-D146 | 3.9 | 6 |
| 30 | LoC sensor array platform for real-time coagulation measurements 2014 , | | 3 |
| 29 | Electrical and VOC sensing properties of anatase and rutile TiO ₂ nanotubes. <i>Journal of Alloys and Compounds</i> , 2014 , 616, 89-96 | 5.7 | 52 |

| | | | |
|----|--|-----|----|
| 28 | Electrical conduction and NO ₂ gas sensing properties of ZnO nanorods. <i>Applied Surface Science</i> , 2014 , 303, 90-96 | 6.7 | 40 |
| 27 | Hydrogen sensing properties of ZnO nanorods: Effects of annealing, temperature and electrode structure. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 5194-5201 | 6.7 | 42 |
| 26 | Fabrication of 1D ZnO nanostructures on MEMS cantilever for VOC sensor application. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 357-364 | 8.5 | 69 |
| 25 | Fabrication and gas sensing properties of C-doped and un-doped TiO ₂ nanotubes. <i>Ceramics International</i> , 2014 , 40, 109-115 | 5.1 | 21 |
| 24 | Fabrication of ZnO nanorods for NO ₂ sensor applications: Effect of dimensions and electrode position. <i>Journal of Alloys and Compounds</i> , 2013 , 581, 196-201 | 5.7 | 78 |
| 23 | 2013 , | | 4 |
| 22 | Resistive Hydrogen Sensors Based on Nanostructured Metals and Metal Alloys. <i>Nanoscience and Nanotechnology Letters</i> , 2013 , 5, 825-841 | 0.8 | 7 |
| 21 | Fabrication of ZnO nanowires and nanorods. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2012 , 44, 1062-1065 | 3 | 33 |
| 20 | The Effects of Annealing on Gas Sensing Properties of ZnO Nanorod Sensors Coated with Pd and Pt. <i>Procedia Engineering</i> , 2012 , 47, 434-437 | | 5 |
| 19 | Structural, electrical transport and NO ₂ sensing properties of Y-doped ZnO thin films. <i>Journal of Alloys and Compounds</i> , 2012 , 536, 138-144 | 5.7 | 64 |
| 18 | Electrical and NO ₂ sensing properties of liquid crystalline phthalocyanine thin films. <i>Sensors and Actuators B: Chemical</i> , 2012 , 173, 203-210 | 8.5 | 27 |
| 17 | Fabrication of PdBe nanowires with a high aspect ratio by AAO template-assisted electrodeposition. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 3894-3898 | 5.7 | 18 |
| 16 | Investigation of the hydrogen gas sensing properties of nanoporous Pd alloy films based on AAO templates. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 4701-4706 | 5.7 | 23 |
| 15 | A comparative study on the NO ₂ gas sensing properties of ZnO thin films, nanowires and nanorods. <i>Thin Solid Films</i> , 2011 , 520, 932-938 | 2.2 | 73 |
| 14 | Fabrication of TiO ₂ nanotubes by anodization of Ti thin films for VOC sensing. <i>Thin Solid Films</i> , 2011 , 520, 953-958 | 2.2 | 48 |
| 13 | Temperature-dependent H ₂ gas-sensing properties of fabricated Pd nanowires using highly oriented pyrolytic graphite. <i>Journal of Applied Physics</i> , 2010 , 108, 054317 | 2.5 | 14 |
| 12 | Fabrication of ZnO nanowires at room temperature by cathodically induced sol-gel method. <i>Applied Physics A: Materials Science and Processing</i> , 2010 , 99, 73-78 | 2.6 | 14 |
| 11 | Fabrication of vertically aligned Pd nanowire array in AAO template by electrodeposition using neutral electrolyte. <i>Nanoscale Research Letters</i> , 2010 , 5, 1137-43 | 5 | 34 |

| | | | |
|----|--|-----|-----|
| 10 | Structure and electrical properties of Mg-doped ZnO nanoparticles. <i>Crystal Research and Technology</i> , 2010 , 45, 529-538 | 1.3 | 66 |
| 9 | Synthesis of highly-ordered TiO ₂ nanotubes for a hydrogen sensor. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 4420-4427 | 6.7 | 191 |
| 8 | Simple fabrication of hexagonally well-ordered AAO template on silicon substrate in two dimensions. <i>Applied Physics A: Materials Science and Processing</i> , 2009 , 95, 781-787 | 2.6 | 32 |
| 7 | Temperature dependence of a nanoporous Pd film hydrogen sensor based on an AAO template on Si. <i>Applied Physics A: Materials Science and Processing</i> , 2009 , 97, 745-750 | 2.6 | 24 |
| 6 | Oxidizing gas sensing properties of mesogenic copper octakisalkylthiophthalocyanine chemoresistive sensors. <i>Thin Solid Films</i> , 2009 , 517, 6206-6210 | 2.2 | 16 |
| 5 | Tetrakis(alkylthio)-substituted lutetium bisphthalocyanines for sensing NO ₂ and O ₃ . <i>Sensors and Actuators B: Chemical</i> , 2009 , 142, 73-81 | 8.5 | 17 |
| 4 | Synthesis, characterization, mesomorphic and electrical properties of tetrakis(alkylthio)-substituted lutetium(III) bisphthalocyanines. <i>Synthetic Metals</i> , 2009 , 159, 13-21 | 3.6 | 24 |
| 3 | Volatile organic compounds sensing properties of tetrakis(alkylthio)-substituted lutetium(III) bisphthalocyanines thin films. <i>Talanta</i> , 2009 , 80, 263-8 | 6.2 | 15 |
| 2 | Recent studies chemical sensors based on phthalocyanines. <i>Journal of Porphyrins and Phthalocyanines</i> , 2009 , 13, 1179-1187 | 1.8 | 45 |
| 1 | Electrical Properties of Mesomorphic Phthalocyanine-Carbon Nanotube Composites. <i>Sensor Letters</i> , 2008 , 6, 607-612 | 0.9 | 2 |