

Hend Hachicha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5181104/publications.pdf>

Version: 2024-02-01

15
papers

112
citations

1683934

5
h-index

1372474

10
g-index

16
all docs

16
docs citations

16
times ranked

166
citing authors

#	ARTICLE	IF	CITATIONS
1	Annexin A1 and its receptor gene polymorphisms in systemic lupus erythematosus in the Tunisian population. <i>Clinical Rheumatology</i> , 2022, 41, 1359-1369.	1.0	5
2	Role of innate immune receptors TLR4 and TLR2 polymorphisms in systemic lupus erythematosus susceptibility. <i>Annals of Human Genetics</i> , 2022, 86, 137-144.	0.3	4
3	Melatonin ingestion before intradialytic exercise improves immune responses in hemodialysis patients. <i>International Urology and Nephrology</i> , 2021, 53, 553-562.	0.6	5
4	RNA receptors, TLR3 and TLR7, are potentially associated with SLE clinical features. <i>International Journal of Immunogenetics</i> , 2021, 48, 250-259.	0.8	8
5	Autoantibodies against Desmoglein 1 and 3 in South Tunisian pemphigus.. <i>Tunisie Medicale</i> , 2021, 99, 992-999.	0.2	0
6	Neuromyelitis optica spectrum disorders in South of Tunisia: A rare entity with low seroprevalence of anti-aquaporin 4 autoantibodies. <i>Revue Neurologique</i> , 2020, 176, 261-267.	0.6	7
7	South Tunisian pemphigus patients beyond 60Âyears: epidemiological profile and evolution. <i>International Journal of Dermatology</i> , 2019, 58, e219-e220.	0.5	1
8	Clinical and serological profile of systemic sclerosis in Tunisia: A retrospective observational study. <i>Presse Medicale</i> , 2019, 48, e284-e291.	0.8	5
9	Pemphigus herpetiformis in South Tunisia: a clinical expression of pemphigus foliaceus?. <i>International Journal of Dermatology</i> , 2018, 57, 1094-1101.	0.5	4
10	The intrathecal polyspecific antiviral immune response (MRZ reaction): A potential cerebrospinal fluid marker for multiple sclerosis diagnosis. <i>Journal of Neuroimmunology</i> , 2018, 321, 66-71.	1.1	17
11	HLA Class III: A susceptibility region to systemic lupus erythematosus in Tunisian population. <i>PLoS ONE</i> , 2018, 13, e0198549.	1.1	2
12	Human leukocyte antigens-DRB1*03 is associated with systemic lupus erythematosus and anti-SSB production in South Tunisia. <i>International Journal of Health Sciences</i> , 2018, 12, 21-27.	0.4	7
13	Genetic association and phenotypic correlation of TLR4 but not NOD2 variants with Tunisian inflammatory bowel disease. <i>Journal of Digestive Diseases</i> , 2017, 18, 625-633.	0.7	13
14	Relevant genetic polymorphisms and kidney expression of Toll-like receptor (TLR)-5 and TLR-9 in lupus nephritis. <i>Clinical and Experimental Immunology</i> , 2017, 190, 328-339.	1.1	28
15	Beyond Human Leukocyte Antigen Class I Antigens: Hereditary Hemochromatosis Gene Mutations in Recurrent Aphthous Oral Ulcers and Behçet Disease in the South of Tunisia. <i>Medical Principles and Practice</i> , 2017, 26, 427-432.	1.1	5