

# Henrik Stvring

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5182048/henrik-stovring-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114  
papers

3,037  
citations

30  
h-index

51  
g-index

125  
ext. papers

3,533  
ext. citations

4.3  
avg, IF

5  
L-index

#	Paper	IF	Citations
114	Quality indicators for colonoscopy. <i>American Journal of Gastroenterology</i> , <b>2006</b> , 101, 873-85	0.7	602
113	Characteristics and predictors of hospitalization and death in the first 11122 cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: a nationwide cohort. <i>International Journal of Epidemiology</i> , <b>2020</b> , 49, 1468-1481	7.8	124
112	The effect of different alcohol drinking patterns in early to mid pregnancy on the child's intelligence, attention, and executive function. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2012</b> , 119, 1180-90	3.7	86
111	Oral clefts, transforming growth factor alpha gene variants, and maternal smoking: a population-based case-control study in Denmark, 1991-1994. <i>American Journal of Epidemiology</i> , <b>1999</b> , 149, 248-55	3.8	85
110	Rising prevalence of diabetes: evidence from a Danish pharmaco-epidemiological database. <i>Lancet, The</i> , <b>2003</b> , 362, 537-8	4.0	78
109	Predictors of treatment resistance in patients with schizophrenia: a population-based cohort study. <i>Lancet Psychiatry</i> , <b>2016</b> , 3, 358-66	23.3	77
108	Timing of puberty in boys and girls: A population-based study. <i>Paediatric and Perinatal Epidemiology</i> , <b>2019</b> , 33, 70-78	2.7	74
107	Mortality and Self-Harm in Association With Clozapine in Treatment-Resistant Schizophrenia. <i>American Journal of Psychiatry</i> , <b>2017</b> , 174, 990-998	11.9	73
106	How do pregnancy-related weight changes and breastfeeding relate to maternal weight and BMI-adjusted waist circumference 7 y after delivery? Results from a path analysis. <i>American Journal of Clinical Nutrition</i> , <b>2014</b> , 99, 312-9	7	72
105	Reduced prevalence of SARS-CoV-2 infection in ABO blood group O. <i>Blood Advances</i> , <b>2020</b> , 4, 4990-4993	7.8	70
104	Templates for analysis of individual-level prescription data. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2006</b> , 98, 260-5	3.1	61
103	The effects of low to moderate alcohol consumption and binge drinking in early pregnancy on executive function in 5-year-old children. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2012</b> , 119, 1201-10	3.7	56
102	Defining cancer patients as being in the terminal phase: who receives a formal diagnosis, and what are the effects?. <i>Journal of Clinical Oncology</i> , <b>2005</b> , 23, 7411-6	2.2	55
101	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003308	11.6	55
100	The effect of alcohol binge drinking in early pregnancy on general intelligence in children. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2012</b> , 119, 1222-31	3.7	54
99	The male-female health-survival paradox: a survey and register study of the impact of sex-specific selection and information bias. <i>Annals of Epidemiology</i> , <b>2009</b> , 19, 504-11	6.4	50
98	The effects of low to moderate prenatal alcohol exposure in early pregnancy on IQ in 5-year-old children. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2012</b> , 119, 1191-200	3.7	49

97	Population-based study of place of death of patients with cancer: implications for GPs. <i>British Journal of General Practice</i> , <b>2005</b> , 55, 684-9	1.6	44
96	Use of a prescribed ephedrine/caffeine combination and the risk of serious cardiovascular events: a registry-based case-crossover study. <i>American Journal of Epidemiology</i> , <b>2008</b> , 168, 966-73	3.8	43
95	Menstrual cycle characteristics in fertile women from Greenland, Poland and Ukraine exposed to perfluorinated chemicals: a cross-sectional study. <i>Human Reproduction</i> , <b>2014</b> , 29, 359-67	5.7	42
94	Relationship of HbA1c variability, absolute changes in HbA1c, and all-cause mortality in type 2 diabetes: a Danish population-based prospective observational study. <i>BMJ Open Diabetes Research and Care</i> , <b>2015</b> , 3, e000060	4.5	41
93	Impact of post-abortion family planning services on contraceptive use and abortion rate among young women in China: a cluster randomised trial. <i>European Journal of Contraception and Reproductive Health Care</i> , <b>2009</b> , 14, 46-54	1.8	41
92	Do genetic factors contribute to the association between birth weight and blood pressure?. <i>Journal of Epidemiology and Community Health</i> , <b>2001</b> , 55, 583-7	5.1	41
91	Effects of a Multicomponent Exercise Program on Functional Ability in Community-Dwelling, Frail Older Adults. <i>Journal of Aging and Physical Activity</i> , <b>2001</b> , 9, 414-424	1.6	40
90	Risk and prognosis of <i>Staphylococcus aureus</i> bacteremia among individuals with and without end-stage renal disease: a Danish, population-based cohort study. <i>BMC Infectious Diseases</i> , <b>2015</b> , 15, 6	4	36
89	How well do patient and general practitioner agree about the content of consultations?. <i>Scandinavian Journal of Primary Health Care</i> , <b>1999</b> , 17, 149-52	2.7	36
88	Prevalence of cancer alarm symptoms: a population-based cross-sectional study. <i>Scandinavian Journal of Primary Health Care</i> , <b>2010</b> , 28, 132-7	2.7	32
87	Can differences in medical drug compliance between European countries be explained by social factors: analyses based on data from the European Social Survey, round 2. <i>BMC Public Health</i> , <b>2009</b> , 9, 145	4.1	32
86	Does persistent involvement by the GP improve palliative care at home for end-stage cancer patients?. <i>Palliative Medicine</i> , <b>2006</b> , 20, 507-12	5.5	32
85	Joint and separate evaluation of risk reduction: impact on sensitivity to risk reduction magnitude in the context of 4 different risk information formats. <i>Medical Decision Making</i> , <b>2011</b> , 31, E1-10	2.5	30
84	Characteristics of middle-aged and elderly women with urinary incontinence. <i>Scandinavian Journal of Primary Health Care</i> , <b>2005</b> , 23, 203-8	2.7	30
83	Mailed prescriber feedback in addition to a clinical guideline has no impact: a randomised, controlled trial. <i>Scandinavian Journal of Primary Health Care</i> , <b>2003</b> , 21, 47-51	2.7	29
82	Maternal pre-pregnancy BMI and intelligence quotient (IQ) in 5-year-old children: a cohort based study. <i>PLoS ONE</i> , <b>2014</b> , 9, e94498	3.7	27
81	In utero exposure to persistent organochlorine pollutants and reproductive health in the human male. <i>Reproduction</i> , <b>2014</b> , 148, 635-46	3.8	25
80	Endotoxemia is associated with altered innate and adaptive immune responses in untreated HIV-1 infected individuals. <i>PLoS ONE</i> , <b>2011</b> , 6, e21275	3.7	25

79	Cancer risk in long-term users of valproate: a population-based case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 1714-9	4	24
78	Driving forces behind increasing cardiovascular drug utilization: a dynamic pharmacoepidemiological model. <i>British Journal of Clinical Pharmacology</i> , <b>2008</b> , 66, 885-95	3.8	24
77	Trends in breast cancer stage distribution before, during and after introduction of a screening programme in Norway. <i>European Journal of Public Health</i> , <b>2014</b> , 24, 1017-22	2.1	23
76	Short-term impact of HbA1c on morbidity and all-cause mortality in people with type 2 diabetes: a Danish population-based observational study. <i>Diabetologia</i> , <b>2012</b> , 55, 2361-70	10.3	23
75	Communicating risk using absolute risk reduction or prolongation of life formats: cluster-randomised trial in general practice. <i>British Journal of General Practice</i> , <b>2014</b> , 64, e199-207	1.6	22
74	Low to moderate alcohol intake during pregnancy and risk of psychomotor deficits. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2012</b> , 36, 807-14	3.7	22
73	The epidemic of type 2 diabetes is a statistical artefact. <i>Diabetologia</i> , <b>2005</b> , 48, 1456-8	10.3	21
72	Breastfeeding and later maternal risk of hypertension and cardiovascular disease - The role of overall and abdominal obesity. <i>Preventive Medicine</i> , <b>2018</b> , 114, 140-148	4.3	20
71	Determining prescription durations based on the parametric waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25, 1451-1459	2.6	20
70	Existing Data Sources in Clinical Epidemiology: The Danish COVID-19 Cohort. <i>Clinical Epidemiology</i> , <b>2020</b> , 12, 875-881	5.9	19
69	Statin prescribing according to gender, age and indication: what about the benefit-risk balance?. <i>Journal of Evaluation in Clinical Practice</i> , <b>2016</b> , 22, 235-46	2.5	19
68	Effectiveness of the population-based Check your health preventive programme conducted in primary care with 4 years follow-up [the CORE trial]: study protocol for a randomised controlled trial. <i>Trials</i> , <b>2014</b> , 15, 341	2.8	18
67	Use of population based background rates of disease to assess vaccine safety in childhood and mass immunisation in Denmark: nationwide population based cohort study. <i>BMJ, The</i> , <b>2012</b> , 345, e5823	5.9	18
66	Danish Physiotherapists Management of Low Back Pain. <i>Advances in Physiotherapy</i> , <b>2003</b> , 5, 109-113		18
65	Maternal weight change from prepregnancy to 7 years postpartum--the influence of behavioral factors. <i>Obesity</i> , <b>2015</b> , 23, 870-8	8	17
64	Effect of organised mammography screening on stage-specific incidence in Norway: population study. <i>British Journal of Cancer</i> , <b>2016</b> , 114, 590-6	8.7	16
63	Maximal oxygen uptake, muscle strength and walking speed in 85-year-old women: effects of increased physical activity. <i>Aging Clinical and Experimental Research</i> , <b>2000</b> , 12, 180-9	4.8	16
62	Inverse association between urbanicity and treatment resistance in schizophrenia. <i>Schizophrenia Research</i> , <b>2016</b> , 174, 150-155	3.6	15

61	A competing risk approach for the European Heart SCORE model based on cause-specific and all-cause mortality. <i>European Journal of Preventive Cardiology</i> , <b>2013</b> , 20, 827-36	3.9	14
60	Communicating effectiveness of intervention for chronic diseases: what single format can replace comprehensive information?. <i>BMC Medical Informatics and Decision Making</i> , <b>2008</b> , 8, 25	3.6	14
59	Counting drugs to understand the disease: the case of measuring the diabetes epidemic. <i>Population Health Metrics</i> , <b>2007</b> , 5, 2	3	14
58	A primary healthcare-based intervention to improve a Danish cervical cancer screening programme: a cluster randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , <b>2009</b> , 63, 510-5	5.1	13
57	Maternal prepregnancy waist circumference and BMI in relation to gestational weight gain and breastfeeding behavior: the CARDIA study. <i>American Journal of Clinical Nutrition</i> , <b>2015</b> , 102, 393-401	7	12
56	Refining estimates of prescription durations by using observed covariates in pharmacoepidemiological databases: an application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 900-908	2.6	12
55	Association of Nonsteroidal Anti-inflammatory Drug Use and Adverse Outcomes Among Patients Hospitalized With Influenza. <i>JAMA Network Open</i> , <b>2020</b> , 3, e2013880	10.4	12
54	Cost and health consequences of treatment of primary biliary cirrhosis with ursodeoxycholic acid. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2013</b> , 38, 794-803	6.1	11
53	Associations between reporting of cancer alarm symptoms and socioeconomic and demographic determinants: a population-based, cross-sectional study. <i>BMC Public Health</i> , <b>2012</b> , 12, 686	4.1	11
52	Associations between health care seeking and socioeconomic and demographic determinants among people reporting alarm symptoms of cancer: a population-based cross-sectional study. <i>Family Practice</i> , <b>2013</b> , 30, 655-65	1.9	11
51	Estimation of prevalence and incidence based on occurrence of health-related events. <i>Statistics in Medicine</i> , <b>2005</b> , 24, 3139-54	2.3	11
50	Medication effectiveness may not be the major reason for accepting cardiovascular preventive medication: a population-based survey. <i>BMC Medical Informatics and Decision Making</i> , <b>2012</b> , 12, 89	3.6	10
49	Maternal cigarette smoking during pregnancy and pubertal development in sons. A follow-up study of a birth cohort. <i>Andrology</i> , <b>2013</b> , 1, 348-55	4.2	10
48	Effects of alternative styles of risk information on EMF risk perception. <i>Bioelectromagnetics</i> , <b>2010</b> , 31, 504-12	1.6	10
47	Effect of organized mammography screening on breast cancer mortality: A population-based cohort study in Norway. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 697-706	7.5	9
46	The impact of ageing and changing utilization patterns on future cardiovascular drug expenditure: a pharmacoepidemiological projection approach. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2010</b> , 19, 1276-86	2.6	9
45	Short look-back periods in pharmacoepidemiologic studies of new users of antibiotics and asthma medications introduce severe misclassification. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2015</b> , 24, 478-85	2.6	8
44	Opening Pandora's box in the UK: a hypothetical pharmacogenetic test for clozapine. <i>Pharmacogenomics</i> , <b>2013</b> , 14, 1907-14	2.6	8

43	Trends in stage-specific incidence of prostate cancer in Norway, 1980-2010: a population-based study. <i>BJU International</i> , <b>2016</b> , 118, 547-55	5.6	8
42	Impact of effectiveness information format on patient choice of therapy and satisfaction with decisions about chronic disease medication: the "Influence of Intervention Methodologies on Patient Choice of Therapy (IMPACT)" cluster-randomised trial in general practice. <i>BMC Health Services Research</i> , <b>2013</b> , 13, 76	2.9	7
41	Therapeutic decisions by number needed to treat and survival gains: a cross-sectional survey of lipid-lowering drug recommendations. <i>British Journal of General Practice</i> , <b>2011</b> , 61, e477-83	1.6	7
40	Estimating incidence and prevalence of episodes of care in general practice. <i>Scandinavian Journal of Primary Health Care</i> , <b>2004</b> , 22, 60-4	2.7	7
39	Is age at puberty associated with semen quality and reproductive hormones in young adult life?. <i>Asian Journal of Andrology</i> , <b>2017</b> , 19, 625-632	2.8	7
38	Estimating medication stopping fraction and real-time prevalence of drug use in pharmaco-epidemiologic databases. An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 909-916	2.6	6
37	Trends in the lifetime risk of COPD exacerbation requiring hospitalisation. <i>European Respiratory Journal</i> , <b>2013</b> , 42, 964-71	13.6	6
36	Selection bias due to immigration in pharmacoepidemiologic studies. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2007</b> , 16, 681-6	2.6	6
35	Socioeconomic Status And Acute Stroke Care: Has The Inequality Gap Been Closed?. <i>Clinical Epidemiology</i> , <b>2019</b> , 11, 933-941	5.9	6
34	Non-Adherence To Childhood HPV Vaccination Is Associated With Non-Participation In Cervical Cancer Screening A Nationwide Danish Register-Based Cohort Study. <i>Clinical Epidemiology</i> , <b>2019</b> , 11, 969-980	5.9	5
33	Predicting Difference in Mean Survival Time from Reported Hazard Ratios for Cancer Patients. <i>Medical Decision Making</i> , <b>2019</b> , 39, 228-238	2.5	4
32	Negative controls to detect uncontrolled confounding in observational studies of mammographic screening comparing participants and non-participants. <i>International Journal of Epidemiology</i> , <b>2020</b> , 49, 1032-1042	7.8	4
31	Loss of life expectancy derived from a standardized mortality ratio in Denmark, Finland, Norway and Sweden. <i>Scandinavian Journal of Public Health</i> , <b>2018</b> , 46, 767-773	3	4
30	Empirical validation of the reverse parametric waiting time distribution and standard methods to estimate prescription durations for warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2018</b> , 27, 1011-1018	2.6	4
29	The impact of proportional changes in age-specific mortality on life expectancy when the mortality rate is a log-linear function of age. <i>Demographic Research</i> , <b>2019</b> , 39, 671-684	1	4
28	Using the waiting time distribution with random index dates to estimate prescription durations in the presence of seasonal stockpiling. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2020</b> , 29, 1072-1078	2.6	4
27	Hypertensive disorders in pregnancy and timing of pubertal development in daughters and sons. <i>Human Reproduction</i> , <b>2020</b> , 35, 2124-2133	5.7	4
26	The Screening Illustrator: separating the effects of lead-time and overdiagnosis in mammography screening. <i>European Journal of Public Health</i> , <b>2018</b> , 28, 1138-1142	2.1	4

25	Predicting Mean Survival Time from Reported Median Survival Time for Cancer Patients. <i>Medical Decision Making</i> , <b>2017</b> , 37, 391-402	2.5	3
24	Simple parametric survival analysis with anonymized register data: A cohort study with truncated and interval censored event and censoring times. <i>BMC Research Notes</i> , <b>2011</b> , 4, 308	2.3	3
23	What is the lifetime risk of contact with an A&E Department or an Institute of Forensic Medicine following violent victimisation?. <i>Injury</i> , <b>2008</b> , 39, 121-7	2.5	3
22	A follow-up study of the occurrence and consequences of HbA1c measurements in an unselected cohort of non-pharmacologically treated patients with Type 2 diabetes. <i>Scandinavian Journal of Primary Health Care</i> , <b>2008</b> , 26, 57-62	2.7	3
21	The epidemiology of repeat contacts with an Emergency Department or an Institute of Forensic Medicine due to violent victimization in a Danish urban population. <i>Journal of Clinical Forensic and Legal Medicine</i> , <b>2007</b> , 14, 333-9	1.7	3
20	A new approach of nonparametric estimation of incidence and lifetime risk based on birth rates and incident events. <i>BMC Medical Research Methodology</i> , <b>2007</b> , 7, 53	4.7	3
19	Maternal weight change from prepregnancy to 18 months postpartum and subsequent risk of hypertension and cardiovascular disease in Danish women: A cohort study. <i>PLoS Medicine</i> , <b>2021</b> , 18, e1003486	11.6	3
18	Using probability of drug use as independent variable in a register-based pharmacoepidemiological cause-effect study-An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 1520-1526	2.6	2
17	Prescription duration and treatment episodes in oral glucocorticoid users: application of the parametric waiting time distribution. <i>Clinical Epidemiology</i> , <b>2017</b> , 9, 591-600	5.9	2
16	Pharmacoepidemiological methods for computing the duration of pharmacological prescriptions using secondary data sources. <i>European Journal of Clinical Pharmacology</i> , <b>2021</b> , 77, 1805-1814	2.8	2
15	Individual-level drug utilization analyses <b>2016</b> , 68-76		1
14	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study <b>2020</b> , 17, e1003308		1
13	Bottleneck analysis: Simple prediction of the precision of a planned case-control or cohort study based on healthcare registers. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2021</b> , 30, 619-625	2.6	0
12	Stata as a Numerical Tool for Scientific Thought Experiments: A Tutorial with Worked Examples. <i>The Stata Journal</i> , <b>2013</b> , 13, 3-20	3.5	
11	A Generic Function Evaluator Implemented in Mata. <i>The Stata Journal</i> , <b>2007</b> , 7, 542-555	3.5	
10	Statin use and age at death: evidence of a flawed analysis. <i>American Journal of Cardiology</i> , <b>2007</b> , 99, 1181-2; author reply 1182	3	
9	A Generic Function Evaluator Implemented in Mata. <i>The Stata Journal</i> , <b>2007</b> , 7, 542-555	3.5	
8	Letter to the editor regarding "Potential for prevention: a cohort study of colonoscopies and removal of adenomas in a FIT-based colorectal cancer screening programme". <i>Scandinavian Journal of Gastroenterology</i> , <b>2020</b> , 55, 759-760	2.4	

- 7 A new likelihood model for analyses of pharmacoepidemiologic case-control studies which avoids decision rules for determining latent exposure status. *BMC Medical Research Methodology*, **2021**, 21, 144 4.7
- 6 Using multiple random index dates with the reverse waiting time distribution improves precision of estimated prescription durations. *Pharmacoepidemiology and Drug Safety*, **2021**, 30, 1727-1734 2.6
- 5 Predicting difference in mean survival time from cause-specific hazard ratios for women diagnosed with breast cancer. *European Journal of Public Health*, **2021**, 31, 597-601 2.1
- 4 Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study **2020**, 17, e1003308
- 3 Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study **2020**, 17, e1003308
- 2 Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study **2020**, 17, e1003308
- 1 Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study **2020**, 17, e1003308