Guillaume Sarrabayrouse

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5182395/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mucosal microbial load in Crohn's disease: A potential predictor of response to faecal microbiota transplantation. EBioMedicine, 2020, 51, 102611.	6.1	21
2	A single faecal microbiota transplantation modulates the microbiome and improves clinical manifestations in a rat model of colitis. EBioMedicine, 2019, 48, 630-641.	6.1	53
3	Faecalibacterium prausnitzii Skews Human DC to Prime IL10-Producing T Cells Through TLR2/6/JNK Signaling and IL-10, IL-27, CD39, and IDO-1 Induction. Frontiers in Immunology, 2019, 10, 143.	4.8	72
4	Sequential Changes in the Mesenteric Lymph Node Microbiome and Immune Response during Cirrhosis Induction in Rats. MSystems, 2019, 4, .	3.8	14
5	Expression of CCR6 and CXCR6 by Gut-Derived CD4+/CD8α+ T-Regulatory Cells, Which Are Decreased in Blood Samples From Patients With Inflammatory Bowel Diseases. Gastroenterology, 2018, 155, 1205-1217.	1.3	42
6	A microbial signature for Crohn's disease. Gut, 2017, 66, 813-822.	12.1	657
7	Regulatory properties of statins and rho gtpases prenylation inhibitiors to stimulate melanoma immunogenicity and promote antiâ€melanoma immune response. International Journal of Cancer, 2017, 140, 747-755.	5.1	25
8	Melanoma Expressed-CD70 Is Regulated by RhoA and MAPK Pathways without Affecting Vemurafenib Treatment Activity. PLoS ONE, 2016, 11, e0148095.	2.5	7
9	Melanoma-expressed CD70 is involved in invasion and metastasis. British Journal of Cancer, 2016, 114, 63-70.	6.4	33
10	Alteration of the serum microbiome composition in cirrhotic patients with ascites. Scientific Reports, 2016, 6, 25001.	3.3	55
11	Microbiota-Specific CD4CD8αα Tregs: Role in Intestinal Immune Homeostasis and Implications for IBD. Frontiers in Immunology, 2015, 6, 522.	4.8	21
12	CD4CD8αα Lymphocytes, A Novel Human Regulatory T Cell Subset Induced by Colonic Bacteria and Deficient in Patients with Inflammatory Bowel Disease. PLoS Biology, 2014, 12, e1001833.	5.6	117
13	HLA Anchor Optimization of the Melan-A–HLA-A2 Epitope within a Long Peptide Is Required for Efficient Cross-Priming of Human Tumor-Reactive T Cells. Journal of Immunology, 2012, 188, 2102-2110.	0.8	26
14	Loss of Interleukin-10 or Transforming Growth Factor β Signaling in the Human Colon Initiates a T-Helper 1 Response Via Distinct Pathways. Gastroenterology, 2011, 141, 1887-1896.e2.	1.3	23
15	Tumorâ€reactive CD4 ⁺ CD8αβ ⁺ CD103 ⁺ αβT cells: A prevalent tumorâ€reactive Tâ€cell subset in metastatic colorectal cancers. International Journal of Cancer, 2011, 128, 2923-2932.	5.1	46
16	Melanoma Cells Treated with GGTI and IFN-γ Allow Murine Vaccination and Enhance Cytotoxic Response against Human Melanoma Cells. PLoS ONE, 2010, 5, e9043.	2.5	17
17	Statins Stimulate In Vitro Membrane FasL Expression and Lymphocyte Apoptosis through RhoA/ROCK Pathway in Murine Melanoma Cells. Neoplasia, 2007, 9, 1078-1090.	5.3	39