
## **Enrique Morales**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5183809/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Influence of obesity on the appearance of proteinuria and renal insufficiency after unilateral nephrectomy. Kidney International, 2000, 58, 2111-2118.   | 2.6 | 296       |
| 2  | Treatment of IgA Nephropathy with ACE Inhibitors: A Randomized and Controlled Trial. Journal of the American Society of Nephrology: JASN, 2003, 14, 1578-1583.   | 3.0 | 296       |
| 3  | Beneficial effects of weight loss in overweight patients with chronic proteinuric nephropathies.<br>American Journal of Kidney Diseases, 2003, 41, 319-327.  | 2.1 | 279       |
| 4  | Clinical features and longâ€ŧerm outcome of obesityâ€associated focal segmental glomerulosclerosis.<br>Nephrology Dialysis Transplantation, 2001, 16, 1790-1798.   | 0.4 | 250       |
| 5  | ESC Council on hypertension position document on the management of hypertensive emergencies.<br>European Heart Journal - Cardiovascular Pharmacotherapy, 2019, 5, 37-46.   | 1.4 | 155       |
| 6  | SGLT-2 inhibitors and GLP-1 receptor agonists for nephroprotection and cardioprotection in patients with diabetes mellitus and chronic kidney disease. A consensus statement by the EURECA-m and the DIABESITY working groups of the ERA-EDTA. Nephrology Dialysis Transplantation, 2019, 34, 208-230. | 0.4 | 147       |
| 7  | Obesity, proteinuria and progression of renal failure. Current Opinion in Nephrology and Hypertension, 2006, 15, 481-486.  | 1.0 | 123       |
| 8  | Eculizumab in secondary atypical haemolytic uraemic syndrome. Nephrology Dialysis Transplantation, 2017, 32, 466-474.  | 0.4 | 121       |
| 9  | Factors influencing the progression of renal damage in patients with unilateral renal agenesis and remnant kidney. Kidney International, 2005, 68, 263-270.  | 2.6 | 117       |
| 10 | DOUBLE VERSUS SINGLE RENAL ALLOGRAFTS FROM AGED DONORS. Transplantation, 2000, 69, 2060-2066.  | 0.5 | 117       |
| 11 | Absence of hypoalbuminemia despite massive proteinuria in focal segmental glomerulosclerosis secondary to hyperfiltration. American Journal of Kidney Diseases, 1999, 33, 52-58.   | 2.1 | 113       |
| 12 | Mutations in theCOL4A4 and COL4A3 Genes Cause Familial Benign Hematuria. Journal of the American<br>Society of Nephrology: JASN, 2002, 13, 1248-1254.  | 3.0 | 106       |
| 13 | Remission of Hematuria Improves Renal Survival in IgA Nephropathy. Journal of the American Society of Nephrology: JASN, 2017, 28, 3089-3099.   | 3.0 | 102       |
| 14 | Factors That Determine an Incomplete Recovery of Renal Function in Macrohematuria-Induced Acute<br>Renal Failure of IgA Nephropathy. Clinical Journal of the American Society of Nephrology: CJASN, 2007,<br>2, 51-57.   | 2.2 | 84        |
| 15 | Conservative versus immunosuppressive treatment of patients with idiopathic membranous nephropathy11See Editorial by Cattran, p. 349 Kidney International, 2002, 61, 219-227.  | 2.6 | 76        |
| 16 | Mechanisms of Cardiovascular Disorders in Patients With Chronic Kidney Disease: A Process Related to Accelerated Senescence. Frontiers in Cell and Developmental Biology, 2020, 8, 185.  | 1.8 | 76        |
| 17 | Long-term renal survival in malignant hypertension. Nephrology Dialysis Transplantation, 2010, 25, 3266-3272.  | 0.4 | 75        |
| 18 | Complement Activation and Thrombotic Microangiopathies. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 1719-1732.  | 2.2 | 57        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Severe and malignant hypertension are common in primary atypical hemolytic uremic syndrome. Kidney<br>International, 2019, 96, 995-1004.   | 2.6 | 52        |
| 20 | The Fatty Kidney: Obesity and Renal Disease. Nephron, 2017, 136, 273-276.  | 0.9 | 49        |
| 21 | Update on Lupus Nephritis: Looking for a New Vision. Nephron, 2021, 145, 1-13.   | 0.9 | 49        |
| 22 | Association of thin basement membrane nephropathy with hypercalciuria, hyperuricosuria and nephrolithiasis. Kidney International, 1998, 54, 915-920.   | 2.6 | 46        |
| 23 | Aspirin for Primary Prevention of Cardiovascular Disease and Renal Disease Progression in Chronic<br>Kidney Disease Patients: a Multicenter Randomized Clinical Trial (AASER Study). Cardiovascular Drugs<br>and Therapy, 2018, 32, 255-263.     | 1.3 | 44        |
| 24 | Renoprotective effects of mineralocorticoid receptor blockers in patients with proteinuric kidney diseases. Nephrology Dialysis Transplantation, 2013, 28, 405-412.  | 0.4 | 43        |
| 25 | The estimation of GFR and the adjustment for BSA in overweight and obesity: a dreadful combination of two errors. International Journal of Obesity, 2020, 44, 1129-1140.   | 1.6 | 41        |
| 26 | Kidney transplant from uncontrolled donation after circulatory death donors maintained by nECMO<br>has long-term outcomes comparable to standard criteria donation after brain death. American<br>Journal of Transplantation, 2019, 19, 434-447. | 2.6 | 39        |
| 27 | The Presence of Pretransplant Antiphospholipid Antibodies IgA Anti-β-2-Clycoprotein I as a Predictor of Graft Thrombosis After Renal Transplantation. Transplantation, 2017, 101, 597-607.   | 0.5 | 34        |
| 28 | Lower Rate of Family Refusal for Organ Donation in Non–Heart-Beating Versus Brain-Dead Donors.<br>Transplantation Proceedings, 2009, 41, 2304-2305.  | 0.3 | 33        |
| 29 | Results from the IRoc-GN international registry of patients with COVID-19 and glomerular disease suggest close monitoring. Kidney International, 2021, 99, 227-237.  | 2.6 | 33        |
| 30 | Renal damage associated with proteinuria. Kidney International, 2002, 62, S42-S46.   | 2.6 | 32        |
| 31 | Addition of Spironolactone to Dual Blockade of Renin Angiotensin System Dramatically Reduces<br>Severe Proteinuria in Renal Transplant Patients: An Uncontrolled Pilot Study at 6 Months.<br>Transplantation Proceedings, 2010, 42, 2899-2901.   | 0.3 | 31        |
| 32 | The Effect of Weight Loss in Obesity and Chronic Kidney Disease. Current Hypertension Reports, 2012, 14, 170-176.  | 1.5 | 30        |
| 33 | Everolimus-Based Immunosuppression Therapy for BK Virus Nephropathy. Transplantation Proceedings, 2015, 47, 57-61.   | 0.3 | 29        |
| 34 | Familial microscopic hematuria caused by hypercalciuria and hyperuricosuria. American Journal of<br>Kidney Diseases, 2000, 35, 141-145.  | 2.1 | 28        |
| 35 | Effects of Oral Paricalcitol on Secondary Hyperparathyroidism and Proteinuria of Kidney Transplant<br>Patients. Transplantation, 2013, 95, e49-e52.  | 0.5 | 27        |
| 36 | CD19+ B-Cells, a New Biomarker of Mortality in Hemodialysis Patients. Frontiers in Immunology, 2018,<br>9, 1221.   | 2.2 | 27        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | A Personalized Update on IgA Nephropathy: A New Vision and New Future Challenges. Nephron, 2020,<br>144, 555-571.   | 0.9 | 27        |
| 38 | Obesityâ€related glomerulopathy: Current approaches and future perspectives. Obesity Reviews, 2022, 23, e13450.   | 3.1 | 26        |
| 39 | Diverse diuretics regimens differentially enhance the antialbuminuric effect of renin–angiotensin<br>blockers in patients with chronic kidney disease. Kidney International, 2015, 88, 1434-1441.                         | 2.6 | 25        |
| 40 | Malignant Hypertension in Patients Treated With Vascular Endothelial Growth Factor Inhibitors.<br>Journal of Clinical Hypertension, 2013, 15, 215-216.  | 1.0 | 23        |
| 41 | Glomerulonephritis associated with hepatitis C virus infection. Current Opinion in Nephrology and Hypertension, 1999, 8, 205-211.   | 1.0 | 23        |
| 42 | Anakinra induce la remisión completa del sÃndrome nefrótico en un paciente con fiebre mediterránea<br>familiar y amiloidosis. Nefrologia, 2016, 36, 63-66.  | 0.2 | 22        |
| 43 | Immunosuppression minimization in kidney transplant recipients hospitalized for COVID-19. CKJ:<br>Clinical Kidney Journal, 2021, 14, 1229-1235.   | 1.4 | 22        |
| 44 | The Forgotten Antiproteinuric Properties of Diuretics. American Journal of Nephrology, 2021, 52,<br>435-449.  | 1.4 | 22        |
| 45 | Invasive pulmonary aspergillosis associated with COVIDâ€19 in a kidney transplant recipient. Transplant<br>Infectious Disease, 2021, 23, e13501.  | 0.7 | 21        |
| 46 | Weight Loss and Proteinuria. , 2006, 151, 221-229.  |     | 20        |
| 47 | Multiple kidney cysts in thin basement membrane disease with proteinuria and kidney function impairment. CKJ: Clinical Kidney Journal, 2014, 7, 251-256.  | 1.4 | 20        |
| 48 | Helical computed tomography angiography is the most efficient test to assess vascular calcifications<br>in the iliac arterial sector in renal transplant candidates. Transplantation Proceedings, 2003, 35,<br>1682-1683. | 0.3 | 19        |
| 49 | Conversion From Bladder to Enteric Drainage for Complications After Pancreas Transplantation.<br>Transplantation Proceedings, 2009, 41, 2469-2471.  | 0.3 | 19        |
| 50 | Cinacalcet for hypercalcaemic secondary hyperparathyroidism after renal transplantation: a<br>multicentre, retrospective, 3â€year study. Nephrology, 2014, 19, 84-93.   | 0.7 | 19        |
| 51 | Renoprotective role of bariatric surgery in patients with established chronic kidney disease. CKJ:<br>Clinical Kidney Journal, 2021, 14, 2037-2046.   | 1.4 | 19        |
| 52 | Lipidomic and Metabolomic Signature of Progression of Chronic Kidney Disease in Patients with<br>Severe Obesity. Metabolites, 2021, 11, 836.  | 1.3 | 19        |
| 53 | Compative Study of Bladder Versus Enteric Drainage in Pancreas Transplantation. Transplantation<br>Proceedings, 2009, 41, 2466-2468.  | 0.3 | 18        |
| 54 | Low dose aspirin increases 15-epi-lipoxin A4 levels in diabetic chronic kidney disease patients.<br>Prostaglandins Leukotrienes and Essential Fatty Acids, 2017, 125, 8-13.   | 1.0 | 18        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Mycophenolate mofetil immunosuppressive therapies increase the incidence of cytomegalovirus infection in renal transplantation. Transplantation Proceedings, 2002, 34, 97.                          | 0.3 | 17        |
| 56 | Treatment with calcimimetics in kidney transplantation. Transplantation Reviews, 2010, 24, 79-88.   | 1.2 | 17        |
| 57 | Eculizumab-related progressive multifocal leukoencephalopathy. Neurology, 2016, 86, 399-400.  | 1.5 | 17        |
| 58 | MicroangiopatÃa trombótica secundaria y eculizumab: una opción terapéutica razonable. Nefrologia,<br>2017, 37, 478-491.   | 0.2 | 17        |
| 59 | Tacrolimus, mycophenolate mofetil and corticosteroids as primary immunosuppression after renal transplantation at the Hospital 12 De Octubre, Madrid. Transplantation Proceedings, 1999, 31, 75-77. | 0.3 | 16        |
| 60 | Extended-Release Tacrolimus Therapy in De Novo Kidney Transplant Recipients: Single-Center<br>Experience. Transplantation Proceedings, 2010, 42, 3034-3037.   | 0.3 | 16        |
| 61 | Daño renal asociado a la administración intravÃŧrea de ranibizumab. Nefrologia, 2017, 37, 653-655.  | 0.2 | 16        |
| 62 | Everolimus Represents an Advance in Immunosuppression for Patients Who Have Developed Cancer After Renal Transplantation. Transplantation Proceedings, 2009, 41, 2332-2333.                         | 0.3 | 15        |
| 63 | Obesity-related renal damage: changing diet to avoid progression. Kidney International, 2010, 78, 633-635.  | 2.6 | 15        |
| 64 | Results of kidney transplantation in recipients over 70 years of age: experience at a single center.<br>Transplantation Proceedings, 2003, 35, 1675-1676.   | 0.3 | 14        |
| 65 | Acute renal failure due to interstitial nephritis after intravesical instillation of BCG. Clinical and Experimental Nephrology, 2007, 11, 238-240.  | 0.7 | 14        |
| 66 | Kidney transplantation in the extremely elderly from extremely aged deceased donors: a kidney for<br>each age. Nephrology Dialysis Transplantation, 2020, 35, 687-696.                              | 0.4 | 14        |
| 67 | Management of Chronic Hyperkalemia in Patients With Chronic Kidney Disease: An Old Problem With<br>News Options. Frontiers in Medicine, 2021, 8, 653634.  | 1.2 | 14        |
| 68 | Incidence of Pancreas Graft Thrombosis in Portoiliac and Portocaval Venous Anastomosis.<br>Transplantation Proceedings, 2005, 37, 3977-3978.  | 0.3 | 13        |
| 69 | Premature Aging in Chronic Kidney Disease: The Outcome of Persistent Inflammation beyond the<br>Bounds. International Journal of Environmental Research and Public Health, 2021, 18, 8044.          | 1.2 | 13        |
| 70 | Kidneys From Elderly Deceased Donors Discarded for Transplantation. Transplantation Proceedings, 2009, 41, 2379-2381.   | 0.3 | 12        |
| 71 | A case of thrombotic micro-angiopathy after heart transplantation successfully treated with eculizumab. Transplant International, 2015, 28, 878-880.  | 0.8 | 12        |
| 72 | Oxidative Stress in Patients with Advanced CKD and Renal Replacement Therapy: The Key Role of<br>Peripheral Blood Leukocytes. Antioxidants, 2021, 10, 1155.   | 2.2 | 12        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Malignant hypertension in HIV-associated glomerulonephritis. Nephrology Dialysis Transplantation, 2008, 23, 3901-3907.  | 0.4 | 10        |
| 74 | Anakinra induces complete remission of nephrotic syndrome in a patient with familial Mediterranean fever and amyloidosis. Nefrologia, 2016, 36, 63-66.  | 0.2 | 10        |
| 75 | Calcifilaxis: más allá de CKD-MBD. Nefrologia, 2017, 37, 501-507.   | 0.2 | 10        |
| 76 | Role of non-alcoholic fatty liver disease in the evolution of renal function in patients with diabetes mellitus. Nephrology Dialysis Transplantation, 2022, 37, 1125-1131.  | 0.4 | 10        |
| 77 | COVID-19 in Patients with Glomerular Disease: Follow-Up Results from the IRoc-GN International Registry. Kidney360, 2022, 3, 293-306.   | 0.9 | 10        |
| 78 | Unilateral pleural effusions associated with stenoses of left brachiocephalic veins in haemodialysis patients. Nephrology Dialysis Transplantation, 2005, 20, 1257-1259.  | 0.4 | 9         |
| 79 | Results of a Living Donor Kidney Promotion Program. Transplantation Proceedings, 2010, 42, 2837-2838.   | 0.3 | 9         |
| 80 | Calciphylaxis: Beyond CKD-MBD. Nefrologia, 2017, 37, 501-507.   | 0.2 | 9         |
| 81 | Renal damage associated to intravitreal administration of ranibizumab. Nefrologia, 2017, 37, 653-655.   | 0.2 | 9         |
| 82 | What is the value of repeat kidney biopsies in patients with lupus nephritis?. Lupus, 2021, 30, 25-34.  | 0.8 | 9         |
| 83 | Which Patients with Obesity Are at Risk for Renal Disease?. Nephron, 2021, 145, 595-603.  | 0.9 | 9         |
| 84 | Something new about prognostic factors for lupus nephritis? A systematic review. Lupus, 2021, 30, 2256-2267.  | 0.8 | 9         |
| 85 | Conversion from cyclosporine to FK 506 as rescue therapy in renal transplantation with poorly steroid-responsive acute rejection. Transplantation Proceedings, 1999, 31, 2248-2249.                                 | 0.3 | 8         |
| 86 | Long-term results of renal transplantation in elderly cadaver donor recipients 65 years old or older.<br>Transplantation Proceedings, 2002, 34, 356-357.  | 0.3 | 8         |
| 87 | Spontaneous Improvement of the Renal Function in a Patient with HIV-Associated Focal<br>Glomerulosclerosis. American Journal of Nephrology, 2002, 22, 369-371.  | 1.4 | 8         |
| 88 | Beneficial long-term effect of aldosterone antagonist added to a traditional blockade of the<br>renin–angiotensin–aldosterone system among patients with obesity and proteinuria. Nefrologia, 2015,<br>35, 554-561. | 0.2 | 8         |
| 89 | Impact of Left Ventricular Dysfunction on Renal Transplant Survival: Study of Paired Kidneys From the Same Donor. Transplantation Proceedings, 2015, 47, 70-72.   | 0.3 | 8         |
| 90 | Preemptive kidney transplantation in elderly recipients with kidneys discarded of very old donors: A good alternative. Nefrologia, 2015, 35, 246-255.   | 0.2 | 8         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Secondary thrombotic microangiopathy and eculizumab: A reasonable therapeutic option. Nefrologia, 2017, 37, 478-491.   | 0.2 | 8         |
| 92  | Actualización de la glomerulopatÃa colapsante. Medicina ClÃnica, 2019, 152, 361-367.   | 0.3 | 8         |
| 93  | Malignant hypertension: a type of IgA nephropathy manifestation with poor prognosis. Nefrologia, 2015, 35, 42-9.   | 0.2 | 8         |
| 94  | The double or single renal graft depending on the percentage of glomerulosclerosis in the preimplant<br>biopsy reduces the number of discarded kidneys from donors older than 60 years. Transplantation<br>Proceedings, 1999, 31, 2285-2286. | 0.3 | 7         |
| 95  | Usefulness of endoluminal catheter colonization surveillance cultures to reduce catheter-related bloodstream infections in hemodialysis. American Journal of Infection Control, 2014, 42, 1182-1187.   | 1.1 | 7         |
| 96  | Long-term results of renal transplants from donors older than 60 years. Transplantation Proceedings, 1999, 31, 2281-2282.  | 0.3 | 6         |
| 97  | Relapse of lupus nephritis more than 10 years after complete remission. Nephrology Dialysis<br>Transplantation, 2005, 20, 1994-1998.   | 0.4 | 6         |
| 98  | Hepatitis C-Induced Renal Disease in Patients with AIDS: An Emergent Problem. Contributions To<br>Nephrology, 2012, 176, 24-34.  | 1.1 | 6         |
| 99  | La fruta estrella causa fracaso renal agudo. Nefrologia, 2017, 37, 221-222.  | 0.2 | 6         |
| 100 | Renal Transplantation in Emigrants From Africa in Spain: Similar Results but Different Infectious<br>Profile Compared With Spanish People. Transplantation Proceedings, 2009, 41, 2363-2365.   | 0.3 | 5         |
| 101 | Monotherapy Rapamycin in Renal Transplant Recipients With Lymphoma Successfully Treated With Rituximab. Transplantation Proceedings, 2009, 41, 2435-2437.  | 0.3 | 5         |
| 102 | Eculizumab in Early-Stage Pregnancy. Kidney International Reports, 2020, 5, 2383-2387.   | 0.4 | 5         |
| 103 | SGLT2 inhibitors in lupus nephropathy, a new therapeutic strategy for nephroprotection. Annals of the Rheumatic Diseases, 2022, 81, 1337-1338.   | 0.5 | 5         |
| 104 | Preemptive kidney transplantation in elderly recipients with kidneys discarded of very old donors: A<br>good alternative. Nefrologia, 2015, 35, 246-255.   | 0.2 | 4         |
| 105 | NefropatÃa IgA: ¿qué pacientes están en riesgo de progresar a enfermedad renal terminal y cómo<br>deberÃan ser tratados?. Nefrologia, 2018, 38, 347-352.   | 0.2 | 4         |
| 106 | LCAT deficiency as a cause of proteinuria and corneal opacification. BMJ Case Reports, 2018, 2018, bcr-2017-224129.  | 0.2 | 4         |
| 107 | Saving the kidneys in the lupus patient: Beyond immunosuppression, the need to collaborate across multiple disciplines. European Journal of Internal Medicine, 2022, 99, 19-21.  | 1.0 | 4         |
| 108 | Cortical necrosis: An uncommon cause of acute renal failure with a very poor outcome. Nefrologia, 2017, 37, 339-341.   | 0.2 | 3         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Haemolytic uraemic syndrome associated with pancreatitis: report of four cases and review of the literature. CKJ: Clinical Kidney Journal, 2021, 14, 1946-1952.   | 1.4 | 3         |
| 110 | Acute Page kidney after angioplasty in kidney transplant allografts. CKJ: Clinical Kidney Journal, 2021,<br>14, 1980-1982.  | 1.4 | 3         |
| 111 | Anything New in the Treatment of Obesity in Obese Patients with CKD?. Nephron, 2022, 146, 616-623.  | 0.9 | 3         |
| 112 | Mycophenolate mofetil, cyclosporine, and steroids after renal transplantation: five-year results at a single center. Transplantation Proceedings, 1999, 31, 2263-2264.  | 0.3 | 2         |
| 113 | The early impact of mycophenolate mofetil in combination with steroids and cyclosporine neoral after renal transplantation: a six-month analysis. Transplantation Proceedings, 1999, 31, 2265-2266.                 | 0.3 | 2         |
| 114 | Relación entre obesidad y desarrollo de insuficiencia renal. Hipertension, 2008, 25, 61-69.   | 0.0 | 2         |
| 115 | SÃndrome de anticoagulante lúpico-hipoprotrombinemia: una extraña asociación en el lupus<br>eritematoso sistémico. Nefrologia, 2016, 36, 186-188.   | 0.2 | 2         |
| 116 | La necrosis cortical: una causa infrecuente de fracaso renal agudo pero con un pésimo pronóstico.<br>Nefrologia, 2017, 37, 339-341.   | 0.2 | 2         |
| 117 | Effect of Kidney Transplantation on Accelerated Immunosenescence and Vascular Changes Induced by Chronic Kidney Disease. Frontiers in Medicine, 2021, 8, 705159.  | 1.2 | 2         |
| 118 | The unusual diabetic patient with advanced renal insufficiency on ACE inhibitors. What is the explanation for her persisting hypokalaemia?. Nephrology Dialysis Transplantation, 1999, 14, 1313-1314.               | 0.4 | 1         |
| 119 | When the finding of glomerular fibrils in patients with nephrotic syndrome leads to an erroneous<br>diagnosis. CKJ: Clinical Kidney Journal, 2009, 2, 63-66.  | 1.4 | 1         |
| 120 | Situación actual de la hipertensión arterial maligna. Hipertension Y Riesgo Vascular, 2011, 28, 79-82.  | 0.3 | 1         |
| 121 | Reply to Vascular Endothelial Growth Factor: A Novel Potential Therapeutic Target for Hypertension.<br>Journal of Clinical Hypertension, 2013, 15, 515-515.   | 1.0 | 1         |
| 122 | Beneficial long-term effect of aldosterone antagonist added to a traditional blockade of the<br>renin–angiotensin–aldosterone system among patients with obesity and proteinuria. Nefrologia, 2015,<br>35, 554-561. | 0.2 | 1         |
| 123 | Lupus anticoagulant-hypoprothrombinemia syndrome: A rare association in systemic lupus<br>erythematosus. Nefrologia, 2016, 36, 186-188.   | 0.2 | 1         |
| 124 | The star fruit as a cause of acute kidney injury. Nefrologia, 2017, 37, 221-222.  | 0.2 | 1         |
| 125 | Inmunoterapia en el cáncer: grandes expectativas en el mundo de la oncologÃa, pero un motivo de<br>preocupación renal. Nefrologia, 2019, 39, 94-96.   | 0.2 | 1         |
| 126 | Immunotherapy in cancer: Great expectations in the world of oncology, but a reason for renal concern. Nefrologia, 2019, 39, 94-96.  | 0.2 | 1         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Fracaso renal agudo asociado a inhibidores check-point. Nefrologia, 2020, 40, 206-208.  | 0.2 | 1         |
| 128 | Policondritis recidivante y glomeruloesclerosis segmentaria y focal: coincidencia o causalidad.<br>Nefrologia, 2020, 40, 360-362.   | 0.2 | 1         |
| 129 | Glomerular Pathology in Patients with HIV Infection. , 0, , .   |     | 0         |
| 130 | Raloxifene and Bevacizumab for severe complications of hereditary haemorrhagic telangiectasia in a<br>haemodialysis patient. CKJ: Clinical Kidney Journal, 2012, 5, 608-609.  | 1.4 | 0         |
| 131 | Reply to the comment "Infection with hepatitis C virus, interferon α and lupus: An odd association―<br>Nefrologia, 2015, 35, 507-508.   | 0.2 | 0         |
| 132 | Mesangial nephropathy and anti-synthetase syndrome: An odd association. Nefrologia, 2015, 35, 415-417.  | 0.2 | 0         |
| 133 | NefropatÃa mesangial y sÃndrome antisintetasa: una forma curiosa de asociación. Nefrologia, 2015, 35,<br>415-417.   | 0.2 | 0         |
| 134 | Respuesta al comentario de «Infección por virus de la hepatitis C, interferón α y lupus, una curiosa<br>asociación». Nefrologia, 2015, 35, 507-508.   | 0.2 | 0         |
| 135 | Necrotizing Thrombophlebitis Secondary to Mycobacterium Chelonae in a Hemodialyzed Patient.<br>American Journal of Dermatopathology, 2017, 39, 487-489.   | 0.3 | 0         |
| 136 | FP712KIDNEY TRANSPLANTATION FROM UNCONTROLLED DONATION AFTER CIRCULATORY DEATH AFTER 10 YEAR OF FOLLOW-UP. Nephrology Dialysis Transplantation, 2018, 33, i285-i286.  | 0.4 | 0         |
| 137 | SP753MALIGNANCY COMPLICATIONS AFTER KIDNEY TRANSPLANTATION, SHOULD WE USE INDUCTION THERAPY?. Nephrology Dialysis Transplantation, 2018, 33, i602-i602.   | 0.4 | 0         |
| 138 | SP167RECURRENCE OF MEMBRANOPROLIFERATIVE GLOMERULONEPHRITIS AFTER KIDNEY TRANSPLANTATION. Nephrology Dialysis Transplantation, 2018, 33, i400-i400.   | 0.4 | 0         |
| 139 | IgA nephropathy: What patients are at risk of progression to end-stage renal disease and how should they be treated?. Nefrologia, 2018, 38, 347-352.  | 0.2 | 0         |
| 140 | FP102EFFECT OF PATIROMER ON SERUM POTASSIUM IN HYPERKALAEMIC PATIENTS WITH AND WITHOUT<br>OBESITY: POOLED RESULTS FROM THE AMETHYST-DN, OPAL-HK AND TOURMALINE TRIALS. Nephrology<br>Dialysis Transplantation, 2018, 33, i11-i11. | 0.4 | 0         |
| 141 | SP153WHAT IS THE VALUE OF REPEATED KIDNEY BIOPSIES IN PATIENTS WITH LUPUS NEPHRITIS?. Nephrology Dialysis Transplantation, 2019, 34, .  | 0.4 | 0         |
| 142 | Relapsing polychondritis and focal segmental glomerulosclerosis: Coincidence or causality.<br>Nefrologia, 2020, 40, 360-362.  | 0.2 | 0         |
| 143 | P1024INFLUENCE OF NON-ALCOHOLIC FATTY LIVER DISEASE IN THE EVOLUTION OF RENAL FUNCTION IN DIABETIC PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, .   | 0.4 | 0         |
| 144 | MO052COL4A3/COL4A4 AS A CAUSE OF MULTICYSTIC KIDNEY DISEASE. Nephrology Dialysis<br>Transplantation, 2021, 36, .  | 0.4 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | mTOR inhibitors in a patient with lupus nephritis; why not?. Nefrologia, 2022, , .  | 0.2 | Ο         |
| 146 | MO178: Renal Function Impairment in Diabetic Patients after Intravitreal Injection of Anti-Vascular endothelial Growth Factor. Nephrology Dialysis Transplantation, 2022, 37, . | 0.4 | 0         |