

Victor Perez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5184055/publications.pdf>

Version: 2024-02-01

181
papers

7,142
citations

57681

46
h-index

81351

76
g-index

197
all docs

197
docs citations

197
times ranked

9400
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping the neural systems driving breathing at the transition to unconsciousness. <i>NeuroImage</i> , 2022, 246, 118779.	2.1	3
2	Multidimensional predictors of negative symptoms in antipsychotic-naive first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2022, 47, E21-E31.	1.4	5
3	Real-world Implementation of a Smartphone-Based Psychoeducation Program for Bipolar Disorder: Observational Ecological Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e31565.	2.1	6
4	Psychological impact of the COVID-19 pandemic on primary care workers: a cross-sectional study. <i>British Journal of General Practice</i> , 2022, 72, e501-e510.	0.7	17
5	Cognitive and quality-of-life related factors of body mass index (BMI) improvement after deep brain stimulation in the subcallosal cingulate and nucleus accumbens in treatment-refractory chronic anorexia nervosa. <i>European Eating Disorders Review</i> , 2022, , .	2.3	2
6	Brain activity and connectivity differences in reward value discrimination during effort computation in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 647-659.	1.8	3
7	Olfactory Neuroepithelium Cells from Cannabis Users Display Alterations to the Cytoskeleton and to Markers of Adhesion, Proliferation and Apoptosis. <i>Molecular Neurobiology</i> , 2021, 58, 1695-1710.	1.9	6
8	A multicenter, observational study of pain and functional impairment in individuals with major depressive disorder in partial remission: the DESIRE study. <i>Journal of Affective Disorders</i> , 2021, 281, 657-660.	2.0	2
9	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatr�a Y Salud Mental</i> , 2021, 14, 90-105.	1.0	133
10	The Prevalence and Clinical and Sociodemographic Factors of Problem Online Gambling: A Systematic Review. <i>Journal of Gambling Studies</i> , 2021, 37, 899-926.	1.1	23
11	The impact of the Catalonia Suicide Risk Code (CSRC) in a tertiary hospital: Reduction in hospitalizations and emergency room visits for any reason but not for suicide attempt. <i>Revista De Psiquiatr�a Y Salud Mental</i> , 2021, , .	1.0	1
12	Differences between the child and adult brain in the local functional structure of the cerebral cortex. <i>NeuroImage</i> , 2021, 237, 118150.	2.1	7
13	Is the COVID-19 pandemic a risk factor for suicide attempts in adolescent girls?. <i>Journal of Affective Disorders</i> , 2021, 292, 139-141.	2.0	65
14	Epidemiology and costs of depressive disorder in Spain: the EPICO study. <i>European Neuropsychopharmacology</i> , 2021, 50, 93-103.	0.3	28
15	Thirty-day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVID-19 outbreak. <i>Depression and Anxiety</i> , 2021, 38, 528-544.	2.0	70
16	Determinants of mechanical restraint in an acute psychiatric care unit. <i>World Journal of Psychiatry</i> , 2021, 11, 854-863.	1.3	5
17	Self-reported Subjective Effects of Analytically Confirmed New Psychoactive Substances Consumed by e-Psychonauts: Protocol for a Longitudinal Study Using a New Internet-Based Methodology. <i>JMIR Research Protocols</i> , 2021, 10, e24433.	0.5	3
18	Mindfulness-Based Cognitive Therapy Delivered in Primary Care: a Naturalistic, Mixed-Methods Study of Participant Characteristics and Experiences. <i>Mindfulness</i> , 2020, 11, 291-302.	1.6	6

#	ARTICLE	IF	CITATIONS
19	Deep brain stimulation in treatment resistant schizophrenia: A pilot randomized cross-over clinical trial. <i>EBioMedicine</i> , 2020, 51, 102568.	2.7	50
20	Suicide. The post-COVID era: A time for action. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020, 13, 229-231.	1.0	1
21	The Suicide Prevention and Intervention Study (SURVIVE): Study protocol for a multisite cohort study with nested randomized-controlled trials. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020, , .	1.0	1
22	Optimizing Behavioral Paradigms to Facilitate Development of New Treatments for Anhedonia and Reward Processing Deficits in Schizophrenia and Major Depressive Disorder: Study Protocol. <i>Frontiers in Psychiatry</i> , 2020, 11, 536112.	1.3	3
23	Traumatic Events in Dual Disorders: Prevalence and Clinical Characteristics. <i>Journal of Clinical Medicine</i> , 2020, 9, 2553.	1.0	8
24	Brain metabolic changes in patients with treatment resistant schizophrenia treated with deep brain stimulation: A series of cases. <i>Journal of Psychiatric Research</i> , 2020, 127, 57-61.	1.5	8
25	What ketamine can teach us about the opioid system in depression?. <i>Expert Opinion on Drug Discovery</i> , 2020, 15, 1369-1372.	2.5	5
26	The Catalonia Suicide Risk Code: A secondary prevention program for individuals at risk of suicide. <i>Journal of Affective Disorders</i> , 2020, 268, 201-205.	2.0	20
27	Family Features of Social Withdrawal Syndrome (Hikikomori). <i>Frontiers in Psychiatry</i> , 2020, 11, 138.	1.3	25
28	A Multicenter Phase II RCT to Compare the Effectiveness of EMDR Versus TAU in Patients With a First-Episode Psychosis and Psychological Trauma: A Protocol Design. <i>Frontiers in Psychiatry</i> , 2020, 10, 1023.	1.3	5
29	A Randomized Trial of Deep Brain Stimulation to the Subcallosal Cingulate and Nucleus Accumbens in Patients with Treatment-Refractory, Chronic, and Severe Anorexia Nervosa: Initial Results at 6 Months of Follow Up. <i>Journal of Clinical Medicine</i> , 2020, 9, 1946.	1.0	23
30	Effects of Cannabis Use on the Protein and Lipid Profile of Olfactory Neuroepithelium Cells from Schizophrenia Patients Studied by Synchrotron-Based FTIR Spectroscopy. <i>Biomolecules</i> , 2020, 10, 329.	1.8	5
31	A prospective longitudinal study searching for predictors of response to group psychoeducation in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 274, 1113-1121.	2.0	12
32	Psychiatry in the aftermath of COVID-19. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020, 13, 105-110.	1.0	142
33	Altered Signaling in CB1R-5-HT2AR Heteromers in Olfactory Neuroepithelium Cells of Schizophrenia Patients is Modulated by Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 1547-1557.	2.3	17
34	Brief day hospital mentalization based group psychotherapy for schizophrenia spectrum disorders: A feasibility study. <i>Actas Espanolas De Psiquiatría</i> , 2020, 48, 64-74.	0.1	0
35	Investigación traslacional en psiquiatría: el marco Research Domain Criteria (RDoC). <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 187-195.	1.0	8
36	Neuropsychiatric Symptoms as Predictors of Clinical Course in Neurodegeneration. A Longitudinal Study. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 176.	1.7	27

#	ARTICLE	IF	CITATIONS
37	Lithium: The survivor that came from the stars. <i>Bipolar Disorders</i> , 2019, 21, 470-471.	1.1	1
38	Sleep alterations in pediatric bipolar disorder versus attention deficit disorder. <i>Psychiatry Research</i> , 2019, 275, 39-45.	1.7	7
39	That which does not kill you“May afflict you? Psychological trauma in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 192-193.	1.1	2
40	A Multicenter Phase II Rater-Blinded Randomized Controlled Trial to Compare the Effectiveness of Eye Movement Desensitization Reprocessing Therapy vs. Treatment as Usual in Patients With Substance Use Disorder and History of Psychological Trauma: A Study Design and Protocol. <i>Frontiers in Psychiatry</i> , 2019, 10, 108.	1.3	5
41	Brain activity during traditional textbook and audiovisual“3D learning. <i>Brain and Behavior</i> , 2019, 9, e01427.	1.0	3
42	Barreras para la recuperaci3n completa en la depresi3n mayor: estudio transversal multic3ntrico en la pr3ctica cl3nica. Estudio RECORD. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2019, 12, 141-150.	1.0	0
43	Diez a3os de investigaci3n traslacional colaborativa en enfermedades mentales: el CIBERSAM. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2019, 12, 1-8.	1.0	68
44	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 20.	0.8	41
45	Estudio psicom3trico de la Escala de valoraci3n de los Niveles de Atenci3n Requerida para personas con Trastorno Mental Grave (ENAR-TMG). <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2018, 11, 156-168.	1.0	4
46	25 a3os de Eye Movement Desensitization and Reprocessing: protocolo de aplicaci3n, hip3tesis de funcionamiento y revisi3n sistem3tica de su eficacia en el trastorno por estr3s postraum3tico. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2018, 11, 101-114.	1.0	42
47	Change in functioning outcomes as a predictor of the course of depression: a 12-month longitudinal study. <i>Quality of Life Research</i> , 2018, 27, 2045-2056.	1.5	4
48	Indicadores de calidad en el tratamiento de pacientes con depresi3n, trastorno bipolar o esquizofrenia. Estudio de consenso. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2018, 11, 66-75.	1.0	13
49	Cannabis Users Show Enhanced Expression of CB1-5HT2A Receptor Heteromers in Olfactory Neuroepithelium Cells. <i>Molecular Neurobiology</i> , 2018, 55, 6347-6361.	1.9	34
50	A 12-month study of the hikikomori syndrome of social withdrawal: Clinical characterization and different subtypes proposal. <i>Psychiatry Research</i> , 2018, 270, 1039-1046.	1.7	42
51	Psychometric Properties of the Spanish Version of the Panic Disorder Severity Scale. <i>Spanish Journal of Psychology</i> , 2018, 21, E5.	1.1	2
52	Monitorizaci3n del riesgo cardiovascular y metab3lico en ni3os y adolescentes en tratamiento antipsic3tico: un estudio descriptivo transversal. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2018, 11, 19-26.	1.0	3
53	Estigma: la relevancia del contacto social en el trastorno mental. <i>Enfermer3a Cl3nica</i> , 2018, 28, 111-117.	0.1	3
54	Reduced willingness to invest effort in schizophrenia with high negative symptoms regardless of reward stimulus presentation and reward value. <i>Comprehensive Psychiatry</i> , 2018, 87, 153-160.	1.5	8

#	ARTICLE	IF	CITATIONS
55	Looking into the effect of multi-item symptom domains on psychometric characteristics of the Quick Inventory of Depressive Symptomatology-Self Report (QIDS-SR16). <i>Psychiatry Research</i> , 2018, 267, 126-130.	1.7	4
56	Clinical features of a sample of inpatients with adjustment disorder referred to a consultation-liaison psychiatry service over 10 years. <i>General Hospital Psychiatry</i> , 2018, 55, 98-99.	1.2	3
57	OpenSIMPLE: A real-world implementation feasibility study of a smartphone-based psychoeducation programme for bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 241, 436-445.	2.0	72
58	Clinical improvement of somatic and affective symptoms in a patient with complex trauma through the use of EMDR. Report of a clinical case. <i>Actas Espanolas De Psiquiatria</i> , 2018, 46, 242-8.	0.1	0
59	Eye movement desensitization and reprocessing therapy versus supportive therapy in affective relapse prevention in bipolar patients with a history of trauma: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 160.	0.7	38
60	Is a SIMPLE smartphone application capable of improving biological rhythms in bipolar disorder?. <i>Journal of Affective Disorders</i> , 2017, 223, 10-16.	2.0	45
61	Rationale and methods of the iFightDepression study: A double-blind, randomized controlled trial evaluating the efficacy of an internet-based self-management tool for moderate to mild depression. <i>BMC Psychiatry</i> , 2017, 17, 143.	1.1	9
62	EMDR beyond PTSD: A Systematic Literature Review. <i>Frontiers in Psychology</i> , 2017, 8, 1668.	1.1	113
63	Efficacy of Eye Movement Desensitization and Reprocessing in Children and Adolescent with Post-traumatic Stress Disorder: A Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Psychology</i> , 2017, 8, 1750.	1.1	67
64	Development and assessment of an active strategy for the implementation of a collaborative care approach for depression in primary care (the INDIA-i project). <i>BMC Health Services Research</i> , 2017, 17, 821.	0.9	5
65	The effects of using the PReDicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 558.	0.7	32
66	Efficacy of prospective pharmacogenetic testing in the treatment of major depressive disorder: results of a randomized, double-blind clinical trial. <i>BMC Psychiatry</i> , 2017, 17, 250.	1.1	148
67	AN EFFECTIVE NEUROFEEDBACK TRAINING, WITH CORTISOL CORRELATES, IN A CLINICAL CASE OF ANXIETY. <i>Universitas Psychologica</i> , 2017, 15, .	0.6	2
68	Default Mode Network Aberrant Connectivity Associated with Neurological Soft Signs in Schizophrenia Patients and Unaffected Relatives. <i>Frontiers in Psychiatry</i> , 2017, 8, 298.	1.3	29
69	Comparison of treatment outcomes in severe personality disorder patients with or without substance use disorders: a 36-month prospective pragmatic follow-up study. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 1477.	1.0	6
70	NATURALISTIC COURSE OF MAJOR DEPRESSIVE DISORDER PREDICTED BY CLINICAL AND STRUCTURAL NEUROIMAGING DATA: A 5-YEAR FOLLOW-UP. <i>Depression and Anxiety</i> , 2016, 33, 1055-1064.	2.0	19
71	Neurophysiological evidence of impaired self-monitoring in schizotypal personality disorder and its reversal by dopaminergic antagonism. <i>NeuroImage: Clinical</i> , 2016, 11, 770-779.	1.4	25
72	Sluggish Cognitive Tempo in a Child and Adolescent Clinical Outpatient Setting. <i>Journal of Psychiatric Practice</i> , 2016, 22, 355-362.	0.3	12

#	ARTICLE	IF	CITATIONS
73	Are there glutamate abnormalities in subjects at high risk mental state for psychosis? A review of the evidence. <i>Schizophrenia Research</i> , 2016, 171, 166-175.	1.1	26
74	Hospital Costs Associated With Agitation in the Acute Care Setting. <i>Psychiatric Services</i> , 2016, 67, 124-127.	1.1	8
75	Brief Report: Translation and Adaptation of the Theory of Mind Inventory to Spanish. <i>Journal of Autism and Developmental Disorders</i> , 2016, 46, 685-690.	1.7	14
76	Predictors of Relapse and Functioning in First-Episode Psychosis: A Two-Year Follow-Up Study. <i>Psychiatric Services</i> , 2016, 67, 227-233.	1.1	69
77	The role of hypothalamusâ€“pituitaryâ€“adrenal genes and childhood trauma in borderline personality disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 307-316.	1.8	43
78	Benefits of a Secondary Prevention Program in Suicide. <i>Crisis</i> , 2016, 37, 281-289.	0.9	10
79	Predicting Response Trajectories during Cognitive-Behavioural Therapy for Panic Disorder: No Association with the BDNF Gene or Childhood Maltreatment. <i>PLoS ONE</i> , 2016, 11, e0158224.	1.1	9
80	Association between neurological soft signs, temperament and character in patients with schizophrenia and non-psychotic relatives. <i>PeerJ</i> , 2016, 4, e1651.	0.9	10
81	Autolesiones no suicidas en adolescentes: revisi3n de los tratamientos psicol3gicos. <i>Revista De Psicopatologia Y Psicologia Clinica</i> , 2015, 1, .	0.1	1
82	<i>Hikikomori</i> in Spain: A descriptive study. <i>International Journal of Social Psychiatry</i> , 2015, 61, 475-483.	1.6	79
83	Substance Use in Patients With First-Episode Psychosis: Is Gender Relevant?. <i>Journal of Dual Diagnosis</i> , 2015, 11, 153-160.	0.7	19
84	Cognitive functioning after deep brain stimulation in subcallosal cingulate gyrus for treatment-resistant depression: An exploratory study. <i>Psychiatry Research</i> , 2015, 225, 341-346.	1.7	21
85	Resting-state functional connectivity alterations in the default network of schizophrenia patients with persistent auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2015, 161, 261-268.	1.1	106
86	Desarrollo profesional en investigaci3n traslacional en neurociencias y salud mental: educaci3n y formaci3n dentro del Centro de Investigaci3n Biom3dica en Red en Salud Mental. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2015, 8, 65-74.	1.0	6
87	Conditioned Subjective Responses to Socially Relevant Stimuli in Social Anxiety Disorder and Subclinical Social Anxiety. <i>Clinical Psychology and Psychotherapy</i> , 2015, 22, 221-231.	1.4	14
88	Patient Management and Psychopharmacological Treatment Associated to Smoking Ban in an Acute Psychiatric Unit. <i>Community Mental Health Journal</i> , 2015, 51, 746-752.	1.1	4
89	Immediate cerebral metabolic changes induced by discontinuation of deep brain stimulation of subcallosal cingulate gyrus in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2015, 173, 159-162.	2.0	20
90	Exploring the relation between childhood trauma, temperamental traits and mindfulness in borderline personality disorder. <i>BMC Psychiatry</i> , 2015, 15, 180.	1.1	24

#	ARTICLE	IF	CITATIONS
91	Relationship between cannabis and psychosis: Reasons for use and associated clinical variables. <i>Psychiatry Research</i> , 2015, 229, 70-74.	1.7	43
92	Home treatment in preventing hospital admission for moderate and severe mentally ill people. <i>Psychiatry Research</i> , 2015, 230, 709-711.	1.7	8
93	Diagnostic accuracy and adequacy of treatment of depressive and anxiety disorders: A comparison of primary care and specialized care patients. <i>Journal of Affective Disorders</i> , 2015, 172, 462-471.	2.0	15
94	Telephone Management Program for Patients Discharged From an Emergency Department After a Suicide Attempt. <i>Crisis</i> , 2015, 36, 345-352.	0.9	15
95	A randomized double-blind crossover trial of deep brain stimulation of the subcallosal cingulate gyrus in patients with treatment-resistant depression: a pilot study of relapse prevention. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 224-231.	1.4	79
96	Depression Awareness and Self-Management Through the Internet: Protocol for an Internationally Standardized Approach. <i>JMIR Research Protocols</i> , 2015, 4, e99.	0.5	22
97	Pharmacology and clinical potential of vortioxetine in the treatment of major depressive disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1297.	1.0	61
98	The Spanish version of the Quick Inventory of Depressive Symptomatology-Self-Report (QIDS-SR16): A psychometric analysis in a clinical sample. <i>Journal of Affective Disorders</i> , 2014, 169, 189-196.	2.0	13
99	Effects of Dialectical Behaviour Therapyâ€™Mindfulness Training on Emotional Reactivity in Borderline Personality Disorder: Preliminary Results. <i>Clinical Psychology and Psychotherapy</i> , 2014, 21, 363-370.	1.4	39
100	Psychometric properties of the Spanish self-report version of the Panic Disorder Severity Scale. <i>Comprehensive Psychiatry</i> , 2014, 55, 1467-1472.	1.5	15
101	Exploring the interaction between childhood maltreatment and temperamental traits on the severity of borderline personality disorder. <i>Comprehensive Psychiatry</i> , 2014, 55, 311-318.	1.5	51
102	Propiedades psicométricas de la versión española de la Philadelphia Mindfulness Scale. <i>Revista De Psiquiatría Y Salud Mental</i> , 2014, 7, 157-165.	1.0	18
103	Pharmacological and clinical dilemmas of prescribing in comorbid adult attention-deficit/hyperactivity disorder and addiction. <i>British Journal of Clinical Pharmacology</i> , 2014, 77, 337-356.	1.1	24
104	Individual residual symptoms and functional impairment in patients with depression. <i>Psychiatry Research</i> , 2014, 220, 258-262.	1.7	18
105	Spanish Medical Studentsâ€™ Attitudes and Views towards Mental Health and Psychiatry: a Multicentric Cross-Sectional Study. <i>Academic Psychiatry</i> , 2014, 38, 332-338.	0.4	11
106	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case-control sample from Spain. <i>Schizophrenia Research</i> , 2014, 159, 107-113.	1.1	36
107	Association between methylation of the glucocorticoid receptor gene, childhood maltreatment, and clinical severity in borderline personality disorder. <i>Journal of Psychiatric Research</i> , 2014, 57, 34-40.	1.5	105
108	Validation of the Spanish version of the borderline symptom list, short form (BSL-23). <i>BMC Psychiatry</i> , 2013, 13, 139.	1.1	49

#	ARTICLE	IF	CITATIONS
109	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. <i>BMC Psychiatry</i> , 2013, 13, 71.	1.1	15
110	Residual symptoms and functioning in depression, does the type of residual symptom matter? A post-hoc analysis. <i>BMC Psychiatry</i> , 2013, 13, 51.	1.1	62
111	Emotional responses to a negative emotion induction procedure in Borderline Personality Disorder. <i>International Journal of Clinical and Health Psychology</i> , 2013, 13, 9-17.	2.7	14
112	Differences in attention and impulsivity between borderline personality disorder and bipolar disorder. <i>Psychiatry Research</i> , 2013, 210, 1307-1309.	1.7	21
113	Effectiveness of a telephone management programme for patients discharged from an emergency department after a suicide attempt: Controlled study in a Spanish population. <i>Journal of Affective Disorders</i> , 2013, 147, 269-276.	2.0	78
114	A psychometric analysis of the Clinically Useful Depression Outcome Scale (CUDOS) in Spanish patients. <i>Journal of Affective Disorders</i> , 2013, 151, 920-923.	2.0	8
115	Hippocampal abnormalities of glutamate/glutamine, N-acetylaspartate and choline in patients with depression are related to past illness burden. <i>Journal of Psychiatry and Neuroscience</i> , 2013, 38, 107-116.	1.4	73
116	Direct Experience and the Course of Eating Disorders in Patients on Partial Hospitalization: A Pilot Study. <i>European Eating Disorders Review</i> , 2013, 21, 399-404.	2.3	5
117	Effects of illness duration and treatment resistance on grey matter abnormalities in major depression. <i>British Journal of Psychiatry</i> , 2013, 202, 434-440.	1.7	72
118	Toward a Genuinely Patient-Centered Metric of Depression Recovery. <i>JAMA Psychiatry</i> , 2013, 70, 1375.	6.0	4
119	Satisfaction With Methadone as a Medication. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 69-74.	0.7	17
120	Early Switch Strategy in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 479-486.	0.7	29
121	A double-blind, randomized, placebo-controlled, active reference study of Lu AA21004 in patients with major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 589-600.	1.0	181
122	Deep brain stimulation of the subcallosal cingulate gyrus: further evidence in treatment-resistant major depression. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 121-133.	1.0	170
123	Update on Deep Brain Stimulation for Treatment-Resistant Depression. <i>Current Psychiatry Reviews</i> , 2012, 8, 175-182.	0.9	0
124	Physiological and self-assessed emotional responses to emotion-eliciting films in borderline personality disorder. <i>Psychiatry Research</i> , 2012, 200, 437-443.	1.7	40
125	One-year, randomized, open trial comparing olanzapine, quetiapine, risperidone and ziprasidone effectiveness in antipsychotic-naive patients with a first-episode psychosis. <i>Psychiatry Research</i> , 2012, 200, 693-701.	1.7	29
126	Early vs. conventional switching of antidepressants in patients with MDD and moderate to severe pain: A double-blind randomized study. <i>Journal of Affective Disorders</i> , 2012, 143, 47-55.	2.0	18

#	ARTICLE	IF	CITATIONS
127	Farmacogenética de las reacciones adversas a los antipsicóticos en pacientes con esquizofrenia. <i>Psiquiatría Biológica</i> , 2012, 19, 15-20.	0.0	0
128	Effects of the dialectical behavioral therapy-mindfulness module on attention in patients with borderline personality disorder. <i>Behaviour Research and Therapy</i> , 2012, 50, 150-157.	1.6	76
129	The role of striatal dopamine D2 receptors in the occurrence of extrapyramidal side effects: Iodine-123-iodobenzamide single photon emission computed tomography study. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 73-77.	0.9	14
130	Cannabis use and striatal D2 receptor density in untreated first-episode psychosis: An in vivo SPECT study. <i>Schizophrenia Research</i> , 2011, 129, 169-171.	1.1	13
131	Axis II comorbidity in borderline personality disorder is influenced by sex, age, and clinical severity. <i>Comprehensive Psychiatry</i> , 2011, 52, 725-730.	1.5	41
132	Optimal cutoff point of the Hamilton Rating Scale for Depression according to normal levels of social and occupational functioning. <i>Psychiatry Research</i> , 2011, 186, 133-137.	1.7	51
133	Density of striatal D2 receptors in untreated first-episode psychosis: An I123-IBZM SPECT study. <i>European Neuropsychopharmacology</i> , 2011, 21, 861-866.	0.3	17
134	Ventromedial prefrontal spectroscopic abnormalities over the course of depression: A comparison among first episode, remitted recurrent and chronic patients. <i>Journal of Psychiatric Research</i> , 2011, 45, 427-434.	1.5	115
135	Can We Really Accelerate and Enhance the Selective Serotonin Reuptake Inhibitor Antidepressant Effect?. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 962-969.	1.1	53
136	Dr Portella and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1558.	1.1	0
137	A naturalistic study of changes in pharmacological prescription for borderline personality disorder in clinical practice: from APA to NICE guidelines. <i>International Clinical Psychopharmacology</i> , 2010, 25, 349-355.	0.9	41
138	A short duration of untreated illness (DUI) improves response outcomes in first-depressive episodes. <i>Journal of Affective Disorders</i> , 2010, 120, 221-225.	2.0	80
139	Quetiapine in the treatment of refractory irritable bowel syndrome. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 715-716.	2.5	5
140	Predictors of schizophrenia in patients with a first episode of psychosis. <i>Psychiatry Research</i> , 2010, 175, 11-14.	1.7	12
141	Predictors and clinical consequences of non-adherence with antipsychotic medication in the outpatient treatment of schizophrenia. <i>Psychiatry Research</i> , 2010, 176, 109-113.	1.7	359
142	Reduced platelet G protein-coupled receptor kinase 2 in major depressive disorder: Antidepressant treatment-induced upregulation of GRK2 protein discriminates between responder and non-responder patients. <i>European Neuropsychopharmacology</i> , 2010, 20, 721-730.	0.3	28
143	Differential Association of Circadian Genes with Mood Disorders: CRY1 and NPAS2 are Associated with Unipolar Major Depression and CLOCK and VIP with Bipolar Disorder. <i>Neuropsychopharmacology</i> , 2010, 35, 1279-1289.	2.8	310
144	Dialectical behaviour therapy skills training compared to standard group therapy in borderline personality disorder: A 3-month randomised controlled clinical trial. <i>Behaviour Research and Therapy</i> , 2009, 47, 353-358.	1.6	194

#	ARTICLE	IF	CITATIONS
145	Neural correlates of impaired emotional discrimination in borderline personality disorder: An fMRI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1537-1545.	2.5	61
146	Depressive Relapse After Initial Response to Subcallosal Cingulate Gyrus-Deep Brain Stimulation in a Patient with a Treatment-Resistant Depression: Electroconvulsive Therapy as a Feasible Strategy. <i>Biological Psychiatry</i> , 2009, 66, e11-e12.	0.7	19
147	Pindolol augmentation enhances response outcomes in first depressive episodes. <i>European Neuropsychopharmacology</i> , 2009, 19, 516-519.	0.3	24
148	Stages of change in dialectical behaviour therapy for borderline personality disorder. <i>British Journal of Clinical Psychology</i> , 2008, 47, 417-426.	1.7	32
149	Failure to detect an association between the serotonin transporter gene and borderline personality disorder. <i>Journal of Psychiatric Research</i> , 2008, 42, 87-88.	1.5	30
150	Abnormal P300 in people with high risk of developing psychosis. <i>NeuroImage</i> , 2008, 41, 553-560.	2.1	87
151	Clinical characteristics of agitated psychotic patients treated with an oral antipsychotics attended in the emergency room setting: NATURA study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2008, 12, 127-133.	1.2	2
152	A 12-month, open-label, comparative study of quetiapine and risperidone in the acute and long-term treatment of schizophrenia. <i>International Clinical Psychopharmacology</i> , 2008, 23, 138-149.	0.9	11
153	Ziprasidone in the Treatment of Borderline Personality Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 603-608.	1.1	59
154	Hospitalization and Pharmacotherapy for Borderline Personality Disorder in a Psychiatric Emergency Service. <i>Psychiatric Services</i> , 2007, 58, 1199-1204.	1.1	32
155	Cost-Effectiveness Analysis of Ziprasidone versus Haloperidol in??Sequential Intramuscular/Oral Treatment of Exacerbation of Schizophrenia. <i>Clinical Drug Investigation</i> , 2007, 27, 633-645.	1.1	3
156	Striatal D2 receptor binding as a marker of prognosis and outcome in untreated first-episode psychosis. <i>NeuroImage</i> , 2006, 29, 662-666.	2.1	38
157	Meta-analysis of drop-out rates in randomised clinical trials, comparing typical and atypical antipsychotics in the treatment of schizophrenia. <i>European Psychiatry</i> , 2006, 21, 11-20.	0.1	52
158	Serotonin transporter linked promoter (polymorphism) in the serotonin transporter gene may be associated with antidepressant-induced mania in bipolar disorder. <i>Psychiatric Genetics</i> , 2006, 16, 25-29.	0.6	51
159	Serotonin transporter occupancy induced by paroxetine in patients with major depression disorder: a 123I-ADAM SPECT study. <i>Psychopharmacology</i> , 2006, 189, 145-153.	1.5	43
160	Behavioural Inhibition and Behavioural Activation Systems in current and recovered major depression participants. <i>Personality and Individual Differences</i> , 2006, 40, 215-226.	1.6	90
161	Dopamine D2 receptor occupancy by risperidone: Implications for the timing and magnitude of clinical response. <i>Psychiatry Research - Neuroimaging</i> , 2006, 148, 175-183.	0.9	19
162	Double-Blind, Placebo-Controlled Study of Dialectical Behavior Therapy Plus Olanzapine for Borderline Personality Disorder. <i>American Journal of Psychiatry</i> , 2005, 162, 1221-1224.	4.0	186

#	ARTICLE	IF	CITATIONS
163	Is grey literature essential for a better control of publication bias in psychiatry? An example from three meta-analyses of schizophrenia. <i>European Psychiatry</i> , 2005, 20, 550-553.	0.1	46
164	Striatal dopaminergic D2 receptor occupancy and clinical efficacy in psychosis exacerbation: a 123I-IBZM study with ziprasidone and haloperidol. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 91-96.	2.5	19
165	Regulation of Platelet α_2A -Adrenoceptors, Gi Proteins and Receptor Kinases in Major Depression: Effects of Mirtazapine Treatment. <i>Neuropsychopharmacology</i> , 2004, 29, 580-588.	2.8	44
166	Ziprasidone in the Acute Treatment of Borderline Personality Disorder in Psychiatric Emergency Services. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1281-1283.	1.1	24
167	Preliminary evidence of striatal D2 receptor density as a possible biological marker of prognosis in naive schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 767-770.	2.5	12
168	Repetitive transcranial magnetic stimulation for the treatment of depression. <i>British Journal of Psychiatry</i> , 2003, 182, 480-491.	1.7	279
169	SPECT mapping of cerebral activity changes induced by repetitive transcranial magnetic stimulation in depressed patients. A pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2001, 106, 151-160.	0.9	70
170	Augmentation of Fluoxetine's Antidepressant Action by Pindolol: Analysis of Clinical, Pharmacokinetic, and Methodologic Factors. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 36-45.	0.7	60
171	Fluoxetine in the Prevention of Depressive Recurrences: A Double-Blind Study. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 417-424.	0.7	52
172	Pretreatment platelet 5-HT concentration predicts the short-term response to paroxetine in major depression. <i>Biological Psychiatry</i> , 1999, 46, 518-524.	0.7	37
173	A Double-blind, Randomized, Placebo-Controlled Trial of Pindolol Augmentation in Depressive Patients Resistant to Serotonin Reuptake Inhibitors. <i>Archives of General Psychiatry</i> , 1999, 56, 375.	13.8	146
174	Relationship Between Blood Serotonergic Variables, Melancholic Traits, and Response to Antidepressant Treatments. <i>Journal of Clinical Psychopharmacology</i> , 1998, 18, 222-230.	0.7	31
175	Randomised, double-blind, placebo-controlled trial of pindolol in combination with fluoxetine antidepressant treatment. <i>Lancet, The</i> , 1997, 349, 1594-1597.	6.3	304
176	Retention in a low-threshold methadone maintenance program. <i>Drug and Alcohol Dependence</i> , 1996, 41, 55-59.	1.6	68
177	Solvent fluctuations in electron transfer processes. <i>Journal of Molecular Liquids</i> , 1995, 63, 77-88.	2.3	1
178	On the validity of marcus relationship for dissociative electron transfer reactions in solution. <i>Journal of Molecular Liquids</i> , 1994, 60, 147-160.	2.3	2
179	A Monte Carlo Simulation of the Electrochemical Reduction of Alkyl Halides in Water. On the Validity of Marcus' Relationship. <i>Journal of the American Chemical Society</i> , 1994, 116, 10117-10123.	6.6	15
180	Monte Carlo simulation of the diabatic free energy curves for a dissociative electron transfer reaction in a polar solvent. <i>Journal of Computational Chemistry</i> , 1992, 13, 1057-1065.	1.5	11

#	ARTICLE	IF	CITATIONS
181	Clinics. , 0, , 51-110.		0