

Zhong-jun

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5184175/zhong-jun-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

39
papers

569
citations

15
h-index

22
g-index

39
ext. papers

688
ext. citations

3.4
avg, IF

3.68
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 39 | Physalins with anti-inflammatory activity are present in <i>Physalis alkekengi</i> var. <i>franchetii</i> and can function as Michael reaction acceptors. <i>Steroids</i> , 2012 , 77, 441-7 | 2.8 | 61 |
| 38 | Compounds from <i>Angelica keiskei</i> with NQO1 induction, DPPH scavenging and β -glucosidase inhibitory activities. <i>Food Chemistry</i> , 2012 , 131, 992-998 | 8.5 | 48 |
| 37 | Chemical constituents with antioxidant activities from litchi (<i>Litchi chinensis</i> Sonn.) seeds. <i>Food Chemistry</i> , 2011 , 126, 1081-1087 | 8.5 | 48 |
| 36 | Silver complexation and tandem mass spectrometry for differentiation of triterpenoid saponins from the roots of <i>Pulsatilla chinensis</i> (Bunge) Regel. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 3783-90 | 2.2 | 38 |
| 35 | Medermycin-Type Naphthoquinones from the Marine-Derived <i>Streptomyces</i> sp. XMA39. <i>Journal of Natural Products</i> , 2018 , 81, 2120-2124 | 4.9 | 22 |
| 34 | Characterization of tanshinones with quinone reductase induction activity from <i>Radix Salvia miltiorrhiza</i> by liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 2857-66 | 2.2 | 21 |
| 33 | Cyclizidine-Type Alkaloids from <i>Streptomyces</i> sp. HNA39. <i>Journal of Natural Products</i> , 2018 , 81, 394-399 | 4.9 | 20 |
| 32 | Bioactive Indolocarbazoles from the Marine-Derived <i>Streptomyces</i> sp. DT-A61. <i>Journal of Natural Products</i> , 2018 , 81, 949-956 | 4.9 | 20 |
| 31 | Characterization of chemopreventive agents from the dichloromethane extract of <i>Eurycorymbus cavaleriei</i> by liquid chromatography-ion trap mass spectrometry. <i>Journal of Chromatography A</i> , 2009 , 1216, 4859-67 | 4.5 | 20 |
| 30 | Cytotoxic diterpenes from the radix of <i>Curcuma wenyujin</i> . <i>Phytochemistry Letters</i> , 2008 , 1, 103-106 | 1.9 | 19 |
| 29 | Inhibitors of BRD4 Protein from a Marine-Derived Fungus <i>Alternaria</i> sp. NH-F6. <i>Marine Drugs</i> , 2017 , 15, | 6 | 17 |
| 28 | PYDDT, a novel phase 2 enzymes inducer, activates Keap1-Nrf2 pathway via depleting the cellular level of glutathione. <i>Toxicology Letters</i> , 2010 , 199, 93-101 | 4.4 | 17 |
| 27 | Novel prenylated bichalcone and chalcone from <i>Humulus lupulus</i> and their quinone reductase induction activities. <i>Floterap</i> , 2014 , 93, 115-20 | 3.2 | 16 |
| 26 | Induction of quinone reductase (QR) by withanolides isolated from <i>Physalis angulata</i> L. var. <i>villosa</i> Bonati (Solanaceae). <i>Steroids</i> , 2014 , 86, 32-8 | 2.8 | 16 |
| 25 | Induced production of cytochalasans in co-culture of marine fungus <i>Aspergillus flavipes</i> and actinomycete <i>Streptomyces</i> sp. <i>Natural Product Research</i> , 2016 , 30, 1718-23 | 2.3 | 15 |
| 24 | Unprecedented aminophysalin from <i>Physalis angulata</i> . <i>Steroids</i> , 2014 , 88, 60-5 | 2.8 | 15 |
| 23 | Two novel thiophenes from <i>Echinops grijissi</i> Hance. <i>Journal of Asian Natural Products Research</i> , 2008 , 10, 977-81 | 1.5 | 14 |

| | | | |
|----|---|-----|----|
| 22 | Angucycline antibiotics and its derivatives from marine-derived actinomycete <i>Streptomyces</i> sp. A6H. <i>Natural Product Research</i> , 2016 , 30, 2551-2558 | 2.3 | 13 |
| 21 | Characterization of bioactive thiophenes from the dichloromethane extract of <i>Echinops grijisii</i> as Michael addition acceptors. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 1975-84 | 4.4 | 12 |
| 20 | Cytotoxic Diterpenes from the Root Tuber of <i>Curcuma wenyujin</i> . <i>Helvetica Chimica Acta</i> , 2008 , 91, 944-950 | | 12 |
| 19 | Comprehensive quantification of N-glycoproteome in <i>Fusarium graminearum</i> reveals intensive glycosylation changes against fungicide. <i>Journal of Proteomics</i> , 2016 , 142, 82-90 | 3.9 | 11 |
| 18 | Production of bioactive tryptamine derivatives by co-culture of marine <i>Streptomyces</i> with <i>Bacillus mycoides</i> . <i>Natural Product Research</i> , 2015 , 29, 2087-91 | 2.3 | 10 |
| 17 | A secoiridoid with quinone reductase inducing activity from <i>Cortex fraxini</i> . <i>Phytotherapy Research</i> , 2010 , 81, 834-7 | 3.2 | 8 |
| 16 | Bisamides and rhamnosides from mangrove actinomycete <i>Streptomyces</i> sp. SZ-A15. <i>Natural Product Research</i> , 2018 , 32, 761-766 | 2.3 | 7 |
| 15 | New analogues of brefeldin A from sediment-derived fungus <i>Penicillium</i> sp. DT-F29. <i>Natural Product Research</i> , 2016 , 30, 2311-5 | 2.3 | 7 |
| 14 | Chemical constituents of the mangrove-associated fungus <i>Capnodium</i> sp. SZ-F22. A new eremophilane sesquiterpene. <i>Natural Product Research</i> , 2016 , 30, 1526-31 | 2.3 | 6 |
| 13 | Seven new benzeneacetic acid derivatives and their quinone reductase activity from <i>Eurycorymbus cavaleriei</i> . <i>Phytochemistry Letters</i> , 2009 , 2, 152-158 | 1.9 | 6 |
| 12 | Eleven New Triterpenes from <i>Eurycorymbus cavaleriei</i> . <i>Helvetica Chimica Acta</i> , 2010 , 93, 2263-2275 | 2 | 6 |
| 11 | A Novel Meroterpene from <i>Eurycorymbus cavaleriei</i> . <i>Helvetica Chimica Acta</i> , 2008 , 91, 1659-1661 | 2 | 6 |
| 10 | Identification, Structure-Activity Relationships of Marine-Derived Indolocarbazoles, and a Dual PKC β Inhibitor with Potent Antipancreatic Cancer Efficacy. <i>Journal of Medicinal Chemistry</i> , 2020 , 63, 12978-12991 | 8.3 | 6 |
| 9 | Mass Spectrometric Characteristics of Prenylated Indole Derivatives from Marine-Derived <i>Penicillium</i> sp. NH-SL. <i>Marine Drugs</i> , 2017 , 15, | 6 | 5 |
| 8 | Pyrimidine Nucleosides from sp. SSA28. <i>Journal of Natural Products</i> , 2019 , 82, 2509-2516 | 4.9 | 5 |
| 7 | Three lignans and one coumarinolignoid with quinone reductase activity from <i>Eurycorymbus cavaleriei</i> . <i>Phytotherapy Research</i> , 2009 , 80, 320-6 | 3.2 | 5 |
| 6 | New cycloartane glycosides from <i>Camptosorus sibiricus</i> Rupr. <i>Journal of Asian Natural Products Research</i> , 2008 , 10, 1069-74 | 1.5 | 5 |
| 5 | A deuterium-labelling mass spectrometry-tandem diode-array detector screening method for rapid discovery of naturally occurring electrophiles. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 3463-71 | 4.4 | 4 |

| | | | |
|---|---|-----|---|
| 4 | Interactions in the Competitive Coexistence Process of <i>Streptomyces</i> sp. and <i>Escherichia coli</i> . <i>Current Microbiology</i> , 2015 , 71, 706-12 | 2.4 | 3 |
| 3 | Improving the NQO1-inducing activities of phenolic acids from radix <i>Salvia miltiorrhiza</i> : a methylation strategy. <i>Chemical Biology and Drug Design</i> , 2011 , 78, 558-66 | 2.9 | 3 |
| 2 | Streptolyketides A-C, three novel SEK15-derived polyketides from <i>Streptomyces</i> sp. HN2A53. <i>Tetrahedron Letters</i> , 2020 , 61, 151996 | 2 | 2 |
| 1 | Purmedermycins A and B, two novel medermycin derivatives from <i>Streptomyces</i> sp. SS17A. <i>Organic Chemistry Frontiers</i> , 2019 , 6, 399-404 | 5.2 | 0 |