J Justin Hsuan

List of Publications by Citations

Source: https://exaly.com/author-pdf/518519/j-justin-hsuan-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73	11,871	45	78
papers	citations	h-index	g-index
78	12,368 ext. citations	17.1	5.09
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
73	Interleukin-1 activates a novel protein kinase cascade that results in the phosphorylation of Hsp27. <i>Cell</i> , 1994 , 78, 1039-49	56.2	809
72	Characterization of two 85 kd proteins that associate with receptor tyrosine kinases, middle-T/pp60c-src complexes, and PI3-kinase. <i>Cell</i> , 1991 , 65, 91-104	56.2	772
71	Eotaxin: a potent eosinophil chemoattractant cytokine detected in a guinea pig model of allergic airways inflammation. <i>Journal of Experimental Medicine</i> , 1994 , 179, 881-7	16.6	716
70	Glial growth factors are alternatively spliced erbB2 ligands expressed in the nervous system. <i>Nature</i> , 1993 , 362, 312-8	50.4	690
69	Phosphatidylinositol 3-kinase: structure and expression of the 110 kd catalytic subunit. <i>Cell</i> , 1992 , 70, 419-29	56.2	654
68	Cloning and characterization of a G protein-activated human phosphoinositide-3 kinase. <i>Science</i> , 1995 , 269, 690-3	33.3	646
67	Phospholipase D: a downstream effector of ARF in granulocytes. <i>Science</i> , 1994 , 263, 523-6	33.3	640
66	Human lysozyme gene mutations cause hereditary systemic amyloidosis. <i>Nature</i> , 1993 , 362, 553-7	50.4	560
65	The GTPase dynamin binds to and is activated by a subset of SH3 domains. <i>Cell</i> , 1993 , 75, 25-36	56.2	530
64	GTBP, a 160-kilodalton protein essential for mismatch-binding activity in human cells. <i>Science</i> , 1995 , 268, 1912-4	33.3	469
63	Bcr encodes a GTPase-activating protein for p21rac. <i>Nature</i> , 1991 , 351, 400-2	50.4	431
62	Stem-cell-based, tissue engineered tracheal replacement in a child: a 2-year follow-up study. <i>Lancet, The</i> , 2012 , 380, 994-1000	40	352
61	A target for Src in mitosis. <i>Nature</i> , 1994 , 368, 871-4	50.4	324
60	Identification of a specific Ins(1,3,4,5)P4-binding protein as a member of the GAP1 family. <i>Nature</i> , 1995 , 376, 527-30	50.4	306
59	A new component of the transcription factor DRTF1/E2F. <i>Nature</i> , 1993 , 362, 83-7	50.4	241
58	An essential role for phosphatidylinositol transfer protein in phospholipase C-mediated inositol lipid signaling. <i>Cell</i> , 1993 , 74, 919-28	56.2	211
57	Cloning and expression of human G/T mismatch-specific thymine-DNA glycosylase. <i>Journal of Biological Chemistry</i> , 1996 , 271, 12767-74	5.4	209

56	unr, a cellular cytoplasmic RNA-binding protein with five cold-shock domains, is required for internal initiation of translation of human rhinovirus RNA. <i>Genes and Development</i> , 1999 , 13, 437-48	12.6	199
55	Mammalian actin-related protein 2/3 complex localizes to regions of lamellipodial protrusion and is composed of evolutionarily conserved proteins. <i>Biochemical Journal</i> , 1997 , 328 (Pt 1), 105-12	3.8	182
54	Requirement for phosphatidylinositol transfer protein in epidermal growth factor signaling. <i>Science</i> , 1995 , 268, 1188-90	33.3	181
53	ARF and PITP restore GTP gamma S-stimulated protein secretion from cytosol-depleted HL60 cells by promoting PIP2 synthesis. <i>Current Biology</i> , 1996 , 6, 730-8	6.3	162
52	Apolipoprotein AI mutation Arg-60 causes autosomal dominant amyloidosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992 , 89, 7389-93	11.5	136
51	Involvement of cyclophilin D in the activation of a mitochondrial pore by Ca2+ and oxidant stress. <i>FEBS Journal</i> , 1996 , 238, 166-72		132
50	Hepatocyte nuclear factor 6, a transcription factor that contains a novel type of homeodomain and a single cut domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 9460-4	11.5	128
49	Purification and properties of transgelin: a transformation and shape change sensitive actin-gelling protein. <i>Journal of Cell Biology</i> , 1993 , 121, 1065-73	7.3	126
48	Epidermal growth factor receptor activation is localized within low-buoyant density, non-caveolar membrane domains. <i>Biochemical Journal</i> , 1999 , 337, 591-597	3.8	124
47	The yeast and mammalian isoforms of phosphatidylinositol transfer protein can all restore phospholipase C-mediated inositol lipid signaling in cytosol-depleted RBL-2H3 and HL-60 cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 6589-93	11.5	111
46	Phosphatidylinositol 4-kinase is required for endosomal trafficking and degradation of the EGF receptor. <i>Journal of Cell Science</i> , 2006 , 119, 571-81	5.3	108
45	Phosphatidylinositol 4-phosphate synthesis in immunoisolated caveolae-like vesicles and low buoyant density non-caveolar membranes. <i>Journal of Biological Chemistry</i> , 1998 , 273, 17115-21	5.4	91
44	Hereditary hepatic and systemic amyloidosis caused by a new deletion/insertion mutation in the apolipoprotein AI gene. <i>Journal of Clinical Investigation</i> , 1996 , 97, 2714-21	15.9	91
43	Interaction of Shc with adaptor protein adaptins. <i>Journal of Biological Chemistry</i> , 1996 , 271, 5265-9	5.4	90
42	MSH6, a Saccharomyces cerevisiae protein that binds to mismatches as a heterodimer with MSH2. <i>Current Biology</i> , 1996 , 6, 484-6	6.3	88
41	Cloning of a human type II phosphatidylinositol 4-kinase reveals a novel lipid kinase family. <i>Journal of Biological Chemistry</i> , 2001 , 276, 16635-40	5.4	82
40	Accelerated high-sensitivity microsequencing of proteins and peptides using a miniature reaction cartridge. <i>Protein Science</i> , 1992 , 1, 1215-24	6.3	74
39	The FriedreichS ataxia gene encodes a novel phosphatidylinositol-4- phosphate 5-kinase. <i>Nature Genetics</i> , 1996 , 14, 157-62	36.3	73

38	Synaptojanin is the major constitutively active phosphatidylinositol-3,4,5-trisphosphate 5-phosphatase in rodent brain. <i>Journal of Biological Chemistry</i> , 1997 , 272, 9625-8	5.4	69
37	Proteolytic activation of protein kinase C-epsilon. <i>FEBS Journal</i> , 1990 , 191, 431-5		60
36	Localization of a highly active pool of type II phosphatidylinositol 4-kinase in a p97/valosin-containing-protein-rich fraction of the endoplasmic reticulum. <i>Biochemical Journal</i> , 2003 , 373, 57-63	3.8	59
35	Loss of phosphatidylinositol 4-kinase 2alpha activity causes late onset degeneration of spinal cord axons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 11535	5 <u>-1</u> 5 ^{1.5}	56
34	Mismatch repair and cancer. <i>Nature</i> , 1994 , 367, 417	50.4	55
33	Signalling and non-caveolar rafts. <i>Biochemical Society Transactions</i> , 2001 , 29, 509-11	5.1	51
32	Differential effects of the phosphatidylinositol 4-kinases, PI4KII and PI4KIII on Akt activation and apoptosis. <i>Cell Death and Disease</i> , 2010 , 1, e106	9.8	50
31	Relationship between phosphatidylinositol 4-phosphate synthesis, membrane organization, and lateral diffusion of PI4KIIalpha at the trans-Golgi network. <i>Journal of Lipid Research</i> , 2010 , 51, 2314-24	6.3	49
30	Lipid and peptide control of phosphatidylinositol 4-kinase IIalpha activity on Golgi-endosomal Rafts. <i>Journal of Biological Chemistry</i> , 2006 , 281, 3757-63	5.4	48
29	Transforming growth factors beta. <i>British Medical Bulletin</i> , 1989 , 45, 425-37	5.4	46
28	The PITP family of phosphatidylinositol transfer proteins. <i>Genome Biology</i> , 2001 , 2, REVIEWS3011	18.3	40
27	Heart fatty acid binding protein is a novel regulator of cardiac myocyte hypertrophy. <i>Biochemical and Biophysical Research Communications</i> , 1994 , 205, 1822-8	3.4	40
26	Cloning and characterization of a novel human phosphatidylinositol transfer protein, rdgBbeta. Journal of Biological Chemistry, 1999 , 274, 31553-8	5.4	38
25	Cloning and sequencing of cDNAs encoding the actin cross-linking protein transgelin defines a new family of actin-associated proteins. <i>Cytoskeleton</i> , 1994 , 28, 243-55		38
24	Epidermal growth factor receptor activation is localized within low-buoyant density, non-caveolar membrane domains. <i>Biochemical Journal</i> , 1999 , 337, 591	3.8	36
23	Structural basis for epidermal growth factor receptor function. <i>Progress in Growth Factor Research</i> , 1989 , 1, 23-32		34
22	The gp200-MR6 molecule which is functionally associated with the IL-4 receptor modulates B cell phenotype and is a novel member of the human macrophage mannose receptor family. <i>European Journal of Immunology</i> , 1998 , 28, 4071-83	6.1	31
21	Detergent-free isolation and characterization of cholesterol-rich membrane domains from trans-Golgi network vesicles. <i>Journal of Lipid Research</i> , 2011 , 52, 582-9	6.3	30

20	Few peptides dominate cytotoxic T lymphocyte responses to single and multiple minor histocompatibility antigens. <i>International Immunology</i> , 1993 , 5, 1003-9	4.9	30
19	Identification and characterization of differentially active pools of type IIalpha phosphatidylinositol 4-kinase activity in unstimulated A431 cells. <i>Biochemical Journal</i> , 2003 , 376, 497-503	3.8	29
18	EGF receptors as transcription factors: ridiculous or sublime?. <i>Nature Cell Biology</i> , 2001 , 3, E209-11	23.4	28
17	The urinary proteome and metabonome differ from normal in adults with mitochondrial disease. <i>Kidney International</i> , 2015 , 87, 610-22	9.9	26
16	Purification and characterization of phosphatidylinositol 4-kinase from human erythrocyte membranes. <i>FEBS Journal</i> , 1991 , 200, 179-85		25
15	Growth factor-dependent phosphoinositide signalling. <i>International Journal of Biochemistry and Cell Biology</i> , 1997 , 29, 415-35	5.6	23
14	Phosphoinositide 4- and 5-kinases and the cellular roles of phosphatidylinositol 4,5-bisphosphate. <i>Advances in Cancer Research</i> , 1998 , 74, 167-216	5.9	21
13	Loss of three major auto phosphorylation sites in the EGF receptor does not block the mitogenic action of EGF. <i>Journal of Cellular Physiology</i> , 1988 , 134, 421-8	7	20
12	Preparation of membrane rafts. <i>Methods in Molecular Biology</i> , 2009 , 462, 403-14	1.4	18
11	Identification of Mac-2-binding protein as a putative marker of neuroendocrine tumors from the analysis of cell line secretomes. <i>Molecular and Cellular Proteomics</i> , 2010 , 9, 656-66	7.6	12
10	CDP-diacylglycerol phospholipid synthesis in detergent-soluble, non-raft, membrane microdomains of the endoplasmic reticulum. <i>Journal of Lipid Research</i> , 2011 , 52, 2148-2158	6.3	12
9	Phosphatidylinositol 4-kinase type II alpha. <i>The AFCS-nature Molecule Pages</i> ,		10
8	Phosphatidylinositol 4-kinase type II beta. <i>The AFCS-nature Molecule Pages</i> ,		10
7	AL kappa amyloid in a solitary extradural lymphoma. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1994 , 57, 751-4	5.5	6
6	Screening for mutations in the phosphatidylinositol 4-kinase 2-alpha gene in autosomal recessive hereditary spastic paraplegia. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2011 , 12, 148-9		4
5	Quantification of multiple phosphatidylinositol 4-kinase isozyme activities in cell extracts. <i>Methods in Molecular Biology</i> , 2009 , 462, 279-89	1.4	4
4	Use of Patterned Collagen Coated Slides to Study Normal and Scleroderma Lung Fibroblast Migration. <i>Scientific Reports</i> , 2017 , 7, 2628	4.9	2
3	Unconventional cytotoxic T lymphocyte recognition of synthetic peptides corresponding to residues 1-23 of Ras protein. <i>European Journal of Immunology</i> , 1994 , 24, 1988-92	6.1	2

TGFEI Induced Cross-Linking of the Extracellular Matrix of Primary Human Dermal Fibroblasts.

International Journal of Molecular Sciences, 2021, 22,

6.3 2

PURIFICATION OF PHOSPHATIDYLINOSITOL 3-KINASE BY SDS-AGAROSE GEL ELECTROPHORESIS AND HPEC. *Protein and Peptide Letters*, **1994**, 1, 25-32

1.9