

Hubert Dabire

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5185999/publications.pdf>

Version: 2024-02-01

50
papers

918
citations

535685

17
h-index

563245

28
g-index

51
all docs

51
docs citations

51
times ranked

1031
citing authors

#	ARTICLE	IF	CITATIONS
1	The hypertensive effect of sorafenib is abolished by sildenafil. <i>Cardio-Oncology</i> , 2020, 6, 7.	0.8	2
2	Development of original metabolically stable apelin ϵ 17 analogs with diuretic and cardiovascular effects. <i>FASEB Journal</i> , 2017, 31, 687-700.	0.2	48
3	Vascular and angiogenic activities of CORM-401, an oxidant-sensitive CO-releasing molecule. <i>Biochemical Pharmacology</i> , 2016, 102, 64-77.	2.0	68
4	Development of an Experimental Model to Study the Relationship Between Day-to-Day Variability in Blood Pressure and Aortic Stiffness. <i>Frontiers in Physiology</i> , 2015, 6, 368.	1.3	9
5	Comparative Effect of Hypothermia and Adrenaline During Cardiopulmonary Resuscitation in Rabbits. <i>Shock</i> , 2014, 41, 154-158.	1.0	6
6	Increased stiffness and cell ϵ matrix interactions of abdominal aorta in two experimental nonhypertensive models. <i>Journal of Hypertension</i> , 2014, 32, 652-658.	0.3	17
7	Bradykinin restores left ventricular function, sarcomeric protein phosphorylation, and e/nNOS levels in dogs with Duchenne muscular dystrophy cardiomyopathy. <i>Cardiovascular Research</i> , 2012, 95, 86-96.	1.8	32
8	Adiponectin negatively correlated with carotid arterial structure in the leptin-resistant Zucker diabetic fatty rat. <i>Artery Research</i> , 2012, 6, 12.	0.3	0
9	Vascular endothelial dysfunction in Duchenne muscular dystrophy is restored by bradykinin through upregulation of eNOS and nNOS. <i>Basic Research in Cardiology</i> , 2012, 107, 240.	2.5	40
10	Identification and pharmacological properties of E339 ϵ 3D6, the first nonpeptidic apelin receptor agonist. <i>FASEB Journal</i> , 2010, 24, 1506-1517.	0.2	95
11	Arterial stiffness and the autonomic nervous system during the development of Zucker diabetic fatty rats. <i>Diabetes and Metabolism</i> , 2009, 35, 364-370.	1.4	17
12	Capillary endothelial but not lymphatic function is restored under rosiglitazone in Zucker Diabetic Fatty rats. <i>Microvascular Research</i> , 2009, 77, 220-225.	1.1	8
13	Aortic stiffness and pulse pressure amplification in Wistar-Kyoto and spontaneously hypertensive rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H2506-H2512.	1.5	42
14	Relationship between noradrenaline and nonlinear indexes of blood pressure dynamics in normotensive and spontaneously hypertensive rats. <i>Fundamental and Clinical Pharmacology</i> , 2004, 18, 643-648.	1.0	5
15	Arterial stiffness and angiotensinogen gene in hypertensive patients and mutant mice. <i>Journal of Hypertension</i> , 2004, 22, 1299-1307.	0.3	24
16	Angiotensinogen gene M235T polymorphism and reduction in wall thickness in response to antihypertensive treatment. <i>Clinical Science</i> , 2003, 105, 637-644.	1.8	24
17	Relationship Between Arterial Distensibility and Low-Frequency Power Spectrum of Blood Pressure in Spontaneously Hypertensive Rats. <i>Journal of Cardiovascular Pharmacology</i> , 2002, 39, 98-106.	0.8	21
18	Effects of autonomic blockers on linear and nonlinear indexes of blood pressure and heart rate in SHR. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 281, H1113-H1121.	1.5	18

#	ARTICLE	IF	CITATIONS
19	Impact of pulse pressure on degree of cardiac hypertrophy in patients with chronic uraemia. <i>Journal of Hypertension</i> , 2000, 18, 1645-1650.	0.3	15
20	Acute And Chronic Sympathoinhibition On Carotid Artery Diameter Of Spontaneously Hypertensive Rats: Effects Of Clonidine And Flesinoxan. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000, 27, 715-723.	0.9	1
21	Long-term cardiovascular effects of high "osteoprotective" dose levels of 17 beta-estradiol in spontaneously hypertensive rats. <i>Cardiovascular Drugs and Therapy</i> , 2000, 14, 303-307.	1.3	12
22	Differential effects of tyrosine kinase inhibitors on contraction and relaxation of the aortas of normotensive and hypertensive rats. <i>European Journal of Pharmacology</i> , 1999, 374, 49-58.	1.7	12
23	Factors determining cardiac hypertrophy in hypertensive patients with or without peripheral vascular disease. <i>Clinical Science</i> , 1998, 95, 261.	1.8	3
24	Quantification of sympathetic and parasympathetic tones by nonlinear indexes in normotensive rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1998, 275, H1290-H1297.	1.5	48
25	Use of nonlinear methods to assess effects of clonidine on blood pressure in spontaneously hypertensive rats. <i>Journal of Applied Physiology</i> , 1998, 84, 1795-1800.	1.2	14
26	Red blood cells participate in the metabolic clearance of catecholamines in the rat. <i>Life Sciences</i> , 1997, 60, 357-367.	2.0	5
27	Effects of Clonidine and Flesinoxan on Blood Pressure Variability in Conscious Spontaneously Hypertensive Rats. <i>Journal of Cardiovascular Pharmacology</i> , 1997, 30, 241-244.	0.8	15
28	Mechanical Stress of the Carotid Artery at the Early Phase of Spontaneous Hypertension in Rats. <i>Hypertension</i> , 1997, 29, 992-998.	1.3	18
29	Carotid Arterial Changes Produced by a Centrally Mediated Antihypertensive Agent in Hypertensive Rats. <i>Journal of Cardiovascular Pharmacology</i> , 1995, 26, 666-673.	0.8	7
30	Neuronal metabolism of catecholamines in pithed and electrically stimulated rats. <i>Journal of the Autonomic Nervous System</i> , 1995, 54, 41-48.	1.9	3
31	Henri Schmitt. <i>Fundamental and Clinical Pharmacology</i> , 1995, 9, 209-210.	1.0	0
32	Systemic and Regional Haemodynamic Effects of 1-(2, 5-Dimethoxy-4-IODO-Phenyl)-2-Aminopropane (DOI) and Î±-Methyl-5-HT, in the Anaesthetised Rat. <i>Clinical and Experimental Hypertension</i> , 1994, 16, 779-798.	0.5	9
33	Vascular and cardiac effects of Î±-methyl-5-HT and DOI are mediated by different 5-HT receptors in the pithed rat. <i>European Journal of Pharmacology</i> , 1993, 250, 67-75.	1.7	8
34	Pharmacological analysis of the cardiac effects of 5-HT and some 5-HT receptor agonists in the pithed rat. <i>Fundamental and Clinical Pharmacology</i> , 1992, 6, 237-245.	1.0	6
35	S14063: a new potent 5-HT _{1A} receptor antagonist devoid of Î² ₂ -adrenoceptor blocking properties. <i>European Journal of Pharmacology</i> , 1991, 203, 323-324.	1.7	6
36	Implication of the Central Nervous System in the Systemic and Regional Hemodynamics of Two Centrally Acting Hypotensive Drugs, Flesinoxan and Clonidine, in the Rat. <i>Journal of Cardiovascular Pharmacology</i> , 1991, 18, 605-613.	0.8	13

#	ARTICLE	IF	CITATIONS
37	Hypotensive Effects of 5-HT _{1A} Receptor Agonists on the Ventrolateral Medullary Pressor Area in Dogs. <i>Journal of Cardiovascular Pharmacology</i> , 1990, 15, S61-S67.	0.8	18
38	Ventrolateral medullary pressor area: site of hypotensive and sympatho-inhibitory effects of (±)8-OH-DPAT in anaesthetized dogs. , 1990, , 343-346.		0
39	Ventrolateral medullary pressor area: site of hypotensive and sympatho-inhibitory effects of (±)8-OH-DPAT in anaesthetized dogs. <i>European Journal of Pharmacology</i> , 1989, 160, 385-394.	1.7	55
40	DOI is a mixed agonist-antagonist at postjunctional 5-HT ₂ receptors in the pithed rat. <i>European Journal of Pharmacology</i> , 1989, 170, 109-111.	1.7	12
41	Characterization of DOI, a putative 5-HT ₂ receptor agonist in the rat. <i>European Journal of Pharmacology</i> , 1989, 168, 369-374.	1.7	25
42	Vascular postsynaptic effects of some 5-HT ₁ -like receptor agonists in the pithed rat. <i>European Journal of Pharmacology</i> , 1988, 150, 143-148.	1.7	10
43	Comparison of effects of some 5-HT ₁ agonists on blood pressure and heart rate of normotensive anaesthetized rats. <i>European Journal of Pharmacology</i> , 1987, 140, 259-266.	1.7	43
44	Pharmacological Properties of the Enantiomers of Idazoxan: Possible Separation between their Alpha-Adrenoceptor Blocking Effects. <i>Clinical and Experimental Hypertension</i> , 1986, 8, 387-409.	0.3	4
45	(Imidazolyl-2)-2-Benzodioxane 1±4 (Idazoxan) and Its Stereoisomers, New ±2-Antagonists. <i>Journal of Cardiovascular Pharmacology</i> , 1985, 7, S127-S129.	0.8	2
46	Stereoselectivity of central ±adrenoceptors involved in sleep induced by clonidine in chickens. <i>Neuropharmacology</i> , 1985, 24, 709-712.	2.0	5
47	Action of stereoisomers of (imidazolyl-2)-2-benzodioxane-1-4 or 2-(2-(1,4-benzodioxanyl))-2-imidazoline (170 150; RX 781094) on peripheral presynaptic and central ±2-adrenoceptors. <i>European Journal of Pharmacology</i> , 1982, 86, 83-86.	1.7	15
48	In vitro studies with (imidazolyl-2)-2-benzodioxane-1-4 ((±)-170 150), a new potent ±2-adrenoceptor blocking agent. <i>European Journal of Pharmacology</i> , 1982, 86, 87-90.	1.7	14
49	Interaction between mianserin and clonidine at ±2-Adrenoceptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1982, 318, 288-294.	1.4	12
50	A further attempt to characterize the ±2-adrenoceptor blocking properties of (imidazolyl-2)-2-benzodioxane 1±4 (170 150) in pithed rats. <i>European Journal of Pharmacology</i> , 1981, 73, 367-370.	1.7	18