

Zhipei Sun

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5186119/zhipei-sun-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

12,693
citations

47
h-index

112
g-index

138
ext. papers

15,003
ext. citations

11.9
avg, IF

6.52
L-index

#	Paper	IF	Citations
127	Spatially indirect intervalley excitons in bilayer WSe ₂ . <i>Physical Review B</i> , 2022 , 105,	3.3	2
126	Switchable Photoresponse Mechanisms Implemented in Single van der Waals Semiconductor/Metal Heterostructure.. <i>ACS Nano</i> , 2022 ,	16.7	7
125	Interlayer exciton complexes in bilayer MoS ₂ . <i>Physical Review B</i> , 2022 , 105,	3.3	3
124	Phase-matching-induced near-chirp-free solitons in normal-dispersion fiber lasers.. <i>Light: Science and Applications</i> , 2022 , 11, 25	16.7	4
123	Optical Modification of Two-dimensional Materials: Methods and Applications.. <i>Advanced Materials</i> , 2022 , e2110152	24	7
122	Controllable Growth of Graphene Photonic Crystal Fibers with Tunable Optical Nonlinearity. <i>ACS Photonics</i> , 2022 , 9, 961-968	6.3	0
121	Chip-integrated van der Waals PN heterojunction photodetector with low dark current and high responsivity.. <i>Light: Science and Applications</i> , 2022 , 11, 101	16.7	12
120	Ultra-high harmonic mode-locking with a micro-fiber knot resonator and Lyot filter.. <i>Optics Express</i> , 2022 , 30, 14770-14781	3.3	1
119	Ultrasensitive Mid-infrared Biosensing in Aqueous Solutions with Graphene Plasmon.. <i>Advanced Materials</i> , 2022 , e2110525	24	3
118	Engineering the Dipole Orientation and Symmetry Breaking with Mixed-Dimensional Heterostructures.. <i>Advanced Science</i> , 2022 , e2200082	13.6	1
117	Probing Electronic States in Monolayer Semiconductors through Static and Transient Third-Harmonic Spectroscopies. <i>Advanced Materials</i> , 2021 , e2107104	24	0
116	Synchronized multi-wavelength soliton fiber laser via intracavity group delay modulation. <i>Nature Communications</i> , 2021 , 12, 6712	17.4	12
115	Multilayer MoTe ₂ Field-Effect Transistor at High Temperatures. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100950	4.6	2
114	Tuning of Emission Wavelength of CaS:Eu by Addition of Oxygen Using Atomic Layer Deposition. <i>Materials</i> , 2021 , 14,	3.5	2
113	Integrated photon-pair sources with nonlinear optics. <i>Applied Physics Reviews</i> , 2021 , 8, 011314	17.3	9
112	Deterministic Modification of CVD Grown Monolayer MoS ₂ with Optical Pulses. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2002119	4.6	2
111	Optical Modification of Monolayer MoS ₂ : Deterministic Modification of CVD Grown Monolayer MoS ₂ with Optical Pulses (Adv. Mater. Interfaces 10/2021). <i>Advanced Materials Interfaces</i> , 2021 , 8, 2170056	4.6	2

110	Soliton metamorphosis dynamics in ultrafast fiber lasers. <i>Physical Review A</i> , 2021 , 103,	2.6	5
109	Broadband Plasmon-Enhanced Four-Wave Mixing in Monolayer MoS. <i>Nano Letters</i> , 2021 , 21, 6321-6327	11.5	7
108	Dual-gated monolayer graphene junctions. <i>Nanoscale Advances</i> , 2021 , 3, 399-406	5.1	2
107	Scalable graphene electro-optical modulators for all-fibre pulsed lasers. <i>Nanoscale</i> , 2021 , 13, 9873-9880	7.7	6
106	Luminescent Gold Nanocluster-Methylcellulose Composite Optical Fibers with Low Attenuation Coefficient and High Photostability. <i>Small</i> , 2021 , 17, e2005205	11	8
105	Engineering symmetry breaking in 2D layered materials. <i>Nature Reviews Physics</i> , 2021 , 3, 193-206	23.6	45
104	Giant All-Optical Modulation of Second-Harmonic Generation Mediated by Dark Excitons. <i>ACS Photonics</i> , 2021 , 8, 2320-2328	6.3	3
103	Giant anisotropic photonics in the 1D van der Waals semiconductor fibrous red phosphorus. <i>Nature Communications</i> , 2021 , 12, 4822	17.4	7
102	Complete structural characterization of single carbon nanotubes by Rayleigh scattering circular dichroism. <i>Nature Nanotechnology</i> , 2021 , 16, 1073-1078	28.7	9
101	Enhancing SiN Waveguide Nonlinearity with Heterogeneous Integration of Few-Layer WS. <i>ACS Photonics</i> , 2021 , 8, 2713-2721	6.3	3
100	Single-step chemical vapour deposition of anti-pyramid MoS/WS vertical heterostructures. <i>Nanoscale</i> , 2021 , 13, 4537-4542	7.7	8
99	Ultrafast transient sub-bandgap absorption of monolayer MoS. <i>Light: Science and Applications</i> , 2021 , 10, 27	16.7	10
98	Difference frequency generation in monolayer MoS. <i>Nanoscale</i> , 2020 , 12, 19638-19643	7.7	9
97	Carboxyl graphene oxide mode-locked femtosecond fiber laser. <i>Applied Physics Express</i> , 2020 , 13, 082001	1.4	3
96	High-Power Femtosecond Pulse Generation From an All-Fiber Er-Doped Chirped Pulse Amplification System. <i>IEEE Photonics Journal</i> , 2020 , 12, 1-8	1.8	2
95	Electrical Control of Interband Resonant Nonlinear Optics in Monolayer MoS. <i>ACS Nano</i> , 2020 , 14, 8442-8448	16.7	18
94	Efficient All-Optical Plasmonic Modulators with Atomically Thin Van Der Waals Heterostructures. <i>Advanced Materials</i> , 2020 , 32, e1907105	24	24
93	Precise control of the interlayer twist angle in large scale MoS homostructures. <i>Nature Communications</i> , 2020 , 11, 2153	17.4	55

92	Raman fingerprints and exciton-phonon coupling in 2D ternary layered semiconductor InSeBr. <i>Applied Physics Letters</i> , 2020 , 116, 163105	3.4	0
91	Soliton Mode-Locked Large-Mode-Area Tm-Doped Fiber Oscillator. <i>IEEE Photonics Technology Letters</i> , 2020 , 32, 117-120	2.2	5
90	High performance complementary WS devices with hybrid Gr/Ni contacts. <i>Nanoscale</i> , 2020 , 12, 21280-21290	2.9	8
89	Potential for sub-mm long erbium-doped composite silicon waveguide DFB lasers. <i>Scientific Reports</i> , 2020 , 10, 10878	4.9	3
88	A general ink formulation of 2D crystals for wafer-scale inkjet printing. <i>Science Advances</i> , 2020 , 6, eaba5029	5.2	43
87	Observation of logarithmic Kohn anomaly in monolayer graphene. <i>Physical Review B</i> , 2020 , 102,	3.3	3
86	Optical fibres with embedded two-dimensional materials for ultrahigh nonlinearity. <i>Nature Nanotechnology</i> , 2020 , 15, 987-991	28.7	37
85	Single-nanowire spectrometers. <i>Science</i> , 2019 , 365, 1017-1020	33.3	130
84	Ultra-high on-chip optical gain in erbium-based hybrid slot waveguides. <i>Nature Communications</i> , 2019 , 10, 432	17.4	57
83	High photoresponsivity and broadband photodetection with a band-engineered WSe/SnSe heterostructure. <i>Nanoscale</i> , 2019 , 11, 3240-3247	7.7	49
82	Optical Amplification in Hollow-Core Negative-Curvature Fibers Doped with Perovskite CsPbBr Nanocrystals. <i>Nanomaterials</i> , 2019 , 9,	5.4	4
81	Single-photon sources with quantum dots in III-V nanowires. <i>Nanophotonics</i> , 2019 , 8, 747-769	6.3	23
80	Strong and tunable interlayer coupling of infrared-active phonons to excitons in van der Waals heterostructures. <i>Physical Review B</i> , 2019 , 99,	3.3	6
79	Passively Mode-Locked Solid-State Laser With Absorption Tunable Graphene Saturable Absorber Mirror. <i>Journal of Lightwave Technology</i> , 2019 , 37, 2927-2931	4	10
78	Gas identification with graphene plasmons. <i>Nature Communications</i> , 2019 , 10, 1131	17.4	91
77	Graphene photonic crystal fibre with strong and tunable light-matter interaction. <i>Nature Photonics</i> , 2019 , 13, 754-759	33.9	69
76	Extreme nonlinear strong-field photoemission from carbon nanotubes. <i>Nature Communications</i> , 2019 , 10, 4891	17.4	8
75	Active-passive Q-switched fiber laser based on graphene microfiber. <i>Applied Physics B: Lasers and Optics</i> , 2019 , 125, 1	1.9	3

74	Robust circular polarization of indirect Q-K transitions in bilayer 3RWS2. <i>Physical Review B</i> , 2019 , 100,	3.3	7
73	Lattice Dynamics, Phonon Chirality, and SpinPhonon Coupling in 2D Itinerant Ferromagnet Fe3GeTe2. <i>Advanced Functional Materials</i> , 2019 , 29, 1904734	15.6	33
72	Giant Valley Coherence at Room Temperature in 3R WS with Broken Inversion Symmetry. <i>Research</i> , 2019 , 2019, 6494565	7.8	7
71	Vapour-liquid-solid growth of monolayer MoS nanoribbons. <i>Nature Materials</i> , 2018 , 17, 535-542	27	185
70	Inkjet Printed Large-Area Flexible Few-Layer Graphene Thermoelectrics. <i>Advanced Functional Materials</i> , 2018 , 28, 1800480	15.6	101
69	Nanomaterial-Based Plasmon-Enhanced Infrared Spectroscopy. <i>Advanced Materials</i> , 2018 , 30, e1704896	24	88
68	Wavelength and pulse duration tunable ultrafast fiber laser mode-locked with carbon nanotubes. <i>Scientific Reports</i> , 2018 , 8, 2738	4.9	36
67	Nonlinear Optics with 2D Layered Materials. <i>Advanced Materials</i> , 2018 , 30, e1705963	24	309
66	Flexible and Electrically Tunable Plasmons in Graphene-Mica Heterostructures. <i>Advanced Science</i> , 2018 , 5, 1800175	13.6	22
65	GrapheneMoS2Metal hybrid structures for plasmonic biosensors. <i>Optics Communications</i> , 2018 , 428, 233-239	2	26
64	Nanowire network-based multifunctional all-optical logic gates. <i>Science Advances</i> , 2018 , 4, eaar7954	14.3	30
63	Photoresponse of Graphene-Gated Graphene-GaSe Heterojunction Devices. <i>ACS Applied Nano Materials</i> , 2018 , 1, 3895-3902	5.6	13
62	Measurement of complex optical susceptibility for individual carbon nanotubes by elliptically polarized light excitation. <i>Nature Communications</i> , 2018 , 9, 3387	17.4	13
61	Low-Power Continuous-Wave Second Harmonic Generation in Semiconductor Nanowires. <i>Laser and Photonics Reviews</i> , 2018 , 12, 1800126	8.3	4
60	Nonlinear Optics: Nonlinear Optics with 2D Layered Materials (Adv. Mater. 24/2018). <i>Advanced Materials</i> , 2018 , 30, 1870172	24	3
59	A MoSe2/WSe2 Heterojunction-Based Photodetector at Telecommunication Wavelengths. <i>Advanced Functional Materials</i> , 2018 , 28, 1804388	15.6	60
58	Optical harmonic generation in monolayer group-VI transition metal dichalcogenides. <i>Physical Review B</i> , 2018 , 98,	3.3	53
57	Ultrafast Lasers: Graphene Actively Mode-Locked Lasers (Adv. Funct. Mater. 28/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870194	15.6	4

56	Graphene Actively Mode-Locked Lasers. <i>Advanced Functional Materials</i> , 2018 , 28, 1801539	15.6	22
55	Ultrafast all-fiber based cylindrical-vector beam laser. <i>Applied Physics Letters</i> , 2017 , 110, 021107	3.4	58
54	Rapid and Large-Area Characterization of Exfoliated Black Phosphorus Using Third-Harmonic Generation Microscopy. <i>Journal of Physical Chemistry Letters</i> , 2017 , 8, 1343-1350	6.4	50
53	Graphene actively Q-switched lasers. <i>2D Materials</i> , 2017 , 4, 025095	5.9	29
52	Photon-Pair Generation with a 100 nm Thick Carbon Nanotube Film. <i>Advanced Materials</i> , 2017 , 29, 1605928	7.8	18
51	Carbon Nanotubes as an Ultrafast Emitter with a Narrow Energy Spread at Optical Frequency. <i>Advanced Materials</i> , 2017 , 29, 1701580	24	25
50	New Approach for Thickness Determination of Solution-Deposited Graphene Thin Films. <i>ACS Omega</i> , 2017 , 2, 2630-2638	3.9	7
49	Large-area tungsten disulfide for ultrafast photonics. <i>Nanoscale</i> , 2017 , 9, 1871-1877	7.7	104
48	Ultra-strong nonlinear optical processes and trigonal warping in MoS layers. <i>Nature Communications</i> , 2017 , 8, 893	17.4	123
47	Black phosphorus ink formulation for inkjet printing of optoelectronics and photonics. <i>Nature Communications</i> , 2017 , 8, 278	17.4	225
46	Carbon Nanotubes: Carbon Nanotubes as an Ultrafast Emitter with a Narrow Energy Spread at Optical Frequency (Adv. Mater. 30/2017). <i>Advanced Materials</i> , 2017 , 29,	24	3
45	Probing optical anisotropy of nanometer-thin van der waals microcrystals by near-field imaging. <i>Nature Communications</i> , 2017 , 8, 1471	17.4	50
44	Monitoring Local Strain Vector in Atomic-Layered MoSe by Second-Harmonic Generation. <i>Nano Letters</i> , 2017 , 17, 7539-7543	11.5	80
43	Carbon Nanotubes: Photon-Pair Generation with a 100 nm Thick Carbon Nanotube Film (Adv. Mater. 24/2017). <i>Advanced Materials</i> , 2017 , 29,	24	2
42	Optical Waveplates Based on Birefringence of Anisotropic Two-Dimensional Layered Materials. <i>ACS Photonics</i> , 2017 , 4, 3023-3030	6.3	110
41	Rapid visualization of grain boundaries in monolayer MoS by multiphoton microscopy. <i>Nature Communications</i> , 2017 , 8, 15714	17.4	93
40	All-Optical Intensity Modulator by Polarization-Dependent Graphene-Microfiber Waveguide. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-8	1.8	5
39	Measurement of Nanowire Optical Modes Using Cross-Polarization Microscopy. <i>Scientific Reports</i> , 2017 , 7, 17790	4.9	6

38	Transition-metal dichalcogenides heterostructure saturable absorbers for ultrafast photonics. <i>Optics Letters</i> , 2017 , 42, 4279-4282	3	51
37	Large-area highly crystalline WSe atomic layers for ultrafast pulsed lasers. <i>Optics Express</i> , 2017 , 25, 30029-30034	9.3	14
36	152 fs nanotube-mode-locked thulium-doped all-fiber laser. <i>Scientific Reports</i> , 2016 , 6, 28885	4.9	66
35	Far-field nanoscale infrared spectroscopy of vibrational fingerprints of molecules with graphene plasmons. <i>Nature Communications</i> , 2016 , 7, 12334	17.4	174
34	Two-dimensional material-based saturable absorbers: towards compact visible-wavelength all-fiber pulsed lasers. <i>Nanoscale</i> , 2016 , 8, 1066-72	7.7	209
33	Surface plasmon resonance for characterization of large-area atomic-layer graphene film. <i>Optica</i> , 2016 , 3, 151	8.6	54
32	Far-Field Spectroscopy and Near-Field Optical Imaging of Coupled Plasmon-Phonon Polaritons in 2D van der Waals Heterostructures. <i>Advanced Materials</i> , 2016 , 28, 2931-8	24	61
31	Single-wall carbon nanotubes and graphene oxide-based saturable absorbers for low phase noise mode-locked fiber lasers. <i>Scientific Reports</i> , 2016 , 6, 25266	4.9	62
30	Optical modulators with 2D layered materials. <i>Nature Photonics</i> , 2016 , 10, 227-238	33.9	910
29	Black phosphorus polycarbonate polymer composite for pulsed fibre lasers. <i>Applied Materials Today</i> , 2016 , 4, 17-23	6.6	74
28	Pulse dynamics in carbon nanotube mode-locked fiber lasers near zero cavity dispersion. <i>Optics Express</i> , 2015 , 23, 9947-58	3.3	32
27	Science and technology roadmap for graphene, related two-dimensional crystals, and hybrid systems. <i>Nanoscale</i> , 2015 , 7, 4598-810	7.7	2015
26	Polarization and Thickness Dependent Absorption Properties of Black Phosphorus: New Saturable Absorber for Ultrafast Pulse Generation. <i>Scientific Reports</i> , 2015 , 5, 15899	4.9	225
25	High-power graphene mode-locked Tm/Ho co-doped fiber laser with evanescent field interaction. <i>Scientific Reports</i> , 2015 , 5, 16624	4.9	73
24	Broadband laser polarization control with aligned carbon nanotubes. <i>Nanoscale</i> , 2015 , 7, 11199-205	7.7	11
23	High-power diode-side-pumped Nd:YAG solid laser mode-locked by CVD graphene. <i>Optics Communications</i> , 2014 , 315, 204-207	2	6
22	Double-wall carbon nanotubes for wide-band, ultrafast pulse generation. <i>ACS Nano</i> , 2014 , 8, 4836-47	16.7	54
21	Tuning the nonlinear optical absorption of reduced graphene oxide by chemical reduction. <i>Optics Express</i> , 2014 , 22, 19375-85	3.3	58

20	Solution processing of graphene, topological insulators and other 2d crystals for ultrafast photonics. <i>Optical Materials Express</i> , 2014 , 4, 63	2.6	164
19	. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2014 , 20, 411-415	3.8	86
18	High repetition rate Q-switched radially polarized laser with a graphene-based output coupler. <i>Applied Physics Letters</i> , 2014 , 105, 221103	3.4	15
17	1.5 GHz picosecond pulse generation from a monolithic waveguide laser with a graphene-film saturable output coupler. <i>Optics Express</i> , 2013 , 21, 7943-50	3.3	98
16	Versatile multi-wavelength ultrafast fiber laser mode-locked by carbon nanotubes. <i>Scientific Reports</i> , 2013 , 3, 2718	4.9	260
15	Passively Mode-Locked Radially Polarized Nd-Doped Yttrium Aluminum Garnet Laser Based on Graphene-Based Saturable Absorber. <i>Applied Physics Express</i> , 2013 , 6, 082701	2.4	16
14	Production and processing of graphene and 2d crystals. <i>Materials Today</i> , 2012 , 15, 564-589	21.8	745
13	Inkjet-printed graphene electronics. <i>ACS Nano</i> , 2012 , 6, 2992-3006	16.7	864
12	Graphene mode-locked ultrafast laser. <i>ACS Nano</i> , 2010 , 4, 803-10	16.7	1547
11	A stable, wideband tunable, near transform-limited, graphene-mode-locked, ultrafast laser. <i>Nano Research</i> , 2010 , 3, 653-660	10	295
10	Ultrafast stretched-pulse fiber laser mode-locked by carbon nanotubes. <i>Nano Research</i> , 2010 , 3, 404-411	10	111
9	Nanotube Polymer Composites for Ultrafast Photonics. <i>Advanced Materials</i> , 2009 , 21, 3874-3899	24	659
8	Carbon Nanotube Polycarbonate Composites for Ultrafast Lasers. <i>Advanced Materials</i> , 2008 , 20, 4040-4043	24	129
7	Widely tunable picosecond optical parametric generation and amplification in BiB(3)O(6). <i>Optics Express</i> , 2007 , 15, 4139-48	3.3	19
6	High-beam-quality, 5.1J, 108Hz diode-pumped Nd:YAG rod oscillator amplifier laser system. <i>Optics Communications</i> , 2006 , 266, 39-43	2	13
5	Efficient improvement of laser beam quality by coherent combining in an improved Michelson cavity. <i>Optics Letters</i> , 2005 , 30, 1485-7	3	25
4	Configuration to improve second-harmonic-generation conversion efficiency. <i>Applied Optics</i> , 2004 , 43, 1174-9	1.7	1
3	Quantum photonics with layered 2D materials. <i>Nature Reviews Physics</i> ,	23.6	8

- | | | | |
|---|---|------|----|
| 2 | Giant enhancement of optical nonlinearity in two-dimensional materials by multiphoton-excitation resonance energy transfer from quantum dots. <i>Nature Photonics</i> , | 33.9 | 13 |
| 1 | Molybdenum Disulfide/Double-Wall Carbon Nanotube Mixed-Dimensional Heterostructures. <i>Advanced Materials Interfaces</i> ,2200193 | 4.6 | 1 |