
George Eo Muscat

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5186122/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A human beta-actin expression vector system directs high-level accumulation of antisense transcripts Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 4831-4835. | 3.3 | 720 |
| 2 | SOX9 Binds DNA, Activates Transcription, and Coexpresses with Type II Collagen during Chondrogenesis in the Mouse. Developmental Biology, 1997, 183, 108-121. | 0.9 | 640 |
| 3 | Sox18 induces development of the lymphatic vasculature in mice. Nature, 2008, 456, 643-647. | 13.7 | 483 |
| 4 | The NR4A Subgroup: Immediate Early Response Genes with Pleiotropic Physiological Roles. Nuclear Receptor Signaling, 2006, 4, nrs.04002. | 1.0 | 363 |
| 5 | The Peroxisome Proliferator-Activated Receptor β/δ Agonist, GW501516, Regulates the Expression of Genes Involved in Lipid Catabolism and Energy Uncoupling in Skeletal Muscle Cells. Molecular Endocrinology, 2003, 17, 2477-2493. | 3.7 | 342 |
| 6 | Minireview: Nuclear Hormone Receptor 4A Signaling: Implications for Metabolic Disease. Molecular Endocrinology, 2010, 24, 1891-1903. | 3.7 | 266 |
| 7 | Mutations in Sox18 underlie cardiovascular and hair follicle defects in ragged mice. Nature Genetics, 2000, 24, 434-437. | 9.4 | 201 |
| 8 | Class I Histone Deacetylases Sequentially Interact with MyoD and pRb during Skeletal Myogenesis. Molecular Cell, 2001, 8, 885-897. | 4.5 | 197 |
| 9 | International Union of Pharmacology. LXVI. Orphan Nuclear Receptors. Pharmacological Reviews, 2006, 58, 798-836. | 7.1 | 195 |
| 10 | A Dynamic Role for HDAC7 in MEF2-mediated Muscle Differentiation. Journal of Biological Chemistry, 2001, 276, 17007-17013. | 1.6 | 177 |
| 11 | Role of HuR in Skeletal Myogenesis through Coordinate Regulation of Muscle Differentiation Genes. Molecular and Cellular Biology, 2003, 23, 4991-5004. | 1.1 | 177 |
| 12 | The Orphan Nuclear Receptor, RORα, Regulates Gene Expression That Controls Lipid Metabolism. Journal of Biological Chemistry, 2008, 283, 18411-18421. | 1.6 | 167 |
| 13 | RORα Regulates the Expression of Genes Involved in Lipid Homeostasis in Skeletal Muscle Cells. Journal of Biological Chemistry, 2004, 279, 36828-36840. | 1.6 | 157 |
| 14 | Skeletal muscle and nuclear hormone receptors: Implications for cardiovascular and metabolic disease. International Journal of Biochemistry and Cell Biology, 2005, 37, 2047-2063. | 1.2 | 145 |
| 15 | Nur77 Regulates Lipolysis in Skeletal Muscle Cells. Journal of Biological Chemistry, 2005, 280, 12573-12584. | 1.6 | 144 |
| 16 | The Coactivator-associated Arginine Methyltransferase Is Necessary for Muscle Differentiation. Journal of Biological Chemistry, 2002, 277, 4324-4333. | 1.6 | 142 |
| 17 | The AF-1 Domain of the Orphan Nuclear Receptor NOR-1 Mediates Trans-activation, Coactivator Recruitment, and Activation by the Purine Anti-metabolite 6-Mercaptopurine. Journal of Biological Chemistry, 2003, 278, 24776-24790. | 1.6 | 134 |
| 18 | The Activation Function-1 Domain of Nur77/NR4A1 Mediates Trans-activation, Cell Specificity, and Coactivator Recruitment. Journal of Biological Chemistry, 2002, 277, 33001-33011. | 1.6 | 132 |

GEORGE EO MUSCAT

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The corepressor N-CoR and its variants RIP13a and RIP13Â1 directly interact with the basal transcription factors TFIIB, TAFII32 and TAFII70. Nucleic Acids Research, 1998, 26, 2899-2907. | 6.5 | 125 |
| 20 | Mice Null for Sox18 Are Viable and Display a Mild Coat Defect. Molecular and Cellular Biology, 2000, 20, 9331-9336. | 1.1 | 106 |
| 21 | Research Resource: Nuclear Receptors as Transcriptome: Discriminant and Prognostic Value in Breast Cancer. Molecular Endocrinology, 2013, 27, 350-365. | 3.7 | 98 |
| 22 | Activation ofmyoDgene transcription by 3,5,3'-triiodo-L-thyronine: a direct role for the thyroid hormone and retinoid X receptors. Nucleic Acids Research, 1994, 22, 583-591. | 6.5 | 93 |
| 23 | Regulation of Cholesterol Homeostasis and Lipid Metabolism in Skeletal Muscle by Liver X Receptors. Journal of Biological Chemistry, 2002, 277, 40722-40728. | 1.6 | 92 |
| 24 | Halofenate Is a Selective Peroxisome Proliferator–Activated Receptor γ Modulator With Antidiabetic Activity. Diabetes, 2006, 55, 2523-2533. | 0.3 | 90 |
| 25 | Exogenous expression of a dominant negative RORÂ1 vector in muscle cells impairs differentiation: RORÂ1 directly interacts with p300 and MyoD. Nucleic Acids Research, 1999, 27, 411-420. | 6.5 | 89 |
| 26 | Melanocortin-1 Receptor Signaling Markedly Induces the Expression of the NR4A Nuclear Receptor Subgroup in Melanocytic Cells. Journal of Biological Chemistry, 2008, 283, 12564-12570. | 1.6 | 87 |
| 27 | NFIB Mediates BRN2 Driven Melanoma Cell Migration and Invasion Through Regulation of EZH2 and MITF. EBioMedicine, 2017, 16, 63-75. | 2.7 | 85 |
| 28 | Regulation of vertebrate muscle differentiation by thyroid hormone: The role of themyoD gene family. BioEssays, 1995, 17, 211-218. | 1.2 | 83 |
| 29 | Rev-erbβ Regulates the Expression of Genes Involved in Lipid Absorption in Skeletal Muscle Cells. Journal of Biological Chemistry, 2005, 280, 8651-8659. | 1.6 | 83 |
| 30 | Caveolin-1 orchestrates the balance between glucose and lipid-dependent energy metabolism: Implications for liver regeneration. Hepatology, 2012, 55, 1574-1584. | 3.6 | 82 |
| 31 | Nucleotide sequence and expression of the human skeletal ?-actin gene: Evolution of functional regulatory domains*1. Genomics, 1988, 3, 323-336. | 1.3 | 81 |
| 32 | Effect of Disrupted SOX18 Transcription Factor Function on Tumor Growth, Vascularization, and Endothelial Development. Journal of the National Cancer Institute, 2006, 98, 1060-1067. | 3.0 | 78 |
| 33 | Trans-activation and DNA-binding properties of the transcription factor, Sox-18. Nucleic Acids Research, 1995, 23, 2626-2628. | 6.5 | 77 |
| 34 | Two Receptor Interaction Domains in the Corepressor, N-CoR/RIP13, Are Required for an Efficient Interaction with Rev-erbAÂ and RVR: Physical Association is Dependent on the E Region of the Orphan Receptors. Nucleic Acids Research, 1996, 24, 4379-4386. | 6.5 | 77 |
| 35 | The Nuclear Receptor, Nor-1, Markedly Increases Type II Oxidative Muscle Fibers and Resistance to Fatigue. Molecular Endocrinology, 2012, 26, 372-384. | 3.7 | 75 |
| 36 | β-Adrenergic signaling regulates NR4A nuclear receptor and metabolic gene expression in multiple tissuesâ~†. Molecular and Cellular Endocrinology, 2009, 309, 101-108. | 1.6 | 72 |

GEORGE EO MUSCAT

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The Orphan Rev-Erb Nuclear Receptors: A Link between Metabolism, Circadian Rhythm and Inflammation?. Nuclear Receptor Signaling, 2006, 4, nrs.04009. | 1.0 | 68 |
| 38 | Sox18 mutations in theragged mouse allelesragged-like andopossum. Genesis, 2003, 36, 1-6. | 0.8 | 59 |
| 39 | SOX18 Directly Interacts with MEF2C in Endothelial Cells. Biochemical and Biophysical Research Communications, 2001, 287, 493-500. | 1.0 | 56 |
| 40 | Expression profiling of skeletal muscle following acute and chronic \hat{I}^22 -adrenergic stimulation: implications for hypertrophy, metabolism and circadian rhythm. BMC Genomics, 2009, 10, 448. | 1.2 | 55 |
| 41 | Sequence and expression of Sox-18 encoding a new HMC-box transcription factor. Gene, 1995, 161, 223-225. | 1.0 | 54 |
| 42 | Repression of basal transcription by vitamin D receptor: evidence for interaction of unliganded vitamin D receptor with two receptor interaction domains in RIP13delta1. Journal of Molecular Endocrinology, 1998, 20, 327-335. | 1.1 | 51 |
| 43 | Identification and validation of the pathways and functions regulated by the orphan nuclear receptor, ROR alpha1, in skeletal muscle. Nucleic Acids Research, 2010, 38, 4296-4312. | 6.5 | 51 |
| 44 | Transgenic Muscle-Specific Nor-1 Expression Regulates Multiple Pathways That Effect Adiposity, Metabolism, and Endurance. Molecular Endocrinology, 2013, 27, 1897-1917. | 3.7 | 50 |
| 45 | The VCAM-1 Gene That Encodes the Vascular Cell Adhesion Molecule Is a Target of the Sry-related High Mobility Group Box Gene, Sox18. Journal of Biological Chemistry, 2004, 279, 5314-5322. | 1.6 | 49 |
| 46 | TRAP220 is modulated by the antineoplastic agent 6-Mercaptopurine, and mediates the activation of the NR4A subgroup of nuclear receptors. Journal of Molecular Endocrinology, 2005, 34, 835-848. | 1.1 | 49 |
| 47 | Domains of Brn-2 that mediate homodimerization and interaction with general and melanocytic transcription factors. FEBS Journal, 2000, 267, 6413-6422. | 0.2 | 47 |
| 48 | ldentification of a regulatory function for an orphan receptor in muscle: COUP-TF II affects the expression of themyoDgene family during myogenesis. Nucleic Acids Research, 1995, 23, 1311-1318. | 6.5 | 46 |
| 49 | Nuclear Receptor Profiling of Ovarian Granulosa Cell Tumors. Hormones and Cancer, 2011, 2, 157-169. | 4.9 | 46 |
| 50 | Homozygous staggerer (sg/sg) mice display improved insulin sensitivity and enhanced glucose uptake in skeletal muscle. Diabetologia, 2011, 54, 1169-1180. | 2.9 | 45 |
| 51 | Distinct nuclear receptor expression in stroma adjacent to breast tumors. Breast Cancer Research and Treatment, 2013, 142, 211-223. | 1.1 | 45 |
| 52 | PRMT2 and RORÎ ³ Expression Are Associated With Breast Cancer Survival Outcomes. Molecular Endocrinology, 2014, 28, 1166-1185. | 3.7 | 45 |
| 53 | Transcriptional repression by COUP-TF II is dependent on the C-terminal domain and involves the N-CoR variant, RIP13Î'1. Journal of Steroid Biochemistry and Molecular Biology, 1997, 63, 165-174. | 1.2 | 40 |
| 54 | The Chicken Ovalbumin Upstream Promoter-Transcription Factors Modulate Genes and Pathways Involved in Skeletal Muscle Cell Metabolism. Journal of Biological Chemistry, 2006, 281, 24149-24160. | 1.6 | 40 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Retinoid-related orphan receptor regulates several genes that control metabolism in skeletal muscle cells: links to modulation of reactive oxygen species production. Journal of Molecular Endocrinology, 2007, 39, 29-44. | 1.1 | 40 |
| 56 | The Nuclear Receptor, RORγ, Regulates Pathways Necessary for Breast Cancer Metastasis. EBioMedicine, 2016, 6, 59-72. | 2.7 | 40 |
| 57 | Structure/function analysis of a dUTPase: catalytic mechanism of a potential chemotherapeutic target. Journal of Molecular Biology, 1999, 288, 275-287. | 2.0 | 39 |
| 58 | Cloning and functional analysis of the Sry -related HMG box gene, Sox18. Gene, 2001, 262, 239-247. | 1.0 | 37 |
| 59 | Protein arginine methyltransferase 6-dependent gene expression and splicing: association with breast cancer outcomes. Endocrine-Related Cancer, 2012, 19, 509-526. | 1.6 | 37 |
| 60 | The NR4A2 Nuclear Receptor Is Recruited to Novel Nuclear Foci in Response to UV Irradiation and Participates in Nucleotide Excision Repair. PLoS ONE, 2013, 8, e78075. | 1.1 | 36 |
| 61 | Retinoid-related orphan receptor alpha and the regulation of lipid homeostasis. Journal of Steroid Biochemistry and Molecular Biology, 2012, 130, 159-168. | 1.2 | 33 |
| 62 | PPARÎ ³ agonists attenuate proliferation and modulate Wnt/β-catenin signalling in melanoma cells. International Journal of Biochemistry and Cell Biology, 2009, 41, 844-852. | 1.2 | 31 |
| 63 | Proliferin, a Prolactin/Growth Hormone-Like Peptide Represses Myogenic-Specific Transcription by the Suppression of an Essential Serum Response Factor-Like DNA-Binding Activity. Molecular Endocrinology, 1991, 5, 802-814. | 3.7 | 29 |
| 64 | An ERRβ/γ agonist modulates GRα expression, and glucocorticoid responsive gene expression in skeletal muscle cells. Molecular and Cellular Endocrinology, 2010, 315, 146-152. | 1.6 | 28 |
| 65 | Breast cancer prognosis predicted by nuclear receptor oregulator networks. Molecular Oncology, 2014, 8, 998-1013. | 2.1 | 27 |
| 66 | Orphan Nuclear Receptors and the Regulation of Nutrient Metabolism: Understanding Obesity. Physiology, 2012, 27, 156-166. | 1.6 | 26 |
| 67 | Signal Transduction by the Growth Hormone Receptor. Experimental Biology and Medicine, 1994, 206, 216-220. | 1.1 | 23 |
| 68 | Characterization of the AB (AF-1) region in the muscle-specific retinoid X receptor-gamma: evidence that the AF-1 region functions in a cell-specific manner. Nucleic Acids Research, 1996, 24, 264-271. | 6.5 | 23 |
| 69 | Nr4a1 siRNA Expression Attenuates α-MSH Regulated Gene Expression in 3T3-L1 Adipocytes. Molecular Endocrinology, 2011, 25, 291-306. | 3.7 | 20 |
| 70 | Expression vectors encoding human growth hormone (hGH) controlled by human muscle-specific promoters: prospects for regulated production of hGH delivered by myoblast transfer or intravenous injection. Gene, 1994, 145, 305-310. | 1.0 | 19 |
| 71 | Disruption of Rorα1 and Cholesterol 25-Hydroxylase Expression Attenuates Phagocytosis in Male Rorαsg/sg Mice. Endocrinology, 2013, 154, 140-149. | 1.4 | 19 |
| 72 | Characterization of the Retinoid Orphan-Related Receptor-Â Coactivator Binding Interface: A Structural Basis for Ligand-Independent Transcription. Molecular Endocrinology, 2002, 16, 998-1012. | 3.7 | 18 |

GEORGE EO MUSCAT

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Nuclear Receptor Expression in Human Differentiated Thyroid Tumors. Thyroid, 2014, 24, 1000-1011. | 2.4 | 16 |
| 74 | TheSry-Related GeneSox18Maps to Distal Mouse Chromosome 2. Genomics, 1996, 36, 558-559. | 1.3 | 15 |
| 75 | Rev-erb beta regulates the Srebp-1c promoter and mRNA expression in skeletal muscle cells. Biochemical and Biophysical Research Communications, 2009, 388, 654-659. | 1.0 | 15 |
| 76 | Sox18 expression in blood vessels and feather buds during chicken embryogenesis. Gene, 2001, 271, 151-158. | 1.0 | 14 |
| 77 | <i>Ski</i> Overexpression in Skeletal Muscle Modulates Genetic Programs That Control Susceptibility to Dietâ€Induced Obesity and Insulin Signaling. Obesity, 2012, 20, 2157-2167. | 1.5 | 14 |
| 78 | Not a minute to waste. Nature Medicine, 2000, 6, 1216-1217. | 15.2 | 13 |
| 79 | Structure, mapping, and expression of human SOX18. Mammalian Genome, 2000, 11, 1147-1149. | 1.0 | 13 |
| 80 | The Nuclear Receptor Nor-1 Is a Pleiotropic Regulator of Exercise-Induced Adaptations. Exercise and Sport Sciences Reviews, 2018, 46, 97-104. | 1.6 | 13 |
| 81 | Nuclear receptors and epigenetic signaling: Novel regulators of glycogen metabolism in skeletal muscle. IUBMB Life, 2013, 65, 657-664. | 1.5 | 12 |
| 82 | Growth-related Changes in Specific mRNAs upon Lectin Activation of Human Lymphocytes. DNA and Cell Biology, 1985, 4, 377-384. | 5.1 | 11 |
| 83 | Minireview: Therapeutic Implications of Epigenetic Signaling in Breast Cancer. Endocrinology, 2017, 158, en.2016-1716. | 1.4 | 8 |
| 84 | Transgenic Adipose-specific Expression of the Nuclear Receptor RORα Drives a Striking Shift in Fat Distribution and Impairs Glycemic Control. EBioMedicine, 2016, 11, 101-117. | 2.7 | 5 |
| 85 | Chapter 3 PPARδ: Emerging therapeutic potential of novel agonists in lipid and glucose homeostasis. Advances in Molecular and Cellular Endocrinology, 2006, 5, 43-62. | 0.1 | 0 |