Jacek Karamon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5186444/publications.pdf

Version: 2024-02-01

471509 526287 1,077 85 17 27 citations h-index g-index papers 87 87 87 1141 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Grass Snakes (Natrix natrix) as a Reservoir of Alaria alata and Other Parasites. Pathogens, 2022, 11, 156.	2.8	1
2	Proteomic Profiling and In Silico Characterization of the Secretome of Anisakis simplex Sensu Stricto L3 Larvae. Pathogens, 2022, 11, 246.	2.8	8
3	Validation of the Magnetic Stirrer Method for the Detection of Trichinella Larvae in Muscle Samples Based on Proficiency Tests Results. Foods, 2022, 11, 525.	4.3	2
4	Comparison Study of Four Extraction Methods Combined with PCR and LAMP for Feline Tritrichomonas foetus Detection in Fecal Samples. Pathogens, 2022, 11, 604.	2.8	1
5	4D-Dynamic Representation of DNA/RNA Sequences: Studies on Genetic Diversity of Echinococcus multilocularis in Red Foxes in Poland. Life, 2022, 12, 877.	2.4	O
6	Occurrence of Alaria alata in wild boars (Sus scrofa) in Poland and detection of genetic variability between isolates. Parasitology Research, 2021, 120, 83-91.	1.6	9
7	Digestive diseases of pigs. , 2021, , 139-160.		O
8	Unexpected Cross-Reaction with Honigbergiella-Like DNA in a PCR for Detection of Bovine Tritrichomonas foetus. Pathogens, 2021, 10, 441.	2.8	3
9	The First Record of Echinococcus ortleppi (G5) Tapeworms in Grey Wolf (Canis lupus). Pathogens, 2021, 10, 853.	2.8	6
10	Alaria alata in Terms of Risks to Consumers' Health. Foods, 2021, 10, 1614.	4.3	10
11	Molecular Confirmation of Massive Taenia pisiformis Cysticercosis in One Rabbit in Poland. Pathogens, 2021, 10, 1029.	2.8	2
12	Unravelling the genetic diversity and relatedness of Echinococcus multilocularis isolates in Eurasia using the EmsB microsatellite nuclear marker. Infection, Genetics and Evolution, 2021, 92, 104863.	2.3	15
13	Balantidium coli in pig farms suspected of porcine circovirus type 2 (PCV2) associated enteritis. Journal of Veterinary Research (Poland), 2021, 65, 425-430.	1.0	O
14	Results of Proficiency Testing for Trichinella in Poland, 2015–2019. Journal of Clinical Medicine, 2021, 10, 5389.	2.4	3
15	First case of Trichinella spiralis infection in beavers (Castor fiber) in Poland and Europe. International Journal for Parasitology: Parasites and Wildlife, 2020, 11, 46-49.	1.5	10
16	Development and Application of Novel Chemiluminescence Immunoassays for Highly Sensitive Detection of Anisakis simplex Proteins in Thermally Processed Seafood. Pathogens, 2020, 9, 777.	2.8	2
17	Proteomic and Bioinformatic Investigations of Heat-Treated Anisakis simplex Third-Stage Larvae. Biomolecules, 2020, 10, 1066.	4.0	8
18	Comparison of Two DNA Extraction Methods and Two PCRs for Detection of Echinococcus multilocularis in the Stool Samples of Naturally Infected Red Foxes. Animals, 2020, 10, 2381.	2.3	3

#	Article	IF	Citations
19	Toxoplasma gondii infection in slaughtered pigs and cattle in Poland: seroprevalence, molecular detection and characterization of parasites in meat. Parasites and Vectors, 2020, 13, 223.	2.5	22
20	Distribution of Parasitic Helminths in the Small Intestine of the Red Fox (Vulpes vulpes). Pathogens, 2020, 9, 477.	2.8	6
21	Tritrichomonas Foetus: A Study of Prevalence in Animal Hosts in Poland. Pathogens, 2020, 9, 203.	2.8	8
22	Whole genome sequencing of a feline strain of Tritrichomonas foetus reveals massive genetic differences to bovine and porcine isolates. International Journal for Parasitology, 2020, 50, 227-233.	3.1	9
23	Diversity of Trichinella species in relation to the host species and geographical location. Veterinary Parasitology, 2020, 279, 109052.	1.8	21
24	Asian Admixture in European Echinococcus multilocularis Populations: New Data From Poland Comparing EmsB Microsatellite Analyses and Mitochondrial Sequencing. Frontiers in Veterinary Science, 2020, 7, 620722.	2.2	12
25	Proteomic Profiling Reveals New Insights into the Allergomes of Anisakis simplex, Pseudoterranova decipiens, and Contracaecum osculatum. Journal of Parasitology, 2020, 106, 572.	0.7	22
26	Intraspecific genetic variation in Trichinella spiralis and Trichinella britovi populations circulating in different geographical regions of Poland. International Journal for Parasitology: Parasites and Wildlife, 2019, 10, 101-112.	1.5	8
27	First report of Echinococcus multilocularis in cats in Poland: a monitoring study in cats and dogs from a rural area and animal shelter in a highly endemic region. Parasites and Vectors, 2019, 12, 313.	2.5	22
28	Negative effect of flocculant (cationic acrylamide) on detectability of the nematode eggs in sewage sludge. Journal of Environmental Management, 2019, 231, 905-908.	7.8	11
29	Development and comparative evaluation of different LAMP and PCR assays for coprological diagnosis of feline tritrichomonosis. Veterinary Parasitology, 2019, 273, 17-23.	1.8	6
30	First detection of Echinococcus multilocularis in environmental water sources in endemic areas using capsule filtration and molecular detection methods. Water Research, 2019, 160, 466-474.	11.3	15
31	Parasitological contamination with eggs Ascaris spp., Trichuris spp. and Toxocara spp. of dehydrated municipal sewage sludge in Poland. Environmental Pollution, 2019, 248, 621-626.	7.5	11
32	Detection and Molecular Characteristics of <i>Toxoplasma gondii </i> DNA in Retail Raw Meat Products in Poland. Foodborne Pathogens and Disease, 2019, 16, 195-204.	1.8	25
33	<i>Tritrichomonas foetus</i> as a causative agent of tritrichomonosis in different animal hosts. Journal of Veterinary Research (Poland), 2019, 63, 533-541.	1.0	20
34	<i>Echinococcus multilocuraris</i> –first recorded case of Norway rat (<i>Rattus norvegicus</i>) in Poland. Annals of Agricultural and Environmental Medicine, 2019, 26, 674-676.	1.0	1
35	<i>Toxoplasma gondii</i> infection in selected species of free-living animals in Poland. Annals of Agricultural and Environmental Medicine, 2019, 26, 656-660.	1.0	11
36	Identification and control of sources of <i>Taenia solium</i> infection – the attempts to eradicate the parasite. Journal of Veterinary Research (Poland), 2018, 62, 27-34.	1.0	8

#	Article	IF	CITATIONS
37	Occurrence of <i>Trichinella</i> spp. in rats on pig farms. Annals of Agricultural and Environmental Medicine, 2018, 25, 698-700.	1.0	14
38	Epidemiology of taeniosis/cysticercosis in Europe, a systematic review: eastern Europe. Parasites and Vectors, 2018, 11, 569.	2.5	50
39	Prevalence of intestinal helminths of red foxes (Vulpes vulpes) in central Europe (Poland): a significant zoonotic threat. Parasites and Vectors, 2018, 11, 436.	2.5	47
40	Isoelectric focusing of proteins in the pH gradient as a tool for identification of species origin of raw meat. Journal of Veterinary Research (Poland), 2018, 62, 151-159.	1.0	7
41	Prevalence of <i>Toxoplasma gondii</i> infection in cats in southwestern Poland. Annals of Agricultural and Environmental Medicine, 2018, 25, 576-580.	1.0	14
42	Optimization of flotation, DNA extraction and PCR methods for detection of Toxoplasma gondii oocysts in cat faeces. Annals of Agricultural and Environmental Medicine, 2018, 25, 680-685.	1.0	5
43	Methods for Anisakis simplex detection in fish and fishery productsMethods for Anisakis simplex detection in fish and fishery products. Medycyna Weterynaryjna, 2018, 74, 247-252.	0.1	0
44	Identification and Control of Sources of Infection - the Attempts To Eradicate the Parasite. Journal of Veterinary Research (Poland), 2018, 62, 27-34.	1.0	2
45	First case of Trichinella nativa infection in wild boar in Central Europe—molecular characterization of the parasite. Parasitology Research, 2017, 116, 1705-1711.	1.6	14
46	Viability assessment of Ascaris suum eggs stained with fluorescent dyes using digital colorimetric analysis. Experimental Parasitology, 2017, 178, 7-13.	1.2	4
47	A step forward in the understanding of the presence and expansion of Echinococcus multilocularis in Eastern Europe using microsatellite EmsB genotyping in Poland. Infection, Genetics and Evolution, 2017, 54, 176-182.	2.3	19
48	Occurrence of intestinal parasites in pigs in Poland - the influence of factors related to the production system. Journal of Veterinary Research (Poland), 2017, 61, 459-466.	1.0	13
49	Division of methods for counting helminths' eggs and the problem of efficiency of these methods. Annals of Agricultural and Environmental Medicine, 2017, 24, 1-7.	1.0	7
50	Genetic diversity of Echinococcus multilocularis in red foxes in Poland: the first report of a haplotype of probable Asian origin. Folia Parasitologica, 2017, 64, .	1.3	22
51	Seroprevalence of Toxoplasma gondii infection in goats from the south-west region of Poland and the detection of T. gondii DNA in goat milk. Folia Parasitologica, 2017, 64, .	1.3	19
52	Intestinal helminths of raccoon dogs (<i>Nyctereutes procyonoides</i>) and red foxes (<i>Vulpes) Tj ETQq0 0 0 Research (Poland), 2016, 60, 273-277.</i>	rgBT /Ovei 1.0	lock 10 Tf 50
53	The geographical distribution and prevalence of Echinococcus multilocularis in animals in the European Union and adjacent countries: a systematic review and meta-analysis. Parasites and Vectors, 2016, 9, 519.	2.5	124
54	High prevalence of Anisakidae larvae in marketed frozen fillets of pink salmons (Oncorhynchus) Tj ETQq0 0 0 rgB	T /Oyerloo	:k <u>1</u> 0 Tf 50 62

#	Article	IF	CITATIONS
55	Characterisation of a new, highly effective method for detecting nematode eggs (Ascaris spp.,) Tj ETQq1 1 0.7845 2016, 170, 198-206.	314 rgBT / 1.2	Overlock 10 5
56	A genetic structure of novel population of Fascioloides magna from Poland, Podkarpackie Province, indicates an expanding second European natural focus of fascioloidosis. Acta Parasitologica, 2016, 61, 790-795.	1.1	5
57	First detection of Echinococcus multilocularis in dogs in a highly endemic area of Poland. Folia Parasitologica, 2016, 63, .	1.3	14
58	First record of wild boar infected with <i>Trichinella pseudospiralis</i> in Poland. Journal of Veterinary Research (Poland), 2016, 60, 147-152.	1.0	7
59	Comparison of the efficiency of two commercial kits $\hat{a}\in$ ELFA and Western blot in estimating the phase of <i>Toxoplasma gondii</i> infection in pregnant women. Annals of Agricultural and Environmental Medicine, 2016, 23, 570-575.	1.0	7
60	Echinococcus granulosus – a global zoonotic problem and diagnostic possibilities in animals. Medycyna Weterynaryjna, 2016, 72, 728-734.	0.1	2
61	Dynamics of Echinococcus multilocularis infection in red fox populations with high and low prevalence of this parasite in Poland (2007–2014). Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2015, 59, 213-217.	0.4	7
62	Effectiveness of Selected Stages of Wastewater Treatment in Elimination of Eggs of Intestinal Parasites. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2015, 59, 51-57.	0.4	14
63	Tritrichomonas foetus infection in cat – first detection in Poland. Acta Parasitologica, 2015, 60, 605-8.	1.1	3
64	First report of the giant liver fluke (<i>Fascioloides magna</i>) infection in farmed fallow deer (<i>Dama dama</i>) in Poland – pathomorphological changes and molecular identification. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2015, 59, 339-344.	0.4	16
65	Potential role of beavers (Castor fiber) in contamination of water in the Masurian Lake District (north-eastern Poland) with protozoan parasites Cryptosporidium spp. and Giardia duodenalis. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2015, 59, 219-228.	0.4	7
66	E. multilocularis infection in animals. EFSA Supporting Publications, 2015, 12, 882E.	0.7	9
67	Influence of selected stool concentration techniques on the effectiveness of PCR examination in Giardia intestinalis diagnostics. Polish Journal of Veterinary Sciences, 2014, 17, 19-25.	0.2	7
68	Experimental Estimation of the Efficacy of the Flotac Basic Technique. Journal of Parasitology, 2014, 100, 633-639.	0.7	6
69	The prevalence of Echinococcus multilocularis in red foxes in Polandâ€"current results (2009–2013). Parasitology Research, 2014, 113, 317-322.	1.6	43
70	Detection of Echinococcus multilocularis in faeces by nested PCR with the use of diluted DNA samples. Polish Journal of Veterinary Sciences, 2014, 17, 79-83.	0.2	6
71	Gastrointestinal helminths of raccoons (Procyon lotor) in western Poland (Lubuskie province) - with particular regard to Baylisascaris procyonis. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2014, 58, 547-552.	0.4	17
72	Assessment of viability of the nematode eggs (Ascaris, Toxocara, Trichuris) in sewage sludge with the use of LIVE/DEAD Bacterial Viability Kit. Annals of Agricultural and Environmental Medicine, 2014, 21, 35-41.	1.0	20

#	Article	IF	CITATIONS
73	Trichinella species circulating in wild boar (Sus scrofa) populations in Poland. International Journal for Parasitology: Parasites and Wildlife, 2013, 2, 211-213.	1.5	18
74	Trichinella nativa in red foxes (Vulpes vulpes) of Germany and Poland: Possible different origins. Veterinary Parasitology, 2013, 198, 254-257.	1.8	29
75	Analysis of the accuracy and precision of the McMaster method in detection of the eggs of Toxocara and Trichuris species (Nematoda) in dog faeces. Folia Parasitologica, 2013, 60, 264-272.	1.3	16
76	Optimisation and comparison of three PCR procedures for molecular identification of Taenia solium. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2013, 57, 507-512.	0.4	2
77	Efficacy of Intestinal Scraping Technique in the Detection of Echinococcus Multilocularis - Estimation of the Limit of the Detection and Comparison with Sedimentation and Counting Technique. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2012, 56, 535-538.	0.4	2
78	Molecular diagnostics of Sarcocystis spp. infections. Polish Journal of Veterinary Sciences, 2012, 15, 589-596.	0.2	18
79	The first detection of Echinococcus multilocularis in slaughtered pigs in Poland. Veterinary Parasitology, 2012, 185, 327-329.	1.8	19
80	Modified Method of Hypoderma Bovis Proteins Transfer Obtained from Gel by Native Electrophoresis onto Nitrocellulose Membrane. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2012, 56, 547-552.	0.4	0
81	Preliminary assessment of usefulness of cELISA test for screening pig and cattle populations for presence of antibodies against Toxoplasma gondii. Annals of Agricultural and Environmental Medicine, 2011, 18, 335-9.	1.0	10
82	Limit of detection of sedimentation and counting technique (SCT) for Echinococcus multilocularis diagnosis, estimated under experimental conditions. Experimental Parasitology, 2010, 124, 244-246.	1.2	20
83	Modified flotation method with the use of Percoll for the detection of Isospora suis oocysts in suckling piglet faeces. Veterinary Parasitology, 2008, 156, 324-328.	1.8	10
84	Prevalence of Isospora suis and Eimeria spp. in suckling piglets and sows in Poland. Veterinary Parasitology, 2007, 147, 171-175.	1.8	27
85	Spatial position of mandibular third molars in monozygotic twins. Angle Orthodontist, 1984, 54, 271-82.	2.4	8