
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5188457/publications.pdf Version: 2024-02-01



ALEY HOLEP

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Sex differences in brain activation pattern during a visuospatial cognitive task: a functional magnetic resonance imaging study in healthy volunteers. Neuroscience Letters, 2003, 344, 169-172. | 2.1 | 236 |
| 2 | Association of Olanzapine-Induced Weight Gain With an Increase in Body Fat. American Journal of Psychiatry, 2001, 158, 1719-1722. | 7.2 | 151 |
| 3 | Gender differences in regional cerebral activity during the perception of emotion: A functional MRI study. NeuroImage, 2006, 32, 854-862. | 4.2 | 143 |
| 4 | Quality of Life in Schizophrenia. Journal of Clinical Psychiatry, 2004, 65, 932-939. | 2.2 | 132 |
| 5 | Patient outcomes in schizophrenia II: the impact of cognition. European Psychiatry, 2005, 20, 395-402. | 0.2 | 119 |
| 6 | Osteoporosis in Patients With Schizophrenia. American Journal of Psychiatry, 2005, 162, 162-167. | 7.2 | 114 |
| 7 | Brain activation pattern during a verbal fluency test in healthy male and female volunteers: a functional magnetic resonance imaging study. Neuroscience Letters, 2003, 352, 191-194. | 2.1 | 104 |
| 8 | Compliance in Schizophrenia: Psychopathology, Side Effects, and Patients' Attitudes Toward the Illness and Medication. Journal of Clinical Psychiatry, 2004, 65, 1211-1218. | 2.2 | 104 |
| 9 | Selection Bias in Clinical Trials With Antipsychotics. Journal of Clinical Psychopharmacology, 2000, 20, 699-702. | 1.4 | 94 |
| 10 | Brain activation patterns during a verbal fluency test?a functional MRI study in healthy volunteers and patients with schizophrenia. Schizophrenia Research, 2004, 70, 287-291. | 2.0 | 91 |
| 11 | Sex differences in brain activation patterns during processing of positively and negatively valenced emotional words. Psychological Medicine, 2007, 37, 109-119. | 4.5 | 84 |
| 12 | Language lateralization in unmedicated patients during an acute episode of schizophrenia: A functional MRI study. Psychiatry Research - Neuroimaging, 2006, 146, 185-190. | 1.8 | 82 |
| 13 | Facial emotion recognition and its relationship to symptomatic, subjective, and functional outcomes in outpatients with chronic schizophrenia. European Psychiatry, 2009, 24, 27-32. | 0.2 | 81 |
| 14 | Correlates of subjective and functional outcomes in outpatient clinic attendees with schizophrenia and schizoaffective disorder. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 246-255. | 3.2 | 77 |
| 15 | Attitudes Toward Antipsychotics Among Outpatient Clinic Attendees With Schizophrenia. Journal of Clinical Psychiatry, 2002, 63, 49-53. | 2.2 | 77 |
| 16 | Olanzapine Induces Insulin Resistance. Journal of Clinical Psychiatry, 2003, 64, 1436-1439. | 2.2 | 72 |
| 17 | Facial emotion recognition and its relationship to subjective and functional outcomes in remitted patients with bipolar I disorder. Bipolar Disorders, 2011, 13, 537-544. | 1.9 | 70 |
| 18 | Brain activation patterns during a selective attention test — a functional MRI study in healthy volunteers and unmedicated patients during an acute episode of schizophrenia. Psychiatry Research - Neuroimaging, 2007, 154, 31-40. | 1.8 | 69 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | An fMRI Study of Episodic Encoding and Recognition of Words in Patients With Schizophrenia in Remission. American Journal of Psychiatry, 2003, 160, 911-918. | 7.2 | 65 |
| 20 | Social cognition in serious mental illness. Current Opinion in Psychiatry, 2014, 27, 197-202. | 6.3 | 65 |
| 21 | Brain activation patterns during a selective attention test—a functional MRI study in healthy volunteers and patients with schizophrenia. Psychiatry Research - Neuroimaging, 2003, 123, 1-15. | 1.8 | 64 |
| 22 | Resilience, internalized stigma, self-esteem, and hopelessness among people with schizophrenia: Cultural comparison in Austria and Japan. Schizophrenia Research, 2016, 171, 86-91. | 2.0 | 63 |
| 23 | A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. European Neuropsychopharmacology, 2019, 29, 947-959. | 0.7 | 60 |
| 24 | Patient outcomes in schizophrenia I: correlates with sociodemographic variables, psychopathology, and side effects. European Psychiatry, 2005, 20, 386-394. | 0.2 | 59 |
| 25 | Theory of mind and its relevance in schizophrenia. Current Opinion in Psychiatry, 2012, 25, 71-75. | 6.3 | 56 |
| 26 | Quality of life in stabilized patients with schizophrenia is mainly associated with resilience and selfâ€esteem. Acta Psychiatrica Scandinavica, 2016, 134, 360-367. | 4.5 | 56 |
| 27 | Clinical and biological correlates of resilience in patients with schizophrenia and bipolar disorder: A cross-sectional study. Schizophrenia Research, 2016, 175, 148-153. | 2.0 | 50 |
| 28 | Attitudes of Patients With Schizophrenia Toward Placebo-Controlled Clinical Trials. Journal of Clinical Psychiatry, 2003, 64, 277-281. | 2.2 | 50 |
| 29 | Quality of life in schizophrenia and bipolar disorder: The impact of symptomatic remission and resilience. European Psychiatry, 2017, 46, 42-47. | 0.2 | 47 |
| 30 | Quality of life in schizophrenia: the impact of psychopathology, attitude toward medication, and side effects. Journal of Clinical Psychiatry, 2004, 65, 932-9. | 2.2 | 44 |
| 31 | Symptomatic remission and neurocognitive functioning in patients with schizophrenia. Psychological Medicine, 2011, 41, 2131-2139. | 4.5 | 42 |
| 32 | Facial affect recognition in symptomatically remitted patients with schizophrenia and bipolar disorder. Schizophrenia Research, 2014, 152, 440-445. | 2.0 | 42 |
| 33 | Neural Correlates of Episodic Encoding and Recognition of Words in Unmedicated Patients During an Acute Episode of Schizophrenia: A Functional MRI Study. American Journal of Psychiatry, 2003, 160, 1802-1808. | 7.2 | 39 |
| 34 | Prolactin Levels and Sexual Adverse Effects in Patients With Schizophrenia During Antipsychotic Treatment. Journal of Clinical Psychopharmacology, 2010, 30, 711-715. | 1.4 | 38 |
| 35 | Neutropenia Induced by Second Generation Antipsychotics: A Prospective Investigation. Pharmacopsychiatry, 2010, 43, 41-44. | 3.3 | 37 |
| 36 | Subjective response and attitudes toward antipsychotic drug therapy during the initial treatment period: a prospective follow-up study in patients with schizophrenia. Acta Psychiatrica Scandinavica, 2007, 116, 354-361. | 4.5 | 36 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Early changes of plasma lipids during treatment with atypical antipsychotics. International Clinical Psychopharmacology, 2006, 21, 369-372. | 1.7 | 31 |
| 38 | Neural substrates for episodic encoding and recognition of unfamiliar faces. Brain and Cognition, 2007, 63, 174-181. | 1.8 | 31 |
| 39 | Quality of life in stabilized outpatients with bipolar I disorder: Associations with resilience, internalized stigma, and residual symptoms. Journal of Affective Disorders, 2018, 238, 399-404. | 4.1 | 31 |
| 40 | Sex matters: stress perception and the relevance of resilience and perceived social support in emerging adults. Archives of Women's Mental Health, 2021, 24, 403-411. | 2.6 | 30 |
| 41 | Quetiapine Cross Reactivity With Urine Methadone Immunoassays. American Journal of Psychiatry, 2007, 164, 172-172. | 7.2 | 29 |
| 42 | Cognitive impairment in schizophrenia: Clinical ratings are not a suitable alternative to neuropsychological testing. Schizophrenia Research, 2007, 92, 126-131. | 2.0 | 27 |
| 43 | Emotional Intelligence and cognitive abilities – associations and sex differences. Psychology, Health and Medicine, 2017, 22, 1001-1010. | 2.4 | 27 |
| 44 | Religiosity and psychological resilience in patients with schizophrenia and bipolar disorder: an international crossâ€sectional study. Acta Psychiatrica Scandinavica, 2018, 137, 316-327. | 4.5 | 27 |
| 45 | Self-stigma versus stigma resistance in schizophrenia: Associations with resilience, premorbid adjustment, and clinical symptoms. Psychiatry Research, 2019, 271, 396-401. | 3.3 | 27 |
| 46 | Social interaction reward: A resilience approach to overcome vulnerability to drugs of abuse. European Neuropsychopharmacology, 2020, 37, 12-28. | 0.7 | 25 |
| 47 | Factors influencing the choice of new generation antipsychotic medication in the treatment of patients with schizophrenia. Schizophrenia Research, 2009, 113, 246-251. | 2.0 | 24 |
| 48 | Attitudes towards medication in patients with schizophrenia. Acta Psychiatrica Scandinavica, 2006, 113, 161-162. | 4.5 | 21 |
| 49 | Emotional Intelligence deficits in schizophrenia: The impact of non-social cognition. Schizophrenia Research, 2016, 172, 131-136. | 2.0 | 21 |
| 50 | Antipsychotic-induced tardive dyskinesia. Current Opinion in Psychiatry, 2019, 32, 179-184. | 6.3 | 21 |
| 51 | Social interaction reward in rats has antiâ€stress effects. Addiction Biology, 2021, 26, e12878. | 2.6 | 21 |
| 52 | The soluble leptin receptor in olanzapine-induced weight gain: results from a prospective study. Schizophrenia Research, 2005, 75, 143-146. | 2.0 | 20 |
| 53 | Emotional intelligence and non-social cognition in schizophrenia and bipolar I disorder. Psychological Medicine, 2017, 47, 35-42. | 4.5 | 20 |
| 54 | Outcomes in Schizophrenia Outpatients Treated with Amisulpride or Olanzapine. Pharmacopsychiatry, 2007, 40, 1-8. | 3.3 | 19 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Affective prosody perception in symptomatically remitted patients with schizophrenia and bipolar disorder. Schizophrenia Research, 2014, 158, 100-104. | 2.0 | 19 |
| 56 | ls p38 MAPK Associated to Drugs of Abuse-Induced Abnormal Behaviors?. International Journal of Molecular Sciences, 2020, 21, 4833. | 4.1 | 19 |
| 57 | Psychological Distress, Loneliness, and Boredom Among the General Population of Tyrol, Austria During the COVID-19 Pandemic. Frontiers in Psychiatry, 2021, 12, 691896. | 2.6 | 19 |
| 58 | The Mediating Role of Resilience and Extraversion on Psychological Distress and Loneliness Among the General Population of Tyrol, Austria Between the First and the Second Wave of the COVID-19 Pandemic. Frontiers in Psychiatry, 2021, 12, 766261. | 2.6 | 18 |
| 59 | QTc Variability in Schizophrenia Patients Treated With Antipsychotics and Healthy Controls. Journal of Clinical Psychopharmacology, 2005, 25, 206-210. | 1.4 | 17 |
| 60 | The neural regions sustaining episodic encoding and recognition of objects. Brain and Cognition, 2007, 63, 159-166. | 1.8 | 17 |
| 61 | The safety of clozapine in the treatment of first- and multiple-episode patients with treatment-resistant schizophrenia. International Journal of Neuropsychopharmacology, 2003, 6, 201-206. | 2.1 | 16 |
| 62 | Association Between Antipsychotic-induced Elevation of Liver Enzymes and Weight Gain. Journal of Clinical Psychopharmacology, 2006, 26, 500-503. | 1.4 | 16 |
| 63 | Neurology Issues in Schizophrenia. Current Psychiatry Reports, 2015, 17, 32. | 4.5 | 16 |
| 64 | Associations between resilience and quality of life in patients experiencing a depressive episode. Psychiatry Research, 2020, 292, 113353. | 3.3 | 16 |
| 65 | Sibutramine in the treatment of antipsychotic-induced weight gain. International Clinical Psychopharmacology, 2014, 29, 181-184. | 1.7 | 15 |
| 66 | Aripiprazole Use in Early Pregnancy: A Case Report. Pharmacopsychiatry, 2012, 45, 299-300. | 3.3 | 14 |
| 67 | Pulmonary Embolism and Aspiration Pneumonia After Reexposure to Clozapine. Journal of Clinical Psychopharmacology, 2014, 34, 385-387. | 1.4 | 14 |
| 68 | Alterations of glucose metabolism during treatment with clozapine or amisulpride: results from a prospective 16-week study. Journal of Psychopharmacology, 2007, 21, 400-404. | 4.0 | 13 |
| 69 | Risk of violence of inpatients with severe mental illness – Do patients with schizophrenia pose harm to others?. Psychiatry Research, 2014, 219, 450-456. | 3.3 | 13 |
| 70 | Emotional Intelligence and resilience in mental health professionals caring for patients with serious mental illness. Psychology, Health and Medicine, 2016, 21, 755-761. | 2.4 | 13 |
| 71 | European Validation of the Self-Evaluation of Negative Symptoms (SNS): A Large Multinational and Multicenter Study. Frontiers in Psychiatry, 2022, 13, 826465. | 2.6 | 13 |
| 72 | Combined Clozapine and Electroconvulsive Therapy in Clozapine-Resistant Schizophrenia. Journal of ECT, 2011, 27, e61-e62. | 0.6 | 12 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Treatment of psychotic and behavioral symptoms with clozapine, aripiprazole, and reboxetine in a patient with Huntington's disease. International Clinical Psychopharmacology, 2013, 28, 1. | 1.7 | 12 |
| 74 | Erratum. Journal of Clinical Psychopharmacology, 2005, 25, 201. | 1.4 | 11 |
| 75 | Subjective well-being, drug attitude, and changes in symptomatology in chronic schizophrenia patients starting treatment with new-generation antipsychotic medication. BMC Psychiatry, 2018, 18, 212. | 2.6 | 11 |
| 76 | Attitudes of patients with schizophrenia and depression towards psychiatric research. Psychiatry Research, 2010, 177, 172-176. | 3.3 | 10 |
| 77 | Bilirubin Concentration Correlates With Positive Symptoms in Patients With Schizophrenia. Journal of Clinical Psychiatry, 2016, 77, 512-516. | 2.2 | 10 |
| 78 | Mental health in individuals with severe mental disorders during the covid-19 pandemic: a longitudinal investigation. NPJ Schizophrenia, 2022, 8, 17. | 3.6 | 10 |
| 79 | Measuring Adherence to Medication in Schizophrenia: The Relationship between Attitudes toward Drug Therapy and Plasma Levels of New-Generation Antipsychotics. International Journal of Neuropsychopharmacology, 2015, 18, pyu091-pyu091. | 2.1 | 9 |
| 80 | Why do indiviuals with schizophrenia drop out of observational clinical trials?. Psychiatry Research, 2017, 256, 1-5. | 3.3 | 9 |
| 81 | Emotional intelligence in bipolar-I-disorder: A comparison between patients, unaffected siblings, and control subjects. European Psychiatry, 2020, 63, e69. | 0.2 | 9 |
| 82 | On the difficulties of building therapeutic relationships when wearing face masks. Journal of Psychosomatic Research, 2020, 138, 110226. | 2.6 | 9 |
| 83 | Resilience Predicts Self-Stigma and Stigma Resistance in Stabilized Patients With Bipolar I Disorder. Frontiers in Psychiatry, 2021, 12, 678807. | 2.6 | 9 |
| 84 | Management of a Risperidone-Induced Tardive Pisa Syndrome. Journal of Clinical Psychopharmacology, 2012, 32, 418-420. | 1.4 | 8 |
| 85 | Prosodic and Semantic Affect Perception in Remitted Patients With Bipolar I Disorder. Journal of Clinical Psychiatry, 2015, 76, e779-e786. | 2.2 | 8 |
| 86 | Rewarding Social Interaction in Rats Increases CaMKII in the Nucleus Accumbens. Biomedicines, 2021, 9, 1886. | 3.2 | 8 |
| 87 | Psychiatric misdiagnoses in Dandy–Walker variant. Neurocase, 2015, 21, 499-500. | 0.6 | 7 |
| 88 | Involvement of cAMP-Dependent Protein Kinase in the Nucleus Accumbens in Cocaine Versus Social Interaction Reward. International Journal of Molecular Sciences, 2021, 22, 345. | 4.1 | 7 |
| 89 | Changes in psychopathology in schizophrenia patients starting treatment with new-generation antipsychotics: therapeutic drug monitoring in a naturalistic treatment setting. European Neuropsychopharmacology, 2016, 26, 717-728. | 0.7 | 6 |
| 90 | Cannabinoid as Beneficial Replacement Therapy for Psychotropics to Treat Neuropsychiatric Symptoms in Severe Alzheimer's Dementia: A Clinical Case Report. Frontiers in Psychiatry, 2020, 11, 413. | 2.6 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Advances in the neuroimaging of cognitive functions in schizophrenia. Current Opinion in Psychiatry, 2002, 15, 3-7. | 6.3 | 5 |
| 92 | Treating Schizophrenia With 2 Long-Acting Injectable Antipsychotic Drugs. Journal of Clinical Psychopharmacology, 2015, 35, 474-475. | 1.4 | 5 |
| 93 | Prescribing Practice in Inpatients Versus Outpatients With Schizophrenia Initiating Treatment With Second-Generation Antipsychotics. Journal of Clinical Psychopharmacology, 2016, 36, 621-627. | 1.4 | 4 |
| 94 | Premorbid Social Functioning and Affective Symptoms Predict Subjective Outcome Among Outpatients With Schizophrenia. Frontiers in Psychiatry, 2020, 11, 570857. | 2.6 | 4 |
| 95 | Is It Possible to Shift from Down to Top Rank? A Focus on the Mesolimbic Dopaminergic System and Cocaine Abuse. Biomedicines, 2021, 9, 877. | 3.2 | 4 |
| 96 | Psychopharmakotherapie in der Rehabilitation. , 2004, , 129-133. | | 4 |
| 97 | Reply to Psychotic Symptoms Associated With Topiramate: Cognitive Side Effects or Worsening of Psychosis?. Journal of Clinical Psychiatry, 2004, 65, 1145-1146. | 2.2 | 4 |
| 98 | Neurometabolite correlates with personality and stress in healthy emerging adults: A focus on sex differences. NeuroImage, 2022, 247, 118847. | 4.2 | 3 |
| 99 | Is Emotional Intelligence Impaired in Unaffected Siblings of Patients with Schizophrenia?. Journal of the International Neuropsychological Society, 2017, 23, 577-583. | 1.8 | 2 |
| 100 | Ability-based emotional intelligence in schizophrenia. Current Opinion in Psychiatry, 2017, 30, 197-200. | 6.3 | 2 |
| 101 | Trends in pharmacological emergency treatment of patients suffering from schizophrenia over a 16-year observation period. International Clinical Psychopharmacology, 2018, 33, 197-203. | 1.7 | 2 |
| 102 | Combined Processing of Facial and Vocal Emotion in Remitted Patients With Bipolar I Disorder. Journal of the International Neuropsychological Society, 2019, 25, 275-284. | 1.8 | 2 |
| 103 | The relationship between emotional intelligence and quality of life in schizophrenia and bipolar I disorder. Quality of Life Research, 2021, 30, 2475-2485. | 3.1 | 2 |
| 104 | Pharmacological Strategies to Enhance Adherence in Schizophrenia. , 2014, , 85-97. | | 2 |
| 105 | The Anti-social Brain in Schizophrenia: A Role of CaMKII?. Frontiers in Psychiatry, 2022, 13, . | 2.6 | 2 |
| 106 | Pharmacological Interventions. Key Issues in Mental Health, 2010, , 145-157. | 0.6 | 1 |
| 107 | Aripiprazole Add-On Treatment in a Patient with Schizoaffective Disorder: Neurocognitive Outcomes. Pharmacopsychiatry, 2010, 43, 234-235. | 3.3 | 1 |
| 108 | Therapeutic Alliance in Patients With Schizophrenia: Introduction of a New Rating Instrument. Journal of Psychiatric Practice, 2016, 22, 298-307. | 0.7 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----------|--------------|
| 109 | Schizophrene Störungen. , 2008, , 847-872. | | 1 |
| 110 | Schizophrenie, schizotype und wahnhafte Störungen (ICD-10 F2). , 2012, , 111-151. | | 1 |
| 111 | Characteristics of Involuntarily Admitted Patients and Treatment Patterns Over a 21-Year Observation Period. Journal of Clinical Psychopharmacology, 2018, 38, 376-379. | 1.4 | 0 |
| 112 | Evolución de los pacientes en la esquizofrenia I: correlatos con variables sociodemográficas, manifestaciones psicopatológicas y efectos secundarios. European Psychiatry (Ed EspaA±ola), 2006, 13, 77-85. | 0.0 | 0 |
| 113 | Evolución de los pacientes en la esquizofrenia II: el impacto de la cognicién. European Psychiatry (Ed) Tj ETQq | 1 1.0.784 | 314 rgBT /0\ |