

# Joachim Kohn

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5188568/publications.pdf>

Version: 2024-02-01

161  
papers

7,781  
citations

57758

44  
h-index

62596

80  
g-index

162  
all docs

162  
docs citations

162  
times ranked

9155  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanosphere size control by varying the ratio of poly(ester amide) block copolymer blends. Journal of Colloid and Interface Science, 2022, 623, 247-256.	9.4	4
2	Self-Assembled Hydrogel Microparticle-Based Tooth-Germ Organoids. Bioengineering, 2022, 9, 215.	3.5	10
3	A multilayered scaffold for regeneration of smooth muscle and connective tissue layers. Journal of Biomedical Materials Research - Part A, 2021, 109, 733-744.	4.0	10
4	Tyrosine-derived polycarbonate nerve guidance tubes elicit proregenerative extracellular matrix deposition when used to bridge segmental nerve defects in swine. Journal of Biomedical Materials Research - Part A, 2021, 109, 1183-1195.	4.0	9
5	Ring opening polymerization of $\epsilon$ -caprolactone through water. Polymer Chemistry, 2021, 12, 159-164.	3.9	9
6	Optical Biosensors for Virus Detection: Prospects for SARS-CoV-2/COVID-19. ChemBioChem, 2021, 22, 1176-1189.	2.6	120
7	Rational Design and Fabrication of Biomimetic Hierarchical Scaffolds With Bone-Matchable Strength for Bone Regeneration. Frontiers in Materials, 2021, 7, .	2.4	1
8	Exosomes Secreted from Amniotic Membrane Contribute to Its Anti-Fibrotic Activity. International Journal of Molecular Sciences, 2021, 22, 2055.	4.1	11
9	Synergistic Combination of Bioactive Hydroxyapatite Nanoparticles and the Chemotherapeutic Doxorubicin to Overcome Tumor Multidrug Resistance. Small, 2021, 17, e2007672.	10.0	42
10	Bioresorbable tyrosol-derived poly(ester-arylate)s with tunable properties. Journal of Polymer Science, 2021, 59, 860-869.	3.8	5
11	Thermal processing of a degradable carboxylic acid-functionalized polycarbonate into scaffolds for tissue engineering. Polymer Engineering and Science, 2021, 61, 2012-2022.	3.1	1
12	Tyrosol Derived Poly(ester-arylate)s for Sustained Drug Delivery from Microparticles. ACS Biomaterials Science and Engineering, 2021, 7, 2580-2591.	5.2	7
13	Comprehensive hydrolytic degradation study of a new poly(ester-amide) used for total meniscus replacement. Polymer Degradation and Stability, 2021, 190, 109617.	5.8	9
14	Tyrosol-Derived Biodegradable Inks with Tunable Properties for 3D Printing. ACS Biomaterials Science and Engineering, 2021, 7, 4454-4462.	5.2	2
15	A step toward engineering thick tissues: Distributing microfibers within 3D printed frames. Journal of Biomedical Materials Research - Part A, 2020, 108, 581-591.	4.0	8
16	Disassembly of Nanospheres with a PEG Shell upon Adsorption onto PEGylated Substrates. Langmuir, 2020, 36, 232-241.	3.5	4
17	Architected helically coiled scaffolds from elastomeric poly(butylene succinate) (PBS) copolyester via wet electrospinning. Materials Science and Engineering C, 2020, 108, 110505.	7.3	23
18	Opportunities for biomaterials to address the challenges of COVID-19. Journal of Biomedical Materials Research - Part A, 2020, 108, 1974-1990.	4.0	43

#	ARTICLE	IF	CITATIONS
19	Structural Investigations of Polycarbonates whose Mechanical and Erosion Behavior Can Be Controlled by Their Isomer Sequence. <i>Macromolecules</i> , 2020, 53, 9878-9889.	4.8	4
20	Porphyrin-Loaded TyroSpheres for the Intracellular Delivery of Drugs and Photoinduced Oxidant Species. <i>Molecular Pharmaceutics</i> , 2020, 17, 2911-2924.	4.6	4
21	Hybrid Bone Scaffold Induces Bone Bridging in Goat Calvarial Critical Size Defects Without Growth Factor Augmentation. <i>Regenerative Engineering and Translational Medicine</i> , 2020, 6, 189-200.	2.9	1
22	Tag-Free Site-Specific BMP-2 Immobilization with Long-Acting Bioactivities via a Simple Sugar-Lectin Interaction. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 2219-2230.	5.2	4
23	Endogenous viable cells in lyopreserved amnion retain differentiation potential and anti-fibrotic activity in vitro. <i>Acta Biomaterialia</i> , 2019, 94, 330-339.	8.3	12
24	Temperature-Activated PEG Surface Segregation Controls the Protein Repellency of Polymers. <i>Langmuir</i> , 2019, 35, 9769-9776.	3.5	7
25	PET-RAFT and SAXS: High Throughput Tools To Study Compactness and Flexibility of Single-Chain Polymer Nanoparticles. <i>Macromolecules</i> , 2019, 52, 8295-8304.	4.8	43
26	Polyester-based ink platform with tunable bioactivity for 3D printing of tissue engineering scaffolds. <i>Biomaterials Science</i> , 2019, 7, 560-570.	5.4	22
27	Biocopolyesters of Poly(butylene succinate) Containing Long-Chain Biobased Glycol Synthesized with Heterogeneous Titanium Dioxide Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 10623-10632.	6.7	23
28	Adsorption of Fibrinogen and Fibronectin on Elastomeric Poly(butylene succinate) Copolyesters. <i>Langmuir</i> , 2019, 35, 8850-8859.	3.5	12
29	Promotion of dispersion and anticancer efficacy of hydroxyapatite nanoparticles by the adsorption of fetal bovine serum. <i>Journal of Nanoparticle Research</i> , 2019, 21, 1.	1.9	6
30	Reciprocal nerve staining (RNS) for the concurrent detection of choline acetyltransferase and myelin basic protein on paraffin-embedded sections. <i>Journal of Neuroscience Methods</i> , 2019, 311, 235-238.	2.5	5
31	Extracellular matrix derived from chondrocytes promotes rapid expansion of human primary chondrocytes in vitro with reduced dedifferentiation. <i>Acta Biomaterialia</i> , 2019, 85, 75-83.	8.3	35
32	Evaluating the <i>in vivo</i> glial response to miniaturized parylene cortical probes coated with an ultra-fast degrading polymer to aid insertion. <i>Journal of Neural Engineering</i> , 2018, 15, 036002.	3.5	21
33	Nanospheres with a smectic hydrophobic core and an amorphous PEG hydrophilic shell: structural changes and implications for drug delivery. <i>Soft Matter</i> , 2018, 14, 1327-1335.	2.7	13
34	An Innovative Laboratory Procedure to Expand Chondrocytes with Reduced Dedifferentiation. <i>Cartilage</i> , 2018, 9, 202-211.	2.7	15
35	œRuffled border formation on a CaP-free substrate: A first step towards osteoclast-recruiting bone-grafts materials able to re-establish bone turn-over. <i>Journal of Materials Science: Materials in Medicine</i> , 2018, 29, 38.	3.6	6
36	Influence of the three-dimensional culture of human bone marrow mesenchymal stromal cells within a macroporous polysaccharides scaffold on Pannexin 1 and Pannexin 3. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, e1936-e1949.	2.7	6

#	ARTICLE	IF	CITATIONS
37	The Effect of Cryopreserved Human Placental Tissues on Biofilm Formation of Wound-Associated Pathogens. <i>Journal of Functional Biomaterials</i> , 2018, 9, 3.	4.4	23
38	A suspended carbon fiber culture to model myelination by human Schwann cells. <i>Journal of Materials Science: Materials in Medicine</i> , 2017, 28, 57.	3.6	7
39	Fibrin glue as a stabilization strategy in peripheral nerve repair when using porous nerve guidance conduits. <i>Journal of Materials Science: Materials in Medicine</i> , 2017, 28, 79.	3.6	33
40	Cell type-specific extracellular matrix guided the differentiation of human mesenchymal stem cells in 3D polymeric scaffolds. <i>Journal of Materials Science: Materials in Medicine</i> , 2017, 28, 100.	3.6	27
41	Development of hybrid scaffolds with natural extracellular matrix deposited within synthetic polymeric fibers. <i>Journal of Biomedical Materials Research - Part A</i> , 2017, 105, 2162-2170.	4.0	24
42	High-content image informatics of the structural nuclear protein NuMA parses trajectories for stem/progenitor cell lineages and oncogenic transformation. <i>Experimental Cell Research</i> , 2017, 351, 11-23.	2.6	10
43	Antimicrobial Peptides Secreted From Human Cryopreserved Viable Amniotic Membrane Contribute to its Antibacterial Activity. <i>Scientific Reports</i> , 2017, 7, 13722.	3.3	53
44	The control of stem cell morphology and differentiation using three-dimensional printed scaffold architecture. <i>MRS Communications</i> , 2017, 7, 383-390.	1.8	13
45	Optimization of Polymer-ECM Composite Scaffolds for Tissue Engineering: Effect of Cells and Culture Conditions on Polymeric Nanofiber Mats. <i>Journal of Functional Biomaterials</i> , 2017, 8, 1.	4.4	40
46	Dual-Component Gelatinous Peptide/Reactive Oligomer Formulations as Conduit Material and Luminal Filler for Peripheral Nerve Regeneration. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1104.	4.1	16
47	Developing a Suitable Model for Water Uptake for Biodegradable Polymers Using Small Training Sets. <i>International Journal of Biomaterials</i> , 2016, 2016, 1-10.	2.4	9
48	Modeling the Insertion Mechanics of Flexible Neural Probes Coated with Sacrificial Polymers for Optimizing Probe Design. <i>Sensors</i> , 2016, 16, 330.	3.8	24
49	Design of barrier coatings on kink-resistant peripheral nerve conduits. <i>Journal of Tissue Engineering</i> , 2016, 7, 204173141662947.	5.5	41
50	Self-Assembly and Critical Aggregation Concentration Measurements of ABA Triblock Copolymers with Varying B Block Types: Model Development, Prediction, and Validation. <i>Journal of Physical Chemistry B</i> , 2016, 120, 3666-3676.	2.6	34
51	Competitive Adsorption of Plasma Proteins Using a Quartz Crystal Microbalance. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 13207-13217.	8.0	39
52	Designing Biomaterials for 3D Printing. <i>ACS Biomaterials Science and Engineering</i> , 2016, 2, 1679-1693.	5.2	581
53	Profiling stem cell states in three-dimensional biomaterial niches using high content image informatics. <i>Acta Biomaterialia</i> , 2016, 45, 98-109.	8.3	19
54	Mitochondria-Targeted Hydroxyapatite Nanoparticles for Selective Growth Inhibition of Lung Cancer in Vitro and in Vivo. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 25680-25690.	8.0	94

#	ARTICLE	IF	CITATIONS
55	New poly(ester-amide) copolymers modified with polyether (PEAE) for anticancer drug encapsulation. <i>Journal of Microencapsulation</i> , 2016, 33, 702-711.	2.8	2
56	Negative Outcomes of Poly(L-Lactic Acid) Fiber-Reinforced Scaffolds in an Ovine Total Meniscus Replacement Model. <i>Tissue Engineering - Part A</i> , 2016, 22, 1116-1125.	3.1	16
57	Mandibular Jaw Bone Regeneration Using Human Dental Cell-Seeded Tyrosine-Derived Polycarbonate Scaffolds. <i>Tissue Engineering - Part A</i> , 2016, 22, 985-993.	3.1	35
58	Effects of Terminal Sterilization on PEG-Based Bioresorbable Polymers Used in Biomedical Applications. <i>Macromolecular Materials and Engineering</i> , 2016, 301, 1211-1224.	3.6	27
59	Stepping into the omics era: Opportunities and challenges for biomaterials science and engineering. <i>Acta Biomaterialia</i> , 2016, 34, 133-142.	8.3	88
60	Formulation Strategy for the Delivery of Cyclosporine A: Comparison of Two Polymeric Nanospheres. <i>Scientific Reports</i> , 2015, 5, 13065.	3.3	40
61	Organizational metrics of interchromatin speckle factor domains: integrative classifier for stem cell adhesion & lineage signaling. <i>Integrative Biology (United Kingdom)</i> , 2015, 7, 435-446.	1.3	11
62	Development and Characterization of Acellular Extracellular Matrix Scaffolds from Porcine Menisci for Use in Cartilage Tissue Engineering. <i>Tissue Engineering - Part C: Methods</i> , 2015, 21, 971-986.	2.1	81
63	Next-generation resorbable polymer scaffolds with surface-precipitated calcium phosphate coatings. <i>International Journal of Energy Production and Management</i> , 2015, 2, 1-8.	3.7	14
64	Coating flexible probes with an ultra fast degrading polymer to aid in tissue insertion. <i>Biomedical Microdevices</i> , 2015, 17, 34.	2.8	49
65	The overwhelming use of rat models in nerve regeneration research may compromise designs of nerve guidance conduits for humans. <i>Journal of Materials Science: Materials in Medicine</i> , 2015, 26, 226.	3.6	113
66	Synthesis and Characterization of Fatty Acid/Amino Acid Self-Assemblies. <i>Journal of Functional Biomaterials</i> , 2014, 5, 211-231.	4.4	4
67	Bioactive agarose carbon nanotube composites are capable of manipulating brain-implant interface. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	16
68	Enzymatic Surface Erosion of High Tensile Strength Polycarbonates Based on Natural Phenols. <i>Biomacromolecules</i> , 2014, 15, 830-836.	5.4	36
69	A comparison of the performance of mono- and bi-component electrospun conduits in a rat sciatic model. <i>Biomaterials</i> , 2014, 35, 8970-8982.	11.4	64
70	Molecular design and evaluation of biodegradable polymers using a statistical approach. <i>Journal of Materials Science: Materials in Medicine</i> , 2013, 24, 2529-2535.	3.6	9
71	Functionalized nanospheres for targeted delivery of paclitaxel. <i>Journal of Controlled Release</i> , 2013, 171, 315-321.	9.9	27
72	Investigating the release of a hydrophobic peptide from matrices of biodegradable polymers: An integrated method approach. <i>Polymer</i> , 2013, 54, 3806-3820.	3.8	9

#	ARTICLE	IF	CITATIONS
73	Can we regrow a human arm? An overview and summary. <i>Journal of Materials Science: Materials in Medicine</i> , 2013, 24, 2623-2626.	3.6	0
74	Ethylene oxide's role as a reactive agent during sterilization: Effects of polymer composition and device architecture. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2013, 101B, 532-540.	3.4	26
75	Microfibrous substrate geometry as a critical trigger for organization, self-renewal, and differentiation of human embryonic stem cells within synthetic 3-dimensional microenvironments. <i>FASEB Journal</i> , 2012, 26, 3240-3251.	0.5	50
76	Synthesis and characterization of telechelic macromers containing fatty acid derivatives. <i>Reactive and Functional Polymers</i> , 2012, 72, 781-790.	4.1	16
77	Development of paclitaxel-TyroSpheres for topical skin treatment. <i>Journal of Controlled Release</i> , 2012, 163, 18-24.	9.9	87
78	Gas-Foamed Scaffold Gradients for Combinatorial Screening in 3D. <i>Journal of Functional Biomaterials</i> , 2012, 3, 173-182.	4.4	20
79	Hydration-Induced Phase Separation in Amphiphilic Polymer Matrices and its Influence on Voclosporin Release. <i>Journal of Functional Biomaterials</i> , 2012, 3, 745-759.	4.4	3
80	Paclitaxel in tyrosine-derived nanospheres as a potential anti-cancer agent: In vivo evaluation of toxicity and efficacy in comparison with paclitaxel in Cremophor. <i>European Journal of Pharmaceutical Sciences</i> , 2012, 45, 320-329.	4.0	37
81	Predicting biomaterial property-dendritic cell phenotype relationships from the multivariate analysis of responses to polymethacrylates. <i>Biomaterials</i> , 2012, 33, 1699-1713.	11.4	51
82	Multiscale analysis of water uptake and erosion in biodegradable polyarylates. <i>Polymer Degradation and Stability</i> , 2012, 97, 410-420.	5.8	4
83	Ultrafast and fast bioerodible electrospun fiber mats for topical delivery of a hydrophilic peptide. <i>Journal of Controlled Release</i> , 2012, 161, 813-820.	9.9	45
84	Osteogenic Differentiation of Pre-Osteoblasts on Biomimetic Tyrosine-Derived Polycarbonate Scaffolds. <i>Biomacromolecules</i> , 2011, 12, 3520-3527.	5.4	41
85	Topical drug delivery by a polymeric nanosphere gel: Formulation optimization and in vitro and in vivo skin distribution studies. <i>Journal of Controlled Release</i> , 2011, 149, 159-167.	9.9	158
86	Designing Tyrosine-Derived Polycarbonate Polymers for Biodegradable Regenerative Type Neural Interface Capable of Neural Recording. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2011, 19, 204-212.	4.9	25
87	The fate of ultrafast degrading polymeric implants in the brain. <i>Biomaterials</i> , 2011, 32, 5543-5550.	11.4	26
88	Biohybrid Carbon Nanotube/Agarose Fibers for Neural Tissue Engineering. <i>Advanced Functional Materials</i> , 2011, 21, 2624-2632.	14.9	95
89	Variability of water uptake studies of biomedical polymers. <i>Journal of Applied Polymer Science</i> , 2011, 121, 1311-1320.	2.6	23
90	Ultrafast resorbing polymers for use as carriers for cortical neural probes. <i>Acta Biomaterialia</i> , 2011, 7, 2483-2491.	8.3	87

#	ARTICLE	IF	CITATIONS
91	Computational modeling of inÂvitro biological responses on polymethacrylate surfaces. <i>Polymer</i> , 2011, 52, 2650-2660.	3.8	9
92	Computational Methods for the Development of Polymeric Biomaterials. <i>Advanced Engineering Materials</i> , 2010, 12, B3.	3.5	17
93	Synthesis, degradation and biocompatibility of tyrosine-derived polycarbonate scaffolds. <i>Journal of Materials Chemistry</i> , 2010, 20, 8885.	6.7	68
94	UV laser-ablated surface textures as potential regulator of cellular response. <i>Biointerphases</i> , 2010, 5, 53-59.	1.6	22
95	Cytoskeleton-based forecasting of stem cell lineage fates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 610-615.	7.1	258
96	Poly(ethylene glycol) as a sensitive regulator of cell survival fate on polymeric biomaterials: the interplay of cell adhesion and pro-oxidant signaling mechanisms. <i>Soft Matter</i> , 2010, 6, 5196.	2.7	31
97	Synthetic polymeric substrates as potent pro-oxidant versus anti-oxidant regulators of cytoskeletal remodeling and cell apoptosis. <i>Journal of Cellular Physiology</i> , 2009, 218, 549-557.	4.1	20
98	Evaluation of automated synthesis for chain and step-growth polymerizations: Can robots replace the chemists?. <i>Journal of Polymer Science Part A</i> , 2009, 47, 49-58.	2.3	40
99	Polymer-Drug Interactions in Tyrosine-Derived Triblock Copolymer Nanospheres: A Computational Modeling Approach. <i>Molecular Pharmaceutics</i> , 2009, 6, 1620-1627.	4.6	68
100	Prediction of biological response for large combinatorial libraries of biodegradable polymers: Polymethacrylates as a test case. <i>Polymer</i> , 2008, 49, 2435-2439.	3.8	26
101	Iodine inhibits antiadhesive effect of PEG: Implications for tissue engineering. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008, 86B, 237-244.	3.4	8
102	Combinatorial Polymer Scaffold Libraries for Screening Cell-Biomaterial Interactions in 3D. <i>Advanced Materials</i> , 2008, 20, 2037-2043.	21.0	64
103	X-ray imaging optimization of 3D tissue engineering scaffolds via combinatorial fabrication methods. <i>Biomaterials</i> , 2008, 29, 1901-1911.	11.4	40
104	Carbon Nanotube Fibers Are Compatible With Mammalian Cells and Neurons. <i>IEEE Transactions on Nanobioscience</i> , 2008, 7, 11-14.	3.3	50
105	Effect of Tyrosine-Derived Triblock Copolymer Compositions on Nanosphere Self-Assembly and Drug Delivery. <i>Biomacromolecules</i> , 2007, 8, 998-1003.	5.4	66
106	Viscoelastic Properties of Fibrinogen Adsorbed to the Surface of Biomaterials Used in Blood-Contacting Medical Devices. <i>Langmuir</i> , 2007, 23, 3298-3304.	3.5	61
107	Prediction of fibrinogen adsorption for biodegradable polymers: Integration of molecular dynamics and surrogate modeling. <i>Polymer</i> , 2007, 48, 5788-5801.	3.8	27
108	A new approach to the rationale discovery of polymeric biomaterials. <i>Biomaterials</i> , 2007, 28, 4171-4177.	11.4	91

#	ARTICLE	IF	CITATIONS
109	Electrospun mat of tyrosine-derived polycarbonate fibers for potential use as tissue scaffolding material. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2006, 17, 1039-1056.	3.5	94
110	Polymer-Protected Liposomes: Association of Hydrophobically-Modified PEG with Liposomes. <i>ACS Symposium Series</i> , 2006, , 95-120.	0.5	4
111	Cellular response to phase-separated blends of tyrosine-derived polycarbonates. <i>Journal of Biomedical Materials Research - Part A</i> , 2006, 76A, 491-502.	4.0	19
112	Predicting fibrinogen adsorption to polymeric surfaces in silico: a combined method approach. <i>Polymer</i> , 2005, 46, 4296-4306.	3.8	35
113	QSAR Models for the Analysis of Bioresponse Data from Combinatorial Libraries of Biomaterials. <i>QSAR and Combinatorial Science</i> , 2005, 24, 99-113.	1.4	30
114	Degradable, drug-eluting stents: a new frontier for the treatment of coronary artery disease. <i>Expert Review of Medical Devices</i> , 2005, 2, 667-671.	2.8	43
115	Hydrophobic Drug Delivery by Self-Assembling Triblock Copolymer-Derived Nanospheres. <i>Biomacromolecules</i> , 2005, 6, 2726-2731.	5.4	54
116	New approaches to biomaterials design. <i>Nature Materials</i> , 2004, 3, 745-747.	27.5	117
117	Accurate predictions of cellular response using QSPR: a feasibility test of rational design of polymeric biomaterials. <i>Polymer</i> , 2004, 45, 7367-7379.	3.8	59
118	Small changes in the polymer structure influence the adsorption behavior of fibrinogen on polymer surfaces: Validation of a new rapid screening technique. <i>Journal of Biomedical Materials Research Part B</i> , 2004, 68A, 496-503.	3.1	61
119	Poly(ethylene glycol) enhances cell motility on protein-based poly(ethylene glycol)-polycarbonate substrates: A mechanism for cell-guided ligand remodeling. <i>Journal of Biomedical Materials Research Part B</i> , 2004, 69A, 114-123.	3.1	19
120	Integration of Combinatorial Synthesis, Rapid Screening, and Computational Modeling in Biomaterials Development. <i>Macromolecular Rapid Communications</i> , 2004, 25, 127-140.	3.9	70
121	Using Surrogate Modeling in the Prediction of Fibrinogen Adsorption onto Polymer Surfaces. <i>Journal of Chemical Information and Computer Sciences</i> , 2004, 44, 1088-1097.	2.8	31
122	Nontoxic Block Copolymer Nanospheres: Design and Characterization. <i>Langmuir</i> , 2004, 20, 11721-11725.	3.5	31
123	Acid-Containing Tyrosine-Derived Polycarbonates: Wettability and Surface Reactivity. <i>Macromolecular Symposia</i> , 2004, 216, 87-98.	0.7	5
124	Polymers derived from the amino acid L-tyrosine: polycarbonates, polyarylates and copolymers with poly(ethylene glycol). <i>Advanced Drug Delivery Reviews</i> , 2003, 55, 447-466.	13.7	223
125	Using Non-linear Regression to Predict Bioresponse in a Combinatorial Library of Biodegradable Polymers. <i>Materials Research Society Symposia Proceedings</i> , 2003, 804, 171.	0.1	2
126	Poly(Desaminotyrosyl-tyrosine Carbonate Ethyl Ester) Studied by XPS. <i>Surface Science Spectra</i> , 2002, 9, 6-11.	1.3	6



#	ARTICLE	IF	CITATIONS
127	Alternating Multiblock Amphiphilic Copolymers of PEG and Tyrosine-Derived Diphenols. 1. Synthesis and Characterization. <i>Macromolecules</i> , 2002, 35, 9360-9365.	4.8	16
128	Alternating Multiblock Amphiphilic Copolymers of PEG and Tyrosine-Derived Diphenols. 2. Self-Assembly in Aqueous Solution and at Hydrophobic Surfaces. <i>Macromolecules</i> , 2002, 35, 9366-9371.	4.8	9
129	Process-structure-property relationships of erodable polymeric biomaterials, I: Poly(desaminotyrosyl) Tj ETQq1 1 0.784314 rgBT /Over 3.2 13	3.2	13
130	Stabilization of Phosphatidylserine/Phosphatidylethanolamine Liposomes with Hydrophilic Polymers Having Multiple "Sticky Feet". <i>Langmuir</i> , 2001, 17, 7713-7716.	3.5	29
131	Study of relaxation mechanisms in structurally related biomaterials by thermally stimulated depolarization currents. <i>Polymer</i> , 2001, 42, 8671-8680.	3.8	10
132	Characterization of the inflammatory response to biomaterials using a rodent air pouch model. , 2000, 50, 365-374.		32
133	Hydrolytic degradation of tyrosine-derived polycarbonates, a class of new biomaterials. Part I: Study of model compounds. <i>Biomaterials</i> , 2000, 21, 2371-2378.	11.4	84
134	Hydrolytic degradation of tyrosine-derived polycarbonates, a class of new biomaterials. Part II: 3-yr study of polymeric devices. <i>Biomaterials</i> , 2000, 21, 2379-2387.	11.4	75
135	PEG-variant biomaterials as selectively adhesive protein templates: model surfaces for controlled cell adhesion and migration. <i>Biomaterials</i> , 2000, 21, 511-520.	11.4	208
136	Tyrosine-PEG-derived poly(ether carbonate)s as new biomaterials. <i>Biomaterials</i> , 1999, 20, 253-264.	11.4	91
137	Small changes in polymer chemistry have a large effect on the bone-implant interface: evaluation of a series of degradable tyrosine-derived polycarbonates in bone defects. <i>Biomaterials</i> , 1999, 20, 2203-2212.	11.4	106
138	Comparative histological evaluation of new tyrosine-derived polymers and poly (L-lactic acid) as a function of polymer degradation. , 1998, 41, 443-454.		93
139	Structure-property correlations in a combinatorial library of degradable biomaterials. , 1998, 42, 66-75.		167
140	The study of water uptake in degradable polymers by thermally stimulated depolarization currents. <i>Biomaterials</i> , 1998, 19, 2347-2356.	11.4	22
141	Structure-property correlations in a combinatorial library of degradable biomaterials. <i>Journal of Biomedical Materials Research Part B</i> , 1998, 42, 66-75.	3.1	1
142	A Combinatorial Approach for Polymer Design. <i>Journal of the American Chemical Society</i> , 1997, 119, 4553-4554.	13.7	254
143	Thermal properties and enthalpy relaxation of tyrosine-derived polyarylates. <i>Journal of Applied Polymer Science</i> , 1997, 63, 1441-1448.	2.6	11
144	Surface characterization of tyrosine-derived polycarbonates. <i>Journal of Applied Polymer Science</i> , 1997, 63, 1467-1479.	2.6	15

#	ARTICLE	IF	CITATIONS
145	Comparison of the effect of ethylene oxide and $\gamma$ -irradiation on selected tyrosine-derived polycarbonates and poly(L-lactic acid). <i>Journal of Applied Polymer Science</i> , 1997, 63, 1499-1510.	2.6	66
146	Biomaterials science at a crossroads: are current product liability laws in the United States hampering innovation and the development of safer medical implants?. <i>Pharmaceutical Research</i> , 1996, 13, 815-819.	3.5	6
147	Canine bone response to tyrosine-derived polycarbonates and poly(L-lactic acid)., 1996, 31, 35-41.		98
148	Evaluation of Thermal Properties and Physical Aging as Function of the Pendant Chain Length in Tyrosine-Derived Polycarbonates, a Class of New Biomaterials. <i>Materials Research Society Symposia Proceedings</i> , 1995, 394, 143.	0.1	0
149	Evaluation of poly(DTH carbonate), a tyrosine-derived degradable polymer, for orthopedic applications. <i>Journal of Biomedical Materials Research Part B</i> , 1995, 29, 1337-1348.	3.1	49
150	Diphenolic Monomers Derived from the Natural Amino Acid L-Tyrosine: An Evaluation of Peptide Coupling Techniques. <i>Journal of Bioactive and Compatible Polymers</i> , 1995, 10, 327-340.	2.1	20
151	Photocrosslinked hydrogels based on copolymers of poly(ethylene glycol) and lysine. <i>Journal of Polymer Science Part A</i> , 1994, 32, 1271-1281.	2.3	45
152	Evaluation of a series of tyrosine-derived polycarbonates as degradable biomaterials. <i>Journal of Biomedical Materials Research Part B</i> , 1994, 28, 919-930.	3.1	162
153	Crystal structure and nmr conformation of a cyclic pseudotetrapeptide containing urethane backbone linkages. <i>Biopolymers</i> , 1994, 34, 403-414.	2.4	3
154	Design, synthesis, and preliminary characterization of tyrosine-containing polyarylates: New biomaterials for medical applications. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1994, 5, 496-510.	3.5	43
155	Polymeric Drug Delivery Systems. <i>ACS Symposium Series</i> , 1993, , 18-41.	0.5	20
156	Trends in the Development of Bioresorbable Polymers for Medical Applications. <i>Journal of Biomaterials Applications</i> , 1992, 6, 216-250.	2.4	118
157	Tyrosine-derived polycarbonates: Backbone-modified pseudo-poly(amino acids) designed for biomedical applications. <i>Biopolymers</i> , 1992, 32, 411-417.	2.4	117
158	Desaminotyrosyl Tyrosine Alkyl Esters. <i>ACS Symposium Series</i> , 1991, , 155-169.	0.5	4
159	Physico-mechanical properties of degradable polymers used in medical applications: A comparative study. <i>Biomaterials</i> , 1991, 12, 292-304.	11.4	713
160	The use of cyanogen bromide and other novel cyanylating agents for the activation of polysaccharide resins. <i>Applied Biochemistry and Biotechnology</i> , 1984, 9, 285-305.	2.9	128
161	Biomaterials Informatics. , 0, , 163-200.		3