
Khalida A Ismail

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/518875/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Type 2 diabetes mellitus as a risk factor for the onset of depression: a systematic review and meta-analysis. Diabetologia, 2010, 53, 2480-2486.	2.9	597
2	Health of UK servicemen who served in Persian Gulf War. Lancet, The, 1999, 353, 169-178.	6.3	533
3	Systematic review and meta-analysis of randomised controlled trials of psychological interventions to improve glycaemic control in patients with type 2 diabetes. Lancet, The, 2004, 363, 1589-1597.	6.3	452
4	The link between depression and diabetes: the search for shared mechanisms. Lancet Diabetes and Endocrinology,the, 2015, 3, 461-471.	5.5	426
5	Psychological interventions to improve glycaemic control in patients with type 1 diabetes: systematic review and meta-analysis of randomised controlled trials. BMJ: British Medical Journal, 2006, 333, 65.	2.4	294
6	A Systematic Review and Meta-analysis of the Association Between Depression and Insulin Resistance. Diabetes Care, 2013, 36, 480-489.	4.3	273
7	First- <i>v.</i> second-generation antipsychotics and risk for diabetes in schizophrenia: Systematic review and meta-analysis. British Journal of Psychiatry, 2008, 192, 406-411.	1.7	249
8	A randomised controlled trial of cognitive behaviour therapy and motivational interviewing for people with Type 1 diabetes mellitus with persistent sub-optimal glycaemic control: A Diabetes and Psychological Therapies (ADaPT) study Health Technology Assessment, 2010, 14, 1-101, iii-iv.	1.3	212
9	A Cohort Study of People With Diabetes and Their First Foot Ulcer: The role of depression on mortality. Diabetes Care, 2007, 30, 1473-1479.	4.3	192
10	An Examination of Polygenic Score Risk Prediction in Individuals With First-Episode Psychosis. Biological Psychiatry, 2017, 81, 470-477.	0.7	176
11	Is there a Gulf War syndrome?. Lancet, The, 1999, 353, 179-182.	6.3	150
12	Diabetes, Common Mental Disorders, and Disability: Findings From the UK National Psychiatric Morbidity Survey. Psychosomatic Medicine, 2007, 69, 543-550.	1.3	144
13	Role of vaccinations as risk factors for ill health in veterans of the Gulf war: cross sectional study. BMJ: British Medical Journal, 2000, 320, 1363-1367.	2.4	142
14	Stability of recall of military hazards over time. British Journal of Psychiatry, 2003, 183, 314-322.	1.7	138
15	Meta-analyses of structural regional cerebral effects in type 1 and type 2 diabetes. Brain Imaging and Behavior, 2015, 9, 651-662.	1.1	119
16	Risk factors associated with adverse outcomes in a population-based prospective cohort study of people with their first diabetic foot ulcer. Journal of Diabetes and Its Complications, 2007, 21, 341-349.	1.2	115
17	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. Journal of Clinical Epidemiology, 2020, 122, 115-128.e1.	2.4	113
18	Cardiovascular risk factors and metabolic syndrome in people with established psychotic illnesses: baseline data from the IMPaCT randomized controlled trial. Psychological Medicine, 2015, 45, 2619-2629.	2.7	110

#	Article	IF	CITATIONS
19	The Association Between Depressive Symptoms and Systemic Inflammation in People With Type 2 Diabetes: Findings From the South London Diabetes Study. Diabetes Care, 2014, 37, 2186-2192.	4.3	95
20	Social support and glycemic control in type 2 diabetes: A systematic review of observational studies. Patient Education and Counseling, 2013, 93, 549-558.	1.0	94
21	No association of depression and anxiety with the metabolic syndrome: the Norwegian HUNT study. Acta Psychiatrica Scandinavica, 2009, 120, 14-22.	2.2	83
22	The mental health of UK Gulf war veterans: phase 2 of a two phase cohort study. BMJ: British Medical Journal, 2002, 325, 576-576.	2.4	81
23	Motivational Enhancement Therapy with and without Cognitive Behavior Therapy to Treat Type 1 Diabetes. Annals of Internal Medicine, 2008, 149, 708.	2.0	78
24	Patient explanations for nonâ€attendance at structured diabetes education sessions for newly diagnosed Type 2 diabetes: a qualitative study. Diabetic Medicine, 2015, 32, 120-128.	1.2	76
25	Perceptions of disadvantage, ethnicity and psychosis. British Journal of Psychiatry, 2008, 192, 185-190.	1.7	75
26	Perceptions Among Women With Gestational Diabetes. Qualitative Health Research, 2014, 24, 575-585.	1.0	75
27	Five-year follow-up of a cohort of people with their first diabetic foot ulcer: the persistent effect of depression on mortality. Diabetologia, 2012, 55, 303-310.	2.9	73
28	Mental health symptoms in a cohort of hospital healthcare workers following the first peak of the COVID-19 pandemic in the UK. BJPsych Open, 2021, 7, e24.	0.3	71
29	A Review of the Association Between Depression and Insulin Resistance: Pitfalls of Secondary Analyses or a Promising New Approach to Prevention of Type 2 Diabetes?. Current Psychiatry Reports, 2012, 14, 8-14.	2.1	69
30	Multiple Chemical Sensitivity and Chronic Fatigue Syndrome in British Gulf War Veterans. American Journal of Epidemiology, 2001, 153, 604-609.	1.6	68
31	Experiences of gestational diabetes and gestational diabetes care: a focus group and interview study. BMC Pregnancy and Childbirth, 2018, 18, 25.	0.9	67
32	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. Psychotherapy and Psychosomatics, 2020, 89, 25-37.	4.0	67
33	Is there an increased risk of perinatal mental disorder in women with gestational diabetes? A systematic review and metaâ€analysis. Diabetic Medicine, 2020, 37, 602-622.	1.2	62
34	The clinical characteristics at diagnosis of type 2 diabetes in a multi-ethnic population: the South London Diabetes cohort (SOUL-D). Diabetologia, 2013, 56, 1272-1281.	2.9	61
35	Cellular Immune Activation in Gulf War Veterans. Journal of Clinical Immunology, 2004, 24, 66-73.	2.0	58
36	The association of depressive symptoms and diabetes distress with glycaemic control and diabetes complications over 2Ayears in newly diagnosed type 2 diabetes: a prospective cohort study. Diabetologia, 2017, 60, 2092-2102.	2.9	57

Khalida A Ismail

#	Article	IF	CITATIONS
37	Do Common Mental Disorders Increase Cigarette Smoking? Results from Five Waves of a Population-based Panel Cohort Study. American Journal of Epidemiology, 2000, 152, 651-657.	1.6	55
38	Repositioning of diabetes treatments for depressive symptoms: A systematic review and meta-analysis of clinical trials. Psychoneuroendocrinology, 2018, 94, 91-103.	1.3	54
39	Psychological interventions to improve self-management of type 1 and type 2 diabetes: a systematic review. Health Technology Assessment, 2020, 24, 1-232.	1.3	54
40	Why do patients with psychosis use cannabis and are they ready to change their use?. International Journal of Developmental Neuroscience, 2011, 29, 335-346.	0.7	53
41	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. British Journal of Psychiatry, 2018, 212, 377-385.	1.7	53
42	Comparison of Depressive Symptoms in Type 2 Diabetes Using a Two-Stage Survey Design. Psychosomatic Medicine, 2013, 75, 791-797.	1.3	51
43	Genetic overlap between type 2 diabetes and depression in Swedish and Danish twin registries. Molecular Psychiatry, 2016, 21, 903-909.	4.1	50
44	Occupational risk factors for ill health in Gulf veterans of the United Kingdom. Journal of Epidemiology and Community Health, 2000, 54, 834-838.	2.0	48
45	Sedentary behaviour is associated with elevated C-reactive protein levels in people with psychosis. Schizophrenia Research, 2015, 168, 461-464.	1.1	48
46	Systematic review and meta-analysis of the efficacy of interventions for people with Type 1 diabetes mellitus and disordered eating. Diabetic Medicine, 2017, 34, 1667-1675.	1.2	47
47	Indications and efficacy of continuous subcutaneous insulin infusion (CSII) therapy in Type 1 diabetes mellitus: a clinical audit in a specialist service. Diabetic Medicine, 2005, 22, 842-849.	1.2	41
48	Quality of Life in People with Their First Diabetic Foot Ulcer. Journal of the American Podiatric Medical Association, 2009, 99, 406-414.	0.2	41
49	The association between depressive symptoms and insulin resistance, inflammation and adiposity in men and women. PLoS ONE, 2017, 12, e0187448.	1.1	41
50	Are Patients with Diabetes Mellitus Satisfied with Technologies Used to Assist with Diabetes Management and Coping?: A Structured Review. Diabetes Technology and Therapeutics, 2014, 16, 771-783.	2.4	39
51	Randomised control trial of the effectiveness of an integrated psychosocial health promotion intervention aimed at improving health and reducing substance use in established psychosis (IMPaCT). BMC Psychiatry, 2017, 17, 413.	1.1	39
52	Developing a theoretical maintenance model for disordered eating in Type 1 diabetes. Diabetic Medicine, 2015, 32, 1541-1545.	1.2	38
53	The metabolic underpinning of eating disorders: A systematic review and meta-analysis of insulin sensitivity. Molecular and Cellular Endocrinology, 2019, 497, 110307.	1.6	37
54	Transforming mental wellâ€being for people with diabetes: research recommendations from Diabetes <scp>UK</scp> 's 2019 Diabetes and Mental Wellâ€Being Workshop. Diabetic Medicine, 2019, 36, 1532-1538.	1.2	36

Khalida A Ismail

#	Article	IF	CITATIONS
55	The dexamethasone suppression test in schizophrenia. Psychological Medicine, 1998, 28, 311-317.	2.7	34
56	Nurse-led psychological interventions to improve diabetes control: Assessing competencies. Patient Education and Counseling, 2011, 84, e37-e43.	1.0	34
57	Unravelling factor analysis. Evidence-Based Mental Health, 2008, 11, 99-102.	2.2	33
58	â€~Diabulima' through the lens of social media: a qualitative review and analysis of online blogs by people with Type 1 diabetes mellitus and eating disorders. Diabetic Medicine, 2018, 35, 1329-1336.	1.2	33
59	The health effects of peace-keeping in the UK Armed Forces: Bosnia 1992–1996. Predictors of psychological symptoms. Psychological Medicine, 2003, 33, 155-162.	2.7	31
60	Low attendance at structured education for people with newly diagnosed type 2 diabetes: General practice characteristics and individual patient factors predict uptake. Patient Education and Counseling, 2016, 99, 101-107.	1.0	31
61	The Impact of Type 2 Diabetes in Parkinson's Disease. Movement Disorders, 2022, 37, 1612-1623.	2.2	30
62	25 Years of psychological research investigating disordered eating in people with diabetes: what have we learnt?. Diabetic Medicine, 2020, 37, 401-408.	1.2	29
63	Improving physical health and reducing substance use in psychosis – randomised control trial (IMPACT RCT): study protocol for a cluster randomised controlled trial. BMC Psychiatry, 2013, 13, 263.	1.1	28
64	Psychological skills training to support diabetes self-management: Qualitative assessment of nurses' experiences. Primary Care Diabetes, 2016, 10, 376-382.	0.9	28
65	Hyperprolactinaemia in first episode psychosis - A longitudinal assessment. Schizophrenia Research, 2017, 189, 117-125.	1.1	28
66	Women in the Persian Gulf: Lack of Gender Differences in Long-Term Health Effects of Service in United Kingdom Armed Forces in the 1991 Persian Gulf War. Military Medicine, 2002, 167, 406-413.	0.4	26
67	Nurse-led psychological intervention for type 2 diabetes: a cluster randomised controlled trial (Diabetes-6 study) in primary care. British Journal of General Practice, 2018, 68, e531-e540.	0.7	26
68	A qualitative study exploring women's health behaviours after a pregnancy with gestational diabetes to inform the development of a diabetes prevention strategy. Diabetic Medicine, 2019, 36, 203-213.	1.2	26
69	Searching for a Gulf War syndrome using cluster analysis. Psychological Medicine, 2002, 32, 1371-1378.	2.7	25
70	Effect of lifestyle, medication and ethnicity on cardiometabolic risk in the year following the first episode of psychosis: prospective cohort study. British Journal of Psychiatry, 2019, 215, 712-719.	1.7	25
71	Tobacco smoking and nicotine dependence in first episode and established psychosis. Asian Journal of Psychiatry, 2019, 43, 125-131.	0.9	25
72	Systematic review and metaâ€analysis of randomized controlled trials of psychological interventions to improve glycaemic control in children and adults with type 1 diabetes. Diabetic Medicine, 2020, 37, 735-746.	1.2	25

#	Article	IF	CITATIONS
73	Multi-symptom illnesses, unexplained illness and Gulf War Syndrome. Philosophical Transactions of the Royal Society B: Biological Sciences, 2006, 361, 543-551.	1.8	23
74	National guidelines for psychological care in diabetes: how mindful have we been?. Diabetic Medicine, 2009, 26, 447-450.	1.2	23
75	Investigating incretin-based therapies as a novel treatment for depression in type 2 diabetes: Findings from the South London Diabetes (SOUL-D) Study. Primary Care Diabetes, 2016, 10, 156-159.	0.9	23
76	Recurrent diabetic ketoacidosis and a brief history of brittle diabetes research: contemporary and past evidence in diabetic ketoacidosis research including mortality, mental health and prevention. Diabetic Medicine, 2019, 36, 1329-1335.	1.2	23
77	Reported chemical sensitivities in a health survey of United Kingdon military personnel. Occupational and Environmental Medicine, 2002, 59, 196-198.	1.3	22
78	A systematic review of diabetes selfâ€management education interventions for people with type 2 diabetes mellitus in the Asian Western Pacific (AWP) region. Nursing Open, 2019, 6, 1424-1437.	1.1	22
79	The Association Between Selective Serotonin Reuptake Inhibitors and Glycemia: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Psychosomatic Medicine, 2019, 81, 570-583.	1.3	22
80	Reducing weight and increasing physical activity in people at high risk of cardiovascular disease: a randomised controlled trial comparing the effectiveness of enhanced motivational interviewing intervention with usual care. Heart, 2020, 106, 447-454.	1.2	22
81	Antinuclear autoantibodies (ANA) in Gulf War-related illness and chronic fatigue syndrome (CFS) patients. Clinical and Experimental Immunology, 2002, 129, 354-358.	1.1	21
82	Reasons for cannabis use in first-episode psychosis: Does strength of endorsement change over 12 months?. European Psychiatry, 2015, 30, 152-159.	0.1	21
83	Association between depressive symptoms and objectively measured daily step count in individuals at high risk of cardiovascular disease in South London, UK: a cross-sectional study. BMJ Open, 2018, 8, e020942.	0.8	21
84	Psychiatric aspects of chronic physical disease. Medicine, 2008, 36, 471-474.	0.2	20
85	Factors associated with cognitive impairment in patients with newly diagnosed type 2 diabetes: a cross-sectional study. Aging and Mental Health, 2016, 20, 840-847.	1.5	20
86	Eating disorders and diabetes. Psychiatry (Abingdon, England), 2008, 7, 179-182.	0.2	19
87	Chronic fatigue syndrome and related disorders in UK veterans of the Gulf War 1990–1991: results from a two-phase cohort study. Psychological Medicine, 2008, 38, 953-961.	2.7	19
88	Psychological interventions to improve glycemic control in adults with type 2 diabetes: a systematic review and meta-analysis. BMJ Open Diabetes Research and Care, 2020, 8, e001150.	1.2	19
89	Do the Effects of Psychological Treatments on Improving Glycemic Control in Type 1 Diabetes Persist Over Time? A Long-Term Follow-Up of a Randomized Controlled Trial. Psychosomatic Medicine, 2012, 74, 319-323.	1.3	18
90	Eating disorders in people with Type 1 diabetes: experiential perspectives of both clients and healthcare professionals. Diabetic Medicine, 2018, 35, 223-231.	1.2	18

#	Article	IF	CITATIONS
91	The prevalence of diabetes mellitus and abnormal glucose metabolism in the inpatient psychiatric setting: A systematic review and meta-analysis. General Hospital Psychiatry, 2017, 45, 76-84.	1.2	17
92	Is there an association between anxiety and depression prior to and during pregnancy and gestational diabetes? An analysis of the Born in Bradford cohort. Journal of Affective Disorders, 2020, 276, 345-350.	2.0	17
93	A Wearable Technology Delivering a Web-Based Diabetes Prevention Program to People at High Risk of Type 2 Diabetes: Randomized Controlled Trial. JMIR MHealth and UHealth, 2020, 8, e15448.	1.8	17
94	Enhanced motivational interviewing for reducing weight and increasing physical activity in adults with high cardiovascular risk: the MOVE IT three-arm RCT. Health Technology Assessment, 2019, 23, 1-144.	1.3	17
95	Provision of health promotion programmes to people with serious mental illness: a mapping exercise of four <scp>S</scp> outh <scp>L</scp> ondon boroughs. Journal of Psychiatric and Mental Health Nursing, 2014, 21, 121-127.	1.2	16
96	Pharmacogenomics in type 2 diabetes: oral antidiabetic drugs. Pharmacogenomics Journal, 2016, 16, 399-410.	0.9	16
97	Improving quality of diabetes care by integrating psychological and social care for poorly controlled diabetes. International Journal of Psychiatry in Medicine, 2016, 51, 3-15.	0.8	16
98	Model for Risk-Based Screening of Diabetic Retinopathy in People With Newly-Diagnosed Type 2 Diabetes Mellitus. , 2017, 58, BIO99.		16
99	Royal College of Psychiatrists Liaison Faculty & Joint British Diabetes Societies (<scp>JBDS</scp>): guidelines for the management of diabetes in adults and children with psychiatric disorders in inpatient settings. Diabetic Medicine, 2018, 35, 997-1004.	1.2	16
100	The Colombo Twin and Singleton Follow-up Study: a population based twin study of psychiatric disorders and metabolic syndrome in Sri Lanka. BMC Public Health, 2018, 18, 145.	1.2	16
101	Learning about Type 1 diabetes and learning to live with it when diagnosed in adulthood: two distinct but interâ€related psychological processes of adaptation A qualitative longitudinal study. Diabetic Medicine, 2019, 36, 742-752.	1.2	16
102	Associations between Retinal Markers of Microvascular Disease and Cognitive Impairment in Newly Diagnosed Type 2 Diabetes Mellitus: A Case Control Study. PLoS ONE, 2016, 11, e0147160.	1.1	16
103	Motivational enhancement therapy with and without cognitive behaviour therapy for Type 1 diabetes: economic evaluation from a randomized controlled trial. Diabetic Medicine, 2011, 28, 470-479.	1.2	15
104	Pain is independently associated with reduced health related quality of life in people with psychosis. Psychiatry Research, 2015, 230, 585-591.	1.7	15
105	Comparing the effectiveness of an enhanced MOtiVational intErviewing InTervention (MOVE IT) with usual care for reducing cardiovascular risk in high risk subjects: study protocol for a randomised controlled trial. Trials, 2015, 16, 112.	0.7	15
106	Assessing treatment fidelity and contamination in a cluster randomised controlled trial of motivational interviewing and cognitive behavioural therapy skills in type 2 diabetes. BMC Family Practice, 2018, 19, 60.	2.9	15
107	Dietary intake, physical activity and sedentary behaviour patterns in a sample with established psychosis and associations with mental health symptomatology. Psychological Medicine, 2023, 53, 1565-1575.	2.7	15
108	Women in the Persian Gulf: lack of gender differences in long-term health effects of service in United Kingdom Armed Forces in the 1991 Persian Gulf War. Military Medicine, 2002, 167, 406-13.	0.4	15

#	Article	IF	CITATIONS
109	Themes elicited during motivational interviewing to improve glycaemic control in adults with Type $\hat{a} \in f 1$ diabetes mellitus. Diabetic Medicine, 2012, 29, 148-152.	1.2	14
110	Is there a Gulf War syndrome?. Lancet, The, 1999, 354, 1645-1646.	6.3	13
111	Response bias to a randomised controlled trial of a lifestyle intervention in people at high risk of cardiovascular disease: a cross-sectional analysis. BMC Public Health, 2018, 18, 1092.	1.2	13
112	A prospective study of the effect of fasting during the month of Ramadan on depression and diabetes distress in people with type 2 diabetes. Diabetes Research and Clinical Practice, 2019, 153, 145-149.	1.1	13
113	The Epidemiology of Depression and Diabetes Distress in Type 2 Diabetes in Kuwait. Journal of Diabetes Research, 2020, 2020, 1-8.	1.0	13
114	Experiences of Attending Group Education to Support Insulin Initiation in Type 2 Diabetes: A Qualitative Study. Diabetes Therapy, 2020, 11, 119-132.	1.2	12
115	Disordered eating in women with type 1 diabetes: Continuous glucose monitoring reveals the complex interactions of glycaemia, selfâ€care behaviour and emotion. Diabetic Medicine, 2021, 38, e14446.	1.2	12
116	A framework for handling missing accelerometer outcome data in trials. Trials, 2021, 22, 379.	0.7	12
117	A REVIEW OF THE EVIDENCE FOR A "GULF WAR SYNDROME". Occupational and Environmental Medicine, 2001, 58, 754-754.	1.3	11
118	Diabetesâ€Oriented Learning Family Intervention (DOLFIN): a feasibility study evaluating an intervention for carers of young persons with TypeÂ1 diabetes. Diabetic Medicine, 2014, 31, 55-60.	1.2	11
119	A pilot study of an integrated mental health, social and medical model for diabetes care in an innerâ€city setting: Three Dimensions for Diabetes (3DFD). Diabetic Medicine, 2020, 37, 1658-1668.	1.2	11
120	Dichotomous factor analysis of symptoms reported by UK and US veterans of the 1991 Gulf War. Population Health Metrics, 2004, 2, 8.	1.3	10
121	Randomised controlled trial to improve health and reduce substance use in established psychosis (IMPaCT): cost-effectiveness of integrated psychosocial health promotion. BMC Psychiatry, 2017, 17, 407.	1.1	10
122	A cognitive behavioural model of the bidirectional relationship between disordered eating and diabetes self care in people with type 1 diabetes mellitus. Diabetic Medicine, 2021, 38, e14578.	1.2	10
123	Preconception health. Lancet, The, 2018, 392, 2266-2267.	6.3	9
124	The Prospective Association Between Inflammation and Depressive Symptoms in Type 2 Diabetes Stratified by Sex. Diabetes Care, 2019, 42, 1865-1872.	4.3	9
125	Multidisciplinary healthcare teams' challenges and strategies in supporting people with type 1 diabetes to recover from disordered eating. Diabetic Medicine, 2020, 37, 1992-2000.	1.2	9
126	Healthcare professionals' views of group structured education for people with newly diagnosed Type 2 diabetes. Diabetic Medicine, 2018, 35, 911-919.	1.2	8

#	Article	IF	CITATIONS
127	Diabetes and TelecommunicationS (DATES) study to support self-management for people with type 2 diabetes: a randomized controlled trial. BMC Public Health, 2018, 18, 1249.	1.2	8
128	The association between emotional eating and depressive symptoms: a population-based twin study in Sri Lanka. Global Health, Epidemiology and Genomics, 2019, 4, e4.	0.2	8
129	The psychopathology of recurrent diabetic ketoacidosis: A case–control study. Diabetic Medicine, 2021, 38, e14505.	1.2	8
130	Understanding developmental psychopathology in Type 1 diabetes through attachment, mentalisation and diabetes distress. Clinical Child Psychology and Psychiatry, 2021, 26, 682-694.	0.8	8
131	Developing a novel intervention for type 1 diabetes and disordered eating using a participatory action design process: Safe management of people with Type 1 diabetes and EAting Disorders studY (STEADY). Diabetic Medicine, 2022, 39, e14749.	1.2	8
132	Skin disease in Gulf war veterans. QJM - Monthly Journal of the Association of Physicians, 2002, 95, 671-676.	0.2	6
133	A US-UK comparison of health in 1990-1991 Gulf War veterans. Occupational Medicine, 2011, 61, 483-489.	0.8	6
134	Why do Psychotic Patients use Cannabis? Case Series. Current Pharmaceutical Design, 2012, 18, 4950-4959.	0.9	6
135	3 Dimensions of Care for Diabetes: integrating diabetes care into an individual's world. Practical Diabetes, 2015, 32, 345-349.	0.1	6
136	Diabetes Complications at Presentation and One Year by Glycated Haemoglobin at Diagnosis in a Multiethnic and Diverse Socioeconomic Population: Results from the South London Diabetes Study. Journal of Diabetes Research, 2015, 2015, 1-8.	1.0	6
137	Diabetes outcomes in people with severe mental illness. British Journal of General Practice, 2018, 68, 166-167.	0.7	6
138	Outcome of a psychosocial health promotion intervention aimed at improving physical health and reducing alcohol use in patients with schizophrenia and psychotic disorders (MINT). Schizophrenia Research, 2019, 208, 138-144.	1.1	6
139	Exploring healthcare professionals' perspectives of barriers and facilitators to supporting people with severe mental illness and Type 2 diabetes mellitus. Health and Social Care in the Community, 2020, 28, 690-697.	0.7	6
140	Inequalities in glycemic management in people living with type 2 diabetes mellitus and severe mental illnesses: cohort study from the UK over 10 years. BMJ Open Diabetes Research and Care, 2021, 9, e002118.	1.2	6
141	Systematic review and meta-analysis of risk of gestational diabetes in women with preconception mental disorders. Journal of Psychiatric Research, 2022, 149, 293-306.	1.5	6
142	SITAgliptin for Depressive Symptoms in Type 2 Diabetes: A Feasibility Randomized Controlled Trial. Psychosomatic Medicine, 2021, 83, 913-923.	1.3	5
143	Physical health in schizophrenia and related disorders. Psychiatry (Abingdon, England), 2008, 7, 472-476.	0.2	4
144	Depression and change in occupational functioning in type 2 diabetes. Occupational Medicine, 2019, 69, 322-328.	0.8	4

#	Article	IF	CITATIONS
145	Data on diabetes-specific distress are needed to improve the quality of diabetes care. Lancet, The, 2021, 397, 2149.	6.3	4
146	The Effectiveness of Behavior Change Techniques Underpinning Psychological Interventions to Improve Glycemic Levels for Adults With Type 2 Diabetes: A Meta-Analysis. Frontiers in Clinical Diabetes and Healthcare, 2021, 2, .	0.3	4
147	Feasibility study of real-time online text-based CBT to support self-management for people with type 1 diabetes: the Diabetes On-line Therapy (DOT) Study. BMJ Open Diabetes Research and Care, 2021, 9, e001934.	1.2	4
148	The health effects of peacekeeping (Bosnia, 1992-1996): a cross-sectional studycomparison with nondeployed military personnel. Military Medicine, 2003, 168, 408-13.	0.4	4
149	Needs, concerns and selfâ€management experiences of people with type 2 diabetes during the <scp>COVID</scp> â€19 pandemic: A qualitative study. Diabetic Medicine, 2022, 39, e14883.	1.2	4
150	Explanatory models associated with psychological morbidity in first trimester spontaneous abortion: a generalist study in a specialist setting. Psychology, Health and Medicine, 2004, 9, 306-314.	1.3	3
151	The impact study - motivating a change in health behaviour. European Psychiatry, 2011, 26, 2151-2151.	0.1	3
152	Genetic Overlap Between Type 2 Diabetes and Depression in a Sri Lankan Population Twin Sample. Psychosomatic Medicine, 2020, 82, 247-253.	1.3	3
153	A health promotion intervention to improve lifestyle choices and health outcomes in people with psychosis: a research programme including the IMPaCT RCT. Programme Grants for Applied Research, 2020, 8, 1-124.	0.4	3
154	Eliciting the mechanisms of action of care navigators in the management of type 2 diabetes in people with severe mental illness: a qualitative study. Diabetic Medicine, 0, , .	1.2	3
155	New challenges facing ill health in Gulf war veterans. Occupational and Environmental Medicine, 2001, 58, 289-290.	1.3	2
156	Depression and diabetes. Psychiatry (Abingdon, England), 2009, 8, 203-207.	0.2	2
157	Response to Comment on: Kan et al. A Systematic Review and Meta-analysis of the Association Between Depression and Insulin Resistance. Diabetes Care 2013;36:480-489. Diabetes Care, 2013, 36, e124-e124.	4.3	2
158	Diabetes management in psychiatric inpatients: time to change?. Diabetic Medicine, 2016, 33, 407-408.	1.2	2
159	Protocol for a qualitative study exploring the perception of need, importance and acceptability of a digital diabetes prevention intervention for women with gestational diabetes mellitus during and after pregnancy in Malaysia (Explore-MYGODDESS). BMJ Open, 2021, 11, e044878.	0.8	2
160	A Protocol of Process Evaluations of Interventions for the Prevention of Type 2 Diabetes in Women With Gestational Diabetes Mellitus: A Systematic Review. International Journal of Qualitative Methods, The, 2021, 20, 160940692110340.	1.3	2
161	Predictive value of cardiometabolic biomarkers and depressive symptoms for symptom severity and quality of life in patients with psychotic disorders. Journal of Affective Disorders, 2021, 298, 95-103.	2.0	2
162	Should we trust results of meta-analyses?. Lancet, The, 2004, 364, 1402-1403.	6.3	1

#	Article	IF	CITATIONS
163	A systematic review and meta-analysis of the association between depression and insulin resistance. Diabetes Care 2013;36:480-489. Diabetes Care, 2013, 36, 1429-1429.	4.3	1
164	Anorexia nervosa and insulin sensitivity: a systematic review and meta-analysis. European Neuropsychopharmacology, 2017, 27, S624.	0.3	1
165	Forgotten: mental health interventions in type 1 diabetes. Lancet, The, 2020, 395, 115.	6.3	1
166	A Mobile Phone App for the Prevention of Type 2 Diabetes in Malaysian Women With Gestational Diabetes Mellitus: Protocol for a Feasibility Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e37288.	0.5	1
167	Prospective study of the association between depressive symptoms at type 2 diabetes diagnosis and time to insulin initiation in the South London diabetes (SOUL-D) cohort. Primary Care Diabetes, 2022, 16, 502-508.	0.9	1
168	The relationship between depression and negative symptoms in schizophrenia: Comparison of clinical assessment and the dexamethasone suppression test. European Psychiatry, 1996, 11, 413s-414s.	0.1	0
169	Does psychiatric morbidity have a role in increasing smoking levels in the community?. European Psychiatry, 1998, 13, 186s-187s.	0.1	0
170	Is there a Gulf War syndrome?. Lancet, The, 1999, 353, 1182-1183.	6.3	0
171	Effect of waist-to-hip ratio on the association between type 2 diabetes and depression: an exploratory study using the polygenic scores approach in the UK Biobank. Lancet, The, 2017, 389, S53.	6.3	0
172	P37â€Barriers to and facilitators of effective diabetes self-management among people newly diagnosed with type 2 diabetes mellitus (t2dm): a qualitative study from malaysia. , 2017, , .		0
173	O5.2. PREDICTORS OF CARDIOMETABOLIC RISK IN THE YEAR AFTER ONSET OF PSYCHOSIS: A PROSPECTIVE COHORT STUDY. Schizophrenia Bulletin, 2018, 44, S87-S87.	2.3	0
174	The relationship between depressive symptoms and dietary intake in people at high risk of cardiovascular diseases. Proceedings of the Nutrition Society, 2019, 78, .	0.4	0
175	Development of type 2 diabetes in women with comorbid gestational diabetes and common mental disorders in the Born in Bradford cohort. BMJ Open, 2022, 12, e051498.	0.8	Ο
176	Protocol for a feasibility study and process evaluation of a psychosocially modelled diabetes education programme for young people with type 1 diabetes: the Youth Empowerment Skills (YES) programme. BMJ Open, 2022, 12, e062971.	0.8	0