

Miljana Jakovljevic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5188974/publications.pdf>

Version: 2024-02-01

16

papers

185

citations

1307594

7

h-index

1125743

13

g-index

16

all docs

16

docs citations

16

times ranked

152

citing authors

#	ARTICLE	IF	CITATIONS
1	The molecular epidemiology of bois noir grapevine yellows caused by <i>Candidatus Phytoplasma solani</i> ™ in the Republic of Macedonia. European Journal of Plant Pathology, 2015, 142, 759-770.	1.7	34
2	â€˜Candidatus phytoplasma solaniâ€™ genotypes associated with potato stolbur in Serbia and the role of <i>Hyalesthes obsoletus</i> and <i>Reptalus panzeri</i> (hemiptera, cixiidae) as natural vectors. European Journal of Plant Pathology, 2016, 144, 619-630.	1.7	32
3	Role of plant-specialized <i>Hyalesthes obsoletus</i> associated with <i>Convolvulus arvensis</i> and <i>Crepis foetida</i> in the transmission of â€˜Candidatus Phytoplasma solaniâ€™-inflicted bois noir disease of grapevine in Serbia. European Journal of Plant Pathology, 2019, 153, 183-195.	1.7	31
4	<i>Drosophila suzukii</i> (Matsumura, 1931) (Siptera: Srosophilidae): A new invasive pest in Serbia. Zastita Bilja, 2014, 65, 99-104.	0.2	18
5	Diversity of phytoplasmas identified in the polyphagous leafhopper <i>Euscelis incisus</i> (Cicadellidae,) Tj ETQq1 1 0.784314 rgBT /Overlock European Journal of Plant Pathology, 2020, 156, 201-221.	1.7	14
6	First Report of Alder Yellows Phytoplasma Associated with Common Alder (<i>Alnus glutinosa</i>) in the Republic of Macedonia. Plant Disease, 2014, 98, 1268-1268.	1.4	11
7	<i>Euscelis incisus</i>(Cicadellidae, Deltcephalinae), a natural vector of 16SrIII-B phytoplasma causing multiple inflorescence disease of<i>Cirsium arvense</i>. Annals of Applied Biology, 2015, 167, 406-419.	2.5	8
8	First Report of â€˜ <i>Candidatus</i> Phytoplasma solaniâ€™™ Infesting Garden Bean <i>Phaseolus vulgaris</i> in Serbia. Plant Disease, 2015, 99, 551-551.</i>	1.4	6
9	Genetic Diversity of Flavescence DorÃ© Phytoplasmas in Vineyards of Serbia: From the Widespread Occurrence of Autochthonous Map-M51 to the Emergence of Endemic Map-FD2 (Vectotype II) and New Map-FD3 (Vectotype III) Epidemic Genotypes. Agronomy, 2022, 12, 448.	3.0	6
10	Integrative taxonomy of root aphid parasitoids from the genus <i>Paralipsis</i> (Hymenoptera, Braconidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.1	5
11	Symptomatology, (Co)occurrence and Differential Diagnostic PCR Identification of â€˜Ca. <i>Phytoplasma solani</i> â€™™ and â€˜Ca. <i>Phytoplasma convolvuli</i> â€™™ in Field Bindweed. Pathogens, 2021, 10, 160.	2.8	4
12	<i>Crepis foetida</i> L.: New host plant of cixiid planthopper <i>Hyalesthes obsoletus</i> Signoret 1865 (Hemiptera:) Tj ETQq0 0 0 rgBT /Overlock 10	0.2	4
13	Potential Hemipteran vectors of â€œstolburâ€•phytoplasma in potato fields in Serbia. Phytopathogenic Mollicutes, 2015, 5, S49.	0.1	4
14	Genetic differentiation of<i>Liparus glabrirostris</i>(Curculionidae: Molytinae) populations from the fragmented habitats of the Alps and Carpathian Mountains. Bulletin of Entomological Research, 2016, 106, 651-662.	1.0	3
15	Framework for risk assessment of â€˜ <i>Candidatus Phytoplasma solani</i> â€™™ associated diseases outbreaks in agroecosystems in Serbia. Journal of Plant Pathology, 0, , 1.	1.2	3
16	The â€œcode redâ€•for Balkan vineyards: occurrence of <i>Orientus ishidae</i> (Matsumura, 1902) (Hemiptera:) Tj ETQq0 0 0 rgBT /Overlock 1.1	2	2