

Grard A P Nieuwenhuijzen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5189929/grard-a-p-nieuwenhuijzen-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

242
papers

12,214
citations

49
h-index

106
g-index

270
ext. papers

15,366
ext. citations

4.2
avg, IF

5.81
L-index

#	Paper	IF	Citations
242	Functional Bowel Complaints and the Impact on Quality of Life After Colorectal Cancer Surgery in the Elderly.. <i>Frontiers in Oncology</i> , 2022 , 12, 832377	5.3	1
241	Definitions and treatment of oligometastatic oesophagogastric cancer according to multidisciplinary tumour boards in Europe.. <i>European Journal of Cancer</i> , 2022 , 164, 18-29	7.5	3
240	A population-based study in synchronous metachronous metastatic esophagogastric adenocarcinoma.. <i>Therapeutic Advances in Medical Oncology</i> , 2022 , 14, 17588359221085557	5.4	
239	Clinical variation in the organization of clinical pathways in esophagogastric cancer, a mixed method multiple case study.. <i>BMC Health Services Research</i> , 2022 , 22, 527	2.9	0
238	The Value of Paratracheal Lymphadenectomy in Esophagectomy for Adenocarcinoma of the Esophagus or Gastroesophageal Junction: A Systematic Review of the Literature. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	0
237	Risk Factors for Failure of Direct Oral Feeding Following a Totally Minimally Invasive Esophagectomy. <i>Nutrients</i> , 2021 , 13,	6.7	1
236	The Burden of Peritoneal Metastases from Gastric Cancer: A Systematic Review on the Incidence, Risk Factors and Survival. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
235	18F-Fludeoxyglucose-Positron Emission Tomography/Computed Tomography and Laparoscopy for Staging of Locally Advanced Gastric Cancer: A Multicenter Prospective Dutch Cohort Study (PLASTIC). <i>JAMA Surgery</i> , 2021 , 156, e215340	5.4	4
234	ASO Visual Abstract: The Value of Paratracheal Lymphadenectomy in Esophagectomy for Adenocarcinoma of the Esophagus or Gastroesophageal Junction: a Systematic Review of the Literature. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	
233	The eHealth self-management application 'Oncokompas' that supports cancer survivors to improve health-related quality of life and reduce symptoms: which groups benefit most?. <i>Acta Oncologica</i> , 2021 , 60, 403-411	3.2	9
232	The Effect of Postoperative Complications After Minimally Invasive Esophagectomy on Long-term Survival: An International Multicenter Cohort Study. <i>Annals of Surgery</i> , 2021 , 274, e1129-e1137	7.8	17
231	Fit-for-Discharge Criteria after Esophagectomy: An International Expert Delphi Consensus. <i>Ecological Management and Restoration</i> , 2021 , 34,	3	2
230	Repeat breast-conserving treatment of ipsilateral breast cancer recurrence: a nationwide survey amongst breast surgeons and radiation oncologists in the Netherlands. <i>Breast Cancer Research and Treatment</i> , 2021 , 187, 499-514	4.4	0
229	Laparoscopic Versus Open Gastrectomy for Gastric Cancer (LOGICA): A Multicenter Randomized Clinical Trial. <i>Journal of Clinical Oncology</i> , 2021 , 39, 978-989	2.2	18
228	Curative treatment of locally recurrent rectal cancer: is induction chemotherapy warranted?. <i>British Journal of Surgery</i> , 2021 , 108, e213-e214	5.3	0
227	Supervised exercise after oesophageal cancer surgery: the PERFECT multicentre randomized clinical trial. <i>British Journal of Surgery</i> , 2021 , 108, 786-796	5.3	2
226	Changes in hospital variation in the probability of receiving treatment with curative intent for esophageal and gastric cancer. <i>Cancer Epidemiology</i> , 2021 , 71, 101897	2.8	1

225	Implementation of a regional video multidisciplinary team meeting is associated with an improved prognosis for patients with oesophageal cancer A mixed methods approach. <i>European Journal of Surgical Oncology</i> , 2021 ,	3.6	2
224	Normal inflammatory markers and acute appendicitis: a national multicentre prospective cohort analysis. <i>International Journal of Colorectal Disease</i> , 2021 , 36, 1507-1513	3	2
223	Updated protocol of the SANO trial: a stepped-wedge cluster randomised trial comparing surgery with active surveillance after neoadjuvant chemoradiotherapy for oesophageal cancer. <i>Trials</i> , 2021 , 22, 345	2.8	8
222	Digital Self-Management Support Tools in the Care Plan of Patients With Cancer: Review of Randomized Controlled Trials. <i>Journal of Medical Internet Research</i> , 2021 , 23, e20861	7.6	2
221	Ten-Year Outcome of Neoadjuvant Chemoradiotherapy Plus Surgery for Esophageal Cancer: The Randomized Controlled CROSS Trial. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1995-2004	2.2	42
220	Active Surveillance Versus Immediate Surgery in Clinically Complete Responders After Neoadjuvant Chemoradiotherapy for Esophageal Cancer: A Multicenter Propensity Matched Study. <i>Annals of Surgery</i> , 2021 , 274, 1009-1016	7.8	16
219	Is specimen radiography still necessary in patients with non-palpable breast cancer undergoing breast-conserving surgery using radioactive I-125 seed localization?. <i>Clinical Imaging</i> , 2021 , 69, 311-317	2.7	0
218	Effect of direct oral feeding following minimally invasive esophagectomy on costs and quality of life. <i>Journal of Medical Economics</i> , 2021 , 24, 54-60	2.4	3
217	Age-related differences in morbidity and mortality after surgery for primary clinical T4 and locally recurrent rectal cancer. <i>Colorectal Disease</i> , 2021 , 23, 1141-1152	2.1	1
216	A Phase II Study Demonstrates No Feasibility of Adjuvant Treatment with Six Cycles of S-1 and Oxaliplatin in Resectable Esophageal Adenocarcinoma, with ERCC1 as Biomarker for Response to SOX. <i>Cancers</i> , 2021 , 13,	6.6	1
215	Learning Curves of Ivor Lewis Totally Minimally Invasive Esophagectomy by Hospital and Surgeon Characteristics: A Retrospective Multi-National Cohort Study. <i>Annals of Surgery</i> , 2021 ,	7.8	3
214	Impact of a history of metastases or synchronous metastases on survival in patients with locally recurrent rectal cancer. <i>Colorectal Disease</i> , 2021 , 23, 1120-1131	2.1	0
213	Expectations of Continuous Vital Signs Monitoring for Recognizing Complications After Esophagectomy: Interview Study Among Nurses and Surgeons. <i>JMIR Perioperative Medicine</i> , 2021 , 4, e22387	1.5	2
212	European consensus on essential steps of Minimally Invasive Ivor Lewis and McKeown Esophagectomy through Delphi methodology. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	1
211	Intrathoracic vs Cervical Anastomosis After Totally or Hybrid Minimally Invasive Esophagectomy for Esophageal Cancer: A Randomized Clinical Trial. <i>JAMA Surgery</i> , 2021 , 156, 601-610	5.4	7
210	Postoperative intensive care unit stay after minimally invasive esophagectomy shows large hospital variation. Results from the Dutch Upper Gastrointestinal Cancer Audit. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1961-1968	3.6	1
209	Rate and predictors of nodal pathological complete response following neoadjuvant endocrine treatment in clinically biopsy-proven node-positive breast cancer patients. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1928-1933	3.6	1
208	Patterns of recurrence following definitive chemoradiation for patients with proximal esophageal cancer. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2016-2022	3.6	3

207	Improved response rate in patients with prognostically poor locally advanced rectal cancer after treatment with induction chemotherapy and chemoradiotherapy when compared with chemoradiotherapy alone: A matched case-control study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2429-2435	3.6	1
206	Reasons for not reaching or using web-based self-management applications, and the use and evaluation of Oncokompas among cancer survivors, in the context of a randomised controlled trial. <i>Internet Interventions</i> , 2021 , 25, 100429	4.4	6
205	Reply to: Use of induction chemotherapy in locally advanced rectal cancers to increase the response rates: Is it actually helping?. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2473-2474	3.6	
204	Prognostic Implications of MRI-Detected EMVI and Tumor Deposits and Their Response to Neoadjuvant Therapy in cT3 and cT4 Rectal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 111, 816-825	4	0
203	Current practices concerning the assessment and treatment of lateral lymph nodes in low rectal cancer: a survey among colorectal surgeons in The Netherlands.. <i>Acta Chirurgica Belgica</i> , 2021 , 1-9	0.9	1
202	Multifocality in ipsilateral breast tumor recurrence - A study in ablative specimens. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1471-1476	3.6	2
201	Improved Outcomes for Responders After Treatment with Induction Chemotherapy and Chemo(re)irradiation for Locally Recurrent Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2020 , 27, 3503-3513	3.1	11
200	Outcomes of urinary diversion after surgery for locally advanced or locally recurrent rectal cancer with complete cystectomy; ileal and colon conduit. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1160-1166	3.6	3
199	Predicting outcomes of pelvic exenteration using machine learning. <i>Colorectal Disease</i> , 2020 , 22, 1933-1940	1.4	2
198	Paravertebral catheter versus EPidural analgesia in Minimally invasive Esophageal resection: a randomized controlled multicenter trial (PEPMEN trial). <i>BMC Cancer</i> , 2020 , 20, 142	4.8	6
197	Carcinoembryonic antigen-specific, fluorescent image-guided cytoreductive surgery with hyperthermic intraperitoneal chemotherapy for metastatic colorectal cancer. <i>British Journal of Surgery</i> , 2020 , 107, 334-337	5.3	16
196	A national study to assess outcomes of definitive chemoradiation regimens in proximal esophageal cancer. <i>Acta Oncologica</i> , 2020 , 59, 895-903	3.2	6
195	Randomized clinical trial on the effect of a supervised exercise program on quality of life, fatigue, and fitness following esophageal cancer treatment (PERFECT study).. <i>Journal of Clinical Oncology</i> , 2020 , 38, 12055-12055	2.2	
194	Intrathoracic versus cervical anastomosis after minimally invasive esophagectomy for esophageal cancer: A randomized controlled trial.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4509-4509	2.2	
193	Direct Oral Feeding After a Minimally Invasive Esophagectomy: A Single-Center Prospective Cohort Study. <i>Annals of Surgery</i> , 2020 ,	7.8	4
192	Role of eHealth application Oncokompas in supporting self-management of symptoms and health-related quality of life in cancer survivors: a randomised, controlled trial. <i>Lancet Oncology</i> , 2020 , 21, 80-94	21.7	54
191	Phase II Feasibility and Biomarker Study of Neoadjuvant Trastuzumab and Pertuzumab With Chemoradiotherapy for Resectable Human Epidermal Growth Factor Receptor 2-Positive Esophageal Adenocarcinoma: TRAP Study. <i>Journal of Clinical Oncology</i> , 2020 , 38, 462-471	2.2	21
190	Direct Oral Feeding Following Minimally Invasive Esophagectomy (NUTRIENT II trial): An International, Multicenter, Open-label Randomized Controlled Trial. <i>Annals of Surgery</i> , 2020 , 271, 41-47	7.8	34

189	Local staging of ipsilateral breast tumor recurrence: mammography, ultrasound, or MRI?. <i>Breast Cancer Research and Treatment</i> , 2020 , 184, 385-395	4.4	2
188	Feeding protocol deviation after esophagectomy: A retrospective multicenter study. <i>Clinical Nutrition</i> , 2020 , 39, 1258-1263	5.9	7
187	Propensity Score-Matched Analysis Comparing Minimally Invasive Ivor Lewis Versus Minimally Invasive Mckeown Esophagectomy. <i>Annals of Surgery</i> , 2020 , 271, 128-133	7.8	31
186	Simultaneous pelvic exenteration and liver resection for primary rectal cancer with synchronous liver metastases: results from the PelvEx Collaborative. <i>Colorectal Disease</i> , 2020 , 22, 1258-1262	2.1	3
185	Propensity score-matched analysis of oncological outcome between stent as bridge to surgery and emergency resection in patients with malignant left-sided colonic obstruction. <i>British Journal of Surgery</i> , 2019 , 106, 1075-1086	5.3	36
184	Resection of hepatic and pulmonary metastasis from metastatic esophageal and gastric cancer: a nationwide study. <i>Ecological Management and Restoration</i> , 2019 , 32,	3	6
183	Prognostic impact of repeat sentinel lymph node biopsy in patients with ipsilateral breast tumour recurrence. <i>British Journal of Surgery</i> , 2019 , 106, 574-585	5.3	3
182	Low Risk of Development of a Regional Recurrence After an Unsuccessful Repeat Sentinel Lymph Node Biopsy in Patients with Ipsilateral Breast Tumor Recurrence. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2417-2427	3.1	8
181	Screening for distant metastases in patients with ipsilateral breast tumor recurrence: the impact of different imaging modalities on distant recurrence-free interval. <i>Breast Cancer Research and Treatment</i> , 2019 , 175, 419-428	4.4	1
180	The Importance of the Microbiome in Bariatric Surgery: a Systematic Review. <i>Obesity Surgery</i> , 2019 , 29, 2338-2349	3.7	20
179	Recurrence after preoperative chemotherapy and surgery for gastric adenocarcinoma: a multicenter study. <i>Gastric Cancer</i> , 2019 , 22, 1263-1273	7.6	22
178	Poor compliance with perioperative chemotherapy for resectable gastric cancer and its impact on survival. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1926-1933	3.6	5
177	Impact of Age and Comorbidity on Choice and Outcome of Two Different Treatment Options for Patients with Potentially Curable Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2019 , 26, 986-995	3.1	17
176	Significant improvement in postoperative and 1-year mortality after colorectal cancer surgery in recent years. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 2052-2058	3.6	12
175	Distribution of lymph node metastases in esophageal carcinoma [TIGER study]: study protocol of a multinational observational study. <i>BMC Cancer</i> , 2019 , 19, 662	4.8	27
174	Trends in treatment and overall survival among patients with proximal esophageal cancer. <i>World Journal of Gastroenterology</i> , 2019 , 25, 6835-6846	5.6	9
173	Insights in work rehabilitation after minimally invasive esophagectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019 , 33, 3457-3463	5.2	1
172	Repeat breast-conserving therapy for ipsilateral breast cancer recurrence: A systematic review. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1317-1327	3.6	24

171	O112 SURVEILLANCE USING FDG-UPTAKE IN THE PRIMARY TUMOUR ON PET/CT IN PATIENTS WITH OESOPHAGEAL CANCER AND A CLINICALLY COMPLETE RESPONSE AFTER NEOADJUVANT CHEMORADIOTHERAPY. <i>Ecological Management and Restoration</i> , 2019 , 32,	3	1
170	Two-lung ventilation during prone minimally invasive thoroscopic oesophagectomy: A case series. <i>European Journal of Anaesthesiology</i> , 2019 , 36, 307-309	2.3	2
169	Anastomotic Techniques and Associated Morbidity in Total Minimally Invasive Transthoracic Esophagectomy: Results From the EsoBenchmark Database. <i>Annals of Surgery</i> , 2019 , 270, 820-826	7.8	30
168	A National Cohort Study Evaluating the Association Between Short-term Outcomes and Long-term Survival After Esophageal and Gastric Cancer Surgery. <i>Annals of Surgery</i> , 2019 , 270, 868-876	7.8	28
167	The Influence of Age on Complications and Overall Survival After Ivor Lewis Totally Minimally Invasive Esophagectomy. <i>Journal of Gastrointestinal Surgery</i> , 2019 , 23, 1293-1300	3.3	11
166	Learning Curve and Associated Morbidity of Minimally Invasive Esophagectomy: A Retrospective Multicenter Study. <i>Annals of Surgery</i> , 2019 , 269, 88-94	7.8	123
165	Repeat Sentinel Lymph Node Biopsy for Ipsilateral Breast Tumor Recurrence: A Systematic Review of the Results and Impact on Prognosis. <i>Annals of Surgical Oncology</i> , 2018 , 25, 1329-1339	3.1	16
164	Impact of neoadjuvant chemoradiotherapy on health-related quality of life in long-term survivors of esophageal or junctional cancer: results from the randomized CROSS trial. <i>Annals of Oncology</i> , 2018 , 29, 445-451	10.3	33
163	Risk of Regional Recurrence After Negative Repeat Sentinel Lymph Node Biopsy in Patients with Ipsilateral Breast Tumor Recurrence. <i>Annals of Surgical Oncology</i> , 2018 , 25, 1312-1321	3.1	10
162	The administration of adjuvant chemo(-immuno) therapy in the post ACOSOG-Z0011 era; a population based study. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 1151-1156	3.6	3
161	Safety and effectiveness of SGM-101, a fluorescent antibody targeting carcinoembryonic antigen, for intraoperative detection of colorectal cancer: a dose-escalation pilot study. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 181-191	18.8	87
160	Time interval between neoadjuvant chemoradiotherapy and surgery for oesophageal or junctional cancer: A nationwide study. <i>European Journal of Cancer</i> , 2018 , 91, 76-85	7.5	30
159	Hospital variation and the impact of postoperative complications on the use of perioperative chemo(radio)therapy in resectable gastric cancer. Results from the Dutch Upper GI Cancer Audit. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 532-538	3.6	8
158	Perioperative lipid-enriched enteral nutrition versus standard care in patients undergoing elective colorectal surgery (SANICS II): a multicentre, double-blind, randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 242-251	18.8	17
157	A structured training program for minimally invasive esophagectomy for esophageal cancer- a Delphi consensus study in Europe. <i>Ecological Management and Restoration</i> , 2018 , 31,	3	9
156	Evaluation of PET and laparoscopy in STaging advanced gastric cancer: a multicenter prospective study (PLASTIC-study). <i>BMC Cancer</i> , 2018 , 18, 450	4.8	19
155	Long-term survival improvement in oesophageal cancer in the Netherlands. <i>European Journal of Cancer</i> , 2018 , 94, 138-147	7.5	30
154	A Population-based Study on Lymph Node Retrieval in Patients with Esophageal Cancer: Results from the Dutch Upper Gastrointestinal Cancer Audit. <i>Annals of Surgical Oncology</i> , 2018 , 25, 1211-1220	3.1	30

153	Factors affecting outcomes following pelvic exenteration for locally recurrent rectal cancer. <i>British Journal of Surgery</i> , 2018 , 105, 650-657	5.3	76
152	Definitive chemoradiation or surgery in elderly patients with potentially curable esophageal cancer in the Netherlands: a nationwide population-based study on patterns of care and survival. <i>Acta Oncologica</i> , 2018 , 57, 1192-1200	3.2	11
151	Trends on Axillary Surgery in Nondistant Metastatic Breast Cancer Patients Treated Between 2011 and 2015: A Dutch Population-based Study in the ACOSOG-Z0011 and AMAROS Era. <i>Annals of Surgery</i> , 2018 , 268, 1084-1090	7.8	35
150	Nationwide comprehensive gastro-intestinal cancer cohorts: the 3P initiative. <i>Acta Oncologica</i> , 2018 , 57, 195-202	3.2	33
149	The long-term effects of early oral feeding following minimal invasive esophagectomy. <i>Ecological Management and Restoration</i> , 2018 , 31, 1-8	3	17
148	Predicting breast and axillary response after neoadjuvant treatment for breast cancer: The role of histology vs receptor status. <i>Breast Journal</i> , 2018 , 24, 894-901	1.2	3
147	Abdominal Drainage and Amylase Measurement for Detection of Leakage After Gastrectomy for Gastric Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2018 , 22, 1163-1170	3.3	7
146	Neoadjuvant chemoradiotherapy plus surgery versus active surveillance for oesophageal cancer: a stepped-wedge cluster randomised trial. <i>BMC Cancer</i> , 2018 , 18, 142	4.8	91
145	Prognostic implications of MRI-detected lateral nodal disease and extramural vascular invasion in rectal cancer. <i>British Journal of Surgery</i> , 2018 , 105, 1844-1852	5.3	21
144	The rationale for and long-term outcome of incomplete axillary staging in elderly women with primary breast cancer. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 1714-1719	3.6	11
143	Overall survival before and after centralization of gastric cancer surgery in the Netherlands. <i>British Journal of Surgery</i> , 2018 , 105, 1807-1815	5.3	38
142	Timing of postoperative chemotherapy in patients undergoing perioperative chemotherapy and gastrectomy for gastric cancer. <i>Surgical Oncology</i> , 2018 , 27, 421-427	2.5	6
141	Feasibility study of trastuzumab (T) and pertuzumab (P) added to neoadjuvant chemoradiotherapy (nCRT) in resectable HER2+ esophageal adenocarcinoma (EAC) patients (pts): The TRAP study.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 4057-4057	2.2	3
140	Perceived facilitators and barriers to physical exercise adherence in esophageal cancer patients after surgery.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 94-94	2.2	
139	Preliminary results of a cohort study of induction chemotherapy-based treatment for locally recurrent rectal cancer. <i>British Journal of Surgery</i> , 2018 , 105, 447-452	5.3	18
138	Minimally invasive esophagectomy: a propensity score-matched analysis of semiprone versus prone position. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 2758-2765	5.2	20
137	Hospital of Diagnosis Influences the Probability of Receiving Curative Treatment for Esophageal Cancer. <i>Annals of Surgery</i> , 2018 , 267, 303-310	7.8	19
136	Effect of Neoadjuvant Chemoradiotherapy on Health-Related Quality of Life in Esophageal or Junctional Cancer: Results From the Randomized CROSS Trial. <i>Journal of Clinical Oncology</i> , 2018 , 36, 268-275	2.2	60

135	RA03.01: A POPULATION-BASED STUDY ON LYMPH NODE RETRIEVAL IN PATIENTS WITH ESOPHAGEAL CANCER: RESULTS FROM THE DUTCH UPPER GASTROINTESTINAL CANCER AUDIT. <i>Ecological Management and Restoration</i> , 2018 , 31, 22-23	3	
134	RA07.06: BASELINE FDG-PET/CT PARAMETERS AS PREDICTOR FOR RESIDUAL TUMOUR AFTER NEOADJUVANT CHEMORADIOTHERAPY IN OESOPHAGEAL CANCER PATIENTS. <i>Ecological Management and Restoration</i> , 2018 , 31, 35-35	3	
133	PS02.064: ACCURACY OF F-18-FDG-PET/CT IN MONITORING TUMOUR RESPONSE AFTER NEOADJUVANT CHEMORADIOTHERAPY IN PATIENTS WITH OESOPHAGEAL CANCER. <i>Ecological Management and Restoration</i> , 2018 , 31, 138-139	3	
132	Salvage endoscopic resection in patients with esophageal adenocarcinoma after chemoradiotherapy. <i>Endoscopy International Open</i> , 2018 , 6, E1126-E1129	3	4
131	Laparoscopic cholecystectomy versus percutaneous catheter drainage for acute cholecystitis in high risk patients (CHOCOLATE): multicentre randomised clinical trial. <i>BMJ, The</i> , 2018 , 363, k3965	5.9	77
130	CRITICS-II: a multicentre randomised phase II trial of neo-adjuvant chemotherapy followed by surgery versus neo-adjuvant chemotherapy and subsequent chemoradiotherapy followed by surgery versus neo-adjuvant chemoradiotherapy followed by surgery in resectable gastric cancer. <i>BMC Cancer</i> , 2018 , 18, 677	4.8	66
129	Detection of residual disease after neoadjuvant chemoradiotherapy for oesophageal cancer (preSANO): a prospective multicentre, diagnostic cohort study. <i>Lancet Oncology, The</i> , 2018 , 19, 965-974	21.7	110
128	Techniques and short-term outcomes for total minimally invasive Ivor Lewis esophageal resection in distal esophageal and gastroesophageal junction cancers: pooled data from six European centers. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 119-126	5.2	38
127	Influence of the Extent and Dose of Radiation on Complications After Neoadjuvant Chemoradiation and Subsequent Esophagectomy With Gastric Tube Reconstruction With a Cervical Anastomosis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 97, 813-821	4	9
126	Randomized clinical trial of extended versus single-dose perioperative antibiotic prophylaxis for acute calculous cholecystitis. <i>British Journal of Surgery</i> , 2017 , 104, e151-e157	5.3	29
125	Breast MRI increases the number of mastectomies for ductal cancers, but decreases them for lobular cancers. <i>Breast Cancer Research and Treatment</i> , 2017 , 162, 353-364	4.4	27
124	Textbook outcome as a composite measure in oesophagogastric cancer surgery. <i>British Journal of Surgery</i> , 2017 , 104, 742-750	5.3	84
123	Breast magnetic resonance imaging use in patients undergoing neoadjuvant chemotherapy is associated with less mastectomies in large ductal cancers but not in lobular cancers. <i>European Journal of Cancer</i> , 2017 , 81, 74-80	7.5	7
122	Physical ExeRcise Following Esophageal Cancer Treatment (PERFECT) study: design of a randomized controlled trial. <i>BMC Cancer</i> , 2017 , 17, 552	4.8	9
121	Perioperative antibiotic prophylaxis in the treatment of acute cholecystitis (PEANUTS II trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 390	2.8	6
120	McKeown or Ivor Lewis totally minimally invasive esophagectomy for cancer of the esophagus and gastroesophageal junction: systematic review and meta-analysis. <i>Journal of Thoracic Disease</i> , 2017 , 9, S826-S833	2.6	49
119	Routine jejunostomy tube feeding following esophagectomy. <i>Journal of Thoracic Disease</i> , 2017 , 9, S851-S860	2.2	22
118	Nasogastric decompression following esophagectomy: a systematic literature review and meta-analysis. <i>Ecological Management and Restoration</i> , 2017 , 30, 1-8	3	23

117	Psoas hitch ureteral reimplantation after surgery for locally advanced and locally recurrent colorectal cancer: Complications and oncological outcome. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 1869-1875	3.6	7
116	Defining Benchmarks for Transthoracic Esophagectomy: A Multicenter Analysis of Total Minimally Invasive Esophagectomy in Low Risk Patients. <i>Annals of Surgery</i> , 2017 , 266, 814-821	7.8	117
115	Improved Functional Results After Minimally Invasive Esophagectomy: Intrathoracic Versus Cervical Anastomosis. <i>Annals of Thoracic Surgery</i> , 2017 , 103, 267-273	2.7	52
114	Results of a pooled analysis of IOERT containing multimodality treatment for locally recurrent rectal cancer: Results of 565 patients of two major treatment centres. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 107-117	3.6	29
113	Intrathoracic versus Cervical ANastomosis after minimally invasive esophagectomy for esophageal cancer: study protocol of the ICAN randomized controlled trial. <i>Trials</i> , 2016 , 17, 505	2.8	29
112	Internal and External Validation of a multivariable Model to Define Hospital-Acquired Pneumonia After Esophagectomy. <i>Journal of Gastrointestinal Surgery</i> , 2016 , 20, 680-7	3.3	37
111	Differences in Response and Surgical Management with Neoadjuvant Chemotherapy in Invasive Lobular Versus Ductal Breast Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 51-7	3.1	51
110	Stoma placement in obstructive rectal cancer prior to neo-adjuvant treatment and definitive surgery: A practical guideline. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 273-80	3.6	4
109	Local Recurrence in the Lateral Lymph Node Compartment: Improved Outcomes with Induction Chemotherapy Combined with Multimodality Treatment. <i>Annals of Surgical Oncology</i> , 2016 , 23, 1883-9	3.1	9
108	Perioperative Treatment, Not Surgical Approach, Influences Overall Survival in Patients with Gastroesophageal Junction Tumors: A Nationwide, Population-Based Study in The Netherlands. <i>Annals of Surgical Oncology</i> , 2016 , 23, 1632-8	3.1	11
107	Prospective nationwide outcome audit of surgery for suspected acute appendicitis. <i>British Journal of Surgery</i> , 2016 , 103, 144-51	5.3	59
106	Impact of comorbidity in the choice of curative treatment for esophageal cancer: A population-based study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 131-131	2.2	1
105	Results of intraoperative electron beam radiotherapy containing multimodality treatment for locally unresectable T4 rectal cancer: a pooled analysis of the Mayo Clinic Rochester and Catharina Hospital Eindhoven. <i>Journal of Gastrointestinal Oncology</i> , 2016 , 7, 903-916	2.8	14
104	Axillary Response Monitoring After Neoadjuvant Chemotherapy in Breast Cancer: Can We Avoid the Morbidity of Axillary Treatment?. <i>Annals of Surgery</i> , 2016 , 263, e28-9	7.8	3
103	Immediate Postoperative Oral Nutrition Following Esophagectomy: A Multicenter Clinical Trial. <i>Annals of Thoracic Surgery</i> , 2016 , 102, 1141-8	2.7	61
102	Hospital of diagnosis and probability of having surgical treatment for resectable gastric cancer. <i>British Journal of Surgery</i> , 2016 , 103, 233-41	5.3	33
101	Patterns of Care in the Administration of Neo-adjuvant Chemotherapy for Breast Cancer. A Population-Based Study. <i>Breast Journal</i> , 2016 , 22, 316-21	1.2	21
100	Nutritional route in oesophageal resection trial II (NUTRIENT II): study protocol for a multicentre open-label randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e011979	3	20

99	Delaying surgery after neoadjuvant chemoradiotherapy does not significantly influence postoperative morbidity or oncological outcome in patients with oesophageal adenocarcinoma. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 1183-90	3.6	14
98	Preserving the pulmonary vagus nerve branches during thoracoscopic esophagectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 3816-22	5.2	15
97	Management of the axilla after neoadjuvant chemotherapy for clinically node positive breast cancer: A nationwide survey study in The Netherlands. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 956-64	3.6	22
96	Improvement in survival for patients with synchronous metastatic esophageal cancer in the south of the Netherlands from 1994 to 2013. <i>Acta Oncologica</i> , 2016 , 55, 1161-1167	3.2	4
95	Early outcomes from the Dutch Upper Gastrointestinal Cancer Audit. <i>British Journal of Surgery</i> , 2016 , 103, 1855-1863	5.3	87
94	Contralateral lymph node recurrence in breast cancer: Regional event rather than distant metastatic disease. A systematic review of the literature. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 1128-36	3.6	38
93	Neoadjuvant chemoradiotherapy plus surgery versus surgery alone for oesophageal or junctional cancer (CROSS): long-term results of a randomised controlled trial. <i>Lancet Oncology</i> , 2015 , 16, 1090-1098	21.7	1266
92	Comparable survival for young rectal cancer patients, despite unfavourable morphology and more advanced-stage disease. <i>European Journal of Cancer</i> , 2015 , 51, 1675-82	7.5	22
91	Radiation dose does not influence anastomotic complications in patients with esophageal cancer treated with neoadjuvant chemoradiation and transhiatal esophagectomy. <i>Radiation Oncology</i> , 2015 , 10, 59	4.2	21
90	The effects of stimulation of the autonomic nervous system via perioperative nutrition on postoperative ileus and anastomotic leakage following colorectal surgery (SANICS II trial): a study protocol for a double-blind randomized controlled trial. <i>Trials</i> , 2015 , 16, 20	2.8	11
89	Does extended surgery influence health-related quality of life in patients with rectal cancer?. <i>Diseases of the Colon and Rectum</i> , 2015 , 58, 179-85	3.1	6
88	Laparoscopic versus open gastrectomy for gastric cancer, a multicenter prospectively randomized controlled trial (LOGICA-trial). <i>BMC Cancer</i> , 2015 , 15, 556	4.8	64
87	Improving the Success Rate of Repeat Sentinel Node Biopsy in Recurrent Breast Cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S529-35	3.1	14
86	Repeat sentinel node biopsy should be considered in patients with locally recurrent breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015 , 153, 549-56	4.4	27
85	Routes for early enteral nutrition after esophagectomy. A systematic review. <i>Clinical Nutrition</i> , 2015 , 34, 1-6	5.9	86
84	Topography and extent of pulmonary vagus nerve supply with respect to transthoracic esophagectomy. <i>Journal of Anatomy</i> , 2015 , 227, 431-9	2.9	22
83	Determinants in decision making for curative treatment and survival in patients with resectable oesophageal cancer in the Netherlands: a population-based study. <i>Cancer Epidemiology</i> , 2015 , 39, 863-9	2.8	2
82	Leaving a mobilized thoracic esophagus in situ when incurable cancer is discovered intraoperatively. <i>Annals of Thoracic Surgery</i> , 2015 , 99, 490-4	2.7	2

81	Survival after pelvic exenteration for T4 rectal cancer. <i>British Journal of Surgery</i> , 2015 , 102, 125-31	5.3	42
80	Accuracy of Detecting Residual Disease After Cross Neoadjuvant Chemoradiotherapy for Esophageal Cancer (preSANO Trial): Rationale and Protocol. <i>JMIR Research Protocols</i> , 2015 , 4, e79	2	56
79	Diagnostic value of drain amylase for detecting intrathoracic leakage after esophagectomy. <i>World Journal of Gastroenterology</i> , 2015 , 21, 9118-25	5.6	22
78	Abdominosacral resection: long-term outcome in 86 patients with locally advanced or locally recurrent rectal cancer. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 699-705	3.6	21
77	A model to predict pathologic complete response of axillary lymph nodes to neoadjuvant chemo(immuno)therapy in patients with clinically node-positive breast cancer. <i>Clinical Breast Cancer</i> , 2014 , 14, 315-22	3	38
76	Radiotherapy or surgery of the axilla after a positive sentinel node in breast cancer (EORTC 10981-22023 AMAROS): a randomised, multicentre, open-label, phase 3 non-inferiority trial. <i>Lancet Oncology</i> , 2014 , 15, 1303-10	21.7	924
75	Efficacy of six month neoadjuvant endocrine therapy in postmenopausal, hormone receptor-positive breast cancer patients--a phase II trial. <i>European Journal of Cancer</i> , 2014 , 50, 2190-200	7.5	55
74	The individual and combined effect of colorectal cancer and diabetes on health-related quality of life and sexual functioning: results from the PROFILES registry. <i>Supportive Care in Cancer</i> , 2014 , 22, 3071-39	13.9	12
73	Hospital of diagnosis and probability to receive a curative treatment for oesophageal cancer. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 1338-45	3.6	20
72	Study protocol for the nutritional route in oesophageal resection trial: a single-arm feasibility trial (NUTRIENT trial). <i>BMJ Open</i> , 2014 , 4, e004557	3	11
71	Feasibility of reirradiation in the treatment of locally recurrent rectal cancer. <i>British Journal of Surgery</i> , 2014 , 101, 1280-9	5.3	41
70	Lymph node retrieval during esophagectomy with and without neoadjuvant chemoradiotherapy: prognostic and therapeutic impact on survival. <i>Annals of Surgery</i> , 2014 , 260, 786-92; discussion 792-3	7.8	97
69	Reduction of postoperative ileus by early enteral nutrition in patients undergoing major rectal surgery: prospective, randomized, controlled trial. <i>Annals of Surgery</i> , 2014 , 259, 649-55	7.8	113
68	Anastomotic leakage and presacral abscess formation after locally advanced rectal cancer surgery: Incidence, risk factors and treatment. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 1502-9	3.6	42
67	Detection of local recurrence following breast-conserving treatment in young women with early breast cancer: optimization of long-term follow-up strategies. <i>Breast</i> , 2013 , 22, 351-6	3.6	10
66	Intraoperative radiotherapy and cytoreductive surgery with hyperthermic intraperitoneal chemotherapy. Five consecutive case reports of locally advanced rectal cancer with synchronous peritoneal carcinomatosis. <i>Strahlentherapie Und Onkologie</i> , 2013 , 189, 256-60	4.3	10
65	Comparison of the sentinel node procedure between patients with multifocal and unifocal breast cancer in the EORTC 10981-22023 AMAROS Trial: identification rate and nodal outcome. <i>European Journal of Cancer</i> , 2013 , 49, 2093-100	7.5	30
64	Influence of comorbidity and age on 1-, 2-, and 3-month postoperative mortality rates in gastrointestinal cancer patients. <i>Annals of Surgical Oncology</i> , 2013 , 20, 371-80	3.1	78

63	Quality of life of older rectal cancer patients is not impaired by a permanent stoma. <i>European Journal of Surgical Oncology</i> , 2013 , 39, 164-70	3.6	47
62	Local recurrence following breast-conserving treatment in women aged 40 years or younger: trends in risk and the impact on prognosis in a population-based cohort of 1143 patients. <i>European Journal of Cancer</i> , 2013 , 49, 3093-101	7.5	73
61	Patterns and determinants of surgical management of screen detected breast cancer in the South-East Netherlands. <i>Breast</i> , 2013 , 22, 713-7	3.6	7
60	Sentinel Node and Recurrent Breast Cancer (SNARB): results of a nationwide registration study. <i>Annals of Surgical Oncology</i> , 2013 , 20, 620-6	3.1	47
59	Repeat sentinel node biopsy in patients with locally recurrent breast cancer: a systematic review and meta-analysis of the literature. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 13-20	4.4	66
58	Rising incidence, no change in survival and decreasing mortality from thyroid cancer in The Netherlands since 1989. <i>Endocrine-Related Cancer</i> , 2013 , 20, 263-71	5.7	36
57	No improvement in median survival for patients with metastatic gastric cancer despite increased use of chemotherapy. <i>Annals of Oncology</i> , 2013 , 24, 3056-60	10.3	93
56	Radiotherapy or surgery of the axilla after a positive sentinel node in breast cancer patients: Final analysis of the EORTC AMAROS trial (10981/22023).. <i>Journal of Clinical Oncology</i> , 2013 , 31, LBA1001-LBA1001 ^{2,3}	2.2	3
55	Radiotherapy or surgery of the axilla after a positive sentinel node in breast cancer patients: Final analysis of the EORTC AMAROS trial (10981/22023).. <i>Journal of Clinical Oncology</i> , 2013 , 31, LBA1001-LBA1001 ^{2,3}	2.2	61
54	Early severe mediastinal bleeding after esophagectomy: a potentially lethal complication. <i>Journal of Thoracic Disease</i> , 2013 , 5, E58-60	2.6	2
53	Combined anxiety and depressive symptoms before diagnosis of breast cancer. <i>Journal of Affective Disorders</i> , 2012 , 136, 895-901	6.6	36
52	Anxiety after an abnormal screening mammogram is a serious problem. <i>Breast</i> , 2012 , 21, 83-8	3.6	19
51	Lymphatic mapping after previous breast surgery. <i>Breast</i> , 2012 , 21, 444-8	3.6	19
50	Hormone treatment without surgery for patients aged 75 years or older with operable breast cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1185-91	3.1	27
49	Patent blue staining as a method to improve lymph node detection in rectal cancer following neoadjuvant treatment. <i>European Journal of Surgical Oncology</i> , 2012 , 38, 252-8	3.6	7
48	Increased resection rates and survival among patients aged 75 years and older with esophageal cancer: a Dutch nationwide population-based study. <i>World Journal of Surgery</i> , 2012 , 36, 2872-8	3.3	17
47	Preoperative chemoradiotherapy for esophageal or junctional cancer. <i>New England Journal of Medicine</i> , 2012 , 366, 2074-84	59.2	3133
46	Acute cholecystitis in high risk surgical patients: percutaneous cholecystostomy versus laparoscopic cholecystectomy (CHOCOLATE trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 7	2.8	84

45	Hormone Treatment without Surgery for Patients Aged 75 Years or Older with Operable Breast Cancer. <i>Indian Journal of Surgical Oncology</i> , 2012 , 3, 50-56	0.7	78
44	An abnormal screening mammogram causes more anxiety than a palpable lump in benign breast disease. <i>Breast Cancer Research and Treatment</i> , 2012 , 134, 253-8	4.4	10
43	Perineal hernia repair after abdominoperineal rectal excision. <i>Diseases of the Colon and Rectum</i> , 2012 , 55, 90-5	3.1	54
42	Presence of symptoms and timing of surgery do not affect the prognosis of patients with primary metastatic breast cancer. <i>European Journal of Surgical Oncology</i> , 2011 , 37, 883-9	3.6	11
41	Are breast conservation and mastectomy equally effective in the treatment of young women with early breast cancer? Long-term results of a population-based cohort of 1,451 patients aged ≥ 40 years. <i>Breast Cancer Research and Treatment</i> , 2011 , 127, 207-15	4.4	63
40	Impact of concentration of oesophageal and gastric cardia cancer surgery on long-term population-based survival. <i>British Journal of Surgery</i> , 2011 , 98, 956-63	5.3	43
39	Absence of tumor invasion into pelvic structures in locally recurrent rectal cancer: prediction with preoperative MR imaging. <i>Radiology</i> , 2010 , 256, 143-50	20.5	53
38	Identification of residual breast tumour localization after neo-adjuvant chemotherapy using a radioactive 125 Iodine seed. <i>European Journal of Surgical Oncology</i> , 2010 , 36, 164-9	3.6	33
37	Staging and management of axillary lymph nodes in patients with local recurrence in the breast or chest wall after a previous negative sentinel node procedure. <i>European Journal of Surgical Oncology</i> , 2010 , 36, 646-51	3.6	25
36	Half of breast cancer patients discontinue tamoxifen and any endocrine treatment before the end of the recommended treatment period of 5 years: a population-based analysis. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 843-51	4.4	86
35	Localization of non-palpable breast cancer using a radiolabelled titanium seed. <i>British Journal of Surgery</i> , 2010 , 97, 1240-5	5.3	50
34	Neoadjuvant radiotherapy of primary irresectable unicentric Castleman's disease: a case report and review of the literature. <i>Radiation Oncology</i> , 2010 , 5, 7	4.2	35
33	Age-related variations in the use of axillary staging may explain the increased risk of axillary lymph node involvement in older women with breast cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, e276-7; author reply e278	2.2	3
32	Stage migration due to introduction of the sentinel node procedure: a population-based study. <i>Breast Cancer Research and Treatment</i> , 2009 , 113, 173-9	4.4	45
31	Neoadjuvant radiochemotherapy increases matrix metalloproteinase activity in healthy tissue in esophageal cancer patients. <i>Annals of Surgical Oncology</i> , 2009 , 16, 1384-9	3.1	8
30	Local recurrence in rectal cancer can be predicted by histopathological factors. <i>European Journal of Surgical Oncology</i> , 2009 , 35, 1071-7	3.6	68
29	The impact of postmastectomy radiotherapy on local control in patients with invasive lobular breast cancer. <i>Radiotherapy and Oncology</i> , 2009 , 91, 49-53	5.3	7
28	Substantial increase in the use of adjuvant systemic treatment for early stage breast cancer reflects changes in guidelines in the period 1990-2006 in the southeastern Netherlands. <i>European Journal of Cancer</i> , 2008 , 44, 1846-54	7.5	33

27	Preoperative radiochemotherapy is successful also in patients with locally advanced rectal cancer who have intrinsically high apoptotic tumours. <i>Annals of Oncology</i> , 2008 , 19, 2026-32	10.3	16
26	Pre-operative staging with positron emission tomography in patients with pelvic recurrence of rectal cancer. <i>Digestive Surgery</i> , 2008 , 25, 202-7	2.5	14
25	On the rising trends of incidence and prognosis for breast cancer patients diagnosed 1975-2004: a long-term population-based study in southeastern Netherlands. <i>Cancer Causes and Control</i> , 2008 , 19, 97-106	2.8	59
24	Omentoplasty in rectal cancer surgery prolongs post-operative ileus. <i>International Journal of Colorectal Disease</i> , 2008 , 23, 165-9	3	8
23	NEOadjuvant therapy monitoring with PET and CT in Esophageal Cancer (NEOPEC-trial). <i>BMC Medical Physics</i> , 2008 , 8, 3		12
22	A highly active and tolerable neoadjuvant regimen combining paclitaxel, carboplatin, 5-FU, and radiation therapy in patients with stage II and III esophageal cancer. <i>Annals of Surgical Oncology</i> , 2008 , 15, 88-95	3.1	16
21	The safety of breast-conserving therapy in patients with breast cancer aged Cancer, 2007 , 109, 1957-64	6.4	52
20	Margin status and the risk of local recurrence after breast-conserving treatment of lobular breast cancer. <i>Breast Cancer Research and Treatment</i> , 2007 , 105, 63-8	4.4	41
19	Cardiac tamponade: an unusual, lifethreatening complication after transhiatal resection of the esophagus. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2007 , 6, 238-9	1.8	6
18	Circumferential margin involvement is the crucial prognostic factor after multimodality treatment in patients with locally advanced rectal carcinoma. <i>Clinical Cancer Research</i> , 2007 , 13, 6617-23	12.9	116
17	A comparison of quality of life, disease impact and risk perception in women with invasive breast cancer and ductal carcinoma in situ. <i>European Journal of Cancer</i> , 2007 , 43, 549-56	7.5	70
16	Survival of elderly rectal cancer patients not improved: analysis of population based data on the impact of TME surgery. <i>European Journal of Cancer</i> , 2007 , 43, 2295-300	7.5	88
15	Clinical epidemiology of breast cancer in the elderly. <i>European Journal of Cancer</i> , 2007 , 43, 2242-52	7.5	68
14	Survival after negative sentinel lymph node biopsy in breast cancer at least equivalent to after negative extensive axillary dissection. <i>European Journal of Surgical Oncology</i> , 2007 , 33, 832-7	3.6	25
13	Clinical management of women with metastatic breast cancer: a descriptive study according to age group. <i>BMC Cancer</i> , 2006 , 6, 179	4.8	91
12	Papillary carcinoma in a thyroglossal duct. <i>Acta Oncologica</i> , 2006 , 45, 332-4	3.2	3
11	Less extensive treatment and inferior prognosis for breast cancer patient with comorbidity: a population-based study. <i>European Journal of Cancer</i> , 2005 , 41, 779-85	7.5	175
10	Treatment of locally advanced rectal cancer. <i>Surgical Oncology</i> , 2004 , 13, 137-47	2.5	13

9	Comparison of morbidity between axillary lymph node dissection and sentinel node biopsy. <i>European Journal of Surgical Oncology</i> , 2003 , 29, 341-50	3.6	226
8	The gut: the 'motor' of multiple organ dysfunction syndrome?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 1999 , 2, 399-404	3.8	55
7	The gut: the motor of multiple organ dysfunction syndrome?. <i>Current Opinion in Critical Care</i> , 1999 , 5, 126	3.5	5
6	Elimination of various subpopulations of macrophages and the development of multiple-organ dysfunction syndrome in mice. <i>Archives of Surgery</i> , 1997 , 132, 533-9		10
5	Organ damage is preceded by changes in protein extravasation in an experimental model of multiple organ dysfunction syndrome. <i>Shock</i> , 1997 , 7, 98-104	3.4	15
4	Experimental Multiple Organ Failure and Gut Dysfunction. <i>Update in Intensive Care and Emergency Medicine</i> , 1996 , 164-176		
3	Deficiency of complement factor C5 reduces early mortality but does not prevent organ damage in an animal model of multiple organ dysfunction syndrome. <i>Critical Care Medicine</i> , 1995 , 23, 1686-93	1.4	17
2	Macrophage elimination increases bacterial translocation and gut-origin septicemia but attenuates symptoms and mortality rate in a model of systemic inflammation. <i>Annals of Surgery</i> , 1993 , 218, 791-9	7.8	46
1	Cytokine patterns in patients after major vascular surgery, hemorrhagic shock, and severe blunt trauma. Relation with subsequent adult respiratory distress syndrome and multiple organ failure. <i>Annals of Surgery</i> , 1993 , 218, 769-76	7.8	474