

Zhiqiang Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5190980/zhiqiang-wang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183
papers

4,007
citations

34
h-index

54
g-index

188
ext. papers

4,459
ext. citations

4.8
avg. IF

5.5
L-index

#	Paper	IF	Citations
183	Do the 2017 blood pressure cut-offs improve 10-year cardiovascular disease mortality risk prediction?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 2008-2016	4.5	1
182	Prevalence of three lifestyle factors among Australian adults from 2004 to 2018: an age-period-cohort analysis. <i>European Journal of Public Health</i> , 2020 , 30, 827-832	2.1	2
181	Latent class analysis to identify clinical profiles among indigenous infants with bronchiolitis. <i>Pediatric Pulmonology</i> , 2020 , 55, 3096-3103	3.5	2
180	Healthy Body Weight may Modify Effect of Abnormal Birth Weight on Metabolic Syndrome in Adolescents. <i>Obesity</i> , 2019 , 27, 462-469	8	1
179	Impact of the New Cooperative Medical Scheme on the trend of catastrophic health expenditure in Chinese rural households: results from nationally representative surveys from 2003 to 2013. <i>BMJ Open</i> , 2018 , 8, e019442	3	14
178	Prevalence of the cardiovascular health status in adults: A systematic review and meta-analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 1197-1207	4.5	15
177	Cardiovascular health status among Australian adults. <i>Clinical Epidemiology</i> , 2018 , 10, 167-178	5.9	5
176	The association between C-reactive protein levels and the risk for chronic kidney disease hospitalizations in adults of a remote Indigenous Australian community - A prospective cohort study. <i>Nephrology</i> , 2017 , 22, 699-705	2.2	6
175	Associations of obesity with newly diagnosed and previously known atopic diseases in Chinese adults: a case-control study. <i>Scientific Reports</i> , 2017 , 7, 43672	4.9	1
174	Is body mass index associated with lowest mortality increasing over time?. <i>International Journal of Obesity</i> , 2017 , 41, 1171-1175	5.5	8
173	National Trends in Hemoglobin Concentration and Prevalence of Anemia among Chinese School-Aged Children, 1995-2010. <i>Journal of Pediatrics</i> , 2017 , 183, 164-169.e2	3.6	10
172	The quality of invasive breast cancer care for low reimbursement rate patients: A retrospective study. <i>PLoS ONE</i> , 2017 , 12, e0184866	3.7	7
171	LifeB Simple 7 and ischemic heart disease in the general Australian population. <i>PLoS ONE</i> , 2017 , 12, e0187020	3.7	4
170	Mortality in adults with and without diabetes: is the gap widening?. <i>Clinical Epidemiology</i> , 2017 , 9, 537-544	4.9	2
169	Red blood cell folate concentrations and coronary heart disease prevalence: A cross-sectional study based on 1999-2012 National Health and Nutrition Examination Survey. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 1015-1020	4.5	3
168	Geographic variation in Chinese children's forced vital capacity and its association with long-term exposure to local PM: a national cross-sectional study. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 22442-22449	5.1	3
167	Age Variation in the Association Between Obesity and Mortality in Adults. <i>Obesity</i> , 2017 , 25, 2137-2141	8	6

166	Lymph node dissection and survival in patients with early stage nonsmall cell lung cancer: A 10-year cohort study. <i>Medicine (United States)</i> , 2017 , 96, e8356	1.8	8
165	Body mass index and waist circumference as predictors of all-cause mortality in an Aboriginal Australian community. <i>Obesity Research and Clinical Practice</i> , 2017 , 11, 19-26	5.4	5
164	Association of LifeB Simple 7 and presence of cardiovascular disease in general Australians. <i>Open Heart</i> , 2017 , 4, e000622	3	9
163	Intensified association between waist circumference and hypertension in abdominally overweight children. <i>Obesity Research and Clinical Practice</i> , 2016 , 10, 24-32	5.4	14
162	Simplifying the screening of abdominal adiposity in Chinese children with waist-to-height ratio. <i>American Journal of Human Biology</i> , 2016 , 28, 945-949	2.7	7
161	Ethnic differences in cardiometabolic risk among adolescents across the waist-height ratio spectrum: National Health and Nutrition Examination Surveys (NHANES). <i>International Journal of Cardiology</i> , 2016 , 222, 622-628	3.2	13
160	Life years lost associated with diabetes: An individually matched cohort study using the U.S. National Health Interview Survey data. <i>Diabetes Research and Clinical Practice</i> , 2016 , 118, 69-76	7.4	8
159	Non-prescribed antibiotic use and general practitioner service utilisation among Chinese migrants in Australia. <i>Australian Journal of Primary Health</i> , 2016 , 22, 434-439	1.4	8
158	Serum folate concentrations and all-cause, cardiovascular disease and cancer mortality: A cohort study based on 1999-2010 National Health and Nutrition Examination Survey (NHANES). <i>International Journal of Cardiology</i> , 2016 , 219, 136-42	3.2	34
157	Secular trends for age at spermatarche among Chinese boys from 11 ethnic minorities, 1995-2010: a multiple cross-sectional study. <i>BMJ Open</i> , 2016 , 6, e010518	3	9
156	Overall and Gender-specific Associations between C-reactive Protein and Stroke Occurrence: A Cross-sectional Study in US. <i>Journal of Stroke</i> , 2016 , 18, 355-357	5.6	2
155	Climate change, food, water and population health in China. <i>Bulletin of the World Health Organization</i> , 2016 , 94, 759-765	8.2	24
154	The Association between HbA1c and Cardiovascular Disease Markers in a Remote Indigenous Australian Community with and without Diagnosed Diabetes. <i>Journal of Diabetes Research</i> , 2016 , 2016, 5342304	3.9	7
153	Lower Mortality Associated With Overweight in the U.S. National Health Interview Survey: Is Overweight Protective?. <i>Medicine (United States)</i> , 2016 , 95, e2424	1.8	7
152	The association between blood pressure and grip strength in adolescents: does body mass index matter?. <i>Hypertension Research</i> , 2016 , 39, 919-925	4.7	18
151	Exploring the associated factors of elevated psychological distress in a community residing sample of Australian Chinese migrants. <i>Australian Journal of Psychology</i> , 2016 , 68, 116-122	2.3	3
150	Gestational diabetes and the risk of subsequent Type2 diabetes in Australian Aboriginal women living in a remote community. <i>Diabetic Medicine</i> , 2016 , 33, 693-4	3.5	2
149	Exploring the non-linear association between BMI and mortality in adults with and without diabetes: the US National Health Interview Survey. <i>Diabetic Medicine</i> , 2016 , 33, 1691-1699	3.5	9

148	Age at spermarche: 15-year trend and its association with body mass index in Chinese school-aged boys. <i>Pediatric Obesity</i> , 2016 , 11, 369-74	4.6	12
147	25-year trends in gender disparity for obesity and overweight by using WHO and IOTF definitions among Chinese school-aged children: a multiple cross-sectional study. <i>BMJ Open</i> , 2016 , 6, e011904	3	38
146	Role of waist measures in addition to body mass index to assess the hypertension risk in children. <i>Blood Pressure</i> , 2016 , 25, 344-350	1.7	5
145	Leg-to-trunk ratio and the risk of hypertension in children and adolescents: a population-based study. <i>Journal of Public Health</i> , 2016 , 38, 688-695	3.5	3
144	Urban-rural disparity in blood pressure among Chinese children: 1985-2010. <i>European Journal of Public Health</i> , 2016 , 26, 569-75	2.1	10
143	Pre-surgical Administration of Microbial Cell Preparation in Colorectal Cancer Patients: A Randomized Controlled Trial. <i>World Journal of Surgery</i> , 2016 , 40, 1985-92	3.3	26
142	Body Mass Index and All-Cause Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 991-2	27.4	5
141	Low birthweight increases risk for cardiovascular disease hospitalisations in a remote Indigenous Australian community--a prospective cohort study. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40 Suppl 1, S102-6	2.3	14
140	Improving Hypertension Screening in Childhood Using Modified Blood Pressure to Height Ratio. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 557-64	2.3	7
139	Secular trends of obesity prevalence in Chinese children from 1985 to 2010: Urban-rural disparity. <i>Obesity</i> , 2015 , 23, 448-53	8	43
138	Age-dependent association between obesity and mortality. <i>Obesity Research and Clinical Practice</i> , 2015 , 9, 307-8	5.4	
137	Low birth weight and large adult waist circumference increase the risk of cardiovascular disease in remote indigenous Australians--An 18 year cohort study. <i>International Journal of Cardiology</i> , 2015 , 186, 273-5	3.2	8
136	Prediction of cardiovascular disease risk using waist circumference among Aboriginals in a remote Australian community. <i>BMC Public Health</i> , 2015 , 15, 57	4.1	14
135	Population attributable risk of overweight and obesity for high blood pressure in Chinese children. <i>Blood Pressure</i> , 2015 , 24, 230-6	1.7	4
134	The associations of anthropometric measurements with subsequent gestational diabetes in Aboriginal women. <i>Obesity Research and Clinical Practice</i> , 2015 , 9, 499-506	5.4	4
133	Age-dependent decline of association between obesity and mortality: a systematic review and meta-analysis. <i>Obesity Research and Clinical Practice</i> , 2015 , 9, 1-11	5.4	27
132	Associations between adiposity indicators and elevated blood pressure among Chinese children and adolescents. <i>Journal of Human Hypertension</i> , 2015 , 29, 236-40	2.6	22
131	The association between resting heart rate and blood pressure among children and adolescents with different waist circumferences. <i>European Journal of Pediatrics</i> , 2015 , 174, 191-7	4.1	9

130	Assessing the Quality of Care for Patients With Acute Myocardial Infarction in China. <i>Clinical Cardiology</i> , 2015 , 38, 327-32	3.3	12
129	Corresponding waist circumference and body mass index values based on 10-year absolute type 2 diabetes risk in an Australian Aboriginal community. <i>BMJ Open Diabetes Research and Care</i> , 2015 , 3, e000127	4.5	2
128	Knowledge, attitudes and perceptions regarding antibiotic use and self-medication: a cross-sectional study among Australian Chinese migrants. <i>Healthcare Infection</i> , 2015 , 20, 23-28		7
127	Understanding trends in blood pressure and their associations with body mass index in Chinese children, from 1985 to 2010: a cross-sectional observational study. <i>BMJ Open</i> , 2015 , 5, e009050	3	28
126	Data sharing in Indigenous health research: guidelines needed. <i>Medical Journal of Australia</i> , 2015 , 203, 12-3	4	
125	The mediating effect of body mass index on the relationship between cigarette smoking and atopic sensitization in Chinese adults. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 3381-94	4.6	3
124	Associations of Bone Mineral Density with Lean Mass, Fat Mass, and Dietary Patterns in Postmenopausal Chinese Women: A 2-Year Prospective Study. <i>PLoS ONE</i> , 2015 , 10, e0137097	3.7	18
123	Association between process indicators and in-hospital mortality among patients with chronic heart failure in China. <i>European Journal of Public Health</i> , 2015 , 25, 373-8	2.1	10
122	Waist circumference values equivalent to body mass index points for predicting absolute cardiovascular disease risks among adults in an Aboriginal community: a prospective cohort study. <i>BMJ Open</i> , 2015 , 5, e009185	3	9
121	Blood pressure-to-height ratio for screening prehypertension and hypertension in Chinese children. <i>Journal of Human Hypertension</i> , 2015 , 29, 618-22	2.6	5
120	Predicting absolute risk of type 2 diabetes using age and waist circumference values in an aboriginal Australian community. <i>PLoS ONE</i> , 2015 , 10, e0123788	3.7	9
119	Recruiting migrants for health research through social network sites: an online survey among chinese migrants in australia. <i>JMIR Research Protocols</i> , 2015 , 4, e46	2	3
118	A new technique combining virtual simulation and methylene blue staining for the localization of small peripheral pulmonary lesions. <i>BMC Cancer</i> , 2014 , 14, 79	4.8	13
117	In-home antibiotic storage among Australian Chinese migrants. <i>International Journal of Infectious Diseases</i> , 2014 , 26, 103-6	10.5	13
116	Anthropometric predictors of gestational hypertensive disorders in a remote aboriginal community: a nested case-control study. <i>BMC Research Notes</i> , 2014 , 7, 122	2.3	3
115	Gender variations in waist circumference levels between Aboriginal and non-Aboriginal Australian populations: a systematic review. <i>Obesity Research and Clinical Practice</i> , 2014 , 8, e513-24	5.4	7
114	Obesity-mortality association with age: wrong conclusion based on calculation error. <i>American Journal of Public Health</i> , 2014 , 104, e3-4	5.1	6
113	Age and the impact of obesity on mortality. <i>American Journal of Public Health</i> , 2014 , 104, e3	5.1	5

112	Dementia prevalence and incidence among the Indigenous and non-Indigenous populations of the Northern Territory. <i>Medical Journal of Australia</i> , 2014 , 200, 465-9	4	32
111	The HbA1c and all-cause mortality relationship in patients with type 2 diabetes is J-shaped: a meta-analysis of observational studies. <i>Review of Diabetic Studies</i> , 2014 , 11, 138-52	3.6	57
110	BMI-for-age Z-score distribution shifts among Chinese children: gender disparity. <i>Obesity</i> , 2014 , 22, 1187-93		23
109	Lifetime risk of hospital diagnosed chronic obstructive pulmonary disease in remote Aboriginal people: a cohort study. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 340-3	2.3	
108	Trends of age at menarche and association with body mass index in Chinese school-aged girls, 1985-2010. <i>Journal of Pediatrics</i> , 2014 , 165, 1172-1177.e1	3.6	43
107	Trends in health status and chronic disease risk factors over 10-14 years in a remote Australian community: a matched pair study. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 73-7	2.3	6
106	Data sharing: a decade since the publication of the first cohort profile. <i>International Journal of Epidemiology</i> , 2014 , 43, 1986-7	7.8	1
105	Re: "Assessing the possible direct effect of birth weight on childhood blood pressure: a sensitivity analysis". <i>American Journal of Epidemiology</i> , 2014 , 179, 1145-6	3.8	4
104	Effect modification by gender and smoking status on the association between obesity and atopic sensitization in Chinese adults: a hospital-based case-control study. <i>BMC Public Health</i> , 2014 , 14, 1105	4.1	4
103	Re: "obesity and US mortality risk over the adult life course". <i>American Journal of Epidemiology</i> , 2014 , 179, 529-30	3.8	5
102	Remaining lifetime risk for developing end stage renal disease among Australian Aboriginal people with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2014 , 103, e24-6	7.4	8
101	Severe and differential underestimation of self-reported smoking prevalence in Chinese adolescents. <i>International Journal of Behavioral Medicine</i> , 2014 , 21, 662-6	2.6	9
100	Trend of urban-rural disparities in hospital admissions and medical expenditure in China from 2003 to 2011. <i>PLoS ONE</i> , 2014 , 9, e108571	3.7	37
99	An objective measure to evaluate actual body shape among children and adolescents in China. <i>Biomedical and Environmental Sciences</i> , 2014 , 27, 582-93	1.1	1
98	Association between obesity and atopic disorders in Chinese adults: an individually matched case-control study. <i>BMC Public Health</i> , 2013 , 13, 12	4.1	28
97	Response to the Letter by Kawada et al. regarding the manuscript entitled "The metabolic syndrome and CVD outcomes for a central Australian cohort". <i>Diabetes Research and Clinical Practice</i> , 2013 , 102, e22-3	7.4	
96	The correlates of urinary albumin to creatinine ratio (ACR) in a high risk Australian aboriginal community. <i>BMC Nephrology</i> , 2013 , 14, 176	2.7	2
95	Diabetes and lifetime risk of ESRD in high-risk remote-dwelling Australian Aboriginal people: a 20-year cohort study. <i>American Journal of Kidney Diseases</i> , 2013 , 62, 845-6	7.4	6

94	Cigarette smoking in Chinese adolescents: importance of controlling the amount of pocket money. <i>Public Health</i> , 2013 , 127, 687-93	4	11
93	The metabolic syndrome and CVD outcomes for a central Australian cohort. <i>Diabetes Research and Clinical Practice</i> , 2013 , 100, e70-3	7.4	7
92	Body mass index and risk of pneumonia: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2013 , 14, 839-57	10.6	76
91	Lifetime risk of developing coronary heart disease in Aboriginal Australians: a cohort study. <i>BMJ Open</i> , 2013 , 3,	3	8
90	Age-dependent decline of association between obesity and coronary heart disease: a cohort study in a remote Australian Aboriginal community. <i>BMJ Open</i> , 2013 , 3, e004042	3	1
89	Exploring clinical predictors of cardiovascular disease in a central Australian Aboriginal cohort. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 246-53	3.9	14
88	Trends in blood pressure and body mass index among Chinese children and adolescents from 2005 to 2010. <i>American Journal of Hypertension</i> , 2013 , 26, 997-1004	2.3	52
87	Risk of pneumonia in relation to body mass index in Australian Aboriginal people. <i>Epidemiology and Infection</i> , 2013 , 141, 2497-502	4.3	9
86	Temperature sensitivity in indigenous Australians. <i>Epidemiology</i> , 2013 , 24, 471-2	3.1	7
85	Secular trends of obesity prevalence in urban Chinese children from 1985 to 2010: gender disparity. <i>PLoS ONE</i> , 2013 , 8, e53069	3.7	93
84	The association of overweight and obesity with blood pressure among Chinese children and adolescents. <i>Biomedical and Environmental Sciences</i> , 2013 , 26, 437-44	1.1	23
83	Chromosome 7 aneuploidy in clear cell and papillary renal cell carcinoma: detection using silver in situ hybridization technique. <i>Indian Journal of Pathology and Microbiology</i> , 2013 , 56, 98-102	0.6	3
82	Quantifying the relationships of blood pressure with weight, height and body mass index in Chinese children and adolescents. <i>Journal of Paediatrics and Child Health</i> , 2012 , 48, 413-8	1.3	12
81	Prevalence and patterns of tobacco use in Asia. <i>Lancet, The</i> , 2012 , 380, 1905-6; author reply 1906-7	4.0	
80	The predictive value of albuminuria for renal and nonrenal natural deaths over 14 years follow-up in a remote aboriginal community. <i>CKJ: Clinical Kidney Journal</i> , 2012 , 5, 519-25	4.5	7
79	Body fat and blood pressure: comparison of blood pressure measurements in Chinese children with different body fat levels. <i>British Journal of Nutrition</i> , 2012 , 108, 1672-7	3.6	4
78	Comparison of blood pressure levels among four age groups of Chinese children matched by height. <i>Journal of Human Hypertension</i> , 2012 , 26, 437-42	2.6	7
77	Patient samples of renal cell carcinoma show reduced expression of TRAF1 compared with normal kidney and functional studies in vitro indicate TRAF1 promotes apoptosis: potential for targeted therapy. <i>Pathology</i> , 2012 , 44, 453-9	1.6	17

76	P2-314 Relative body fat and blood pressure in children: a population based individually matched study in China. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A309-A309	5.1	
75	Associations of fat mass and fat distribution with bone mineral density in pre- and postmenopausal Chinese women. <i>Osteoporosis International</i> , 2011 , 22, 113-9	5.3	63
74	Prognostic Factors for Survival of Stage IB Upper Lobe Non-small Cell Lung Cancer Patients: A Retrospective Study in Shanghai, China. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2011 , 23, 265-70	3.8	5
73	C-reactive protein: an independent predictor of cardiovascular disease in Aboriginal Australians. <i>Australian and New Zealand Journal of Public Health</i> , 2010 , 34 Suppl 1, S25-9	2.3	17
72	BMI percentile curves for Chinese children aged 7-18 years, in comparison with the WHO and the US Centers for Disease Control and Prevention references. <i>Public Health Nutrition</i> , 2010 , 13, 1990-6	3.3	31
71	Optimal cut-off values and population means of waist circumference in different populations. <i>Nutrition Research Reviews</i> , 2010 , 23, 191-9	7	36
70	Can a consensus be reached on waist circumference cutoffs by optimising sensitivity and specificity?. <i>Atherosclerosis</i> , 2010 , 213, 332-3	3.1	
69	Association between adiponectin and metabolic syndrome in older adults from major cities of China. <i>Biomedical and Environmental Sciences</i> , 2010 , 23, 53-61	1.1	16
68	Incidence of type 2 diabetes in Aboriginal Australians: an 11-year prospective cohort study. <i>BMC Public Health</i> , 2010 , 10, 487	4.1	30
67	Comparison of diabetes management in five countries for general and indigenous populations: an internet-based review. <i>BMC Health Services Research</i> , 2010 , 10, 169	2.9	37
66	Are the associations of plasma leptin and adiponectin with type 2 diabetes independent of obesity in older Chinese adults?. <i>Diabetes/Metabolism Research and Reviews</i> , 2010 , 26, 109-14	7.5	11
65	Avoidable mortality trends in Aboriginal and non-Aboriginal populations in the Northern Territory, 1985-2004. <i>Australian and New Zealand Journal of Public Health</i> , 2009 , 33, 544-50	2.3	6
64	Comparison of adiponectin, leptin and leptin to adiponectin ratio as diagnostic marker for metabolic syndrome in older adults of Chinese major cities. <i>Diabetes Research and Clinical Practice</i> , 2009 , 84, 27-33	7.4	78
63	Geographic variation in the prevalence of overweight and economic status in Chinese adults. <i>British Journal of Nutrition</i> , 2009 , 102, 413-8	3.6	15
62	Importance of native language in a population-based health survey among ethnic Chinese in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2008 , 32, 322-4	2.3	10
61	Predictive value of nephelometric and high-performance liquid chromatography assays of urine albumin for mortality in a high-risk Aboriginal population. <i>American Journal of Kidney Diseases</i> , 2008 , 52, 672-82	7.4	16
60	Birth weight and stages of CKD: a case-control study in an Australian population. <i>American Journal of Kidney Diseases</i> , 2008 , 52, 1070-8	7.4	29
59	Increasing incidence of type 1 diabetes in children aged 0-14 years in Harbin, China (1990-2000). <i>Primary Care Diabetes</i> , 2008 , 2, 121-6	2.4	24

58	Disorders of glucose regulation in adults and birth weight: results from the Australian Diabetes, Obesity and Lifestyle (AUSDIAB) Study. <i>Diabetes Care</i> , 2008 , 31, 159-64	14.6	24
57	Quantifying the excess risk of type 2 diabetes by body habitus measurements among Australian aborigines living in remote areas. <i>Diabetes Care</i> , 2008 , 31, 585-6	14.6	9
56	Lower than expected morbidity and mortality for an Australian Aboriginal population: 10-year follow-up in a decentralised community. <i>Medical Journal of Australia</i> , 2008 , 188, 283-7	4	77
55	Anthropometric measurements of Australian Aboriginal adults living in remote areas: comparison with nationally representative findings. <i>American Journal of Human Biology</i> , 2008 , 20, 317-24	2.7	31
54	Rapid increase in the incidence of clinically diagnosed type 2 diabetes in Chinese in Harbin between 1999 and 2005. <i>Primary Care Diabetes</i> , 2007 , 1, 123-8	2.4	10
53	Two Postestimation Commands for Assessing Confounding Effects in Epidemiological Studies. <i>The Stata Journal</i> , 2007 , 7, 183-196	3.5	11
52	Quantifying the excess risk for proteinuria, hypertension and diabetes in Australian Aborigines: comparison of profiles in three remote communities in the Northern Territory with those in the AusDiab study. <i>Australian and New Zealand Journal of Public Health</i> , 2007 , 31, 177-83	2.3	39
51	Anthropometric indices and their relationship with diabetes, hypertension and dyslipidemia in Australian Aboriginal people and Torres Strait Islanders. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 172-8		31
50	C-reactive protein and the risk of developing type 2 diabetes in Aboriginal Australians. <i>Diabetes Research and Clinical Practice</i> , 2007 , 76, 37-43	7.4	26
49	Investigating the sustainability of outcomes in a chronic disease treatment programme. <i>Social Science and Medicine</i> , 2006 , 63, 1661-70	5.1	13
48	Albuminuria as a marker of the risk of developing type 2 diabetes in non-diabetic Aboriginal Australians. <i>International Journal of Epidemiology</i> , 2006 , 35, 1331-5	7.8	29
47	Specialist outreach to isolated and disadvantaged communities: a population-based study. <i>Lancet, The</i> , 2006 , 368, 130-8	40	53
46	Prevalence of type 2 diabetes mellitus of Chinese populations in Mainland China, Hong Kong, and Taiwan. <i>Diabetes Research and Clinical Practice</i> , 2006 , 73, 126-34	7.4	125
45	Population distribution of high sensitivity C-reactive protein values in Aboriginal Australians: a comparison with other populations. <i>Clinical Biochemistry</i> , 2006 , 39, 277-81	3.5	14
44	Renal disease, the metabolic syndrome, and cardiovascular disease. <i>Ethnicity and Disease</i> , 2006 , 16, S2-46:81		6
43	Albuminuria and incident coronary heart disease in Australian Aboriginal people. <i>Kidney International</i> , 2005 , 68, 1289-93	9.9	26
42	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. <i>Medical Journal of Australia</i> , 2005 , 182, 66-69	4	80
41	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. <i>Medical Journal of Australia</i> , 2005 , 182, 597-598	4	

40	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. <i>Medical Journal of Australia</i> , 2005 , 182, 66-9	4	18
39	Association between diabetes and coronary heart disease in Aboriginal people: are women disadvantaged?. <i>Medical Journal of Australia</i> , 2004 , 180, 508-11	4	29
38	Case-control study of the association between kava use and ischaemic heart disease in Aboriginal communities in eastern Arnhem Land (Northern Territory) Australia. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 140-1	5.1	5
37	Waist circumference, body mass index, hip circumference and waist-to-hip ratio as predictors of cardiovascular disease in Aboriginal people. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 888-93	5.2	106
36	Body size measurements as predictors of type 2 diabetes in Aboriginal people. <i>International Journal of Obesity</i> , 2004 , 28, 1580-4	5.5	43
35	Exploring the pathways leading from disadvantage to end-stage renal disease for indigenous Australians. <i>Social Science and Medicine</i> , 2004 , 58, 767-85	5.1	67
34	Case-control study of the association between kava use and pneumonia in eastern Arnhem and Aboriginal communities (Northern Territory, Australia). <i>Epidemiology and Infection</i> , 2003 , 131, 627-35	4.3	7
33	Cardiovascular risk among urban Aboriginal people. <i>Medical Journal of Australia</i> , 2003 , 179, 557; author reply 557	4	3
32	Urban disadvantage and delayed nephrology referral in Australia. <i>Health and Place</i> , 2003 , 9, 175-82	4.6	24
31	Reduction in natural death and renal failure from a systematic screening and treatment program in an Australian Aboriginal community. <i>Kidney International</i> , 2003 , S66-73	9.9	43
30	Health effects of kava use in an eastern Arnhem Land Aboriginal community. <i>Internal Medicine Journal</i> , 2003 , 33, 336-40	1.6	36
29	Plasma interleukin-12 in malaria-tolerant papua new guineans: inverse correlation with Plasmodium falciparum parasitemia and peripheral blood mononuclear cell nitric oxide synthase activity. <i>Infection and Immunity</i> , 2003 , 71, 6354-7	3.7	13
28	Secondary prevention of renal and cardiovascular disease: results of a renal and cardiovascular treatment program in an Australian aboriginal community. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, S178-85	12.7	18
27	Renal transplantation for Indigenous Australians: identifying the barriers to equitable access. <i>Ethnicity and Health</i> , 2003 , 8, 111-9	2.2	44
26	Hypertension, dyslipidemia, body mass index, diabetes and smoking status in Aboriginal Australians in a remote community. <i>Ethnicity and Disease</i> , 2003 , 13, 324-30	1.8	34
25	Timing of nephrology referral: a study of its effects on the likelihood of transplantation and impact on mortality. <i>Nephrology</i> , 2002 , 7, S29-S32	2.2	2
24	Body mass index and mortality in aboriginal Australians in the Northern Territory. <i>Australian and New Zealand Journal of Public Health</i> , 2002 , 26, 305-10	2.3	16
23	Timing of nephrology referral: a study of its effects on the likelihood of transplantation and impact on mortality. <i>Nephrology</i> , 2002 , 7, S29-S32	2.2	1

22	Delayed referral to a nephrologist: outcomes among patients who survive at least one year on dialysis. <i>Medical Journal of Australia</i> , 2002 , 177, 135-8	4	49
21	End-stage renal disease in indigenous Australians: a disease of disadvantage. <i>Ethnicity and Disease</i> , 2002 , 12, 373-8	1.8	41
20	The natural history of renal disease in Australian Aborigines. Part 1. Changes in albuminuria and glomerular filtration rate over time. <i>Kidney International</i> , 2001 , 60, 243-8	9.9	60
19	The natural history of renal disease in Australian Aborigines. Part 2. Albuminuria predicts natural death and renal failure. <i>Kidney International</i> , 2001 , 60, 249-56	9.9	75
18	Renal disease and the environment: lessons from Aboriginal Australia*. <i>Nephrology</i> , 2001 , 6, 19-24	2.2	9
17	Social disadvantage and variation in the incidence of end-stage renal disease in Australian capital cities. <i>Australian and New Zealand Journal of Public Health</i> , 2001 , 25, 322-6	2.3	37
16	Low birth weight and reduced renal volume in Aboriginal children. <i>American Journal of Kidney Diseases</i> , 2001 , 37, 915-20	7.4	103
15	Regional variation in the incidence of end-stage renal disease in Indigenous Australians. <i>Medical Journal of Australia</i> , 2001 , 175, 24-7	4	124
14	Body mass index in aboriginal Australians in remote communities. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 570-5	2.3	13
13	Birth weight as a health outcome measure. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 343-4	2.3	
12	Reducing premature death and renal failure in Australian Aborigines. <i>Medical Journal of Australia</i> , 2000 , 172, 473-479	4	71
11	Reducing premature death and renal failure in Australian aborigines. A community-based cardiovascular and renal protective program. <i>Medical Journal of Australia</i> , 2000 , 172, 473-8	4	13
10	Australians with renal disease: a new national survey. <i>Medical Journal of Australia</i> , 1999 , 171, 444-444	4	4
9	Physical and biochemical predictors of death in an Australian aboriginal cohort. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1999 , 26, 618-21	3	21
8	A new dimension to the Barker hypothesis: low birthweight and susceptibility to renal disease. <i>Kidney International</i> , 1999 , 56, 1072-7	9.9	240
7	Stemming the tide: reducing cardiovascular disease and renal failure in Australian Aborigines. <i>Australian and New Zealand Journal of Medicine</i> , 1999 , 29, 480-3		17
6	Effects of age and parasitemia on nitric oxide production/leukocyte nitric oxide synthase type 2 expression in asymptomatic, malaria-exposed children. <i>American Journal of Tropical Medicine and Hygiene</i> , 1999 , 61, 253-8	3.2	21
5	Towards an epidemiologic definition of renal disease: Rates and associations of albuminuria in a high-risk Australian Aboriginal community. <i>Nephrology</i> , 1998 , 4, S59-S65	2.2	4

4	The multidimensional nature of renal disease: rates and associations of albuminuria in an Australian Aboriginal community. <i>Kidney International</i> , 1998 , 54, 1296-304	9.9	160
3	Low birthweight and renal disease in Australian aborigines. <i>Lancet, The</i> , 1998 , 352, 1826-7	4.0	80
2	Assessment of postneonatal growth in VLBW infants: selection of growth references and age adjustment for prematurity. <i>Canadian Journal of Public Health</i> , 1998 , 89, 109-14	3.2	17
1	Heritability of blood pressure in 7- to 12-year-old Chinese twins, with special reference to body size effects. <i>Genetic Epidemiology</i> , 1990 , 7, 447-52	2.6	12