

# Philippe Gosse

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5191482/philippe-gosse-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60  
papers

2,032  
citations

21  
h-index

44  
g-index

63  
ext. papers

2,459  
ext. citations

3.6  
avg, IF

4.36  
L-index

#	Paper	IF	Citations
60	Predictors of blood pressure response to ultrasound renal denervation in the RADIANCE-HTN SOLO study. <i>Journal of Human Hypertension</i> , <b>2021</b> ,	2.6	3
59	SPARTE Study: Normalization of Arterial Stiffness and Cardiovascular Events in Patients With Hypertension at Medium to Very High Risk. <i>Hypertension</i> , <b>2021</b> , 78, 983-995	8.5	13
58	Short-term blood pressure variability, arterial stiffness, and cardiovascular events: results from the Bordeaux cohort. <i>Journal of Hypertension</i> , <b>2021</b> , 39, 947-951	1.9	2
57	Protocol of the SPARTE Study: A Strategy for Preventing Cardiovascular and Renal Events based on ARTERial Stiffness. <i>Artery Research</i> , <b>2020</b> , 26, 250	2.2	6
56	The pharmacological management of malignant hypertension. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 2325-2330		1
55	Long term evolution of renal function in essential hypertensive patients with no baseline proteinuria. <i>Journal of Human Hypertension</i> , <b>2020</b> , 34, 560-567	2.6	1
54	Six-Month Results of Treatment-Blinded Medication Titration for Hypertension Control Following Randomization to Endovascular Ultrasound Renal Denervation or a Sham Procedure in the RADIANCE-HTN SOLO Trial. <i>Circulation</i> , <b>2019</b> ,	16.7	58
53	ESC Council on hypertension position document on the management of hypertensive emergencies. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , <b>2019</b> , 5, 37-46	6.4	68
52	Malignant hypertension: diagnosis, treatment and prognosis with experience from the Bordeaux cohort. <i>Journal of Hypertension</i> , <b>2019</b> , 37, 316-324	1.9	24
51	Twenty-Four-Hour Central Pulse Pressure for Cardiovascular Events Prediction in a Low-Cardiovascular-Risk Population: Results From the Bordeaux Cohort. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7,	6	6
50	Endovascular ultrasound renal denervation to treat hypertension (RADIANCE-HTN SOLO): a multicentre, international, single-blind, randomised, sham-controlled trial. <i>Lancet, The</i> , <b>2018</b> , 391, 2335-2345	40.5	301
49	Twenty-Four-Hour Blood Pressure Monitoring to Predict and Assess Impact of Renal Denervation: The DENERHTN Study (Renal Denervation for Hypertension). <i>Hypertension</i> , <b>2017</b> , 69, 494-500	8.5	19
48	Abdominal Aortic Calcifications Influences the Systemic and Renal Hemodynamic Response to Renal Denervation in the DENERHTN (Renal Denervation for Hypertension) Trial. <i>Journal of the American Heart Association</i> , <b>2017</b> , 6,	6	18
47	Adherence to Antihypertensive Treatment and the Blood Pressure-Lowering Effects of Renal Denervation in the Renal Denervation for Hypertension (DENERHTN) Trial. <i>Circulation</i> , <b>2016</b> , 134, 847-57	16.7	98
46	Increased arterial stiffness is an independent predictor of atrial fibrillation in hypertensive patients. <i>Journal of Hypertension</i> , <b>2015</b> , 33, 2150-5	1.9	17
45	Effect of telmisartan vs. ramipril on clipping status and blood pressure variability: pooled analysis of the PRISMA studies. <i>Hypertension Research</i> , <b>2014</b> , 37, 151-7	4.7	10
44	Impaired baroreflex sensitivity and the risks of new-onset ambulatory hypertension, in an elderly population-based study. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 4010-4	3.2	21

43	Arterial stiffness from monitoring of timing of korotkoff sounds predicts the occurrence of cardiovascular events independently of left ventricular mass in hypertensive patients. <i>Hypertension</i> , <b>2013</b> , 62, 161-7	8.5	14
42	Autonomic activation during sleep and new-onset ambulatory hypertension in the elderly. <i>International Journal of Cardiology</i> , <b>2012</b> , 155, 155-9	3.2	3
41	ECG detection of left ventricular hypertrophy: the simpler, the better?. <i>Journal of Hypertension</i> , <b>2012</b> , 30, 990-6	1.9	37
40	Prognostic value of the extent of left ventricular hypertrophy and its evolution in the hypertensive patient. <i>Journal of Hypertension</i> , <b>2012</b> , 30, 2403-9	1.9	28
39	Determination of central blood pressure by a noninvasive method (brachial BP and QKD interval). <i>Journal of Hypertension</i> , <b>2012</b> , 30, 1533-9	1.9	12
38	Impact of malignant arterial hypertension on the heart. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 798-802	1.9	21
37	Atrioventricular conduction in the hypertensive patient: influence of aging, pulse pressure, and arterial stiffness. <i>Rejuvenation Research</i> , <b>2011</b> , 14, 405-10	2.6	14
36	Relationship of cardiac involvement with arterial stiffness in a general population of 65-year-olds in the PROOF study. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 389-94	1.9	4
35	Prevalence of clinical and ambulatory hypertension in a population of 65-year-olds: the PROOF study. <i>Journal of Clinical Hypertension</i> , <b>2010</b> , 12, 160-5	2.3	7
34	Long-term influence of antihypertensive treatment on arterial stiffness assessed by ambulatory measurement of the QKD interval. <i>Hypertension Research</i> , <b>2009</b> , 32, 265-9	4.7	2
33	Ambulatory or home measurement of blood pressure?. <i>Journal of Clinical Hypertension</i> , <b>2009</b> , 11, 234-7	2.3	11
32	Long-term decline in renal function is linked to initial pulse pressure in the essential hypertensive. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 1303-8	1.9	19
31	Comments on the reproducibility of Ambulatory Arterial Stiffness Index and QKD. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 435-6; author reply 436-7	1.9	5
30	Regression of left ventricular hypertrophy: should we echo echo?. <i>American Journal of Hypertension</i> , <b>2008</b> , 21, 373	2.3	0
29	Components of arterial stiffness in a population of 65-year-old subjects: PROOF study. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 1138-46	1.9	21
28	Ambulatory blood pressure monitoring versus self-measurement of blood pressure at home: correlation with target organ damage. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 1919-27	1.9	108
27	The effect of telmisartan and ramipril on early morning blood pressure surge: a pooled analysis of two randomized clinical trials. <i>Blood Pressure Monitoring</i> , <b>2007</b> , 12, 141-7	1.3	24
26	Arterial stiffness predicts severe progression in systemic sclerosis: the ERAMS study. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 1900-6	1.9	23

25	Can ambulatory blood-pressure monitoring provide reliable indices of arterial stiffness?. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 831-8	2.3	32
24	Perindopril/indapamide combination in the first-line treatment of hypertension and end-organ protection. <i>Expert Review of Cardiovascular Therapy</i> , <b>2006</b> , 4, 319-33	2.5	5
23	Early morning blood pressure surge. <i>Journal of Clinical Hypertension</i> , <b>2006</b> , 8, 584-9	2.3	9
22	The prospective, randomized investigation of the safety and efficacy of telmisartan versus ramipril using ambulatory blood pressure monitoring (PRISMA I). <i>Journal of Hypertension</i> , <b>2006</b> , 24, 193-200	1.9	46
21	Different effects of ambulatory blood pressure monitoring on subjective and objective sleep quality. <i>Blood Pressure Monitoring</i> , <b>2006</b> , 11, 315-20	1.3	18
20	A review of telmisartan in the treatment of hypertension: blood pressure control in the early morning hours. <i>Vascular Health and Risk Management</i> , <b>2006</b> , 2, 195-201	4.4	25
19	Arterial stiffness evaluated by measurement of the QKD interval is an independent predictor of cardiovascular events. <i>American Journal of Hypertension</i> , <b>2005</b> , 18, 470-6	2.3	27
18	Arterial stiffness and plasma creatinine in untreated hypertensive patients. <i>American Journal of Hypertension</i> , <b>2005</b> , 18, 1140-5	2.3	29
17	Perindopril/indapamide combination more effective than enalapril in reducing blood pressure and left ventricular mass: the PICXEL study. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 2063-70	1.9	75
16	Left ventricular hypertrophy as a predictor of cardiovascular risk. <i>Journal of Hypertension</i> , <b>2005</b> , 23, S27-33		92
15	Serial echocardiographic assessment of left ventricular mass. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 461-462	1.9	1
14	Blood pressure surge on rising. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 1113-8	1.9	139
13	Serial echocardiographic assessment of left ventricular mass: how blinded should readers be?. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 1813-8	1.9	8
12	Regression of left ventricular hypertrophy with echocardiography: some lessons from the LIVE study. <i>Journal of Hypertension</i> , <b>2003</b> , 21, 217-21	1.9	18
11	Validation of a two-axis accelerometer for monitoring patient activity during blood pressure or ECG holter monitoring. <i>Blood Pressure Monitoring</i> , <b>2003</b> , 8, 229-35	1.3	10
10	Blood pressure should be measured in both arms on the first consultation. <i>Journal of Hypertension</i> , <b>2002</b> , 20, 1045-6	1.9	16
9	Ambulatory measurement of the QKD interval normalized to heart rate and systolic blood pressure to assess arterial distensibility--value of QKD(100-60). <i>Blood Pressure Monitoring</i> , <b>2001</b> , 6, 85-9	1.3	16
8	Regression of left ventricular hypertrophy in hypertensive patients treated with indapamide SR 1.5 mg versus enalapril 20 mg: the LIVE study. <i>Journal of Hypertension</i> , <b>2000</b> , 18, 1465-75	1.9	126

7	Ambulatory measurement of the timing of Korotkoff sounds in a group of normal subjects: influence of age and height. <i>American Journal of Hypertension</i> , <b>1999</b> , 12, 231-5	2.3	19
6	Centralized echocardiogram quality control in a multicenter study of regression of left ventricular hypertrophy in hypertension. <i>Journal of Hypertension</i> , <b>1998</b> , 16, 531-5	1.9	19
5	Left ventricular mass is better correlated with arising blood pressure than with office or occasional blood pressure. <i>American Journal of Hypertension</i> , <b>1997</b> , 10, 505-10	2.3	33
4	Prognostic value of ambulatory measurement of the timing of Korotkoff sounds in elderly hypertensives: a pilot study. <i>American Journal of Hypertension</i> , <b>1997</b> , 10, 552-7	2.3	14
3	Nocturnal blood pressure fall on ambulatory monitoring in a large international database. The "Ad Hoc Working Group. <i>Hypertension</i> , <b>1997</b> , 29, 30-9	8.5	214
2	β-Blockers vs. Angiotensin-Converting Enzyme Inhibitors in Hypertension. <i>Journal of Cardiovascular Pharmacology</i> , <b>1990</b> , 16, S145-S150	3.1	6
1	β-Blockers vs. Angiotensin-Converting Enzyme Inhibitors in Hypertension. <i>Journal of Cardiovascular Pharmacology</i> , <b>1990</b> , 16, S145-S150	3.1	8