

# Yongting Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5191920/publications.pdf>

Version: 2024-02-01

97  
papers

5,206  
citations

81743

39  
h-index

98622

67  
g-index

102  
all docs

102  
docs citations

102  
times ranked

6637  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The biphasic function of microglia in ischemic stroke. <i>Progress in Neurobiology</i> , 2017, 157, 247-272.  | 2.8 | 529       |
| 2  | M2 microglia-derived exosomes protect the mouse brain from ischemia-reperfusion injury via exosomal miR-124. <i>Theranostics</i> , 2019, 9, 2910-2923.  | 4.6 | 301       |
| 3  | Vascular remodeling after ischemic stroke: Mechanisms and therapeutic potentials. <i>Progress in Neurobiology</i> , 2014, 115, 138-156.   | 2.8 | 263       |
| 4  | CXCR4 Antagonist AMD3100 Protects Blood-Brain Barrier Integrity and Reduces Inflammatory Response After Focal Ischemia in Mice. <i>Stroke</i> , 2013, 44, 190-197.  | 1.0 | 182       |
| 5  | Metformin attenuates blood-brain barrier disruption in mice following middle cerebral artery occlusion. <i>Journal of Neuroinflammation</i> , 2014, 11, 177.  | 3.1 | 152       |
| 6  | Mesenchymal Stem Cells Maintain Blood-Brain Barrier Integrity by Inhibiting Aquaporin-4 Upregulation After Cerebral Ischemia. <i>Stem Cells</i> , 2014, 32, 3150-3162.  | 1.4 | 138       |
| 7  | MicroRNA-210 as a novel blood biomarker in acute cerebral ischemia. <i>Frontiers in Bioscience - Elite</i> , 2011, E3, 1265-1272.   | 0.9 | 131       |
| 8  | MauG, a Novel Diheme Protein Required for Tryptophan Tryptophylquinone Biogenesis. <i>Biochemistry</i> , 2003, 42, 7318-7325.   | 1.2 | 123       |
| 9  | Melatonin Pretreatment Improves the Survival and Function of Transplanted Mesenchymal Stem Cells after Focal Cerebral Ischemia. <i>Cell Transplantation</i> , 2014, 23, 1279-1291.  | 1.2 | 112       |
| 10 | Microglia exacerbate white matter injury via complement C3/C3aR pathway after hypoperfusion. <i>Theranostics</i> , 2020, 10, 74-90.   | 4.6 | 106       |
| 11 | MRI/SPECT/Fluorescent Tri-modal Probe for Evaluating the Homing and Therapeutic Efficacy of Transplanted Mesenchymal Stem Cells in a Rat Ischemic Stroke Model. <i>Advanced Functional Materials</i> , 2015, 25, 1024-1034. | 7.8 | 102       |
| 12 | MicroRNA-29b is a Therapeutic Target in Cerebral Ischemia Associated with Aquaporin 4. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 1977-1984.  | 2.4 | 101       |
| 13 | Netrin-1 Hyperexpression in Mouse Brain Promotes Angiogenesis and Long-Term Neurological Recovery After Transient Focal Ischemia. <i>Stroke</i> , 2012, 43, 838-843.  | 1.0 | 97        |
| 14 | Roles of Chemokine CXCL12 and its Receptors in Ischemic Stroke. <i>Current Drug Targets</i> , 2012, 13, 166-172.  | 1.0 | 92        |
| 15 | M2 microglial small extracellular vesicles reduce glial scar formation via the miR-124/STAT3 pathway after ischemic stroke in mice. <i>Theranostics</i> , 2021, 11, 1232-1248.  | 4.6 | 90        |
| 16 | Neural Stem Cell Protects Aged Rat Brain from Ischemia-Induced Reperfusion Injury through Neurogenesis and Angiogenesis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 1138-1147.                        | 2.4 | 88        |
| 17 | Stroke subtype-dependent synapse elimination by reactive gliosis in mice. <i>Nature Communications</i> , 2021, 12, 6943.  | 5.8 | 84        |
| 18 | Blood-Brain Barrier Disruption Induced Cognitive Impairment Is Associated With Increase of Inflammatory Cytokine. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 129.   | 1.7 | 79        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Metformin promotes focal angiogenesis and neurogenesis in mice following middle cerebral artery occlusion. <i>Neuroscience Letters</i> , 2014, 579, 46-51.   | 1.0 | 78        |
| 20 | MicroRNA-126-3p/-5p Overexpression Attenuates Blood-Brain Barrier Disruption in a Mouse Model of Middle Cerebral Artery Occlusion. <i>Stroke</i> , 2020, 51, 619-627.  | 1.0 | 78        |
| 21 | Further Insights into Quinone Cofactor Biogenesis: Probing the Role of MauG Methylamine Dehydrogenase in Tryptophan Tryptophylquinone Formation. <i>Biochemistry</i> , 2004, 43, 5494-5502.                          | 1.2 | 76        |
| 22 | Postacute Stromal Cell-Derived Factor-1 Expression Promotes Neurovascular Recovery in Ischemic Mice. <i>Stroke</i> , 2014, 45, 1822-1829.  | 1.0 | 76        |
| 23 | Macrophage depletion reduced brain injury following middle cerebral artery occlusion in mice. <i>Journal of Neuroinflammation</i> , 2016, 13, 38.  | 3.1 | 76        |
| 24 | Activated regulatory T cell regulates neural stem cell proliferation in the subventricular zone of normal and ischemic mouse brain through interleukin 10. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 361. | 1.8 | 74        |
| 25 | Formation of Amyloid Fibrils In Vitro from Partially Unfolded Intermediates of Human $\beta$ -Crystallin. <i>Journal of Biological Chemistry</i> , 2010, 285, 672.   |     | 70        |
| 26 | Silica-coated superparamagnetic iron oxide nanoparticles targeting of AEPs in ischemic brain injury. <i>Biomaterials</i> , 2013, 34, 4982-4992.  | 5.7 | 65        |
| 27 | DL-3-N-butylphthalide attenuates ischemic reperfusion injury by improving the function of cerebral artery and circulation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 2011-2021.               | 2.4 | 62        |
| 28 | MicroRNA-126 Regulates Angiogenesis and Neurogenesis in a Mouse Model of Focal Cerebral Ischemia. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 16, 15-25.  | 2.3 | 61        |
| 29 | Increase of circulating miR-223 and insulin-like growth factor-1 is associated with the pathogenesis of acute ischemic stroke in patients. <i>BMC Neurology</i> , 2014, 14, 77.                                      | 0.8 | 60        |
| 30 | Evidence for Redox Cooperativity between heme C-Type Hemes of MauG Which Is Likely Coupled to Oxygen Activation during Tryptophan Tryptophylquinone Biosynthesis. <i>Biochemistry</i> , 2006, 45, 821-828.           | 1.2 | 59        |
| 31 | Hypoxia Response Element-Regulated MMP-9 Promotes Neurological Recovery via Glial Scar Degradation and Angiogenesis in Delayed Stroke. <i>Molecular Therapy</i> , 2017, 25, 1448-1459.                               | 3.7 | 59        |
| 32 | The Structure of the Cataract-Causing P23T Mutant of Human $\beta$ -Crystallin Exhibits Distinctive Local Conformational and Dynamic Changes. <i>Biochemistry</i> , 2009, 48, 2597-2609.                             | 1.2 | 57        |
| 33 | High MR sensitive fluorescent magnetite nanocluster for stem cell tracking in ischemic mouse brain. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2011, 7, 1009-1019.                                 | 1.7 | 53        |
| 34 | Effect of HMGB1 on the Paracrine Action of EPC Promotes Post-Ischemic Neovascularization in Mice. <i>Stem Cells</i> , 2014, 32, 2679-2689.   | 1.4 | 53        |
| 35 | MauG-Dependent In Vitro Biosynthesis of Tryptophan Tryptophylquinone in Methylamine Dehydrogenase. <i>Journal of the American Chemical Society</i> , 2005, 127, 8258-8259.   | 6.6 | 52        |
| 36 | cxcl12-engineered endothelial progenitor cells enhance neurogenesis and angiogenesis after ischemic brain injury in mice. <i>Stem Cell Research and Therapy</i> , 2018, 9, 139.                                      | 2.4 | 51        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Effect of Suture Properties on Stability of Middle Cerebral Artery Occlusion Evaluated by Synchrotron Radiation Angiography. <i>Stroke</i> , 2012, 43, 888-891.   | 1.0 | 50        |
| 38 | Neuroprotection and Sensorimotor Functional Improvement by Curcumin after Intracerebral Hemorrhage in Mice. <i>Journal of Neurotrauma</i> , 2011, 28, 2513-2521.  | 1.7 | 49        |
| 39 | Netrin-1 Overexpression Promotes White Matter Repairing and Remodeling after Focal Cerebral Ischemia in Mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 1921-1927.                           | 2.4 | 46        |
| 40 | Endothelial progenitor cells transplantation attenuated blood-brain barrier damage after ischemia in diabetic mice via HIF-1 $\beta$ . <i>Stem Cell Research and Therapy</i> , 2017, 8, 163.                        | 2.4 | 46        |
| 41 | Aggregation of Trp $\alpha$ and Glu point mutants of human gamma $\text{D}$ crystallin provides a model for hereditary or UV $\alpha$ -induced cataract. <i>Protein Science</i> , 2016, 25, 1115-1128.              | 3.1 | 44        |
| 42 | Pro-inflammatory cytokine network in peripheral inflammation response to cerebral ischemia. <i>Neuroscience Letters</i> , 2013, 548, 4-9.   | 1.0 | 41        |
| 43 | Neurovascular Recovery via Cotransplanted Neural and Vascular Progenitors Leads to Improved Functional Restoration after Ischemic Stroke in Rats. <i>Stem Cell Reports</i> , 2014, 3, 101-114.                      | 2.3 | 40        |
| 44 | M2 microglia-derived extracellular vesicles promote white matter repair and functional recovery via miR-23a-5p after cerebral ischemia in mice. <i>Theranostics</i> , 2022, 12, 3553-3573.                          | 4.6 | 40        |
| 45 | <i>CXCL12</i> Gene Therapy Ameliorates Ischemia-Induced White Matter Injury in Mouse Brain. <i>Stem Cells Translational Medicine</i> , 2015, 4, 1122-1130.  | 1.6 | 39        |
| 46 | Cocktail Blood Biomarkers: Prediction of Clinical Outcomes in Patients with Acute Ischemic Stroke. <i>European Neurology</i> , 2013, 69, 68-75.   | 0.6 | 37        |
| 47 | MicroRNAs in Cerebral Ischemia. <i>Stroke Research and Treatment</i> , 2013, 2013, 1-6.   | 0.5 | 37        |
| 48 | CLARITY for High-resolution Imaging and Quantification of Vasculature in the Whole Mouse Brain. , 2018, 9, 262.   |     | 37        |
| 49 | Microbubble-based synchrotron radiation phase contrast imaging: basic study and angiography applications. <i>Physics in Medicine and Biology</i> , 2011, 56, 3503-3512.   | 1.6 | 35        |
| 50 | Optimizing Suture Middle Cerebral Artery Occlusion Model in C57BL/6 Mice Circumvents Posterior Communicating Artery Dysplasia. <i>Journal of Neurotrauma</i> , 2012, 29, 1499-1505.                                 | 1.7 | 34        |
| 51 | Micro $\text{scp}$ RNA $\text{scp}$ $\alpha$ 137 and micro $\text{scp}$ RNA $\text{scp}$ $\alpha$ 195* inhibit vasculogenesis in brain arteriovenous malformations. <i>Annals of Neurology</i> , 2017, 82, 371-384. | 2.8 | 33        |
| 52 | Ubiquitin Proteasome Pathway $\alpha$ Mediated Degradation of Proteins: Effects Due to Site-Specific Substrate Deamidation. , 2010, 51, 4164.   |     | 30        |
| 53 | Optogenetic Inhibition of Striatal GABAergic Neuronal Activity Improves Outcomes After Ischemic Brain Injury. <i>Stroke</i> , 2017, 48, 3375-3383.  | 1.0 | 29        |
| 54 | Rapamycin Increases Collateral Circulation in Rodent Brain after Focal Ischemia as detected by Multiple Modality Dynamic Imaging. <i>Theranostics</i> , 2019, 9, 4923-4934.   | 4.6 | 28        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Optical inhibition of striatal neurons promotes focal neurogenesis and neurobehavioral recovery in mice after middle cerebral artery occlusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 837-847.                                | 2.4 | 27        |
| 56 | High-efficiency generation of induced pluripotent mesenchymal stem cells from human dermal fibroblasts using recombinant proteins. <i>Stem Cell Research and Therapy</i> , 2016, 7, 99.  | 2.4 | 26        |
| 57 | Farnesoid X receptor knockout protects brain against ischemic injury through reducing neuronal apoptosis in mice. <i>Journal of Neuroinflammation</i> , 2020, 17, 164.   | 3.1 | 26        |
| 58 | Netrin-1 attenuates brain injury after middle cerebral artery occlusion via downregulation of astrocyte activation in mice. <i>Journal of Neuroinflammation</i> , 2018, 15, 268.   | 3.1 | 25        |
| 59 | Differences of Circulating Inflammatory Markers between Large- and Small Vessel Disease in Patients with Acute Ischemic Stroke. <i>International Journal of Medical Sciences</i> , 2013, 10, 1399-1405.  | 1.1 | 24        |
| 60 | Stem Cell-Mediated Gene Delivering for the Treatment of Cerebral Ischemia: Progress and Prospectives. <i>Current Drug Targets</i> , 2013, 14, 81-89.   | 1.0 | 23        |
| 61 | Hypoxia-controlled matrix metalloproteinase-9 hyperexpression promotes behavioral recovery after ischemia. <i>Neuroscience Bulletin</i> , 2015, 31, 550-560.   | 1.5 | 23        |
| 62 | Mesenchymal Stem Cells Attenuated Blood-Brain Barrier Disruption via Downregulation of Aquaporin-4 Expression in EAE Mice. <i>Molecular Neurobiology</i> , 2020, 57, 3891-3901.  | 1.9 | 23        |
| 63 | Ischemia-induced Angiogenesis is Attenuated in Aged Rats. , 2016, 7, 326.  |     | 22        |
| 64 | Monocyte-derived SDF1 supports optic nerve regeneration and alters retinal ganglion cellsâ€™ response to Pten deletion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2113751119.                 | 3.3 | 22        |
| 65 | Overexpression of netrin-1 improves neurological outcomes in mice following transient middle cerebral artery occlusion. <i>Frontiers of Medicine</i> , 2011, 5, 86-93.   | 1.5 | 19        |
| 66 | Micro-Computed Tomography for Hemorrhage Disruption of Mouse Brain Vasculature. <i>Translational Stroke Research</i> , 2012, 3, 174-179.   | 2.3 | 19        |
| 67 | Optogenetic Inhibition of Striatal Neuronal Activity Improves the Survival of Transplanted Neural Stem Cells and Neurological Outcomes after Ischemic Stroke in Mice. <i>Stem Cells International</i> , 2017, 2017, 1-11.                                | 1.2 | 19        |
| 68 | Oligodendrocyte precursor cell transplantation promotes angiogenesis and remyelination via Wnt/ $\beta$ -catenin pathway in a mouse model of middle cerebral artery occlusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2022, 42, 757-770. | 2.4 | 19        |
| 69 | Endothelial progenitor cell transplantation alleviated ischemic brain injury via inhibiting C3/C3aR pathway in mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020, 40, 2374-2386.   | 2.4 | 17        |
| 70 | Targeting Water in the Brain: Role of Aquaporin-4 in Ischemic Brain Edema. <i>Current Drug Targets</i> , 2019, 20, 748-755.  | 1.0 | 17        |
| 71 | DL-3n-Butylphthalide Improves Bloodâ€™Brain Barrier Integrity in Rat After Middle Cerebral Artery Occlusion. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 610714.   | 1.8 | 15        |
| 72 | Methodology To Probe Subunit Interactions in Ribonucleotide Reductases. <i>Biochemistry</i> , 2008, 47, 13046-13055.   | 1.2 | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Fingolimod Inhibits Inflammation but Exacerbates Brain Edema in the Acute Phases of Cerebral Ischemia in Diabetic Mice. <i>Frontiers in Neuroscience</i> , 2020, 14, 842.  | 1.4 | 14        |
| 74 | Oligodendrocyte Precursor Cells Transplantation Improves Stroke Recovery <i>via</i> Oligodendrogenesis, Neurite Growth and Synaptogenesis. , 2021, 12, 2096.   |     | 14        |
| 75 | Extracellular vesicles from adipose-derived stem cells promote microglia M2 polarization and neurological recovery in a mouse model of transient middle cerebral artery occlusion. <i>Stem Cell Research and Therapy</i> , 2022, 13, 21. | 2.4 | 14        |
| 76 | A Single Methionine Residue Dictates the Kinetic Mechanism of Interprotein Electron Transfer from Methylamine Dehydrogenase to Amicyanin <sup>&lt;sup&gt;&lt;/sup&gt;. <i>Biochemistry</i>, 2007, 46, 11137-11146.</sup>                 | 1.2 | 13        |
| 77 | Therapeutic Benefit of Bone Marrow-Derived Endothelial Progenitor Cell Transplantation after Experimental Aneurysm Embolization with Coil in Rats. <i>PLoS ONE</i> , 2014, 9, e90069.  | 1.1 | 13        |
| 78 | Monomeric CXCL12 outperforms its dimeric and wild type variants in the promotion of human endothelial progenitor cells'™ function. <i>Biochemical and Biophysical Research Communications</i> , 2017, 488, 303-310.                      | 1.0 | 13        |
| 79 | Use of Indirect Site-directed Mutagenesis to Alter the Substrate Specificity of Methylamine Dehydrogenase. <i>Journal of Biological Chemistry</i> , 2002, 277, 4119-4122.  | 1.6 | 11        |
| 80 | cxcl12 gene engineered endothelial progenitor cells further improve the functions of oligodendrocyte precursor cells. <i>Experimental Cell Research</i> , 2018, 367, 222-231.  | 1.2 | 11        |
| 81 | Optogenetic translocation of protons out of penumbral neurons is protective in a rodent model of focal cerebral ischemia. <i>Brain Stimulation</i> , 2020, 13, 881-890.  | 0.7 | 11        |
| 82 | Collateral circulation prevents masticatory muscle impairment in rat middle cerebral artery occlusion model. <i>Journal of Synchrotron Radiation</i> , 2014, 21, 1314-1318.  | 1.0 | 10        |
| 83 | Development of functional <i>in vivo</i> imaging of cerebral lenticulostriate artery using novel synchrotron radiation angiography. <i>Physics in Medicine and Biology</i> , 2015, 60, 1655-1665.  | 1.6 | 10        |
| 84 | Hyperexpressed Netrin-1 Promoted Neural Stem Cells Migration in Mice after Focal Cerebral Ischemia. <i>Frontiers in Cellular Neuroscience</i> , 2016, 10, 223.   | 1.8 | 9         |
| 85 | The Effect of Myosin Light Chain Kinase on the Occurrence and Development of Intracranial Aneurysm. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 416.   | 1.8 | 9         |
| 86 | Dynamic Detection of Thrombolysis in Embolic Stroke Rats by Synchrotron Radiation Angiography. <i>Translational Stroke Research</i> , 2019, 10, 695-704.   | 2.3 | 8         |
| 87 | Optogenetic Excitation of Ipsilesional Sensorimotor Neurons is Protective in Acute Ischemic Stroke: A Laser Speckle Imaging Study. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 1372-1379.                             | 2.5 | 8         |
| 88 | Real-time imaging of mouse lenticulostriate artery following brain ischemia. <i>Frontiers in Bioscience - Elite</i> , 2013, E5, 517-524.   | 0.9 | 7         |
| 89 | Simultaneous Imaging of Cerebrovascular Structure and Function in Hypertensive Rats Using Synchrotron Radiation Angiography. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 359.  | 1.7 | 7         |
| 90 | Synthesis of nanostructured barium phosphate and its application in micro-computed tomography of mouse brain vessels <i>in ex vivo</i> . <i>Journal of Nanoparticle Research</i> , 2014, 16, 1.  | 0.8 | 5         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | Microangiography in Living Mice Using Synchrotron Radiation. , 2010, , .  |     | 3         |
| 92 | Stimulation of Cerebral Angiogenesis by Gene Delivery. Methods in Molecular Biology, 2014, 1135, 317-329.   | 0.4 | 3         |
| 93 | Effect of ischaemic brain injury on sexual function in adult mice. Stroke and Vascular Neurology, 2016, 1, 127-132.   | 1.5 | 2         |
| 94 | Stem Cells: MRI/SPECT/Fluorescent Tri-Modal Probe for Evaluating the Homing and Therapeutic Efficacy of Transplanted Mesenchymal Stem Cells in a Rat Ischemic Stroke Model (Adv. Funct. Mater.) Tj ETQq0 0 07gBT /Overclock 10 Tf |     |           |
| 95 | Visualization of soft tissues by highly sensitive X-ray crystal analyzer-based multi diffraction enhanced imaging. Japanese Journal of Applied Physics, 2015, 54, 096701.   | 0.8 | 0         |
| 96 | A biosafety evaluation of synchrotron radiation X-ray to skin and bone marrow: single dose irradiation study of rats and macaques. International Journal of Radiation Biology, 2017, 93, 637-645.                                 | 1.0 | 0         |
| 97 | Reduction of Brain Injury After Stroke in Hyperglycemic Rats via Fasudil Pretreatment. Journal of Shanghai Jiaotong University (Science), 2019, 24, 723-731.  | 0.5 | 0         |