
## Rei Kawashima

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5193522/publications.pdf Version: 2024-02-01



**RELKANNACHIMA** 

3

#	Article	IF	CITATIONS
1	Numerical analysis of azimuthal rotating spokes in a crossed-field discharge plasma. Plasma Sources Science and Technology, 2018, 27, 035010.	3.1	41
2	A hyperbolic-equation system approach for magnetized electron fluids in quasi-neutral plasmas. Journal of Computational Physics, 2015, 284, 59-69.	3.8	23
3	Hall Thruster Development for Japanese Space Propulsion Programs. Transactions of the Japan Society for Aeronautical and Space Sciences, 2017, 60, 320-326.	0.7	21
4	Magnetic plasma deorbit system for nano- and micro-satellites using magnetic torquer interference with space plasma in low Earth orbit. Acta Astronautica, 2015, 112, 192-199.	3.2	20
5	Operating parameters and oscillation characteristics of an anode-layer Hall thruster with argon propellant. Vacuum, 2014, 110, 159-164.	3.5	14
6	Plasma formation and cross-field electron transport induced by azimuthal neutral inhomogeneity in an anode layer Hall thruster. Physics of Plasmas, 2019, 26, .	1.9	14
7	A flux-splitting method for hyperbolic-equation system of magnetized electron fluids in quasi-neutral plasmas. Journal of Computational Physics, 2016, 310, 202-212.	3.8	11
8	Particle Simulation of Plasma Drag Force Generation in the Magnetic Plasma Deorbit. Journal of Spacecraft and Rockets, 2018, 55, 1074-1082.	1.9	9
9	High-order upwind and non-oscillatory approach for steady state diffusion, advection–diffusion and application to magnetized electrons. Journal of Computational Physics, 2018, 374, 1120-1151.	3.8	8
10	Characterization of acceleration zone shifting in an anode-layer-type Hall thruster RAIJIN66. Vacuum, 2021, 186, 110040.	3.5	8
11	Alumina reduction by laser ablation using a continuous-wave CO2 laser toward lunar resource utilization. Vacuum, 2019, 167, 495-499.	3.5	7
12	Two-dimensional hybrid model of gradient drift instability and enhanced electron transport in a Hall thruster. Physics of Plasmas, 2021, 28, .	1.9	6
13	Interplanetary Magnetic Attitude Control Based on an IMF Kalman filter in Small Spacecraft. IEEE Transactions on Aerospace and Electronic Systems, 2019, 55, 2674-2686.	4.7	5
14	Discharge characteristics and increased electron current during azimuthally nonuniform propellant supply in an anode layer Hall thruster. Journal of Applied Physics, 2020, 128, .	2.5	5
15	Plasma structure and electron cross-field transport induced by azimuthal manipulation of the radial magnetic field in a Hall thruster E × B discharge. Journal of Applied Physics, 2022, 131, .	2.5	5
16	Incident angle dependence of reflected particles in low-energy xenon-ion impacts on metal surfaces. Computational Materials Science, 2021, 186, 109989.	3.0	4
17	Modeling of Electron Fluids in Hall Thrusters Using a Hyperbolic System. , 2014, , .		3

#	Article	IF	CITATIONS
19	Evolution of electron cross-field transport induced by an equilibrium azimuthal electric field in an E × B Hall thruster discharge under an azimuthally inhomogeneous neutral supply. Physics of Plasmas, 2021, 28, 102510.	1.9	2
20	Aluminum particle production on alumina rod surface by continuous-wave laser ablation. Materials Chemistry and Physics, 2022, 278, 125557.	4.0	2
21	Effect of thruster scaling on pre-sheath and ion-loss region in Hall thrusters. , 2012, , .		1
22	Inflow angular dependence of the capture coefficient in cryopumps. Vacuum, 2019, 160, 102-108.	3.5	1
23	Wall Ion Loss Reduction by Acceleration Zone Shifting in Anode-Layer Hall Thruster. Journal of Propulsion and Power, 2022, 38, 489-493.	2.2	1
24	Hyperbolic System Approach for Magnetized Electron Fluids in ExB Discharge Plasmas. , 2018, , .		0
25	Weighted Nonlinear Schemes for Magnetized Electron Fluid in Quasi-neutral plasma. , 2018, , .		0
26	Alumina Reduction by Laser Ablation Using a Continuous-Wave CO2 Laser Toward Aluminum Energy Cycle. , 2018, , .		0
27	Effect of Density Inhomogeneity in Azimuth on Discharge Oscillation Suppression and Electron Diffusion in Hall Thrusters. , 2018, , .		0
28	Inflow Angular Dependency on Cryopump and Beam Target in Hall Thruster Test Facility. , 2018, , .		0
29	10.1063/5.0045984.1., 2021, , .		0