
Daniel D Benetti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/519406/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ultraviolet avoidance by embryonic buoyancy control in three species of marine fish. Science of the Total Environment, 2022, 806, 150542.	8.0	4
2	An integrated systems-level model of the toxicity of brevetoxin based on high-resolution magic-angle spinning nuclear magnetic resonance (HRMAS NMR) metabolic profiling of zebrafish embryos. Science of the Total Environment, 2022, 803, 149858.	8.0	11
3	Quantifying the effects of pop-up satellite archival tags on the swimming performance and behavior of young-adult mahi-mahi (<i>Coryphaena hippurus</i>). Canadian Journal of Fisheries and Aquatic Sciences, 2021, 78, 32-39.	1.4	6
4	A review on cobia, <scp><i>Rachycentron canadum</i></scp> , aquaculture. Journal of the World Aquaculture Society, 2021, 52, 691-709.	2.4	16
5	The effects of acute temperature change and digestive status on in situ cardiac function in mahi-mahi (Coryphaena hippurus). Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2021, 255, 110915.	1.8	1
6	Advancing production of marine fish in the <scp>United States: Olive</scp> flounder, <scp><i>Paralichthys olivaceus</i></scp> , aquaculture. Journal of the World Aquaculture Society, 2021, 52, 566-581.	2.4	14
7	Effect of replacing darkness with dim light in the larviculture of red snapper, Lutjanus campechanus. Aquaculture Reports, 2021, 20, 100762.	1.7	1
8	Evaluating the potential bioextractive capacity of South Florida native macroalgae Agardhiella subulata for use in integrated multi-trophic aquaculture (IMTA). Aquaculture, 2021, 544, 737091.	3.5	3
9	Enhanced oxygen unloading in two marine percomorph teleosts. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2021, 264, 111101.	1.8	2
10	Exposure to Hydraulic Fracturing Flowback Water Impairs <i>Mahi-Mahi</i> (<i>Coryphaena) Tj ETQq0 0 0 rgBT /(Science & Technology, 2020, 54, 13579-13589.</i>	Overlock 1 10.0	0 Tf 50 382 13
11	Temperature sensitivity differs between heart and red muscle mitochondria in mahi-mahi (Coryphaena) Tj ETQq1 I	. 9. <u>7</u> 8431	4 ₁ gBT /Ove
12	Development of visual function in early life stage mahi-mahi (<i>coryphaena hippurus</i>). Marine and Freshwater Behaviour and Physiology, 2020, 53, 203-214.	0.9	3
13	Ontogeny of Orientation during the Early Life History of the Pelagic Teleost Mahi-Mahi, Coryphaena hippurus Linnaeus, 1758. Oceans, 2020, 1, 237-250.	1.3	3
14	Impacts of <i>Deepwater Horizon</i> Crude Oil on Mahi-Mahi (<i>Coryphaena hippurus</i>) Heart Cell Function. Environmental Science & Technology, 2019, 53, 9895-9904.	10.0	29
15	Exposure to Crude Oil from the <i>Deepwater Horizon</i> Oil Spill Impairs Oil Avoidance Behavior without Affecting Olfactory Physiology in Juvenile Mahi-Mahi (<i>Coryphaena hippurus</i>). Environmental Science & Technology, 2019, 53, 14001-14009.	10.0	16
16	Whole-Transcriptome Sequencing of Epidermal Mucus as a Novel Method for Oil Exposure Assessment in Juvenile Mahi-Mahi (<i>Coryphaena hippurus</i>). Environmental Science and Technology Letters, 2019, 6, 538-544.	8.7	4
17	Embryonic buoyancy control as a mechanism of ultraviolet radiation avoidance. Science of the Total Environment, 2019, 651, 3070-3078.	8.0	9
18	Effects of corexit 9500A and Corexit-crude oil mixtures on transcriptomic pathways and developmental toxicity in early life stage mahi-mahi (Coryphaena hippurus). Aquatic Toxicology, 2019, 212, 233-240.	4.0	26

DANIEL D BENETTI

#	Article	IF	CITATIONS
19	Mahiâ€mahi (Coryphaena hippurus) life development: morphological, physiological, behavioral and molecular phenotypes. Developmental Dynamics, 2019, 248, 337-350.	1.8	12
20	Deepwater Horizon crude oil exposure alters cholesterol biosynthesis with implications for developmental cardiotoxicity in larval mahi-mahi (Coryphaena hippurus). Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2019, 220, 31-35.	2.6	18
21	The nutrient footprint of a submerged age offshore aquaculture facility located in the tropical Caribbean. Journal of the World Aquaculture Society, 2019, 50, 299-316.	2.4	18
22	Effect of stocking density and feeding regime on larval growth, survival, and larval development of Japanese flounder, Paralichthys olivaceus , using live feeds. Journal of the World Aquaculture Society, 2019, 50, 336-345.	2.4	5
23	Culture of cobia Rachycentron canadum in a recirculation aquaculture system in northern Chile. Latin American Journal of Aquatic Research, 2019, 47, 733-742.	0.6	5
24	Nutritional physiology of mahi-mahi (Coryphaena hippurus): Postprandial metabolic response to different diets and metabolic impacts on swim performance. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2018, 215, 28-34.	1.8	14
25	Characterizing egg quality and larval performance from captive mahi-mahiCoryphaena hippurus(Linnaeus, 1758) spawns over time. Aquaculture Research, 2018, 49, 282-293.	1.8	9
26	Combined effects of elevated temperature and Deepwater Horizon oil exposure on the cardiac performance of larval mahi-mahi, Coryphaena hippurus. PLoS ONE, 2018, 13, e0203949.	2.5	33
27	Combined effects of hypoxia or elevated temperature and Deepwater Horizon crude oil exposure on juvenile mahi-mahi swimming performance. Marine Environmental Research, 2018, 139, 129-135.	2.5	24
28	Crude oil impairs heart cell function in the mahiâ€nahi (Coryphaena hippurus). FASEB Journal, 2018, 32, 602.11.	0.5	1
29	Assessment of early life stage mahiâ€mahi windows of sensitivity during acute exposures to <i>Deepwater Horizon</i> crude oil. Environmental Toxicology and Chemistry, 2017, 36, 1887-1895.	4.3	28
30	Morphology and cardiac physiology are differentially affected by temperature in developing larvae of the marine fish mahi-mahi (<i>Coryphaena hippurus</i>). Biology Open, 2017, 6, 800-809.	1.2	25
31	Capture, transport, prophylaxis, acclimation, and continuous spawning of Mahi-mahi (Coryphaena) Tj ETQq1 1 0	.784314 r 3.5	gBT /Overloci
32	Cardio-respiratory function during exercise in the cobia, Rachycentron canadum: The impact of crude oil exposure. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2017, 201, 58-65.	2.6	37
33	Dimethyl Sulfide is a Chemical Attractant for Reef Fish Larvae. Scientific Reports, 2017, 7, 2498.	3.3	22
34	Combined effects of oil exposure, temperature and ultraviolet radiation on buoyancy and oxygen consumption of embryonic mahi-mahi, Coryphaena hippurus. Aquatic Toxicology, 2017, 191, 113-121.	4.0	29
35	Oil Exposure Impairs In Situ Cardiac Function in Response to Î ² -Adrenergic Stimulation in Cobia (<i>Rachycentron canadum</i>). Environmental Science & Technology, 2017, 51, 14390-14396.	10.0	26
36	Exposure to ultraviolet radiation late in development increases the toxicity of oil to mahiâ€mahi (<i>Coryphaena hippurus</i>) embryos. Environmental Toxicology and Chemistry, 2017, 36, 1592-1598.	4.3	35

#	Article	IF	CITATIONS
37	Effects of crude oil on in situ cardiac function in young adult mahi–mahi (Coryphaena hippurus). Aquatic Toxicology, 2016, 180, 274-281.	4.0	68
38	Effects of Deepwater Horizon crude oil exposure, temperature and developmental stage on oxygen consumption of embryonic and larval mahi-mahi (Coryphaena hippurus). Aquatic Toxicology, 2016, 181, 113-123.	4.0	67
39	A novel system for embryo-larval toxicity testing of pelagic fish: Applications for impact assessment of Deepwater Horizon crude oil. Chemosphere, 2016, 162, 261-268.	8.2	27

Impacts of <i>Deepwater Horizon</i> crude oil exposure on adult mahiâ \in mahi (<i>Coryphaena) Tj ETQq0 0 0 rgBT $\frac{1}{4.3}$ Overlock 10 Tf 50 62

10		110	00
41	The effects of weathering and chemical dispersion on Deepwater Horizon crude oil toxicity to mahi-mahi (Coryphaena hippurus) early life stages. Science of the Total Environment, 2016, 543, 644-651.	8.0	159
42	Time- and Oil-Dependent Transcriptomic and Physiological Responses to <i>Deepwater Horizon</i> Oil in Mahi-Mahi (<i>Coryphaena hippurus</i>) Embryos and Larvae. Environmental Science & Technology, 2016, 50, 7842-7851.	10.0	123
43	Ultraviolet Radiation Enhances the Toxicity of <i>Deepwater Horizon</i> Oil to Mahi-mahi (<i>Coryphaena hippurus</i>) Embryos. Environmental Science & Technology, 2016, 50, 2011-2017.	10.0	58
44	Corresponding morphological and molecular indicators of crude oil toxicity to the developing hearts of mahi mahi. Scientific Reports, 2015, 5, 17326.	3.3	93
45	<i>Deepwater Horizon</i> crude oil impacts the developing hearts of large predatory pelagic fish. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E1510-8.	7.1	359
46	Acute Embryonic or Juvenile Exposure to <i>Deepwater Horizon</i> Crude Oil Impairs the Swimming Performance of Mahi-Mahi (<i>Coryphaena hippurus</i>). Environmental Science & Technology, 2014, 48, 7053-7061.	10.0	200
47	Improvement of rotifer <i>Brachionus plicatilis</i> population growth dynamics with inclusion of <i>Bacillus</i> spp. probiotics. Aquaculture Research, 2013, 44, 200-211.	1.8	11
48	Replacement of fish meal by a novel non-GM variety of soybean meal in cobia, Rachycentron canadum: Ingredient nutrient digestibility and growth performance. Aquaculture, 2013, 416-417, 328-333.	3.5	19
49	Optimizing transport of live juvenile cobia (Rachycentron canadum): Effects of salinity and shipping biomass. Aquaculture, 2012, 364-365, 293-297.	3.5	22
50	Environmentally conditioned, year-round volitional spawning of cobia (Rachycentron canadum) in broodstock maturation systems. Aquaculture Research, 2012, 43, 1557-1566.	1.8	30
51	Efficacy of a Commercial Probiotic Relative to Oxytetracycline as Gram-Negative Bacterial Control Agents in a Rotifer (Brachionus plicatilis) Batch Culture. North American Journal of Aquaculture, 2011, 73, 343-349.	1.4	4
52	Site Selection Criteria for Open Ocean Aquaculture. Marine Technology Society Journal, 2010, 44, 22-35.	0.4	42
53	Cobia (Rachycentron canadum) hatchery-to-market aquaculture technology: recent advances at the University of Miami Experimental Hatchery (UMEH). Revista Brasileira De Zootecnia, 2010, 39, 60-67.	0.8	16
54	Growth rates of cobia (Rachycentron canadum) cultured in open ocean submerged cages in the Caribbean. Aquaculture, 2010, 302, 195-201.	3.5	76

DANIEL D BENETTI

#	Article	IF	CITATIONS
55	Advances in hatchery and grow-out technology of cobia Rachycentron canadum (Linnaeus). Aquaculture Research, 2008, 39, 701-711.	1.8	90
56	Intensive larval husbandry and fingerling production of cobia Rachycentron canadum. Aquaculture, 2008, 281, 22-27.	3.5	59
57	Growth, Survival, and Feed Conversion Rates of Hatchery-Reared Mutton Snapper Lutjanus analis Cultured in Floating Net Cages. Journal of the World Aquaculture Society, 2002, 33, 349-357.	2.4	29
58	Development of Aquaculture Methods for Southern Flounder,Paralichthys lethostigma. Journal of Applied Aquaculture, 2001, 11, 135-146.	1.4	13
59	Development of Aquaculture Methods for Southern Flounder,Paralichthys lethostigma. Journal of Applied Aquaculture, 2001, 11, 113-133.	1.4	20
60	Pigment abnormalities in flatfish. Aquaculture, 1999, 176, 181-188.	3.5	87
61	Spawning and larval husbandry of flounder (Paralichthys woolmani) and pacific yellowtail (Seriola) Tj ETQq1 1 0.7	'84314 rg 3.5	$BT_{35}^{/Overlocl}$
62	Epitheliocystis Disease in Cultured Yellowtail <i>Seriola mazatlana</i> in Ecuador. Journal of the World Aquaculture Society, 1996, 27, 223-227.	2.4	19