## Frank R Thompson, Iii

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5195363/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Northern Bobwhite juvenile survival is greater in native grasslands managed with fire and grazing and lower in non-native field borders and strip crop fields. Condor, 2022, 124, .	1.6	3
2	Resource selection and movement by northern bobwhite broods varies with age and explains survival. Oecologia, 2021, 195, 937-948.	2.0	6
3	Effects of prescribed fire on fuels, vegetation, and Golden-cheeked warbler (Setophaga chrysoparia) demographics in Texas juniper-oak woodlands: An update six years post-fire. Forest Ecology and Management, 2021, 492, 119191.	3.2	2
4	Early Hatch and Managed Native Grasslands Minorly Improve Bobwhite Juvenile Body Condition. American Midland Naturalist, 2021, 186, .	0.4	1
5	Demographic rates of Golden-cheeked Warblers in an urbanizing woodland preserve. Condor, 2018, 120, 249-264.	1.6	9
6	Songbird nest success is positively related to restoration of pine–oak savanna and woodland in the Ozark Highlands, Missouri, USA. Condor, 2018, 120, 543-556.	1.6	14
7	Density and nest survival of goldenâ€cheeked warblers: Spatial scale matters. Journal of Wildlife Management, 2017, 81, 678-689.	1.8	17
8	Future forest aboveground carbon dynamics in the central United States: the importance of forest demographic processes. Scientific Reports, 2017, 7, 41821.	3.3	16
9	Effects of prescribed fire on fuels, vegetation, and Golden-cheeked Warbler (Setophaga chrysoparia) demographics in Texas juniper-oak woodlands. Forest Ecology and Management, 2016, 376, 96-106.	3.2	8
10	Greater sageâ€grouse apparent nest productivity and chick survival in Carbon County, Wyoming. Wildlife Biology, 2016, 22, 37-44.	1.4	11
11	Landscape and local effects onÂoccupancy and densities of an endangered wood-warbler in an urbanizing landscape. Landscape Ecology, 2016, 31, 365-382.	4.2	16
12	Evaluation of a reproductive index for estimating songbird productivity: Case study of the golden-cheeked warbler. Wildlife Society Bulletin, 2015, 39, 721-731.	1.6	6
13	Relationships between bat occupancy and habitat and landscape structure along a savanna, woodland, forest gradient in the Missouri Ozarks. Wildlife Society Bulletin, 2015, 39, 20-30.	1.6	39
14	Seasonal productivity and nest survival of Golden-cheeked Warblers vary with forest type and edge density. Condor, 2014, 116, 546-559.	1.6	17
15	Eastern Wood-Pewee ( <i>Contopus virens</i> ) breeding demography across a gradient of savanna, woodland, and forest in the Missouri Ozarks. Auk, 2013, 130, 355-363.	1.4	9
16	Amount and Type of Forest Cover and Edge Are Important Predictors of Golden-cheeked Warbler Density. Condor, 2013, 115, 659-668.	1.6	20
17	Factors Affecting Goldenâ€Cheeked Warbler Nest Survival in Urban and Rural Landscapes. Journal of Wildlife Management, 2009, 73, 407-413.	1.8	38
18	A REVIEW OF THE POPULATION ESTIMATION APPROACH OF THE NORTH AMERICAN LANDBIRD CONSERVATION PLAN. Auk, 2006, 123, 892.	1.4	43

#	Article	IF	CITATIONS
19	A Review of the Population Estimation Approach of the North American Landbird Conservation Plan. Auk, 2006, 123, 892-904.	1.4	54
20	Landscape and Edge Effects on the Distribution of Mammalian Predators in Missouri. Journal of Wildlife Management, 2000, 64, 209.	1.8	197
21	Postfledging Dispersal, Habitat Use, and Home-Range Size of Juvenile Wood Thrushes. Auk, 1998, 115, 349-358.	1.4	210
22	Effects of Cowbird Parasitism on Parental Provisioning and Nestling Food Acquisition and Growth. Condor, 1998, 100, 326-334.	1.6	55
23	VARIATION IN LOCAL-SCALE EDGE EFFECTS: MECHANISMS AND LANDSCAPE CONTEXT. Ecology, 1997, 78, 2064-2075.	3.2	483