

Yijun Shi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/519547/publications.pdf>

Version: 2024-02-01

91
papers

2,577
citations

159585

30
h-index

233421

45
g-index

91
all docs

91
docs citations

91
times ranked

2263
citing authors

#	ARTICLE	IF	CITATIONS
1	Poly(ionic liquid)s as lubricant additives with insight into adsorption-lubrication relationship. <i>Tribology International</i> , 2022, 165, 107278.	5.9	18
2	Controllable superlubricity achieved with mixtures of green ionic liquid and glycerol aqueous solution via humidity. <i>Journal of Molecular Liquids</i> , 2022, 345, 117860.	4.9	16
3	Micropitting performance of glycerol-based lubricants under rolling-sliding contact conditions. <i>Tribology International</i> , 2022, 167, 107348.	5.9	10
4	Operando Formation of Van der Waals Heterostructures for Achieving Macroscale Superlubricity on Engineering Rough and Worn Surfaces. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	31
5	Synthesis of novel CuO@Graphene nanocomposites for lubrication application via a convenient and economical method. <i>Wear</i> , 2022, 498-499, 204323.	3.1	5
6	The Tribological Performance of Metal-/Resin-Impregnated Graphite under Harsh Condition. <i>Lubricants</i> , 2022, 10, 2.	2.9	6
7	Using Green, Economical, Efficient Two-Dimensional (2D) Talc Nanosheets as Lubricant Additives under Harsh Conditions. <i>Nanomaterials</i> , 2022, 12, 1666.	4.1	6
8	Effect of roughness on the running-in behavior and tribofilm formation of carbon fiber reinforced PTFE composite in trace moisture environment. <i>Wear</i> , 2022, 500-501, 204367.	3.1	7
9	Effects of surface micro-structures on capacitances of the dielectric layer in triboelectric nanogenerator: A numerical simulation study. <i>Nano Energy</i> , 2021, 79, 105432.	16.0	18
10	Nanolubricant additives: A review. <i>Friction</i> , 2021, 9, 891-917.	6.4	124
11	Effect of humidity and counterface material on the friction and wear of carbon fiber reinforced PTFE composites. <i>Tribology International</i> , 2021, 157, 106869.	5.9	46
12	Real-Time and Online Lubricating Oil Condition Monitoring Enabled by Triboelectric Nanogenerator. <i>ACS Nano</i> , 2021, 15, 11869-11879.	14.6	56
13	Controlling friction in Ionic Liquid/Glycerol Aqueous Solution lubricated contacts by adjusting CO ₂ and water content. <i>Tribology International</i> , 2021, 161, 107070.	5.9	10
14	Tribological characterisation of polymer composites for hydropower bearings: Experimentally developed versus commercial materials. <i>Tribology International</i> , 2021, 162, 107101.	5.9	19
15	Two-dimensional (2D) graphene nanosheets as advanced lubricant additives: A critical review and prospect. <i>Materials Today Communications</i> , 2021, 29, 102755.	1.9	28
16	Single-Cell Oils from Oleaginous Microorganisms as Green Bio-Lubricants: Studies on Their Tribological Performance. <i>Energies</i> , 2021, 14, 6685.	3.1	8
17	Versatile Ionic Gel Driven by Dual Hydrogen Bond Networks: Toward Advanced Lubrication and Self-Healing. <i>ACS Applied Polymer Materials</i> , 2021, 3, 5932-5941.	4.4	14
18	Hollow IF-MoS ₂ /r-GO Nanocomposite Filled Polyimide Coating with Improved Mechanical, Thermal and Tribological Properties. <i>Coatings</i> , 2021, 11, 25.	2.6	7

#	ARTICLE	IF	CITATIONS
19	Noncontact triboelectric nanogenerator for human motion monitoring and energy harvesting. <i>Nano Energy</i> , 2020, 69, 104390.	16.0	70
20	Polyelectrolyte cellulose gel with PEG/water: Toward fully green lubricating grease. <i>Carbohydrate Polymers</i> , 2020, 230, 115670.	10.2	22
21	Fat mimicking compounds as grease thickeners in Poly(ethylene glycol)/water: Adopting the solution from history. <i>Journal of Colloid and Interface Science</i> , 2020, 578, 619-628.	9.4	4
22	Stable Dispersed Zeolitic Imidazolate Framework/Graphene Oxide Nanocomposites in Ionic Liquids Resulting in High Lubricating Performance. <i>Advanced Materials Interfaces</i> , 2020, 7, 1902194.	3.7	18
23	Tribological properties of polyimide coating filled with carbon nanotube at elevated temperatures. <i>Polymer Composites</i> , 2020, 41, 2652-2661.	4.6	24
24	Holistically Engineered Polymer-Ion Interactions in Biocompatible Polyvinyl Alcohol Blends for High-Performance Triboelectric Devices in Self-Powered Wearable Cardiovascular Monitorings. <i>Advanced Materials</i> , 2020, 32, e2002878.	21.0	66
25	Controllable Friction of Green Ionic Liquids via Environmental Humidity. <i>Advanced Engineering Materials</i> , 2020, 22, 1901253.	3.5	14
26	Tribological properties of polyimide-graphene composite coatings at elevated temperatures. <i>Progress in Organic Coatings</i> , 2020, 142, 105602.	3.9	24
27	How does hydrogen bond network analysis reveal the golden ratio of water-glycerol mixtures?. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 2887-2907.	2.8	18
28	Toward wear-resistive, highly durable and high performance triboelectric nanogenerator through interface liquid lubrication. <i>Nano Energy</i> , 2020, 72, 104659.	16.0	70
29	Novel Biorefinery Approach Aimed at Vegetarians Reduces the Dependency on Marine Fish Stocks for Obtaining Squalene and Docosahexaenoic Acid. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 8803-8813.	6.7	17
30	A smart friction control strategy enabled by CO ₂ absorption and desorption. <i>Scientific Reports</i> , 2019, 9, 13262.	3.3	6
31	Two important factors of selecting lignin as efficient lubricating additives in poly (ethylene glycol): Hydrogen bond and molecular weight. <i>International Journal of Biological Macromolecules</i> , 2019, 129, 564-570.	7.5	28
32	Structural strategies to design bio-ionic liquid: Tuning molecular interaction with lignin for enhanced lubrication. <i>Journal of Molecular Liquids</i> , 2019, 280, 49-57.	4.9	12
33	Effects of ionic hydration and hydrogen bonding on flow resistance of ionic aqueous solutions confined in molybdenum disulfide nanoslits: Insights from molecular dynamics simulations. <i>Fluid Phase Equilibria</i> , 2019, 489, 23-29.	2.5	9
34	Non-corrosive Green Lubricant With Dissolved Lignin in Ionic Liquids Behave as Ideal Lubricants for Steel-DLC Applications. <i>Frontiers in Chemistry</i> , 2019, 7, 857.	3.6	7
35	Poly(alkylimidazolium bis(trifluoromethylsulfonyl)imide)-Based Polymerized Ionic Liquids: A Potential High-Performance Lubricating Grease. <i>Advanced Materials Interfaces</i> , 2019, 6, 1801796.	3.7	5
36	DLC and Glycerol: Superlubricity in Rolling/Sliding Elastohydrodynamic Lubrication. <i>Tribology Letters</i> , 2019, 67, 1.	2.6	36

#	ARTICLE	IF	CITATIONS
37	CuO nanosheets produced in graphene oxide solution: An excellent anti-wear additive for self-lubricating polymer composites. <i>Composites Science and Technology</i> , 2018, 162, 86-92.	7.8	37
38	Synthesis of hollow fullerene-like molybdenum disulfide/reduced graphene oxide nanocomposites with excellent lubricating properties. <i>Carbon</i> , 2018, 134, 423-430.	10.3	29
39	Turning the solubility and lubricity of ionic liquids by absorbing CO ₂ . <i>Tribology International</i> , 2018, 121, 223-230.	5.9	22
40	Extra low friction coefficient caused by the formation of a solid-like layer: A new lubrication mechanism found through molecular simulation of the lubrication of MoS ₂ nanoslits. <i>Chinese Journal of Chemical Engineering</i> , 2018, 26, 2412-2419.	3.5	10
41	Lignin from Hardwood and Softwood Biomass as a Lubricating Additive to Ethylene Glycol. <i>Molecules</i> , 2018, 23, 537.	3.8	37
42	Right Way of Using Graphene Oxide Additives for Water-Lubricated PEEK: Adding in Polymer or Water?. <i>Tribology Letters</i> , 2018, 66, 1.	2.6	15
43	Molecular Origin of Efficient Phonon Transfer in Modulated Polymer Blends: Effect of Hydrogen Bonding on Polymer Coil Size and Assembled Microstructure. <i>Journal of Physical Chemistry C</i> , 2017, 121, 14204-14212.	3.1	53
44	Engineering Hydrogen Bonding Interaction and Charge Separation in Bio-Polymers for Green Lubrication. <i>Journal of Physical Chemistry B</i> , 2017, 121, 5669-5678.	2.6	23
45	Grafting heteroelement-rich groups on graphene oxide: Tuning polarity and molecular interaction with bio-ionic liquid for enhanced lubrication. <i>Journal of Colloid and Interface Science</i> , 2017, 498, 47-54.	9.4	19
46	Pore size dependent molecular adsorption of cationic dye in biomass derived hierarchically porous carbon. <i>Journal of Environmental Management</i> , 2017, 196, 168-177.	7.8	29
47	Application of an inclined, spinning ball-on-rotating disc apparatus to simulate railway wheel and rail contact problems. <i>Wear</i> , 2017, 374-375, 46-53.	3.1	5
48	Linear Complementarity Framework for 3D Steady-State Rolling Contact Problems Including Creepages with Isotropic and Anisotropic Friction for Circular Hertzian Contact. <i>Tribology Transactions</i> , 2017, 60, 832-844.	2.0	8
49	Friction and Wear of Self-Lubricating Materials for Hydropower Applications under Different Lubricating Conditions. <i>Lubricants</i> , 2017, 5, 24.	2.9	6
50	Tribological Properties of Porous PEEK Composites Containing Ionic Liquid under Dry Friction Condition. <i>Lubricants</i> , 2017, 5, 19.	2.9	14
51	Elastohydrodynamic Performance of a Bio-Based, Non-Corrosive Ionic Liquid. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 996.	2.5	17
52	A Complementarity Problem-Based Solution Procedure for 2D Steady-State Rolling Contacts with Dry Friction. <i>Tribology Transactions</i> , 2016, 59, 1031-1038.	2.0	8
53	Traction formula for rolling-sliding contacts in consideration of roughness under low slide to roll ratios. <i>Tribology International</i> , 2016, 104, 263-271.	5.9	9
54	Paving the Thermal Highway with Self-Organized Nanocrystals in Transparent Polymer Composites. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 29080-29087.	8.0	35

#	ARTICLE	IF	CITATIONS
55	Non-corrosive and Biomaterials Protic Ionic Liquids with High Lubricating Performance. Tribology Letters, 2016, 63, 1.	2.6	71
56	Halogen-free ionic liquids as excellent lubricants for PEEK-stainless steel contacts at elevated temperatures. Tribology International, 2016, 104, 1-9.	5.9	29
57	Enriching Heteroelements in Lignin as Lubricating Additives for Bioionic Liquids. ACS Sustainable Chemistry and Engineering, 2016, 4, 3877-3887.	6.7	36
58	Green processing of plant biomass into mesoporous carbon as catalyst support. Chemical Engineering Journal, 2016, 295, 301-308.	12.7	55
59	Ionic Grease Lubricants: Protic [Triethanolamine][Oleic Acid] and Aprotic [Choline][Oleic Acid]. ACS Applied Materials & Interfaces, 2016, 8, 4977-4984.	8.0	45
60	Lignin in Ethylene Glycol and Poly(ethylene glycol): Fortified Lubricants with Internal Hydrogen Bonding. ACS Sustainable Chemistry and Engineering, 2016, 4, 1840-1849.	6.7	54
61	Facile synthesis of mesoporous carbon nanocomposites from natural biomass for efficient dye adsorption and selective heavy metal removal. RSC Advances, 2016, 6, 2259-2269.	3.6	74
62	High load capacity with ionic liquid-lubricated tribological system. Tribology International, 2016, 94, 315-322.	5.9	16
63	Self-Lubricating Polytetrafluoroethylene/Polyimide Blends Reinforced with Zinc Oxide Nanoparticles. Journal of Nanomaterials, 2015, 2015, 1-8.	2.7	22
64	[N-Methyl-2-pyrrolidone][C1-C4 carboxylic acid]: a novel solvent system with exceptional lignin solubility. Chemical Communications, 2015, 51, 13554-13557.	4.1	36
65	Non-corrosive green lubricants: strengthened lignin-choline amino acid ionic liquids interaction via reciprocal hydrogen bonding. RSC Advances, 2015, 5, 66067-66072.	3.6	68
66	Boundary and elasto-hydrodynamic lubrication studies of glycerol aqueous solutions as green lubricants. Tribology International, 2014, 69, 39-45.	5.9	83
67	Interface-strengthened Polyimide/Carbon Nanofibers Nanocomposites with Superior Mechanical and Tribological Properties. Macromolecular Chemistry and Physics, 2014, 215, 1407-1414.	2.2	15
68	Friction and Wear Behavior of CF/PTFE Composites Lubricated by Choline Chloride Ionic Liquids. Tribology Letters, 2013, 49, 413-420.	2.6	25
69	La-modified SBA-15/H ₂ O ₂ systems for the microwave assisted oxidation of organosolv beech wood lignin. Maderas: Ciencia Y Tecnologia, 2012, 14, 31-41.	0.7	43
70	Effect of both grafting and blending modifications on the performance of lignosulphonate-modified sulphanilic acid-phenol-formaldehyde condensates. Cement and Concrete Research, 2012, 42, 1199-1206.	11.0	25
71	The effect of thermal conductivity and friction coefficient on the contact temperature of polyimide composites: Experimental and finite element simulation. Tribology International, 2012, 53, 45-52.	5.9	53
72	A study of tribological and mechanical properties of PTFE composites filled with surface treated K ₂ Ti ₆ O ₁₃ whisker. Journal of Applied Polymer Science, 2012, 124, 1456-1463.	2.6	11

#	ARTICLE	IF	CITATIONS
73	Durable polytetrafluoroethylene composites in harsh environments: Tribology and corrosion investigation. <i>Journal of Applied Polymer Science</i> , 2012, 124, 4307-4314.	2.6	9
74	Synthesis of Epoxidated Castor Oil and Its Effect on the Properties of Waterborne Polyurethane. <i>Procedia Engineering</i> , 2011, 18, 31-36.	1.2	7
75	Synthesis of Epoxidated Castor Oil and Its Effect on the Properties of Waterborne Polyurethane. <i>Procedia Engineering</i> , 2011, 18, 37-42.	1.2	12
76	Tribological behavior of carbon nanotube and polytetrafluoroethylene filled polyimide composites under different lubricated conditions. <i>Journal of Applied Polymer Science</i> , 2011, 121, 1574-1578.	2.6	24
77	The tribological behavior of nanometer and micrometer TiO ₂ particle-filled polytetrafluoroethylene/polyimide. <i>Materials & Design</i> , 2011, 32, 964-970.	5.1	62
78	Tribological behavior of poly(ether ether ketone) composites filled with potassium titanate whiskers sliding in different media. <i>Journal of Applied Polymer Science</i> , 2010, 115, 1935-1941.	2.6	5
79	Comparative Study of Tribological Properties of Different Fibers Reinforced PTFE/PEEK Composites at Elevated Temperatures. <i>Tribology Transactions</i> , 2010, 53, 189-194.	2.0	41
80	LA-CONTAINING SBA-15/H ₂ O ₂ SYSTEMS FOR THE MICROWAVE ASSISTED OXIDATION OF A LIGNIN MODEL PHENOLIC MONOMER. <i>Maderas: Ciencia Y Tecnologia</i> , 2010, 12, .	0.7	13
81	Tribological and Mechanical Properties of Carbon Nanofiber-Filled Polytetrafluoroethylene/Polyimide Composites. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 5958-5965.	0.9	10
82	Prediction on tribological properties of carbon fiber and TiO ₂ synergistic reinforced polytetrafluoroethylene composites with artificial neural networks. <i>Materials & Design</i> , 2009, 30, 1042-1049.	5.1	43
83	The effect of surface modification on the friction and wear behavior of carbon nanofiber-filled PTFE composites. <i>Wear</i> , 2008, 264, 934-939.	3.1	79
84	Tribological and mechanical properties of carbon-nanofiber-filled polytetrafluoroethylene composites. <i>Journal of Applied Polymer Science</i> , 2007, 104, 2430-2437.	2.6	38
85	Effects of filler crystal structure and shape on the tribological properties of PTFE composites. <i>Tribology International</i> , 2007, 40, 1195-1203.	5.9	57
86	Effects of fibrous fillers on friction and wear properties of polytetrafluoroethylene composites under dry or wet conditions. <i>Particuology: Science and Technology of Particles</i> , 2007, 5, 414-419.	0.4	23
87	The effects of the size and content of potassium titanate whiskers on the properties of PTW/PTFE composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 448, 253-258.	5.6	44
88	Tribological properties of PTFE composites filled with surface-treated carbon fiber. <i>Journal of Materials Science</i> , 2007, 42, 8465-8469.	3.7	35
89	A study on the friction and wear behavior of polytetrafluoroethylene filled with potassium titanate whiskers. <i>Wear</i> , 2006, 261, 1208-1212.	3.1	53
90	Tribological behaviour of UHMWPE composites lubricated by polyvinylpyrrolidone-modified water. <i>Lubrication Science</i> , 0, , .	2.1	3

#	ARTICLE	IF	CITATIONS
91	Atomistic insight into the lubrication of glycerol aqueous solution: The role of the solid interface-induced microstructure of fluid molecules. <i>AIChE Journal</i> , 0, , .	3.6	3