Franois J Verheggen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5195498/francois-j-verheggen-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122 2,630 29 44 g-index

127 3,152 3.3 5.19 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
122	What is an emergency? Neonicotinoids and emergency situations in plant protection in the EU <i>Ambio</i> , 2022 , 1	6.5	1
121	Integrated pest management of Tuta absoluta: practical implementations across different world regions. <i>Journal of Pest Science</i> , 2022 , 95, 17	5.5	16
120	Annual dynamics of fall armyworm populations in West Africa and biology in different host plants. <i>Scientific African</i> , 2022 , 16, e01227	1.7	
119	Towards more intimacy: moderate elevation of temperature drives increases in foraging and mutualistic interactions between Lasius niger and Aphis fabae. <i>Ecological Entomology</i> , 2021 , 46, 406-41	8 ^{2.1}	1
118	Insect pest monitoring with camera-equipped traps: strengths and limitations. <i>Journal of Pest Science</i> , 2021 , 94, 203-217	5.5	16
117	Forensic taphonomy: Characterization of the gravesoil chemistry using a multivariate approach combining chemical and volatile analyses. <i>Forensic Science International</i> , 2021 , 318, 110569	2.6	2
116	Differential thermal tolerance across life stages under extreme high temperatures crossed with feeding status in corn leaf aphid. <i>Ecological Entomology</i> , 2021 , 46, 533-540	2.1	1
115	Behavioural and antennal responses of Aedes aegypti (l.) (Diptera: Culicidae) gravid females to chemical cues from conspecific larvae. <i>PLoS ONE</i> , 2021 , 16, e0247657	3.7	2
114	EU Court to rule on banned pesticide use. <i>Science</i> , 2021 , 373, 290	33.3	2
113	Aphid Behavior on Amaranthus hybridus L. (Amaranthaceae) Associated with Ocimum spp. (Lamiaceae) as Repellent Plants. <i>Agronomy</i> , 2020 , 10, 736	3.6	2
112	The Production of Sex Pheromone in Lady Beetles Is Conditioned by Presence of Aphids and Not by Mating Status. <i>Journal of Chemical Ecology</i> , 2020 , 46, 590-596	2.7	3
111	Biocidal activity of polylactic acid-based nano-formulated abamectin on Acyrthosiphon pisum (Hemiptera: Aphididae) and the aphid predator Adalia bipunctata (Coleoptera: Coccinellidae). <i>PLoS ONE</i> , 2020 , 15, e0228817	3.7	6
110	Behavioral and Electrophysiological Responses of the Fringed Larder Beetle to the Smell of a Cadaver at Different Decomposition Stages. <i>Insects</i> , 2020 , 11,	2.8	3
109	Conservation value of tropical forests: Distance to human settlements matters more than management in Central Africa. <i>Biological Conservation</i> , 2020 , 241, 108351	6.2	18
108	Linking variety-dependent root volatile organic compounds in maize with differential infestation by wireworms. <i>Journal of Pest Science</i> , 2020 , 93, 605-614	5.5	2
107	Does the Infectious Status of Aphids Influence Their Preference Towards Healthy, Virus-Infected and Endophytically Colonized Plants?. <i>Insects</i> , 2020 , 11,	2.8	5
106	Cadaver Dogs and the Deathly Hallows-A Survey and Literature Review on Selection and Training Procedure. <i>Animals</i> , 2020 , 10,	3.1	1

(2018-2020)

Insecticide susceptibility level and control failure likelihood estimation of Sub-Saharan African populations of tomato leafminer: Evidence from Burkina Faso. <i>Physiological Entomology</i> , 2020 , 45, 147	-153	4	
Silicon and Plant Natural Defenses against Insect Pests: Impact on Plant Volatile Organic Compounds and Cascade Effects on Multitrophic Interactions. <i>Plants</i> , 2019 , 8,	4.5	26	
Differential wing polyphenism adaptation across life stages under extreme high temperatures in corn leaf aphid. <i>Scientific Reports</i> , 2019 , 9, 8744	4.9	5	
Alternatives to neonicotinoids. <i>Environment International</i> , 2019 , 129, 423-429	12.9	49	
The taste of origin in a lady beetle: do males discriminate between females based on cuticular hydrocarbons?. <i>Physiological Entomology</i> , 2019 , 44, 160-168	1.9	1	
Cuticular hydrocarbon composition does not allow Harmonia axyridis males to identify the mating status of sexual partners. <i>Entomologia Generalis</i> , 2019 , 38, 211-224	5.3	6	
Effects of Host Plants Reared under Elevated CO Concentrations on the Foraging Behavior of Different Stages of Corn Leaf Aphids. <i>Insects</i> , 2019 , 10,	2.8	7	
Comparison of the Sex Pheromone Composition of Originating from Native and Invaded Areas. <i>Insects</i> , 2019 , 10,	2.8	2	
Impact of necrophagous insects on the emission of volatile organic compounds released during the decaying process. <i>Entomologia Generalis</i> , 2019 , 39, 19-31	5.3	2	
First record of Tuta absoluta in Haiti. Entomologia Generalis, 2019, 38, 349-353	5.3	24	
A review of Tuta absoluta (Lepidoptera: Gelechiidae) host plants and their impact on management strategies. <i>Biotechnology, Agronomy and Society and Environment</i> , 2019 , 270-278	1.3	8	
Biological alternatives to pesticides to control wireworms (Coleoptera: Elateridae). <i>Agri Gene</i> , 2019 , 11, 100080	1.9	5	
Today and tomorrow: impact of climate change on aphid biology and potential consequences on their mutualism with ants. <i>Physiological Entomology</i> , 2019 , 44, 77-86	1.9	14	
Fourteen years of anthropization dynamics in the Uapaca bojeri Baill. forest of Madagascar. <i>Landscape and Ecological Engineering</i> , 2018 , 14, 135-146	2	2	
Identification of the Alarm Pheromone of Cowpea Aphid, and Comparison With Two Other Aphididae Species. <i>Journal of Insect Science</i> , 2018 , 18,	2	3	
Odour profile of human corpses: A review. <i>Forensic Chemistry</i> , 2018 , 10, 27-36	2.8	4	
Elevated COlConcentrations Impact the Semiochemistry of Aphid Honeydew without Having a Cascade Effect on an Aphid Predator. <i>Insects</i> , 2018 , 9,	2.8	5	
Dispersion of Myzus persicae and transmission of Potato virus Y under elevated CO2 atmosphere. <i>Entomologia Experimentalis Et Applicata</i> , 2018 , 166, 380-385	2.1	6	
	populations of tomato leafminer: Evidence from Burkina Faso. <i>Physiological Entomology</i> , 2020, 45, 147 Silicon and Plant Natural Defenses against Insect Pests: Impact on Plant Volatile Organic Compounds and Cascade Effects on Multitrophic Interactions. <i>Plants</i> , 2019, 8. Differential wing polyphenism adaptation across life stages under extreme high temperatures in corn leaf aphid. <i>Scientific Reports</i> , 2019, 9, 8744 Alternatives to neonicotinoids. <i>Environment International</i> , 2019, 129, 423-429 The taste of origin in a lady beetle: do males discriminate between females based on cuticular hydrocarbons?. <i>Physiological Entomology</i> , 2019, 44, 160-168 Cuticular hydrocarbon composition does not allow Harmonia axyridis males to identify the mating status of sexual partners. <i>Entomologia Generalis</i> , 2019, 38, 211-224 Effects of Host Plants Reared under Elevated CO Concentrations on the Foraging Behavior of Different Stages of Corn Leaf Aphids. <i>Insects</i> , 2019, 10, Comparison of the Sex Pheromone Composition of Originating from Native and Invaded Areas. <i>Insects</i> , 2019, 10, Impact of necrophagous insects on the emission of volatile organic compounds released during the decaying process. <i>Entomologia Generalis</i> , 2019, 39, 19-31 First record of Tuta absoluta in Haiti. <i>Entomologia Generalis</i> , 2019, 38, 349-353 A review of Tuta absoluta (Lepidoptera: Gelechiidae) host plants and their impact on management strategies. <i>Biotechnology, Agronomy and Society and Environment</i> , 2019, 270-278 Biological alternatives to pesticides to control wireworms (Coleoptera: Elateridae). <i>Agri Gene</i> , 2019, 11, 10080 Today and tomorrow: impact of climate change on aphid biology and potential consequences on their mutualism with ants. <i>Physiological Entomology</i> , 2019, 44, 77-86 Fourteen years of anthropization dynamics in the Uapaca bojeri Baill. Forest of Madagascar. <i>Landscape and Ecological Engineering</i> , 2018, 14, 135-146 Identification of the Alarm Pheromone of Cowpea Aphid, and Comparison With Two Other Aphididae Species. <i>J</i>	populations of tomato leafminer: Evidence from Burkina Faso. Physiological Entomology, 2020, 45, 147-153 Silicon and Plant Natural Defenses against Insect Pests: Impact on Plant Volatile Organic Compounds and Cascade Effects on Multitrophic Interactions. Plants, 2019, 8, 43 Differential wing polyphenism adaptation across life stages under extreme high temperatures in corn leaf aphid. Scientific Reports, 2019, 9, 8744 Alternatives to neonicotinoids. Environment International, 2019, 129, 423-429 12.9 The taste of origin in a lady beetle: do males discriminate between females based on cuticular hydrocarbons?. Physiological Entomology, 2019, 44, 160-168 Cuticular hydrocarbon composition does not allow Harmonia axyridis males to identify the mating status of sexual partners. Entomologia Generalis, 2019, 38, 211-224 Effects of Host Plants Reared under Elevated CO Concentrations on the Foraging Behavior of Different Stages of Corn Leaf Aphids. Insects, 2019, 10, Comparison of the Sex Pheromone Composition of Originating from Native and Invaded Areas. Insects, 2019, 10, Limpact of necrophagous insects on the emission of volatile organic compounds released during the decaying process. Entomologia Generalis, 2019, 39, 19-31 First record of Tuta absoluta in Haliti. Entomologia Generalis, 2019, 38, 349-353 A review of Tuta absoluta (Lepidoptera: Gelechiidae) host plants and their impact on management strategies. Biotechnology, Agronomy and Society and Environment, 2019, 270-278 Biological alternatives to pesticides to control wireworms (Coleoptera: Elateridae). Agri Gene, 2019, 11, 100080 Today and tomorrow: impact of climate change on aphid biology and potential consequences on their mutualism with ants. Physiological Entomology, 2019, 44, 77-86 Elevateen years of anthropization dynamics in the Uspaca bojeri Baill, forest of Madagascar. Landscape and Ecological Engineering, 2018, 14, 135-146 Ledentification of the Alarm Pheromone of Cowpea Aphid, and Comparison With Two Other Aphididae Species. Journal of I	Silicon and Plant Natural Defenses against Insect Pests: Impact on Plant Volatile Organic Compounds and Cascade Effects on Multitrophic Interactions. Plants 2019, 8, Differential wing polyphenism adaptation across life stages under extreme high temperatures in corn leaf aphid. Scientific Reports, 2019, 9, 8744 Alternatives to neonicotinoids. Environment International, 2019, 129, 423-429 129 129 129 129 129 129 129

87	Oviposition deterrent activity of basil plants and their essentials oils against Tuta absoluta (Lepidoptera: Gelechiidae). <i>Environmental Science and Pollution Research</i> , 2018 , 25, 29880-29888	5.1	14
86	AphidBoverfly interactions under elevated CO2 concentrations: oviposition and larval development. <i>Physiological Entomology</i> , 2018 , 43, 245-250	1.9	3
85	Behavioural response of Lucilia sericata to a decaying body infested by necrophagous insects. <i>Physiological Entomology</i> , 2018 , 43, 188-195	1.9	8
84	Premier signalement de Deudorix livia (Lepidoptera: Lycanidae) en Algfie: Un ravageur important du grenadier et du palmier dattier. <i>EPPO Bulletin</i> , 2018 , 48, 281-286	1	2
83	Improving the Monitoring of the Walnut Husk Fly (Diptera: Tephritidae) Using Male-Produced Lactones. <i>Journal of Economic Entomology</i> , 2018 , 111, 2032-2037	2.2	4
82	Foraging wireworms are attracted to root-produced volatile aldehydes. <i>Journal of Pest Science</i> , 2017 , 90, 69-76	5.5	19
81	Bacteria may contribute to distant species recognition in ant-aphid mutualistic relationships. <i>Insect Science</i> , 2017 , 24, 278-284	3.6	8
80	Structure and distribution of the sensilla on the antennae of Tuta absoluta (Lepidoptera: Gelechiidae). <i>Micron</i> , 2017 , 96, 16-28	2.3	16
79	Tuned protection of aphids by ants against a predatory hoverfly. <i>Ecological Entomology</i> , 2017 , 42, 235-2	2 44 1	6
78	Identification of walnut husk (Juglans regia L.) volatiles and the behavioural response of the invasive Walnut Husk Fly, Rhagoletis completa Cresson. <i>Pest Management Science</i> , 2017 , 73, 2100-2104	4.6	10
77	First Characterisation of Volatile Organic Compounds Emitted by Banana Plants. <i>Scientific Reports</i> , 2017 , 7, 46400	4.9	8
76	Elevated Carbon Dioxide Concentration Reduces Alarm Signaling in Aphids. <i>Journal of Chemical Ecology</i> , 2017 , 43, 164-171	2.7	13
75	The Odor of Death: An Overview of Current Knowledge on Characterization and Applications. <i>BioScience</i> , 2017 , 67, 600-613	5.7	34
74	First Record of Tuta absoluta (Meyrick, 1917) (Lepidoptera: Gelechiidae) in Burkina Faso. <i>African Entomology</i> , 2017 , 25, 259	0.5	13
73	Walnut husk fly, Rhagoletis completa (Diptera: Tephritidae), invades Europe: invasion potential and control strategies. <i>Applied Entomology and Zoology</i> , 2017 , 52, 1-7	1.5	14
72	Betraying its presence: identification of the chemical signal released by Tuta absoluta-infested tomato plants that guide generalist predators toward their prey. <i>Arthropod-Plant Interactions</i> , 2017 , 11, 111-120	2.2	16
71	Behavioral and Immunological Features Promoting the Invasive Performance of the Harlequin Ladybird Harmonia axyridis. <i>Frontiers in Ecology and Evolution</i> , 2017 , 5,	3.7	22
70	Will climate change affect insect pheromonal communication?. <i>Current Opinion in Insect Science</i> , 2016 , 17, 87-91	5.1	30

(2014-2016)

69	The scent of love: how important are semiochemicals in the sexual behavior of lady beetles?. <i>Journal of Pest Science</i> , 2016 , 89, 347-358	5.5	15
68	Ability of Tuta absoluta (Lepidoptera: Gelechiidae) to develop on alternative host plant species. <i>Canadian Entomologist</i> , 2016 , 148, 434-442	0.7	24
67	Bacteria may enhance species association in an ant aphid mutualistic relationship. <i>Chemoecology</i> , 2015 , 25, 223-232	2	18
66	Orientation behaviour of Culicoides obsoletus (Diptera: Ceratopogonidae), a relevant virus vector in northern Europe, toward host-associated odorant cues. <i>Veterinary Parasitology</i> , 2015 , 211, 274-82	2.8	4
65	Could alternative solanaceous hosts act as refuges for the tomato leafminer, Tuta absoluta?. <i>Arthropod-Plant Interactions</i> , 2015 , 9, 425-435	2.2	23
64	Tuta absoluta-induced plant volatiles: attractiveness towards the generalist predator Macrolophus pygmaeus. <i>Arthropod-Plant Interactions</i> , 2015 , 9, 465-476	2.2	40
63	Aggregation behavior of Harmonia axyridis under non-wintering conditions. <i>Insect Science</i> , 2015 , 22, 670-8	3.6	12
62	Do aphids actively search for ant partners?. <i>Insect Science</i> , 2015 , 22, 283-8	3.6	3
61	Predation of the Peach Aphid Myzus persicae by the mirid Predator Macrolophus pygmaeus on Sweet Peppers: Effect of Prey and Predator Density. <i>Insects</i> , 2015 , 6, 514-23	2.8	12
60	Climate Change and Tritrophic Interactions: Will Modifications to Greenhouse Gas Emissions Increase the Vulnerability of Herbivorous Insects to Natural Enemies?. <i>Environmental Entomology</i> , 2015 , 44, 277-86	2.1	33
59	Semiochemicals of Rhagoletis fruit flies: Potential for integrated pest management. <i>Crop Protection</i> , 2015 , 78, 114-118	2.7	29
58	Associative learning of Nasonia vitripennis Walker (Hymenoptera:Pteromalidae) to methyldisulfanylmethane. <i>Journal of Forensic Sciences</i> , 2014 , 59, 413-6	1.8	4
57	Depth and Type of Substrate Influence the Ability of Nasonia vitripennisto Locate a Host. <i>Journal of Insect Science</i> , 2014 , 14, 1-12	2	1
56	Role of larval host plant experience and solanaceous plant volatile emissions in Tuta absoluta (Lepidoptera: Gelechiidae) host finding behavior. <i>Arthropod-Plant Interactions</i> , 2014 , 8, 293	2.2	11
55	First evidence of a volatile sex pheromone in lady beetles. <i>PLoS ONE</i> , 2014 , 9, e115011	3.7	19
54	Infestation Level Influences Oviposition Site Selection in the Tomato Leafminer Tuta absoluta (Lepidoptera: Gelechiidae). <i>Insects</i> , 2014 , 5, 877-84	2.8	17
53	Aphid honeydew: An arrestant and a contact kairomone for Episyrphus balteatus (Diptera: Syrphidae) larvae and adults. <i>European Journal of Entomology</i> , 2014 , 111, 237-242		16
52	Depth and type of substrate influence the ability of Nasonia vitripennis to locate a host. <i>Journal of Insect Science</i> , 2014 , 14, 58	2	2

51	Insects associated with Jatropha curcas Linn. (Euphorbiaceae) in west Niger. <i>Journal of Insect Science</i> , 2014 , 14,	2	7
50	Is conspecific substrate marking a long-term external memory of previously colonized overwintering sites in Harmonia axyridis?. <i>Journal of Applied Entomology</i> , 2014 , 138, 338-345	1.7	2
49	Is Contact Between Conspecifics Involved in the Cohesion of Harmonia axyridis (Pallas) (Coleoptera: Coccinellidae) Aggregations?. <i>Journal of Insect Behavior</i> , 2014 , 27, 1-13	1.1	3
48	Host-habitat location by the parasitoid, Nasonia vitripennis Walker (Hymenoptera: Pteromalidae). <i>Journal of Forensic Sciences</i> , 2014 , 59, 242-9	1.8	14
47	Characterization of volatile organic compounds emitted by barley (Hordeum vulgare L.) roots and their attractiveness to wireworms. <i>Journal of Chemical Ecology</i> , 2013 , 39, 1129-39	2.7	39
46	Electrophysiological and behavioral responses of Thanatophilus sinuatus Fabricius (Coleoptera: Silphidae) to selected cadaveric volatile organic compounds. <i>Journal of Forensic Sciences</i> , 2013 , 58, 917-	·23 ⁸	27
45	Aphid responses to volatile cues from turnip plants (Brassica rapa) infested with phloem-feeding and chewing herbivores. <i>Arthropod-Plant Interactions</i> , 2013 , 7, 567-577	2.2	21
44	Propensity of the Tomato Leafminer, Tuta absoluta (Lepidoptera: Gelechiidae), to Develop on Four Potato Plant Varieties. <i>American Journal of Potato Research</i> , 2013 , 90, 255-260	2.1	40
43	Diversity of forensic rove beetles (Coleoptera, Staphylinidae) associated with decaying pig carcass in a forest biotope. <i>Journal of Forensic Sciences</i> , 2013 , 58, 1032-40	1.8	23
42	The community of Hymenoptera parasitizing necrophagous Diptera in an urban biotope. <i>Journal of Insect Science</i> , 2013 , 13, 32		12
41	Forensic entomology investigations from Doctor Marcel Leclercq (1924-2008): a review of cases from 1969 to 2005. <i>Journal of Medical Entomology</i> , 2013 , 50, 935-54	2.2	28
40	Consumption of Immature Stages of Colorado Potato Beetle by Chrysoperla Carnea (Neuroptera: Chrysopidae) Larvae in the Laboratory. <i>American Journal of Potato Research</i> , 2013 , 90, 51-57	2.1	5
39	Wireworms' Management: An Overview of the Existing Methods, with Particular Regards to Agriotes spp. (Coleoptera: Elateridae). <i>Insects</i> , 2013 , 4, 117-52	2.8	54
38	Is the multicolored Asian ladybeetle, Harmonia axyridis, the most abundant natural enemy to aphids in agroecosystems?. <i>Journal of Insect Science</i> , 2013 , 13, 158		13
37	Substrate marking by an invasive ladybeetle: seasonal changes in hydrocarbon composition and behavioral responses. <i>PLoS ONE</i> , 2013 , 8, e61124	3.7	7
36	Occurrence of Harmonia axyridis (Coleoptera: Coccinellidae) in field crops. <i>European Journal of Entomology</i> , 2013 , 110, 285-292		12
35	Testing semiochemicals from aphid, plant and conspecific: attraction of Harmonia axyridis. <i>Insect Science</i> , 2012 , 19, 372-382	3.6	22
34	Honeydew volatile emission acts as a kairomonal message for the Asian lady beetle Harmonia axyridis (Coleoptera: Coccinellidae). <i>Insect Science</i> , 2012 , 19, 498-506	3.6	31

(2010-2012)

33	Responses of Lucilia sericata Meigen (Diptera: Calliphoridae) to cadaveric volatile organic compounds. <i>Journal of Forensic Sciences</i> , 2012 , 57, 386-90	1.8	50
32	Role of long-chain hydrocarbons in the aggregation behaviour of Harmonia axyridis (Pallas) (Coleoptera: Coccinellidae). <i>Journal of Insect Physiology</i> , 2012 , 58, 801-7	2.4	22
31	Aphid alarm pheromone: an overview of current knowledge on biosynthesis and functions. <i>Insect Biochemistry and Molecular Biology</i> , 2012 , 42, 155-63	4.5	94
30	Aphid alarm pheromone as a cue for ants to locate aphid partners. <i>PLoS ONE</i> , 2012 , 7, e41841	3.7	19
29	Optimisation of a semiochemical slow-release alginate formulation attractive towards Aphidius ervi Haliday parasitoids. <i>Pest Management Science</i> , 2012 , 68, 127-36	4.6	27
28	Chemical Ecology of the Colorado Potato Beetle, Leptinotarsa decemlineata (Say) (Coleoptera: Chrysomelidae), and Potential for Alternative Control Methods. <i>Insects</i> , 2012 , 4, 31-54	2.8	17
27	Earthworms use odor cues to locate and feed on microorganisms in soil. <i>PLoS ONE</i> , 2011 , 6, e21927	3.7	27
26	The chemical ecology of Harmonia axyridis. <i>BioControl</i> , 2011 , 56, 643-661	2.3	44
25	Age-dependent attractivity of males\(\text{Sexual pheromones in Bombus terrestris (L.) [Hymenoptera, Apidae]. \(Chemoecology, \text{ 2011}, 21, 75-82 \)	2	17
24	The semiochemically mediated interactions between bacteria and insects. <i>Chemoecology</i> , 2011 , 21, 113	-122	50
23	Aphid-host plant interactions: does aphid honeydew exactly reflect the host plant amino acid composition?. <i>Arthropod-Plant Interactions</i> , 2011 , 5, 193-199	2.2	42
22	Carrion beetles visiting pig carcasses during early spring in urban, forest and agricultural biotopes of Western Europe. <i>Journal of Insect Science</i> , 2011 , 11, 73	2	35
21	Microorganisms from aphid honeydew attract and enhance the efficacy of natural enemies. <i>Nature Communications</i> , 2011 , 2, 348	17.4	113
20	Alarm pheromones-chemical signaling in response to danger. <i>Vitamins and Hormones</i> , 2010 , 83, 215-39	2.5	47
19	Aphidant mutualism: how honeydew sugars influence the behaviour of ant scouts. <i>Physiological Entomology</i> , 2010 , 35, 168-174	1.9	49
18	Assessment of oviposition site quality by aphidophagous hoverflies: reaction to conspecific larvae. <i>Animal Behaviour</i> , 2010 , 79, 589-594	2.8	17
17	An introduction device for the aphidophagous hoverfly Episyrphus balteatus (De Geer) (Diptera: Syrphidae). <i>Biological Control</i> , 2010 , 54, 181-188	3.8	20
16	Validation of a fast gas chromatographic method for the study of semiochemical slow release formulations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 962-72	3.5	15

15	Intraguild interactions between the predatory hoverfly Episyrphus balteatus (Diptera: Syrphidae) and the Asian ladybird, Harmonia axyridis (Coleoptera: Coccinellidae): Effect of larval tracks. <i>European Journal of Entomology</i> , 2010 , 107, 41-45		16
14	Social enviroment influences aphid production of alarm pheromone. <i>Behavioral Ecology</i> , 2009 , 20, 283-	2 8 83	41
13	Comparison of age-dependent quantitative changes in the male labial gland secretion of Bombus terrestris and Bombus lucorum. <i>Journal of Chemical Ecology</i> , 2009 , 35, 698-705	2.7	33
12	Tomato-aphid-hoverfly: a tritrophic interaction incompatible for pest management. <i>Arthropod-Plant Interactions</i> , 2009 , 3, 141-149	2.2	26
11	Fast gas chromatography characterisation of purified semiochemicals from essential oils of Matricaria chamomilla L. (Asteraceae) and Nepeta cataria L. (Lamiaceae). <i>Journal of Chromatography A</i> , 2009 , 1216, 2768-75	4.5	58
10	Does imidacloprid seed-treated maize have an impact on honey bee mortality?. <i>Journal of Economic Entomology</i> , 2009 , 102, 616-23	2.2	87
9	Emission of alarm pheromone by non-preyed aphid colonies. <i>Journal of Applied Entomology</i> , 2008 , 132, 601-604	1.7	24
8	Aphid and plant volatiles induce oviposition in an aphidophagous hoverfly. <i>Journal of Chemical Ecology</i> , 2008 , 34, 301-7	2.7	112
7	Emission of alarm pheromone in aphids: a non-contagious phenomenon. <i>Journal of Chemical Ecology</i> , 2008 , 34, 1146-8	2.7	23
6	Discrimination of parasitized aphids by a hoverfly predator: effects on larval performance, foraging, and oviposition behavior. <i>Entomologia Experimentalis Et Applicata</i> , 2008 , 128, 73-80	2.1	21
5	Predatory hoverflies select their oviposition site according to aphid host plant and aphid species. <i>Entomologia Experimentalis Et Applicata</i> , 2007 , 125, 13-21	2.1	42
4	Role of terpenes from aphid-infested potato on searching and oviposition behavior of Episyrphus balteatus. <i>Insect Science</i> , 2007 , 14, 57	3.6	50
3	Electrophysiological and behavioral activity of secondary metabolites in the confused flour beetle, Tribolium confusum. <i>Journal of Chemical Ecology</i> , 2007 , 33, 525-39	2.7	48
2	Electrophysiological and behavioral responses of the multicolored Asian lady beetle, Harmonia axyridis pallas, to sesquiterpene semiochemicals. <i>Journal of Chemical Ecology</i> , 2007 , 33, 2148-55	2.7	90
1	Is the (F)-Ffarnesene only volatile terpenoid in aphids? <i>Journal of Applied Entomology</i> 2005 , 129, 6-11	17	112