

# Donatella Taramelli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/51968/publications.pdf>

Version: 2024-02-01

144  
papers

5,568  
citations

66343

42  
h-index

102487

66  
g-index

148  
all docs

148  
docs citations

148  
times ranked

6527  
citing authors

#	ARTICLE	IF	CITATIONS
1	A rapid spectrophotometric method to identify inhibitors of human erythropoiesis. <i>Journal of Pharmacological and Toxicological Methods</i> , 2022, 113, 107134.	0.7	0
2	Total Synthesis of the Natural Chalcone Lophirone E, Synthetic Studies toward Benzofuran and Indole-Based Analogues, and Investigation of Anti-Leishmanial Activity. <i>Molecules</i> , 2022, 27, 463.	3.8	10
3	Search for structurally diverse heterocyclic analogs as dual-acting antimalarial and antileishmanial agents: An overview. <i>European Journal of Medicinal Chemistry Reports</i> , 2022, 4, 100031.	1.4	2
4	In Vitro SARS-CoV-2 Infection of Microvascular Endothelial Cells: Effect on Pro-Inflammatory Cytokine and Chemokine Release. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4063.	4.1	7
5	Antiparasitic Drugs against SARS-CoV-2: A Comprehensive Literature Survey. <i>Microorganisms</i> , 2022, 10, 1284.	3.6	2
6	In Vitro Activity of the Arylaminoartemisinin GC012 against <i>Helicobacter pylori</i> and Its Effects on Biofilm. <i>Pathogens</i> , 2022, 11, 740.	2.8	4
7	Phagocytosis and activation of bone marrow-derived macrophages by <i>Plasmodium falciparum</i> gametocytes. <i>Malaria Journal</i> , 2021, 20, 81.	2.3	7
8	Synthesis and biological evaluation of benzhydryl-based antiplasmodial agents possessing <i>Plasmodium falciparum</i> chloroquine resistance transporter (PfCRT) inhibitory activity. <i>European Journal of Medicinal Chemistry</i> , 2021, 215, 113227.	5.5	5
9	Design, Synthesis and In Vitro Investigation of Novel Basic Celastrol Carboxamides as Bio-Inspired Leishmanicidal Agents Endowed with Inhibitory Activity against <i>Leishmania Hsp90</i> . <i>Biomolecules</i> , 2021, 11, 56.	4.0	14
10	Development of Potent 3-Br-isoxazoline-Based Antimalarial and Antileishmanial Compounds. <i>ACS Medicinal Chemistry Letters</i> , 2021, 12, 1726-1732.	2.8	6
11	<i>Leishmania</i> Promastigotes Enhance Neutrophil Recruitment through the Production of CXCL8 by Endothelial Cells. <i>Pathogens</i> , 2021, 10, 1380.	2.8	3
12	Synthesis, Molecular Docking and Antiplasmodial Activities of New Tetrahydro- $\beta$ -Carbolines. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13569.	4.1	3
13	Antiplasmodial activity of triterpenes isolated from the methanolic leaf extract of <i>Combretum racemosum</i> P. Beauv. <i>Journal of Ethnopharmacology</i> , 2020, 247, 112203.	4.1	10
14	Safety of Artemisinin Derivatives in the First Trimester of Pregnancy: A Controversial Story. <i>Molecules</i> , 2020, 25, 3505.	3.8	9
15	In vitro Multistage Malaria Transmission Blocking Activity of Selected Malaria Box Compounds. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 1593-1607.	4.3	6
16	<i>Leishmania infantum</i> infection reduces the amyloid $\beta$ 242-stimulated NLRP3 inflammasome activation. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 597-605.	4.1	12
17	Discovery and Pharmacophore Mapping of a Low-Nanomolar Inhibitor of <i>P. falciparum</i> Growth. <i>ChemMedChem</i> , 2019, 14, 1982-1994.	3.2	5
18	Identification of a potent and selective gametocytocidal antimalarial agent from the stem barks of <i>Lophira lanceolata</i> . <i>Bioorganic Chemistry</i> , 2019, 93, 103321.	4.1	13

#	ARTICLE	IF	CITATIONS
19	Bridged bicyclic 2,3-dioxabicyclo[3.3.1]nonanes as antiplasmodial agents: Synthesis, structure-activity relationships and studies on their biomimetic reaction with Fe(II). <i>Bioorganic Chemistry</i> , 2019, 89, 103020.	4.1	13
20	Malaria pigment accelerates MTT "formazan exocytosis in human endothelial cells. <i>Parasitology</i> , 2019, 146, 399-406.	1.5	5
21	Antimalarial agents against both sexual and asexual parasites stages: structure-activity relationships and biological studies of the Malaria Box compound 1-[5-(4-bromo-2-chlorophenyl)furan-2-yl]-N-[(piperidin-4-yl)methyl]methanamine (MMV019918) and analogues. <i>European Journal of Medicinal Chemistry</i> , 2018, 150, 698-718.	5.5	27
22	Facile Preparation of N-Glycosylated 10-Piperazinyl Artemisinin Derivatives and Evaluation of Their Antimalarial and Cytotoxic Activities. <i>Molecules</i> , 2018, 23, 1713.	3.8	15
23	Differential induction of malaria liver pathology in mice infected with <i>Plasmodium chabaudi</i> AS or <i>Plasmodium berghei</i> NK65. <i>Malaria Journal</i> , 2018, 17, 18.	2.3	19
24	Artemisone and Artemiside Are Potent Panreactive Antimalarial Agents That Also Synergize Redox Imbalance in <i>Plasmodium falciparum</i> Transmissible Gametocyte Stages. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	39
25	Malaria pigment stimulates chemokine production by human microvascular endothelium. <i>Acta Tropica</i> , 2017, 172, 125-131.	2.0	12
26	In Vivo and In Vitro Activities and ADME-Tox Profile of a Quinolizidine-Modified 4-Aminoquinoline: A Potent Anti- <i>P. falciparum</i> and Anti- <i>P. vivax</i> Blood-Stage Antimalarial. <i>Molecules</i> , 2017, 22, 2102.	3.8	12
27	HaCaT Cells as a Reliable In Vitro Differentiation Model to Dissect the Inflammatory/Repair Response of Human Keratinocytes. <i>Mediators of Inflammation</i> , 2017, 2017, 1-12.	3.0	179
28	Open Source Drug Discovery with the Malaria Box Compound Collection for Neglected Diseases and Beyond. <i>PLoS Pathogens</i> , 2016, 12, e1005763.	4.7	244
29	In vitro activity of artemisone and artemisinin derivatives against extracellular and intracellular <i>Helicobacter pylori</i> . <i>International Journal of Antimicrobial Agents</i> , 2016, 48, 101-105.	2.5	22
30	Reinvestigating Old Pharmacophores: Are 4-Aminoquinolines and Tetraoxanes Potential Two-Stage Antimalarials?. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 264-281.	6.4	32
31	A chemical susceptibility profile of the <i>Plasmodium falciparum</i> transmission stages by complementary cell-based gametocyte assays. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 1148-1158.	3.0	37
32	Synthesis and Antiplasmodial Activity of Novel Chloroquine Analogues with Bulky Basic Side Chains. <i>ChemMedChem</i> , 2015, 10, 1570-1583.	3.2	15
33	Stability of the Antimalarial Drug Dihydroartemisinin under Physiologically Relevant Conditions: Implications for Clinical Treatment and Pharmacokinetic and <i>In Vitro</i> Assays. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 4046-4052.	3.2	47
34	cAMP-Signalling Regulates Gametocyte-Infected Erythrocyte Deformability Required for Malaria Parasite Transmission. <i>PLoS Pathogens</i> , 2015, 11, e1004815.	4.7	60
35	Modified quaternary ammonium salts as potential antimalarial agents. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 4681-4687.	3.0	15
36	Salinomycin and Other Ionophores as a New Class of Antimalarial Drugs with Transmission-Blocking Activity. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 5135-5144.	3.2	40

#	ARTICLE	IF	CITATIONS
37	Involvement of Nod2 in the innate immune response elicited by malarial pigment hemozoin. <i>Microbes and Infection</i> , 2015, 17, 184-194.	1.9	20
38	Clofazimine analogs with antileishmanial and antiplasmodial activity. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 55-65.	3.0	20
39	Synthetic spirocyclic endoperoxides: new antimalarial scaffolds. <i>MedChemComm</i> , 2015, 6, 357-362.	3.4	39
40	Altered Lipid Composition of Surfactant and Lung Tissue in Murine Experimental Malaria-Associated Acute Respiratory Distress Syndrome. <i>PLoS ONE</i> , 2015, 10, e0143195.	2.5	13
41	Endoperoxide polyketides from a Chinese <i>Plakortis</i> simplex: Further evidence of the impact of stereochemistry on antimalarial activity of simple 1,2-dioxanes. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 4572-4580.	3.0	20
42	Optimized Synthesis and Antimalarial Activity of 1,2-dioxane-4-carboxamides. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 1607-1614.	2.4	15
43	Inhibition of metalloproteinase-9 secretion and gene expression by artemisinin derivatives. <i>Acta Tropica</i> , 2014, 140, 77-83.	2.0	10
44	Antiplasmodial and anti-inflammatory activities of <i>Canthium henriquesianum</i> (K. Schum), a plant used in traditional medicine in Burkina Faso. <i>Journal of Ethnopharmacology</i> , 2013, 148, 763-769.	4.1	17
45	CRIMALDDI: platform technologies and novel anti-malarial drug targets. <i>Malaria Journal</i> , 2013, 12, 396.	2.3	15
46	Further optimization of plakortin pharmacophore: Structurally simple 4-oxymethyl-1,2-dioxanes with promising antimalarial activity. <i>European Journal of Medicinal Chemistry</i> , 2013, 70, 875-886.	5.5	12
47	A <i>Plasmodium falciparum</i> screening assay for anti-gametocyte drugs based on parasite lactate dehydrogenase detection. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 2048-2058.	3.0	102
48	Curcumin enhances non-opsonic phagocytosis of <i>Plasmodium falciparum</i> through up-regulation of CD36 surface expression on monocytes/macrophages. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 1895-1904.	3.0	36
49	Mimicking the Intramolecular Hydrogen Bond: Synthesis, Biological Evaluation, and Molecular Modeling of Benzoxazines and Quinazolines as Potential Antimalarial Agents. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 10387-10404.	6.4	58
50	Antiplasmodial activities of 4-aminoquinoline-3-statine compounds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 5915-5918.	2.2	9
51	PATHOGENESIS OF MALARIA IN TISSUES AND BLOOD. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2012, 4, e2012061.	1.3	72
52	Synthesis and antiplasmodial activity of new heteroaryl derivatives of 7-chloro-4-aminoquinoline. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 5965-5979.	3.0	27
53	Synthesis and comparison of antiplasmodial activity of (+), (âˆ“) and racemic 7-chloro-4-(N-lupinyl)aminoquinoline. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 5980-5985.	3.0	11
54	Anti-plasmodial and insecticidal activities of the essential oils of aromatic plants growing in the Mediterranean area. <i>Malaria Journal</i> , 2012, 11, 219.	2.3	31

#	ARTICLE	IF	CITATIONS
55	Optimization of 4-Aminoquinoline/Clotrimazole-Based Hybrid Antimalarials: Further Structure-Activity Relationships, in Vivo Studies, and Preliminary Toxicity Profiling. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 6948-6967.	6.4	43
56	Dihydroartemisinin inhibits the human erythroid cell differentiation by altering the cell cycle. <i>Toxicology</i> , 2012, 300, 57-66.	4.2	45
57	A New Class of Antimalarial Dioxanes Obtained through a Simple Two-Step Synthetic Approach: Rational Design and Structure-Activity Relationship Studies. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 8526-8540.	6.4	17
58	A Chemotype That Inhibits Three Unrelated Pathogenic Targets: The Botulinum Neurotoxin Serotype A Light Chain, <i>P. falciparum</i> Malaria, and the Ebola Filovirus. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 1157-1169.	6.4	46
59	Synthesis and Antiplasmodial Activity of Bicyclic Dioxanes as Simplified Dihydroplakortin Analogues. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 5949-5953.	6.4	25
60	Natural haemozoin modulates matrix metalloproteinases and induces morphological changes in human microvascular endothelium. <i>Cellular Microbiology</i> , 2011, 13, 1275-1285.	2.1	42
61	Amodiaquine analogues containing NO-donor substructures: Synthesis and their preliminary evaluation as potential tools in the treatment of cerebral malaria. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 1757-1767.	5.5	29
62	The plant-based immunomodulator curcumin as a potential candidate for the development of an adjunctive therapy for cerebral malaria. <i>Malaria Journal</i> , 2011, 10, S10.	2.3	59
63	Antimalarial Mannoxanes: Hybrid Antimalarial Drugs with Outstanding Oral Activity Profiles and A Potential Dual Mechanism of Action. <i>ChemMedChem</i> , 2011, 6, 1357-1361.	3.2	25
64	Antimalarials based on the dioxane scaffold of plakortin. A concise synthesis and SAR studies. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 312-320.	3.0	26
65	Selective toxicity of dihydroartemisinin on human CD34+ erythroid cell differentiation. <i>Toxicology</i> , 2010, 276, 128-134.	4.2	27
66	Synthesis, antimalarial activity, and cellular toxicity of new arylpyrrolylaminoquinolines. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 6625-6633.	3.0	10
67	The Lipid Moiety of Haemozoin (Malaria Pigment) and <i>P. falciparum</i> Parasitised Red Blood Cells Bind Synthetic and Native Endothelin-1. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-9.	3.0	10
68	Antiplasmodial Triterpenoids from the Fruits of Neem, <i>Azadirachta indica</i> . <i>Journal of Natural Products</i> , 2010, 73, 1448-1452.	3.0	70
69	Manadoperoxides A-D from the Indonesian Sponge <i>Plakortis cfr. simplex</i> . Further Insights on the Structure-Activity Relationships of Simple 1,2-Dioxane Antimalarials. <i>Journal of Natural Products</i> , 2010, 73, 1138-1145.	3.0	54
70	Ellagitannins of the fruit rind of pomegranate ( <i>Punica granatum</i> ) antagonize in vitro the host inflammatory response mechanisms involved in the onset of malaria. <i>Malaria Journal</i> , 2010, 9, 208.	2.3	84
71	CRIMALDDI: a co-ordinated, rational, and integrated effort to set logical priorities in anti-malarial drug discovery initiatives. <i>Malaria Journal</i> , 2010, 9, 202.	2.3	6
72	Novel Antimalarial Aminoquinolines: Heme Binding and Effects on Normal or <i>Plasmodium falciparum</i> -Parasitized Human Erythrocytes. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 4339-4344.	3.2	23

#	ARTICLE	IF	CITATIONS
73	Interaction of Artemisinins with Oxyhemoglobin Hb <sup>α</sup> , Hb <sup>β</sup> , CarboxyHb <sup>α</sup> , Heme <sup>α</sup> , and Carboxyheme Fe <sup>α</sup> : Significance for Mode of Action and Implications for Therapy of Cerebral Malaria. <i>ChemMedChem</i> , 2009, 4, 2045-2053.	3.2	29
74	Two complementary fluorimetric assays for the determination of aminoquinoline binding and uptake by human erythrocytes in vitro. <i>Analytical Biochemistry</i> , 2009, 385, 371-373.	2.4	2
75	Antiplasmodial activity of <i>Punica granatum</i> L. fruit rind. <i>Journal of Ethnopharmacology</i> , 2009, 125, 279-285.	4.1	95
76	Combining 4-Aminoquinoline- and Clotrimazole-Based Pharmacophores toward Innovative and Potent Hybrid Antimalarials. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 502-513.	6.4	55
77	Synthesis, Antimalarial Activity, and Preclinical Pharmacology of a Novel Series of 4 <sup>2</sup> -Fluoro and 4 <sup>2</sup> -Chloro Analogues of Amodiaquine. Identification of a Suitable <i>N</i> -tert-Butyl Isoquine. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 1828-1844.	6.4	56
78	Spatial distribution of heme species in erythrocytes infected with <i>Plasmodium falciparum</i> by use of resonance Raman imaging and multivariate analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 392, 1277-1282.	3.7	37
79	Atovaquone-Statine Double-Drugs with High Antiplasmodial Activity. <i>ChemMedChem</i> , 2008, 3, 418-420.	3.2	16
80	Opening Opportunities for New Drugs Against Neglected Diseases. <i>ChemMedChem</i> , 2008, 3, 371-373.	3.2	0
81	Novel amodiaquine congeners as potent antimalarial agents. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 6813-6823.	3.0	43
82	Antimalarial activity of novel pyrrolizidinyl derivatives of 4-aminoquinoline. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 3737-3740.	2.2	44
83	Anti-plasmodial activity of <i>Ailanthus excelsa</i> . <i>F<sup>3</sup>-toterap<sup>3</sup></i> , 2008, 79, 112-116.	2.2	10
84	Design, Synthesis, and Structure-Activity Relationship Studies of 4-Quinolinylnyl- and 9-Acrydinylnylhydrazones as Potent Antimalarial Agents. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 1333-1343.	6.4	73
85	Clotrimazole Scaffold as an Innovative Pharmacophore Towards Potent Antimalarial Agents: Design, Synthesis, and Biological and Structure-Activity Relationship Studies. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 1278-1294.	6.4	45
86	The Fe <sup>2+</sup> -Mediated Decomposition, PfATP6 Binding, and Antimalarial Activities of Artemisone and Other Artemisinins: The Unlikelihood of Centered Radicals as Bioactive Intermediates. <i>ChemMedChem</i> , 2007, 2, 1480-1497.	3.2	107
87	Development of piperazine-tethered heterodimers as potent antimalarials against chloroquine-resistant <i>P. falciparum</i> strains. <i>Synthesis and molecular modeling</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 3535-3539.	2.2	18
88	Modulation of glyceraldehyde 3 phosphate dehydrogenase activity and tyr-phosphorylation of Band 3 in human erythrocytes treated with ferriprotoporphyrin IX. <i>Biochemical Pharmacology</i> , 2007, 74, 1383-1389.	4.4	6
89	Design and Synthesis of Potent Antimalarial Agents Based on Clotrimazole Scaffold: Exploring an Innovative Pharmacophore. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 595-598.	6.4	40
90	Differential effects on angiogenesis of two antimalarial compounds, dihydroartemisinin and artemisone: Implications for embryotoxicity. <i>Toxicology</i> , 2007, 241, 66-74.	4.2	68

#	ARTICLE	IF	CITATIONS
91	Endoperoxide Derivatives from Marine Organisms: 1,2-Dioxanes of the Plakortin Family as Novel Antimalarial Agents. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 7088-7094.	6.4	66
92	High Antiplasmodial Activity of Novel Plasmepsins I and II Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 7440-7449.	6.4	31
93	Synthesis of N1-arylidene-N2-quinolyl- and N2-acrydinyldhydrazones as potent antimalarial agents active against CQ-resistant <i>P. falciparum</i> strains. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 5384-5388.	2.2	142
94	Prevalence of pfcr1 point mutations and level of chloroquine resistance in <i>Plasmodium falciparum</i> isolates from Africa. <i>Infection, Genetics and Evolution</i> , 2006, 6, 262-268.	2.3	27
95	4-Aminoquinoline quinolizidinyl- and quinolizidinylalkyl-derivatives with antimalarial activity. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 5338-5345.	3.0	54
96	Synthesis and antimalarial activities of some furoxan sulfones and related furazans. <i>European Journal of Medicinal Chemistry</i> , 2005, 40, 1335-1340.	5.5	41
97	Destabilisation and subsequent lysis of human erythrocytes induced by <i>Plasmodium falciparum</i> haem products. <i>European Journal of Haematology</i> , 2005, 74, 324-332.	2.2	68
98	Immunomodulatory $\beta$ -Galactoglycosphingolipids: Synthesis of 2'-Fluoro-2'-deoxy- $\beta$ -galactosylceramide and an Evaluation of Its Immunostimulating Properties. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 3279-3285.	2.4	30
99	Antimalarial Polyketide Cycloperoxides from the Marine Sponge <i>Plakortis simplex</i> . <i>European Journal of Organic Chemistry</i> , 2005, 2005, 5077-5083.	2.4	42
100	Damicoside from <i>Axinella damicornis</i> : The Influence of a Glycosylated Galactose 4-OH Group on the Immunostimulatory Activity of $\beta$ -Galactoglycosphingolipids. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 7411-7417.	6.4	23
101	High-density lipoproteins attenuate interleukin-6 production in endothelial cells exposed to pro-inflammatory stimuli. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2005, 1736, 136-143.	2.4	43
102	Regulation of human erythrocyte glyceraldehyde-3-phosphate dehydrogenase by ferriprotoporphyrin IX. <i>FEBS Letters</i> , 2005, 579, 5095-5099.	2.8	6
103	Insights into the Mechanism of Action of Ferroquine. Relationship between Physicochemical Properties and Antiplasmodial Activity. <i>Molecular Pharmaceutics</i> , 2005, 2, 185-193.	4.6	150
104	Synthesis of Some Cryptolepine Analogues, Assessment of Their Antimalarial and Cytotoxic Activities, and Consideration of Their Antimalarial Mode of Action. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 2701-2709.	6.4	93
105	Immunomodulatory $\beta$ -Galactoglycosphingolipids: Synthesis of a 2-O-Methyl- $\beta$ -Gal-GSL and Evaluation of Its Immunostimulating Capacity. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 468-473.	2.4	29
106	4-Alkyl- and 4-phenylcoumarins from <i>Mesua ferrea</i> as promising multidrug resistant antibacterials. <i>Phytochemistry</i> , 2004, 65, 2867-2879.	2.9	116
107	Plasmepsin II inhibition and antiplasmodial activity of Primaquine "Statine double-drugs". <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 2931-2934.	2.2	38
108	Evidence that haem iron in the malaria parasite is not needed for the antimalarial effects of artemisinin. <i>FEBS Letters</i> , 2004, 575, 91-94.	2.8	36



#	ARTICLE	IF	CITATIONS
109	1-40 $\beta$ -amyloid protein fragment modulates the expression of CD44 and CD71 on the astrocytoma cell line in the presence of IL1 $\beta$ and TNF $\beta$ . <i>Journal of Cellular Physiology</i> , 2003, 196, 190-195.	4.1	11
110	Artemisinin Antimalarials Do Not Inhibit Hemozoin Formation. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 1175-1175.	3.2	67
111	Differential Cytokine Pattern in the Spleens and Livers of BALB/c Mice Infected with <i>Penicillium marneffei</i> : Protective Role of Gamma Interferon. <i>Infection and Immunity</i> , 2003, 71, 465-473.	2.2	55
112	In Vitro Studies on the Mechanism of Action of Two Compounds with Antiplasmodial Activity: Ellagic Acid and 3,4,5-Trimethoxyphenyl(6- $\beta$ -O-Galloyl)- $\beta$ -D-glucopyranoside. <i>Planta Medica</i> , 2003, 69, 162-164.	1.3	32
113	Accelerated senescence of human erythrocytes cultured with <i>Plasmodium falciparum</i> . <i>Blood</i> , 2003, 102, 705-711.	1.4	87
114	Activity against <i>Plasmodium falciparum</i> of cycloperoxide compounds obtained from the sponge <i>Plakortis simplex</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 50, 883-888.	3.0	66
115	Endothelin-1 production by a microvascular endothelial cell line treated with <i>Plasmodium falciparum</i> parasitized red blood cells. <i>Clinical Science</i> , 2002, 103, 464S-466S.	4.3	10
116	Structure-Activity Relationships in 4-Aminoquinoline Antiplasmodials. The Role of the Group at the 7-Position. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 3531-3539.	6.4	215
117	Does chloroquine really act through oxidative stress?. <i>FEBS Letters</i> , 2002, 522, 3-5.	2.8	28
118	Prooxidant activity of $\beta$ -hematin (synthetic malaria pigment) in arachidonic acid micelles and phospholipid large unilamellar vesicles Abbreviations: AA, arachidonic acid; AH, (ferriprotoporphyrin) Tj ETQqO O O rgBT /Overlock 10 T hydroperoxide; DMSO, dimethylsulfoxide; FV, food vacuole; GSH, reduced glutathione; HZ, hemozoin; LOOH, hydroperoxides; LUVs, Large Unilamellar Vesicles; PE, phosphatidylethanolamine; PL, phospholipid; RBC, red blood. <i>Biochemical Pharmacology</i> , 2001, 61, 999-1009.	4.4	26
119	Inhibition of Intramacrophage Growth of <i>Penicillium marneffei</i> by 4-Aminoquinolines. <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 1450-1455.	3.2	17
120	Experimental Results on Chloroquine and AIDS-Related Opportunistic Infections. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2001, 26, 300-301.	2.1	10
121	Experimental Results on Chloroquine and AIDS-Related Opportunistic Infections. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2001, 26, 300-301.	2.1	18
122	Macrophage Preconditioning with Synthetic Malaria Pigment Reduces Cytokine Production via Heme Iron-Dependent Oxidative Stress. <i>Laboratory Investigation</i> , 2000, 80, 1781-1788.	3.7	49
123	Standardization of the Physicochemical Parameters to Assess in Vitro the $\beta$ -Hematin Inhibitory Activity of Antimalarial Drugs. <i>Experimental Parasitology</i> , 2000, 96, 249-256.	1.2	102
124	Effects of Iron on Extracellular and Intracellular Growth of <i>Penicillium marneffei</i> . <i>Infection and Immunity</i> , 2000, 68, 1724-1726.	2.2	24
125	Phagocytosis of Hemozoin (Native and Synthetic Malaria Pigment), and <i>Plasmodium falciparum</i> Intraerythrocyte-Stage Parasites by Human and Mouse Phagocytes. <i>Ultrastructural Pathology</i> , 2000, 24, 9-13.	0.9	23
126	A Novel Endogenous Antimalarial: $\beta$ -Fe(II)-Protoporphyrin IX $\pm$ (Heme) Inhibits Hematin Polymerization to $\beta$ -Hematin (Malaria Pigment) and Kills Malaria Parasites. <i>Biochemistry</i> , 1999, 38, 8858-8863.	2.5	65



#	ARTICLE	IF	CITATIONS
127	The effect of synthetic malaria pigment ( $\beta$ -haematin) on adhesion molecule expression and interleukin-6 production by human endothelial cells. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1998, 92, 57-62.	1.8	28
128	Macrophage populations of different origins have distinct susceptibilities to lipid peroxidation induced by $\beta$ -haematin (malaria pigment). FEBS Letters, 1998, 433, 215-218.	2.8	21
129	Nitric Oxide-Mediated Induction of Ferritin Synthesis in J774 Macrophages by Inflammatory Cytokines: Role of Selective Iron Regulatory Protein-2 Downregulation. Blood, 1998, 91, 1059-1066.	1.4	127
130	Inhibition of VCAM-1 Expression in Endothelial Cells by Reconstituted High Density Lipoproteins. Biochemical and Biophysical Research Communications, 1997, 238, 61-65.	2.1	150
131	Non-iron porphyrins inhibit $\beta$ -haematin (malaria pigment) polymerisation. FEBS Letters, 1997, 409, 297-299.	2.8	54
132	In vitro identification of a subpopulation of fibroblasts that produces high levels of collagen in scleroderma patients. Arthritis and Rheumatism, 1990, 33, 842-852.	6.7	37
133	Lack of suppressive activity of human primary melanoma cells on the activation of autologous lymphocytes. Cancer Immunology, Immunotherapy, 1988, 26, 61-6.	4.2	8
134	Systemic administration of autologous, alloactivated helper-enriched lymphocytes to patients with metastatic melanoma of the lung. Cancer Immunology, Immunotherapy, 1986, 21, 148-55.	4.2	27
135	Autologous cellular immune response to primary and metastatic human melanomas and its regulation by DR antigens expressed on tumor cells. Cancer and Metastasis Reviews, 1985, 4, 7-26.	5.9	22
136	Inhibition of Human Melanoma Growth in Nude Mice by Autologous, Alloactivated Peripheral Blood Lymphocytes. Tumori, 1984, 70, 35-39.	1.1	11
137	Lymphokines inhibit macrophage RNA synthesis. Cellular Immunology, 1984, 84, 51-64.	3.0	7
138	Primary but not metastatic human melanomas expressing dr antigens stimulate autologous lymphocytes. International Journal of Cancer, 1984, 33, 591-597.	5.1	91
139	The inhibition of lymphocyte stimulation by autologous human metastatic melanoma cells correlates with the expression of HLA-DR antigens on the tumor cells. International Journal of Cancer, 1984, 34, 797-806.	5.1	63
140	Induction of immunotoxicity by polycyclic hydrocarbons: Role of the Ah locus. Archives of Toxicology, 1984, 56, 18-24.	4.2	30
141	Role of Bacterial Lipopolysaccharide and Lymphokine in the Regulation of Macrophage Activation: Correlates between Secretion of Plasminogen Activator and Tumor Lysis. Immunobiology, 1984, 166, 410-427.	1.9	2
142	RNA synthesis in activated macrophages I. Poly(I) $\hat{A}$ -poly(C)-induced triggering of cytolytic activity is associated with decrease in RNA synthesis. European Journal of Immunology, 1983, 13, 959-964.	2.9	8
143	Lysis of autologous human melanoma cells by in vitro allosensitized peripheral blood lymphocytes. Cancer Immunology, Immunotherapy, 1982, 14, 99-104.	4.2	31
144	Measurement of macrophage-mediated cytotoxicity against adherent and non-adherent target cells by release of $^{111}$ indium-oxine. Journal of Immunological Methods, 1981, 43, 319-331.	1.4	48