

Dao-Hua Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5197458/publications.pdf>

Version: 2024-02-01

78
papers

1,118
citations

393982

19
h-index

454577

30
g-index

78
all docs

78
docs citations

78
times ranked

1556
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrathin Dual-Band Metasurface Polarization Converter. IEEE Transactions on Antennas and Propagation, 2019, 67, 4636-4641.	3.1	120
2	On-chip discrimination of orbital angular momentum of light with plasmonic nanoslits. Nanoscale, 2016, 8, 2227-2233.	2.8	76
3	On-chip photonic Fourier transform with surface plasmon polaritons. Light: Science and Applications, 2016, 5, e16034-e16034.	7.7	58
4	Ultrathin Highly Luminescent Two-€ Monolayer Colloidal CdSe Nanoplatelets. Advanced Functional Materials, 2019, 29, 1901028.	7.8	56
5	Surface plasmon enhanced infrared photodetection. Opto-Electronic Advances, 2019, 2, 18002601-18002610.	6.4	53
6	Surface plasmon induced direct detection of long wavelength photons. Nature Communications, 2017, 8, 1660.	5.8	51
7	Manipulating Coherent Light-Matter Interaction: Continuous Transition between Strong Coupling and Weak Coupling in MoS ₂ Monolayer Coupled with Plasmonic Nanocavities. Advanced Optical Materials, 2019, 7, 1900857.	3.6	48
8	Multifunctional Hyperbolic Nanogroove Metasurface for Submolecular Detection. Small, 2017, 13, 1700600.	5.2	46
9	Concurrent Inhibition and Redistribution of Spontaneous Emission from All Inorganic Perovskite Photonic Crystals. ACS Photonics, 2019, 6, 1331-1337.	3.2	39
10	Plasmonic semiconductor nanogroove array enhanced broad spectral band millimetre and terahertz wave detection. Light: Science and Applications, 2021, 10, 58.	7.7	32
11	Polarization-Controlled Plasmonic Structured Illumination. Nano Letters, 2020, 20, 2602-2608.	4.5	29
12	Si metasurface half-wave plates demonstrated on a 12-inch CMOS platform. Nanophotonics, 2020, 9, 149-157.	2.9	28
13	Strong Plasmon-Exciton Interactions on Nanoantenna Array-Monolayer WS ₂ Hybrid System. Advanced Optical Materials, 2020, 8, 1901002.	3.6	28
14	Sub-100-nm Sized Silver Split Ring Resonator Metamaterials with Fundamental Magnetic Resonance in the Middle Visible Spectrum. Advanced Optical Materials, 2014, 2, 280-285.	3.6	25
15	Observation of the Kinetic Inductance Limitation for the Fundamental Magnetic Resonance in Ultrasmall Gold <i>h</i> -Shape Split Ring Resonators. Advanced Optical Materials, 2016, 4, 1047-1052.	3.6	24
16	Polarization invariant plasmonic nanostructures for sensing applications. Scientific Reports, 2017, 7, 7539.	1.6	21
17	Room temperature plasmon-enhanced InAs _{0.91} Sb _{0.09} -based heterojunction <i>n-i-p</i> mid-wave infrared photodetector. Applied Physics Letters, 2018, 113, .	1.5	21
18	Defect-Induced Tunable Permittivity of Epsilon-Near-Zero in Indium Tin Oxide Thin Films. Nanomaterials, 2018, 8, 922.	1.9	20

#	ARTICLE	IF	CITATIONS
19	High quality InAsSb-based heterostructure n-i-p mid-wavelength infrared photodiode. <i>Applied Surface Science</i> , 2018, 427, 605-608.	3.1	19
20	Large contrast enhancement by sonication assisted cold development process for low dose and ultrahigh resolution patterning on ZEP520A positive tone resist. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2012, 30, 051601.	0.6	17
21	Polarization-Resolved Plasmon-Modulated Emissions of Quantum Dots Coupled to Aluminum Dimers with Sub-20 nm Gaps. <i>ACS Photonics</i> , 2018, 5, 1566-1574.	3.2	17
22	Controlling Spontaneous Emission from Perovskite Nanocrystals with Metal-Emitters-Metal Nanostructures. <i>Crystals</i> , 2021, 11, 1.	1.0	17
23	Preferential Excitation of the Hybrid Magnetic-Electric Mode as a Limiting Mechanism for Achievable Fundamental Magnetic Resonance in Planar Aluminum Nanostructures. <i>Advanced Materials</i> , 2016, 28, 889-896.	11.1	15
24	Single Plasmonic Structure Enhanced Dual-band Room Temperature Infrared Photodetection. <i>Scientific Reports</i> , 2018, 8, 1548.	1.6	14
25	Combining sonicated cold development and pulsed electrodeposition for high aspect ratio sub-10 nm gap gold dimers for sensing applications in the visible spectrum. <i>Nanoscale</i> , 2018, 10, 5221-5228.	2.8	13
26	High Order Magnetic and Electric Resonant Modes of Split Ring Resonator Metasurface Arrays for Strong Enhancement of Mid-Infrared Photodetection. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 8835-8844.	4.0	13
27	Real-Time Angular Sensitivity Compensation of Guided-Mode Resonance Filter. <i>IEEE Photonics Technology Letters</i> , 2014, 26, 231-234.	1.3	12
28	Ultra-small v-shaped gold split ring resonators for biosensing using fundamental magnetic resonance in the visible spectrum. <i>Nanotechnology</i> , 2017, 28, 405305.	1.3	11
29	Electrically controlled enhancement in plasmonic mid-infrared photodiode. <i>Optics Express</i> , 2018, 26, 5452.	1.7	11
30	Antenna-assisted subwavelength metal-InGaAs-metal structure for sensitive and direct photodetection of millimeter and terahertz waves. <i>Photonics Research</i> , 2019, 7, 89.	3.4	11
31	Study of dual color infrared photodetection from n-GaSb/n-InAsSb heterostructures. <i>AIP Advances</i> , 2016, 6, 025120.	0.6	10
32	Study of dark current in mid-infrared InAsSb-based heterostructure photodiode. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 275102.	1.3	10
33	Reliable Fabrication of High Aspect Ratio Plasmonic Nanostructures Based on Seedless Pulsed Electrodeposition. <i>Advanced Materials Technologies</i> , 2019, 4, 1800364.	3.0	10
34	Hybridized surface lattice modes in intercalated 3-disk plasmonic crystals for high figure-of-merit plasmonic sensing. <i>Nanoscale</i> , 2021, 13, 4092-4102.	2.8	9
35	Temperature dependence of BaTiO ₃ infrared dielectric properties. <i>Applied Physics Letters</i> , 2006, 88, 212902.	1.5	7
36	Subwavelength Focusing Using Plasmonic Wavelength-Launched Zone Plate Lenses. <i>Plasmonics</i> , 2011, 6, 269-272.	1.8	7

#	ARTICLE	IF	CITATIONS
37	Designing arbitrary nanoscale patterns by a nanocavity waveguide with omnidirectional illumination. <i>Applied Physics B: Lasers and Optics</i> , 2012, 109, 215-219.	1.1	7
38	Sub-10-nm Size and Sub-40-nm Pitch Metal Dot Patterning for Low-Cost Bit Patterned Media Application. <i>IEEE Nanotechnology Magazine</i> , 2014, 13, 496-501.	1.1	7
39	Surface Plasmon Enhancement on Infrared Photodetection. <i>Procedia Engineering</i> , 2016, 140, 152-158.	1.2	7
40	Surface-enhanced Raman scattering of silver thin films on as-roughened substrate by reactive ion etching. <i>Applied Physics A: Materials Science and Processing</i> , 2016, 122, 1.	1.1	7
41	InAs _{0.9} Sb _{0.1} -based hetero-p-i-n structure grown on GaSb with high mid-infrared photodetection performance at room temperature. <i>Journal of Materials Science</i> , 2018, 53, 13010-13017.	1.7	7
42	Elimination of spurious solutions from $k\cdot p$ theory with Fourier transform technique and Burt-Foreman operator ordering. <i>Journal of Applied Physics</i> , 2012, 111, 053702.	1.1	6
43	Two-dimensional metallic square-hole array for enhancement of mid-wavelength infrared photodetection. <i>Optical and Quantum Electronics</i> , 2016, 48, 1.	1.5	6
44	Hybrid Transverse-Longitudinal Modes for High Figure-of-Merit Localized Plasmonic Refractometric Sensing in the Visible Spectrum. <i>Advanced Optical Materials</i> , 2020, 8, 1901739.	3.6	6
45	Subwavelength lithography using metallic grating waveguide heterostructure. <i>Applied Physics A: Materials Science and Processing</i> , 2012, 107, 123-126.	1.1	5
46	Broadband Absorption Tailoring of SiO ₂ /Cu/ITO Arrays Based on Hybrid Coupled Resonance Mode. <i>Nanomaterials</i> , 2019, 9, 852.	1.9	5
47	Efficient and wide spectrum half-cylindrical hyperlens with symmetrical metallodielectric structure. <i>Applied Physics A: Materials Science and Processing</i> , 2012, 107, 31-34.	1.1	4
48	Design of sharp bends with transformation plasmonics. <i>Applied Physics A: Materials Science and Processing</i> , 2013, 112, 549-553.	1.1	4
49	InAs _{0.91} Sb _{0.09} photoconductor for near and middle infrared photodetection. <i>Physica Scripta</i> , 2016, 91, 115801.	1.2	4
50	Plasmon-exciton systems with high quantum yield using deterministic aluminium nanostructures with rotational symmetries. <i>Nanoscale</i> , 2019, 11, 20315-20323.	2.8	4
51	Band Structure of Strained $\text{Ge}_{1-x}\text{Sn}_x$ Alloy: A Full-Zone 30-Band $k\cdot p$ Model. <i>IEEE Journal of Quantum Electronics</i> , 2020, 56, 1-8.	1.0	4
52	Great Enhancement Effect of 20-40 nm Ag NPs on Solar-Blind UV Response of the Mixed-Phase MgZnO Detector. <i>ACS Omega</i> , 2021, 6, 6699-6707.	1.6	4
53	Nearly total optical transmission of linearly polarized light through transparent electrode composed of GaSb monolithic high-contrast grating integrated with gold. <i>Nanophotonics</i> , 2021, 10, 3823-3830.	2.9	4
54	Mid-Infrared Emission From InAs Quantum Dots Grown by Metal-Organic Vapor Phase Epitaxy. <i>IEEE Nanotechnology Magazine</i> , 2006, 5, 683-686.	1.1	3

#	ARTICLE	IF	CITATIONS
55	Analysis of wetting layer effect on electronic structures of truncated-pyramid quantum dots. Optical and Quantum Electronics, 2011, 42, 705-711.	1.5	3
56	A Simple Method for the Growth of Very Smooth and Ultra-Thin GaSb Films on GaAs (111) Substrate by MOCVD. Journal of Electronic Materials, 2017, 46, 3867-3872.	1.0	3
57	Effect of Size on the Electronic Structure and Optical Properties of Cubic CsPbBr ₃ Quantum Dots. IEEE Journal of Quantum Electronics, 2020, 56, 1-7.	1.0	3
58	Resonance Modes of Tall Plasmonic Nanostructures and Their Applications for Biosensing. IEEE Journal of Quantum Electronics, 2020, 56, 1-7.	1.0	3
59	Interplays of Dipole and Charge Transfer Plasmon Modes in Capacitively and Conductively Coupled Dimer with High Aspect Ratio Nanogaps. Advanced Optical Materials, 0, , 2100748.	3.6	3
60	Study of InAs/GaAs quantum dots grown by MOVPE under the safer growth conditions. Journal of Nanoparticle Research, 2007, 9, 877-884.	0.8	2
61	A sensitive sensor with a double U-shaped ring-based metamaterial. Applied Physics A: Materials Science and Processing, 2014, 117, 537-540.	1.1	2
62	Figure of Merit for Optimization of Metal-Dielectric Multilayer Lenses. IEEE Nanotechnology Magazine, 2014, 13, 452-457.	1.1	2
63	Six-band k - ω approach to the effects of doping on energy dispersion in p-type strained In _{0.15} /Ga _{0.85} /As-Al _{0.33} /Ga _{0.67} /As quantum-well structures. IEEE Journal of Quantum Electronics, 2000, 36, 835-841.	1.0	1
64	A Novel Technique to Re-construct 3D Void in Passivated Metal Interconnects. Materials Research Society Symposia Proceedings, 2003, 766, 481.	0.1	1
65	Superlens for lithography. , 2010, , .		1
66	Asymmetric Split H-Shape Resonator Array for Enhancement of Midwave Infrared Photodetection. IEEE Journal of Quantum Electronics, 2019, 55, 1-6.	1.0	1
67	GeSn/GaAs Hetero-Structure by Magnetron Sputtering. IEEE Journal of Quantum Electronics, 2020, 56, 1-5.	1.0	1
68	Beam splitting and a hollow light cone from a metamaterial based on a metallic nanorod array. , 2010, , .		0
69	The substrate cooling effect of ion beam post treatment on ZAO films properties. , 2012, , .		0
70	The new way of controlling aluminum-doped zinc oxide films properties: ion beam post-treatment with cooling system. Applied Physics A: Materials Science and Processing, 2013, 112, 569-573.	1.1	0
71	Manipulating Surface Plasmon Polaritons on the meta-surface. , 2013, , .		0
72	Beam focusing by an anisotropic metal-dielectric multilayer structure. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
73	Sub-wavelength structures and their optical properties. , 2014, , .		0
74	Room temperature strong coupling of monolayer WS ₂ with gold nanoantennae. , 2017, , .		0
75	Growth of Direct Bandgap Ge _{1-x} Sn _x Alloys by Modified Magnetron Sputtering. IEEE Journal of Quantum Electronics, 2020, 56, 1-4.	1.0	0
76	Dark Current Analysis of InAsSb-Based Hetero- p-i-n Mid-Infrared Photodiode. IEEE Journal of Quantum Electronics, 2020, 56, 1-6.	1.0	0
77	Virtual Special Issue Dedicated to the 10th International Conference on Materials for Advanced Technologies (ICMAT), Symposium C: Semiconductor Photonics. IEEE Journal of Quantum Electronics, 2020, 56, 1-3.	1.0	0
78	Localized surface plasmon enhanced infrared photodetectors for uncooled imaging systems. , 2019, , .		0