Celeste Lebbe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5198160/publications.pdf

Version: 2024-02-01

6654 57758 49,284 182 44 156 citations h-index g-index papers 183 183 183 37996 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Improved Survival with Ipilimumab in Patients with Metastatic Melanoma. New England Journal of Medicine, 2010, 363, 711-723. | 27.0 | 13,065 |
| 2 | Improved Survival with Vemurafenib in Melanoma with BRAF V600E Mutation. New England Journal of Medicine, 2011, 364, 2507-2516. | 27.0 | 6,976 |
| 3 | Nivolumab in Previously Untreated Melanoma without <i>BRAF</i> Mutation. New England Journal of Medicine, 2015, 372, 320-330. | 27.0 | 4,795 |
| 4 | Ipilimumab plus Dacarbazine for Previously Untreated Metastatic Melanoma. New England Journal of Medicine, 2011, 364, 2517-2526. | 27.0 | 4,074 |
| 5 | Overall Survival with Combined Nivolumab and Ipilimumab in Advanced Melanoma. New England Journal of Medicine, 2017, 377, 1345-1356. | 27.0 | 3,589 |
| 6 | Five-Year Survival with Combined Nivolumab and Ipilimumab in Advanced Melanoma. New England Journal of Medicine, 2019, 381, 1535-1546. | 27.0 | 2,484 |
| 7 | Adjuvant Nivolumab versus Ipilimumab in Resected Stage III or IV Melanoma. New England Journal of Medicine, 2017, 377, 1824-1835. | 27.0 | 1,752 |
| 8 | Dabrafenib and trametinib versus dabrafenib and placebo for Val600 BRAF-mutant melanoma: a multicentre, double-blind, phase 3 randomised controlled trial. Lancet, The, 2015, 386, 444-451. | 13.7 | 1,175 |
| 9 | Prolonged Survival in Stage III Melanoma with Ipilimumab Adjuvant Therapy. New England Journal of Medicine, 2016, 375, 1845-1855. | 27.0 | 1,140 |
| 10 | Avelumab in patients with chemotherapy-refractory metastatic Merkel cell carcinoma: a multicentre, single-group, open-label, phase 2 trial. Lancet Oncology, The, 2016, 17, 1374-1385. | 10.7 | 1,034 |
| 11 | Five-Year Outcomes with Dabrafenib plus Trametinib in Metastatic Melanoma. New England Journal of Medicine, 2019, 381, 626-636. | 27.0 | 909 |
| 12 | Dabrafenib plus trametinib in patients with BRAFV600-mutant melanoma brain metastases (COMBI-MB): a multicentre, multicohort, open-label, phase 2 trial. Lancet Oncology, The, 2017, 18, 863-873. | 10.7 | 561 |
| 13 | Efficacy and Safety of Nivolumab Alone or in Combination With Ipilimumab in Patients With Mucosal Melanoma: A Pooled Analysis. Journal of Clinical Oncology, 2017, 35, 226-235. | 1.6 | 458 |
| 14 | Long-Term Outcomes With Nivolumab Plus Ipilimumab or Nivolumab Alone Versus Ipilimumab in Patients With Advanced Melanoma. Journal of Clinical Oncology, 2022, 40, 127-137. | 1.6 | 446 |
| 15 | Ipilimumab 10 mg/kg versus ipilimumab 3 mg/kg in patients with unresectable or metastatic melanoma: a randomised, double-blind, multicentre, phase 3 trial. Lancet Oncology, The, 2017, 18, 611-622. | 10.7 | 428 |
| 16 | Merkel cell carcinoma. Nature Reviews Disease Primers, 2017, 3, 17077. | 30.5 | 393 |
| 17 | Diagnosis and treatment of Merkel Cell Carcinoma. European consensus-based interdisciplinary guideline. European Journal of Cancer, 2015, 51, 2396-2403. | 2.8 | 320 |
| 18 | Merkel cell carcinoma: Epidemiology, prognosis, therapy and unmet medical needs. European Journal of Cancer, 2017, 71, 53-69. | 2.8 | 307 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Efficacy and Safety of First-line Avelumab Treatment in Patients With Stage IV Metastatic Merkel Cell Carcinoma. JAMA Oncology, 2018, 4, e180077. | 7.1 | 304 |
| 20 | Survival Outcomes in Patients With Previously Untreated <i>BRAF</i> Wild-Type Advanced Melanoma Treated With Nivolumab Therapy. JAMA Oncology, 2019, 5, 187. | 7.1 | 295 |
| 21 | Updated efficacy of avelumab in patients with previously treated metastatic Merkel cell carcinoma after ≥1Âyear of follow-up: JAVELIN Merkel 200, a phase 2 clinical trial. , 2018, 6, 7. | | 263 |
| 22 | Evaluation of Two Dosing Regimens for Nivolumab in Combination With Ipilimumab in Patients With Advanced Melanoma: Results From the Phase IIIb/IV CheckMate 511 Trial. Journal of Clinical Oncology, 2019, 37, 867-875. | 1.6 | 258 |
| 23 | European interdisciplinary guideline on invasive squamous cell carcinoma of the skin: Part 2. Treatment. European Journal of Cancer, 2020, 128, 83-102. | 2.8 | 181 |
| 24 | Durable benefit and the potential for long-term survival with immunotherapy in advanced melanoma. Cancer Treatment Reviews, 2014, 40, 1056-1064. | 7.7 | 178 |
| 25 | Three-year pooled analysis of factors associated with clinical outcomes across dabrafenib and trametinib combination therapy phase 3 randomised trials. European Journal of Cancer, 2017, 82, 45-55. | 2.8 | 160 |
| 26 | Neoadjuvant Nivolumab for Patients With Resectable Merkel Cell Carcinoma in the CheckMate 358 Trial. Journal of Clinical Oncology, 2020, 38, 2476-2487. | 1.6 | 152 |
| 27 | Nivolumab-Induced Sarcoid-Like Granulomatous Reaction in a Patient WithÂAdvanced Melanoma. Chest, 2016, 149, e133-e136. | 0.8 | 142 |
| 28 | Avelumab in patients with previously treated metastatic Merkel cell carcinoma: long-term data and biomarker analyses from the single-arm phase 2 JAVELIN Merkel 200 trial., 2020, 8, e000674. | | 132 |
| 29 | European interdisciplinary guideline on invasive squamous cell carcinoma of the skin: Part 1. epidemiology, diagnostics and prevention. European Journal of Cancer, 2020, 128, 60-82. | 2.8 | 131 |
| 30 | Imatinib Mesylate as a Preoperative Therapy in Dermatofibrosarcoma: Results of a Multicenter Phase II Study on 25 Patients. Clinical Cancer Research, 2010, 16, 3288-3295. | 7.0 | 128 |
| 31 | Pazopanib or methotrexate–vinblastine combination chemotherapy in adult patients with progressive desmoid tumours (DESMOPAZ): a non-comparative, randomised, open-label, multicentre, phase 2 study. Lancet Oncology, The, 2019, 20, 1263-1272. | 10.7 | 123 |
| 32 | Five-Year Outcomes With Nivolumab in Patients With Wild-Type <i>BRAF</i> Advanced Melanoma. Journal of Clinical Oncology, 2020, 38, 3937-3946. | 1.6 | 119 |
| 33 | Ipilimumab-induced acute severe colitis treated by infliximab. Melanoma Research, 2013, 23, 227-230. | 1.2 | 117 |
| 34 | lpilimumab alone or ipilimumab plus anti-PD-1 therapy in patients with metastatic melanoma resistant to anti-PD-(L)1 monotherapy: a multicentre, retrospective, cohort study. Lancet Oncology, The, 2021, 22, 836-847. | 10.7 | 104 |
| 35 | <scp>ZEB</scp> 1â€mediated melanoma cell plasticity enhances resistance to <scp>MAPK</scp> inhibitors. EMBO Molecular Medicine, 2016, 8, 1143-1161. | 6.9 | 98 |
| 36 | Health-related quality of life with adjuvant ipilimumab versus placebo after complete resection of high-risk stage III melanoma (EORTC 18071): secondary outcomes of a multinational, randomised, double-blind, phase 3 trial. Lancet Oncology, The, 2017, 18, 393-403. | 10.7 | 91 |

| # | Article | IF | Citations |
|----|--|-----------|--------------|
| 37 | Anti-PD1-induced collagenous colitis in a melanoma patient. Melanoma Research, 2016, 26, 308-311. | 1.2 | 86 |
| 38 | CD147 Is a Promising Target of Tumor Progression and a Prognostic Biomarker. Cancers, 2019, 11, 1803. | 3.7 | 85 |
| 39 | Combined PD-1, BRAF and MEK inhibition in advanced BRAF-mutant melanoma: safety run-in and biomarker cohorts of COMBI-i. Nature Medicine, 2020, 26, 1557-1563. | 30.7 | 78 |
| 40 | Patient-reported outcomes in KEYNOTE-006, a randomised study of pembrolizumab versus ipilimumab in patients with advanced melanoma. European Journal of Cancer, 2017, 86, 115-124. | 2.8 | 76 |
| 41 | Health-related quality of life impact in a randomised phase III study of the combination of dabrafenib and trametinib versus dabrafenib monotherapy in patients with BRAF V600 metastatic melanoma. European Journal of Cancer, 2015, 51, 833-840. | 2.8 | 71 |
| 42 | Immune-related hepatitis with immunotherapy: Are corticosteroids always needed?. Journal of Hepatology, 2018, 69, 548-550. | 3.7 | 71 |
| 43 | Survival After Fulminant Myocarditis Induced by Immune-Checkpoint Inhibitors. Annals of Internal Medicine, 2017, 167, 683. | 3.9 | 60 |
| 44 | Epidemiology of Cutaneous T-Cell Lymphomas: A Systematic Review and Meta-Analysis of 16,953 Patients. Cancers, 2020, 12, 2921. | 3.7 | 57 |
| 45 | Health related quality of life outcomes for unresectable stage III or IV melanoma patients receiving ipilimumab treatment. Health and Quality of Life Outcomes, 2012, 10, 66. | 2.4 | 55 |
| 46 | Efficacy and safety of avelumab treatment in patients with metastatic Merkel cell carcinoma: experience from a global expanded access program., 2020, 8, e000313. | | 54 |
| 47 | First-line avelumab in a cohort of 116 patients with metastatic Merkel cell carcinoma (JAVELIN Merkel) Tj ETQq 1 | 1 0.7843] | 14 ggBT /Ove |
| 48 | Diagnosis and treatment of Merkel cell carcinoma: European consensus-based interdisciplinary guideline – Update 2022. European Journal of Cancer, 2022, 171, 203-231. | 2.8 | 51 |
| 49 | Treatment patterns of advanced malignant melanoma (stage Ill–IV) – A review of current standards in Europe. European Journal of Cancer, 2016, 60, 179-189. | 2.8 | 47 |
| 50 | Long-term outcomes in patients with BRAF V600-mutant metastatic melanoma receiving dabrafenib monotherapy: Analysis from phase 2 and 3 clinical trials. European Journal of Cancer, 2020, 125, 114-120. | 2.8 | 47 |
| 51 | Remitting seronegative symmetrical synovitis with pitting edema (RS3PE) syndrome induced by nivolumab. Seminars in Arthritis and Rheumatism, 2017, 47, 281-287. | 3.4 | 42 |
| 52 | Ipilimumab for the treatment of advanced melanoma in six kidney transplant patients. American Journal of Transplantation, 2018, 18, 3065-3071. | 4.7 | 41 |
| 53 | Hematological immune related adverse events after treatment with immune checkpoint inhibitors. European Journal of Cancer, 2021, 147, 170-181. | 2.8 | 40 |
| 54 | Overall survival at 5 years of follow-up in a phase III trial comparing ipilimumab 10mg/kg with 3mg/kg in patients with advanced melanoma., 2020, 8, e000391. | | 39 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 55 | A phase lb/II study of BRAF inhibitor (BRAFi) encorafenib (ENCO) plus MEK inhibitor (MEKi) binimetinib (BINI) in cutaneous melanoma patients naive to BRAFi treatment Journal of Clinical Oncology, 2015, 33, 9007-9007. | 1.6 | 39 |
| 56 | TGF- \hat{l}^2 -Induced (TGFBI) Protein in Melanoma: A Signature of High Metastatic Potential. Journal of Investigative Dermatology, 2014, 134, 1675-1685. | 0.7 | 37 |
| 57 | Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): health-related quality-of-life results from a double-blind, randomised, controlled, phase 3 trial. Lancet Oncology, The, 2021, 22, 655-664. | 10.7 | 37 |
| 58 | Pimasertib Versus Dacarbazine in Patients With Unresectable NRAS-Mutated Cutaneous Melanoma: Phase II, Randomized, Controlled Trial with Crossover. Cancers, 2020, 12, 1727. | 3.7 | 36 |
| 59 | Single-center study under a French Temporary Authorization for Use (TAU) protocol for ipilimumab in metastatic melanoma: negative impact of baseline corticosteroids. European Journal of Dermatology, 2015, 25, 36-44. | 0.6 | 35 |
| 60 | Transient pituitary ACTH-dependent Cushing syndrome caused by an immune checkpoint inhibitor combination. Melanoma Research, 2017, 27, 649-652. | 1.2 | 33 |
| 61 | Serum CD73 is a prognostic factor in patients with metastatic melanoma and is associated with response to anti-PD-1 therapy., 2020, 8, e001689. | | 33 |
| 62 | Nivolumab (Nivo) as neoadjuvant therapy in patients with resectable Merkel cell carcinoma (MCC) in CheckMate 358 Journal of Clinical Oncology, 2018, 36, 9505-9505. | 1.6 | 33 |
| 63 | Management of Kaposi sarcoma after solid organ transplantation: A European retrospective study. Journal of the American Academy of Dermatology, 2019, 81, 448-455. | 1.2 | 31 |
| 64 | The antiâ \in PD-1 antibody spartalizumab (S) in combination with dabrafenib (D) and trametinib (T) in previously untreated patients (pts) with advanced <i>BRAF</i> V600â \in mutant melanoma: Updated efficacy and safety from parts 1 and 2 of COMBI-i Journal of Clinical Oncology, 2019, 37, 9531-9531. | 1.6 | 31 |
| 65 | Eosinophilic granulomatosis with polyangiitis (Churg-Strauss) induced by immune checkpoint inhibitors. Annals of the Rheumatic Diseases, 2019, 78, e82-e82. | 0.9 | 30 |
| 66 | Immune checkpoint inhibitor rechallenge in patients with immune-related myositis. Annals of the Rheumatic Diseases, 2019, 78, e129-e129. | 0.9 | 30 |
| 67 | Combination anti-PD1 and ipilimumab therapy in patients with advanced melanoma and pre-existing autoimmune disorders., 2021, 9, e002121. | | 30 |
| 68 | Mechanisms Underpinning Increased Plasma Creatinine Levels in Patients Receiving Vemurafenib for Advanced Melanoma. PLoS ONE, 2016, 11, e0149873. | 2.5 | 29 |
| 69 | Impact of radiotherapy administered simultaneously with systemic treatment in patients with melanoma brain metastases within MelBase, a French multicentric prospective cohort. European Journal of Cancer, 2019, 112, 38-46. | 2.8 | 27 |
| 70 | Immune checkpoint inhibitors increase T cell immunity during SARS-CoV-2 infection. Science Advances, 2021, 7, . | 10.3 | 27 |
| 71 | Ipilimumab (IPI) alone or in combination with anti-PD-1 (IPI+PD1) in patients (pts) with metastatic melanoma (MM) resistant to PD1 monotherapy Journal of Clinical Oncology, 2020, 38, 10005-10005. | 1.6 | 26 |
| 72 | Relevance of serum biomarkers associated with melanoma during follow-up of anti-CTLA-4 immunotherapy. International Immunopharmacology, 2016, 40, 466-473. | 3.8 | 25 |

| # | Article | IF | CITATIONS |
|----|--|-------------------|--------------------|
| 73 | Targeted therapies in melanoma beyond BRAF: targeting NRAS-mutated and KIT-mutated melanoma. Current Opinion in Oncology, 2020, 32, 79-84. | 2.4 | 25 |
| 74 | Occurrence of type 1 and type 2 diabetes in patients treated with immunotherapy (anti-PD-1 and/or) Tj ETQq0 0 (67, 1197-1208. |) rgBT /Ov 4.2 | erlock 10 Tf 24 |
| 75 | A Phase Ib/II Study of the BRAF Inhibitor Encorafenib Plus the MEK Inhibitor Binimetinib in Patients with <i>BRAFV600E/K</i> -mutant Solid Tumors. Clinical Cancer Research, 2020, 26, 5102-5112. | 7.0 | 23 |
| 76 | BRAF V600 mutation levels predict response to vemurafenib in metastatic melanoma. Melanoma Research, 2014, 24, 415-418. | 1,2 | 22 |
| 77 | lpilimumab reshapes T cell memory subsets in melanoma patients with clinical response. Oncolmmunology, 2016, 5, 1136045. | 4.6 | 22 |
| 78 | Early objective response to avelumab treatment is associated with improved overall survival in patients with metastatic Merkel cell carcinoma. Cancer Immunology, Immunotherapy, 2019, 68, 609-618. | 4.2 | 21 |
| 79 | Progressive Desmoid Tumor: Radiomics Compared With Conventional Response Criteria for Predicting Progression During Systemic Therapy—A Multicenter Study by the French Sarcoma Group. American Journal of Roentgenology, 2020, 215, 1539-1548. | 2.2 | 21 |
| 80 | Immune Checkpoint Inhibitors in Transplantation—A Case Series and Comprehensive Review of Current Knowledge. Transplantation, 2021, 105, 67-78. | 1.0 | 21 |
| 81 | Management of immune-related adverse events resulting from immune checkpoint blockade. Expert Review of Anticancer Therapy, 2019, 19, 209-222. | 2.4 | 20 |
| 82 | Reintroduction of immune-checkpoint inhibitors after immune-related meningitis: a case series of melanoma patients., 2020, 8, e001034. | | 20 |
| 83 | PD-1 blockade with pembrolizumab in classic or endemic Kaposi's sarcoma: a multicentre, single-arm, phase 2 study. Lancet Oncology, The, 2022, 23, 491-500. | 10.7 | 20 |
| 84 | Adverse events 2.0â€"Let us get SERIOs. European Journal of Cancer, 2019, 112, 29-31. | 2.8 | 19 |
| 85 | Ipilimumab versus placebo after complete resection of stage III melanoma: Long-term follow-up results the EORTC 18071 double-blind phase 3 randomized trial Journal of Clinical Oncology, 2019, 37, 2512-2512. | 1.6 | 18 |
| 86 | Combined Therapy with Anti-PD1 and BRAF and/or MEK Inhibitor for Advanced Melanoma: A Multicenter Cohort Study. Cancers, 2020, 12, 1666. | 3.7 | 17 |
| 87 | Two dosing regimens of nivolumab (NIVO) plus ipilimumab (IPI) for advanced (adv) melanoma: Three-year results of CheckMate 511 Journal of Clinical Oncology, 2021, 39, 9516-9516. | 1.6 | 17 |
| 88 | SARS-CoV-2 vaccines for cancer patients treated with immunotherapies: Recommendations from the French society for ImmunoTherapy of Cancer (FITC). European Journal of Cancer, 2021, 148, 121-123. | 2.8 | 17 |
| 89 | Positive Association Between Location of Melanoma, Ultraviolet Signature, Tumor Mutational Burden, and Response to Anti–PD-1 Therapy. JCO Precision Oncology, 2021, 5, 1821-1829. | 3.0 | 17 |
| 90 | The role of stereotactic radiotherapy in addition to immunotherapy in the management of melanoma brain metastases: results of a systematic review. Radiologia Medica, 2022, 127, 773-783. | 7.7 | 16 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Successful Treatment of Generalized Eruptive Keratoacanthoma of Grzybowski with Acitretin. Dermatology and Therapy, 2019, 9, 383-388. | 3.0 | 14 |
| 92 | Rechallenge of immune checkpoint inhibitor after pembrolizumab-induced myasthenia gravis. European Journal of Cancer, 2019, 113, 72-74. | 2.8 | 13 |
| 93 | Severe gastrointestinal toxicity of MEK inhibitors. Melanoma Research, 2019, 29, 556-559. | 1.2 | 13 |
| 94 | Kaposi Sarcoma in HIV-positive Solid-Organ Transplant Recipients: A French Multicentric National Study and Literature Review. Transplantation, 2019, 103, e22-e28. | 1.0 | 13 |
| 95 | Intermittent Versus Continuous Dosing of MAPK Inhibitors in the Treatment of BRAF-Mutated Melanoma. Translational Oncology, 2020, 13, 275-286. | 3.7 | 13 |
| 96 | Assessing cognitive function in patients treated with immune checkpoint inhibitors: A feasibility study. Psycho-Oncology, 2018, 27, 1861-1864. | 2.3 | 12 |
| 97 | Qualityâ€ofâ€ife assessment in French patients with metastatic melanoma in real life. Cancer, 2020, 126, 611-618. | 4.1 | 12 |
| 98 | The role of local therapy in the treatment of solitary melanoma progression on immune checkpoint inhibition: A multicentre retrospective analysis. European Journal of Cancer, 2021, 151, 72-83. | 2.8 | 12 |
| 99 | Patient Experiences with Avelumab in Treatment-Na $	ilde{A}^-$ ve Metastatic Merkel Cell Carcinoma: Longitudinal Qualitative Interview Findings from JAVELIN Merkel 200, a Registrational Clinical Trial. Patient, 2020, 13, 457-467. | 2.7 | 11 |
| 100 | Deep cutaneous fungal infections in solid-organ transplant recipients. Journal of the American Academy of Dermatology, 2020, 83, 455-462. | 1.2 | 11 |
| 101 | Cutis laxa associated with monoclonal gammopathy: 14 new cases and review of the literature. Journal of the American Academy of Dermatology, 2018, 79, 945-947. | 1.2 | 10 |
| 102 | Benefit of the nivolumab and ipilimumab combination in pretreated advanced melanoma. European Journal of Cancer, 2018, 93, 147-149. | 2.8 | 10 |
| 103 | New perspectives in Merkel cell carcinoma. Current Opinion in Oncology, 2019, 31, 72-83. | 2.4 | 10 |
| 104 | Systemic Treatment Initiation in Classical and Endemic Kaposi's Sarcoma: Risk Factors and Global Multi-State Modelling in a Monocentric Cohort Study. Cancers, 2021, 13, 2519. | 3.7 | 10 |
| 105 | Improved sarcoma management in a national network of reference centers: Analysis of the NetSarc network on 13,454 patients treated between 2010 and 2014 Journal of Clinical Oncology, 2016, 34, 11013-11013. | 1.6 | 10 |
| 106 | Grade 4 Neutropenia Secondary to Immune Checkpoint Inhibition â€" A Descriptive Observational Retrospective Multicenter Analysis. Frontiers in Oncology, 2021, 11, 765608. | 2.8 | 10 |
| 107 | Avelumab (MSB0010718C; anti-PD-L1) in patients with metastatic Merkel cell carcinoma previously treated with chemotherapy: Results of the phase 2 JAVELIN Merkel 200 trial Journal of Clinical Oncology, 2016, 34, 9508-9508. | 1.6 | 9 |
| 108 | 545â€A phase 2 study of retifanlimab in patients with advanced or metastatic merkel cell carcinoma (MCC) (POD1UM-201)., 2021, 9, A574-A575. | | 9 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 109 | Navtemadlin (KRT-232) activity after failure of anti-PD-1/L1 therapy in patients (pts) with <i>TP53^{WT}</i> Merkel cell carcinoma (MCC) Journal of Clinical Oncology, 2022, 40, 9506-9506. | 1.6 | 9 |
| 110 | Selective Oral MEK1/2 Inhibitor Pimasertib in Metastatic Melanoma: Antitumor Activity in a Phase I, Dose-Escalation Trial. Targeted Oncology, 2021, 16, 47-57. | 3.6 | 8 |
| 111 | Phase l–II Open-Label Multicenter Study of Palbociclib + Vemurafenib in <i>BRAF</i> Vemurafenib in <i braf<="" i="">Vemurafenib in <i braf<="" i="">Vemurafeni</i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i></i> | 7.0 | 8 |
| 112 | Long-Term Outcome of Neoadjuvant Tyrosine Kinase Inhibitors Followed by Complete Surgery in Locally Advanced Dermatofibrosarcoma Protuberans. Cancers, 2021, 13, 2224. | 3.7 | 8 |
| 113 | The anti–PD-1 antibody spartalizumab in combination with dabrafenib and trametinib in advanced <i>BRAF</i> V600–mutant melanoma: Efficacy and safety findings from parts 1 and 2 of the Phase III COMBI-i trial Journal of Clinical Oncology, 2020, 38, 10028-10028. | 1.6 | 8 |
| 114 | EGFR is involved in dermatofibrosarcoma protuberans progression to high grade sarcoma. Oncotarget, 2018, 9, 8478-8488. | 1.8 | 8 |
| 115 | IL-6 blockade in cancer patients treated with immune checkpoint blockade: A win-win strategy. Cancer Cell, 2022, 40, 450-451. | 16.8 | 8 |
| 116 | Phase II study SECOMBIT (sequential combo immuno and target therapy study): A subgroup analysis with a longer follow-up Journal of Clinical Oncology, 2022, 40, 9535-9535. | 1.6 | 8 |
| 117 | Association of Time From Primary Diagnosis to First Distant Relapse of Metastatic Melanoma With Progression of Disease and Survival. JAMA Dermatology, 2019, 155, 673. | 4.1 | 7 |
| 118 | A Multicenter Phase II Study of Pazopanib in Patients with Unresectable Dermatofibrosarcoma Protuberans. Journal of Investigative Dermatology, 2021, 141, 761-769.e2. | 0.7 | 7 |
| 119 | DESMOPAZ pazopanib (PZ) versus IV methotrexate/vinblastine (MV) in adult patients with progressive desmoid tumors (DT) a randomized phase II study from the French Sarcoma Group Journal of Clinical Oncology, 2018, 36, 11501-11501. | 1.6 | 7 |
| 120 | The anti–PD-1 antibody spartalizumab (S) in combination with dabrafenib (D) and trametinib (T) in previously untreated patients (pts) with advanced BRAF V600–mutant melanoma: Updated efficacy and safety from parts 1 and 2 of COMBI-I Journal of Clinical Oncology, 2020, 38, 57-57. | 1.6 | 7 |
| 121 | Nuclear Medicine in Early-Stage Melanoma: Sentinel Node Biopsyâ€"FDG-PET/CT. PET Clinics, 2011, 6, 9-25. | 3.0 | 6 |
| 122 | Clinicopathologic and molecular characterization of melanomas mutated for CTNNB1 and MAPK. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2022, 480, 475-480. | 2.8 | 6 |
| 123 | Practical clinical guide on the use of talimogene laherparepvec monotherapy in patients with unresectable melanoma in Europe. European Journal of Dermatology, 2018, 28, 736-749. | 0.6 | 6 |
| 124 | The soluble form of CD160 acts as a tumor mediator of immune escape in melanoma. Cancer Immunology, Immunotherapy, 2022, 71, 2731-2742. | 4.2 | 6 |
| 125 | Impact of New Systemic Treatment and Radiotherapy in Melanoma Patients with Leptomeningeal Metastases. Cancers, 2020, 12, 2635. | 3.7 | 5 |
| 126 | Selective Oral MEK1/2 Inhibitor Pimasertib: A Phase I Trial in Patients with Advanced Solid Tumors. Targeted Oncology, 2021, 16, 37-46. | 3.6 | 5 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | Second-line avelumab treatment of patients (pts) with metastatic Merkel cell carcinoma (mMCC): Experience from a global expanded access program (EAP) Journal of Clinical Oncology, 2018, 36, 9537-9537. | 1.6 | 5 |
| 128 | Usualâ€type vulvar intraepithelial neoplasia: report of a case and its dermoscopic features. International Journal of Dermatology, 2016, 55, e621-e623. | 1.0 | 4 |
| 129 | Outcome of second kidney transplantation in patients with previous postâ€transplantation Kaposi's sarcoma: A French retrospective study. Clinical Transplantation, 2017, 31, e13091. | 1.6 | 4 |
| 130 | Differential gradients of efficacy of immunotherapy according to the sun-exposure pattern of the site of occurrence of primary melanoma: A multicenter prospective cohort study (MELBASE) Journal of Clinical Oncology, 2021, 39, e21545-e21545. | 1.6 | 4 |
| 131 | Case Report: Clinical Experience With Avelumab in Patients With Metastatic Merkel Cell Carcinoma and Brain Metastases Treated in Europe. Frontiers in Oncology, 2021, 11, 672021. | 2.8 | 4 |
| 132 | A multicenter phase II study of pazopanib in patients with unresectable or recurrent dermatofibrosarcoma protuberans (DFSP) Journal of Clinical Oncology, 2018, 36, 11557-11557. | 1.6 | 4 |
| 133 | The nature and management of acquired resistance to PD1-based therapy in melanoma Journal of Clinical Oncology, 2020, 38, 10014-10014. | 1.6 | 4 |
| 134 | Mitogen-activated protein kinase blockade in melanoma: intermittent versus continuous therapy, from preclinical to clinical data. Current Opinion in Oncology, 2021, 33, 127-132. | 2.4 | 4 |
| 135 | Efficacy and safety of "second adjuvant" therapy with BRAF/MEK inhibitors after resection of recurrent melanoma following adjuvant PD-1–based immunotherapy Journal of Clinical Oncology, 2022, 40, 9575-9575. | 1.6 | 4 |
| 136 | Human Herpesvirus 8. Cancer Treatment and Research, 2009, 146, 169-188. | 0.5 | 3 |
| 137 | Overall survival in COMBI-d, a randomized, double-blinded, phase III study comparing the combination of dabrafenib and trametinib with dabrafenib and placebo as first-line therapy in patients (pts) with unresectable or metastatic BRAF V600E/Kmutation-positive cutaneous melanoma Journal of Clinical Oncology, 2015, 33, 102-102. | 1.6 | 3 |
| 138 | Ipilimumab combined with stereotactic radiosurgery in melanoma patients with brain metastases: A multicenter, open label, phase 2 trial Journal of Clinical Oncology, 2018, 36, 9520-9520. | 1.6 | 3 |
| 139 | Phase I-II open label multicenter study of PD0332991 in <i>BRAF^{V600mut}</i> metastatic melanoma patients harboring <i>CDKN2A</i> loss and RB1 expression and treated with vemurafenib Journal of Clinical Oncology, 2019, 37, 9545-9545. | 1.6 | 3 |
| 140 | Long-term immune-related adverse events under PD-1 inhibitors: a multicenter prospective cohort study (MELBASE) Journal of Clinical Oncology, 2020, 38, 10057-10057. | 1.6 | 3 |
| 141 | MAPK blockade, toxicities, pathogenesis and management. Current Opinion in Oncology, 2021, 33, 139-145. | 2.4 | 3 |
| 142 | Pigmented Bowen's disease presenting with a "starburst―pattern. Dermatology Practical and Conceptual, 2016, 6, 47-49. | 0.9 | 2 |
| 143 | Health-related quality of life trajectory of treatment-naive patients with Merkel cell carcinoma receiving avelumab. Future Oncology, 2020, 16, 2089-2099. | 2.4 | 2 |
| 144 | Eosinophilic Fasciitis Triggered by Nivolumab: A Remarkable Efficacy of the mTOR Inhibitor Sirolimus. Journal of Thoracic Oncology, 2020, 15, e29-e30. | 1.1 | 2 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 145 | National early access programs and clinical trials: What opportunities for early access to therapeutic innovations for patients with malignant melanoma?. Cancer, 2021, 127, 2181-2183. | 4.1 | 2 |
| 146 | Durability of response to immune checkpoint inhibitors (ICI) in metastatic Merkel cell carcinoma (mMCC) after treatment cessation Journal of Clinical Oncology, 2021, 39, 9543-9543. | 1.6 | 2 |
| 147 | Successful rechallenge with avelumab in Merkel cell carcinoma. European Journal of Cancer, 2021, 153, 96-97. | 2.8 | 2 |
| 148 | Ipilimumab versus ipilimumab plus anti-PD-1 for metastatic melanoma – Authors' reply. Lancet Oncology, The, 2021, 22, e343-e344. | 10.7 | 2 |
| 149 | EMMPRIN/CD147 as a novel independent prognostic biomarker in melanoma Journal of Clinical Oncology, 2015, 33, e20027-e20027. | 1.6 | 2 |
| 150 | Immunotherapy-treated melanoma brain metastases within the French national cohort, MelBase Journal of Clinical Oncology, 2016, 34, 9556-9556. | 1.6 | 2 |
| 151 | Tumor microenvironment (TME), longitudinal biomarker changes, and clinical outcome in patients (pts) with advanced BRAF V600–mutant melanoma treated with first-line spartalizumab (S) + dabrafenib (D) + trametinib (T) Journal of Clinical Oncology, 2019, 37, 9515-9515. | 1.6 | 2 |
| 152 | Effect of first-line spartalizumab + dabrafenib + trametinib on immunosuppressive features detected in peripheral blood and clinical outcome in patients (pts) with advanced BRAF V600–mutant melanoma Journal of Clinical Oncology, 2020, 38, 10034-10034. | 1.6 | 2 |
| 153 | Combination anti-PD-1 and ipilimumab (ipi) therapy in patients with advanced melanoma and pre-existing autoimmune disorders (AD) Journal of Clinical Oncology, 2020, 38, 10026-10026. | 1.6 | 2 |
| 154 | Infliximab for hidradenitis suppurativa: report of seven consecutive patients. Experimental Dermatology, 2008, 15, 482-482. | 2.9 | 1 |
| 155 | Association of Vemurafenib and Pipobroman Enhances BRAF-CRAF Dimerization in Squamous Cell Carcinoma. Journal of Investigative Dermatology, 2016, 136, 1302-1305. | 0.7 | 1 |
| 156 | Patterns and management of progression on first-line ipilimumab combined with anti-PD-1 (IPI+PD1) in metastatic melanoma (MM) patients Journal of Clinical Oncology, 2021, 39, 9533-9533. | 1.6 | 1 |
| 157 | Real-world effectiveness of pembrolizumab in advanced melanoma: analysis of a French national clinicobiological database. Immunotherapy, 2021, 13, 905-916. | 2.0 | 1 |
| 158 | Prognostic value of <i>BRAF^{V600}</i> mutations in American Joint Committee on Cancer (AJCC) stage 3 cutaneous melanoma patients in the MelanCohort prospective cohort Journal of Clinical Oncology, 2015, 33, 9037-9037. | 1.6 | 1 |
| 159 | Low vemurafenib plasma exposure as a short-term predictive parameter of progression disease in metastatic <i>BRAFV600^{mut}</i> melanoma Journal of Clinical Oncology, 2015, 33, 9072-9072. | 1.6 | 1 |
| 160 | Phase II multicentric uncontrolled national trial assessing the efficacy of nilotinib in the treatment of advanced melanomas with c-KIT mutation or amplification: Results of the pharmacodynamic study Journal of Clinical Oncology, 2015, 33, e20062-e20062. | 1.6 | 1 |
| 161 | Does body mass index really predict the response to systemic therapies in metastatic melanoma: A multicenter study from the MelBase French National Cohort?. Journal of Clinical Oncology, 2020, 38, 10031-10031. | 1.6 | 1 |
| 162 | Sun exposure profile in the French population: Results of the EDIFICE melanoma survey Journal of Clinical Oncology, 2012, 30, 1566-1566. | 1.6 | 1 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 163 | Comparison of sun protection modalities in parents and children Journal of Clinical Oncology, 2012, 30, 8601-8601. | 1.6 | 1 |
| 164 | Sample CME Manuscript Submission $\hat{a}\in$ Response to Pham et al. $\hat{a}\in$ Review BRAF inhibition and the spectrum of granulomatous reactions". Journal of the American Academy of Dermatology, 2022, , . | 1.2 | 1 |
| 165 | Impact of surgical margins on survival in cutaneous sarcomas: A nationwide study of French Sarcoma Group (FSG) from NETSARC Database Journal of Clinical Oncology, 2021, 39, e23537-e23537. | 1.6 | 0 |
| 166 | Outcome of pretransplant melanoma after solid organ transplantation: an observational study. Transplant International, 2021, 34, 2154-2165. | 1.6 | 0 |
| 167 | Personal melanoma risk awareness versus intrinsic risk Journal of Clinical Oncology, 2013, 31, 9069-9069. | 1.6 | 0 |
| 168 | A randomized, open label, multicenter comparative phase II trial of ipilimumab after isolated limb perfusion (ILP), versus ILP alone in patients with in-transit metastases melanoma stage IIIB and IIIC Journal of Clinical Oncology, 2015, 33, e20107-e20107. | 1.6 | 0 |
| 169 | Mechanisms of elevated serum creatinine in patients receiving vemurafenib for advanced melanoma Journal of Clinical Oncology, 2015, 33, e20022-e20022. | 1.6 | 0 |
| 170 | First-in-human phase I study of the DNA repair inhibitor DT01 in combination with radiotherapy in patients with in transit melanoma Journal of Clinical Oncology, 2015, 33, 2555-2555. | 1.6 | 0 |
| 171 | Follow-up of a French national cohort of melanoma stage IV and unresectable stage III patients, MelBase Journal of Clinical Oncology, 2015, 33, e20113-e20113. | 1.6 | 0 |
| 172 | Bayesian individual exposure estimation of dabrafenib alone or in combination with trametinib in mutated-BRAF V600E metastatic melanoma patients Journal of Clinical Oncology, 2016, 34, e14105-e14105. | 1.6 | 0 |
| 173 | Melapred: first susceptibility test to sporadic melanoma in daily dermatological practice Journal of Clinical Oncology, 2016, 34, e21056-e21056. | 1.6 | 0 |
| 174 | Access to innovative medicines for metastatic melanoma worldwide: Melanoma World Society and European Association of Dermato-oncology survey in 34 countries Journal of Clinical Oncology, 2018, 36, e18609-e18609. | 1.6 | 0 |
| 175 | Elderly patient's tolerance and efficacy for MAP-kinase inhibitors in a French melanoma real-life cohort Journal of Clinical Oncology, 2018, 36, e21536-e21536. | 1.6 | 0 |
| 176 | Express study: A trial in progress exploring the association between low level of genomic alteration and exceptional and unexpected response to targeted therapies in patients with solid tumors Journal of Clinical Oncology, 2019, 37, TPS3159-TPS3159. | 1.6 | 0 |
| 177 | Progression and hyperprogression after anti-PD1 therapy for unresectable stage III or IV melanoma patients Journal of Clinical Oncology, 2019, 37, e21021-e21021. | 1.6 | 0 |
| 178 | Tumor microenvironment (TME), longitudinal biomarker changes, and clinical outcome in patients (pts) with advanced BRAF V600–mutant melanoma treated with first-line spartalizumab (S) + dabrafenib (D) + trametinib (T) Journal of Clinical Oncology, 2020, 38, 39-39. | 1.6 | 0 |
| 179 | Abstract CT197: Phase Ib study of LXH254 + trametinib (TMT) in patients (pts) with <i>NRAS</i> melanoma. Cancer Research, 2022, 82, CT197-CT197. | 0.9 | 0 |
| 180 | Efficacy and tolerance of systemic therapies in metastatic melanoma of unknown primary versus known cutaneous: A multicenter retrospective study from the MelBase French Cohort Journal of Clinical Oncology, 2022, 40, 9556-9556. | 1.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Efficacy of ipilimumab 3mg/kg following progression on low dose ipilimumab in metastatic melanoma Journal of Clinical Oncology, 2022, 40, e21533-e21533. | 1.6 | O |
| 182 | A randomized, controlled, open-label, phase 2 study of cemiplimab $\hat{A}\pm$ RP1 in patients with advanced cutaneous squamous cell carcinoma (CERPASS) Journal of Clinical Oncology, 2022, 40, TPS9593-TPS9593. | 1.6 | 0 |