

# Hua Yuan

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5198397/hua-yuan-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59  
papers

565  
citations

13  
h-index

21  
g-index

63  
ext. papers

771  
ext. citations

4.7  
avg, IF

3.68  
L-index

#	Paper	IF	Citations
59	Interaction analysis between germline genetic variants and somatic mutations in head and neck cancer.. <i>Oral Oncology</i> , <b>2022</b> , 128, 105859	4.4	
58	NLRP3 regulates alveolar bone loss in ligature-induced periodontitis by promoting osteoclastic differentiation. <i>Cell Proliferation</i> , <b>2021</b> , 54, e12973	7.9	20
57	RelA/MicroRNA-30a/NLRP3 signal axis is involved in rheumatoid arthritis via regulating NLRP3 inflammasome in macrophages. <i>Cell Death and Disease</i> , <b>2021</b> , 12, 1060	9.8	1
56	CircRNAs: a family number of miRNA regulatory transcriptome in laryngeal carcinoma. <i>Journal of Clinical Laboratory Analysis</i> , <b>2021</b> , 35, e24038	3	1
55	Immune landscape and subtypes in primary resectable oral squamous cell carcinoma: prognostic significance and predictive of therapeutic response <b>2021</b> , 9,		3
54	The Identification of Stemness-Related Genes in the Risk of Head and Neck Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 688545	5.3	1
53	Parathyroid hormone ameliorates osteogenesis of human bone marrow mesenchymal stem cells against glucolipototoxicity through p38 MAPK signaling. <i>IUBMB Life</i> , <b>2021</b> , 73, 213-222	4.7	2
52	CLPTM1L Is a Novel Putative Oncogene Promoting Tumorigenesis in Oral Squamous Cell Carcinoma. <i>Cell Transplantation</i> , <b>2021</b> , 30, 9636897211045970	4	0
51	Genetic variants in long non-coding RNAs UCA1 and NEAT1 were associated with the prognosis of oral squamous cell carcinoma. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2021</b> , 50, 1131-1137 <sup>2.9</sup>	2.9	2
50	Identification of enhancer RNAs for the prognosis of head and neck squamous cell carcinoma. <i>Head and Neck</i> , <b>2021</b> , 43, 3820-3831	4.2	1
49	Comprehensive analysis of circRNA expression pattern and circRNA-miRNA-mRNA network in oral squamous cell carcinoma. <i>Oral Oncology</i> , <b>2021</b> , 121, 105437	4.4	2
48	Effect of VEGFC on lymph flow and inflammation-induced alveolar bone loss. <i>Journal of Pathology</i> , <b>2020</b> , 251, 323-335	9.4	5
47	Quantitative sensory testing of periauricular skin in healthy adults. <i>Scientific Reports</i> , <b>2020</b> , 10, 3728	4.9	2
46	Long noncoding RNA MEG3 decreases the growth of head and neck squamous cell carcinoma by regulating the expression of miR-421 and E-cadherin. <i>Cancer Medicine</i> , <b>2020</b> , 9, 3954-3963	4.8	7
45	Human amnion-derived mesenchymal stem cells promote osteogenic differentiation of human bone marrow mesenchymal stem cells via H19/miR-675/APC axis. <i>Aging</i> , <b>2020</b> , 12, 10527-10543	5.6	8
44	Observation of retromolar canals on cone beam computed tomography. <i>Oral Radiology</i> , <b>2020</b> , 36, 365-370 <sup>5</sup>	5	1
43	Single-stage repair of secondary unilateral cleft lip-nose deformity in adults. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , <b>2020</b> , 48, 83-89	3.6	2

42	Genetic variants in TKT and DERA in the nicotinamide adenine dinucleotide phosphate pathway predict melanoma survival. <i>European Journal of Cancer</i> , <b>2020</b> , 136, 84-94	7.5	1
41	Human amnion-derived mesenchymal stem cells enhance the osteogenic differentiation of human adipose-derived stem cells by promoting adiponectin excretion via the APPL1-ERK1/2 signaling pathway. <i>IUBMB Life</i> , <b>2020</b> , 72, 296-304	4.7	8
40	Genetic Variants Were Associated With the Prognosis of Head and Neck Squamous Carcinoma. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 372	5.3	4
39	Imaging study on relationship between the location of lingula and the Gonial angle in a Chinese population. <i>Surgical and Radiologic Anatomy</i> , <b>2019</b> , 41, 455-460	1.4	2
38	A comparative study of HAMSCs/HBMSCs transwell and mixed coculture systems. <i>IUBMB Life</i> , <b>2019</b> , 71, 1048-1055	4.7	7
37	CBCT study on the relationship between lingula and antilingula position in a Chinese Han population. <i>Surgical and Radiologic Anatomy</i> , <b>2019</b> , 41, 663-667	1.4	3
36	Association of long non-coding RNA MEG3 polymorphisms with oral squamous cell carcinoma risk. <i>Oral Diseases</i> , <b>2019</b> , 25, 1318-1324	3.5	14
35	Surgery-First and Orthodontic-First Approaches Produce Similar Patterns of Condylar Displacement and Remodeling in Patients With Skeletal Class III Malocclusion. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2019</b> , 77, 1446-1456	1.8	4
34	The Hippo effector TAZ promotes cancer stemness by transcriptional activation of SOX2 in head neck squamous cell carcinoma. <i>Cell Death and Disease</i> , <b>2019</b> , 10, 603	9.8	26
33	Comparative Outcomes of Block and Cancellous Iliac Bone Grafting in Older Unilateral Alveolar Cleft Patients. <i>Cleft Palate-Craniofacial Journal</i> , <b>2019</b> , 56, 936-943	1.9	4
32	Mitochondrial DNA copy number is associated with risk of head and neck squamous cell carcinoma in Chinese population. <i>Cancer Medicine</i> , <b>2018</b> , 7, 2776-2782	4.8	6
31	ATG12 expression quantitative trait loci associated with head and neck squamous cell carcinoma risk in a Chinese Han population. <i>Molecular Carcinogenesis</i> , <b>2018</b> , 57, 1030-1037	5	10
30	Associations of genetic variants in endocytic trafficking of epidermal growth factor receptor super pathway with risk of nonsyndromic cleft lip with or without cleft palate. <i>Molecular Genetics &amp; Genomic Medicine</i> , <b>2018</b> , 6, 1157-1167	2.3	7
29	TEAD4 overexpression promotes epithelial-mesenchymal transition and associates with aggressiveness and adverse prognosis in head neck squamous cell carcinoma. <i>Cancer Cell International</i> , <b>2018</b> , 18, 178	6.4	23
28	Genetic variants in lncRNA are associated with the risk of oral squamous cell carcinoma in a Chinese population. <i>Oncotarget</i> , <b>2018</b> , 9, 23915-23922	3.3	21
27	HAMSCs/HBMSCs coculture system ameliorates osteogenesis and angiogenesis against glucolipototoxicity. <i>Biochimie</i> , <b>2018</b> , 152, 121-133	4.6	8
26	KIT polymorphisms were associated with the risk for head and neck squamous carcinoma in Chinese population. <i>Molecular Carcinogenesis</i> , <b>2017</b> , 56, 232-237	5	4
25	Effects of potentially functional polymorphisms in suppressor of cytokine signaling 3 (SOCS3) on the risk of head and neck squamous cancer. <i>Journal of Oral Pathology and Medicine</i> , <b>2017</b> , 46, 598-602	3.3	4

24	RUNX3 plays a tumor suppressor role by inhibiting cell migration, invasion and angiogenesis in oral squamous cell carcinoma. <i>Oncology Reports</i> , <b>2017</b> , 38, 2378-2386	3.5	8
23	Anatomical Study and Clinical Application of Facial Artery Perforator Flaps in Intraoral Reconstruction: Focusing on Venous System. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2017</b> , 75, 649.e1-649.e10 <sup>4</sup>	1.8	10
22	Association between BRCA1 P871L polymorphism and cancer risk: evidence from a meta-analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 30587-30594	3.3	2
21	Genetic variants within the cancer susceptibility region 8q24 and ovarian cancer risk in Han Chinese women. <i>Oncotarget</i> , <b>2017</b> , 8, 36462-36468	3.3	8
20	Transplantation of osteoporotic bone marrow stromal cells rejuvenated by the overexpression of SATB2 prevents alveolar bone loss in ovariectomized rats. <i>Experimental Gerontology</i> , <b>2016</b> , 84, 71-79	4.5	19
19	A Novel Genetic Variant in Long Non-coding RNA Gene NEXN-AS1 is Associated with Risk of Lung Cancer. <i>Scientific Reports</i> , <b>2016</b> , 6, 34234	4.9	35
18	MicroRNA-101 polymorphisms and risk of head and neck squamous cell carcinoma in a Chinese population. <i>Tumor Biology</i> , <b>2016</b> , 37, 4169-74	2.9	6
17	Computer-aided design-based preoperative planning of screw osteosynthesis for type B condylar head fractures: A preliminary study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , <b>2016</b> , 44, 167-76	3.6	10
16	TPM1 polymorphisms and nonsyndromic orofacial clefts susceptibility in a Chinese Han population. <i>American Journal of Medical Genetics, Part A</i> , <b>2016</b> , 170A, 1208-15	2.5	7
15	Telomere length, genetic variants and risk of squamous cell carcinoma of the head and neck in Southeast Chinese. <i>Scientific Reports</i> , <b>2016</b> , 6, 20675	4.9	11
14	Hyaluronan synthase 2 expressed by cancer-associated fibroblasts promotes oral cancer invasion. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2016</b> , 35, 181	12.8	29
13	Evidence that the genetic polymorphism rs1412115 on chromosome 10 is associated with risk for oral squamous cell carcinoma. <i>Gene</i> , <b>2015</b> , 560, 137-9	3.8	6
12	Genetic variants at 6p21.1 are associated with head and neck cancer in Chinese Han population. <i>Cancer Biomarkers</i> , <b>2015</b> , 15, 27-32	3.8	4
11	The pluripotency factor LIN28B is involved in oral carcinogenesis and associates with tumor aggressiveness and unfavorable prognosis. <i>Cancer Cell International</i> , <b>2015</b> , 15, 99	6.4	12
10	Different levels in alcohol and tobacco consumption in head and neck cancer patients from 1957 to 2013. <i>PLoS ONE</i> , <b>2015</b> , 10, e0124045	3.7	24
9	Genome-wide association study identifies three susceptibility loci for laryngeal squamous cell carcinoma in the Chinese population. <i>Nature Genetics</i> , <b>2014</b> , 46, 1110-4	36.3	40
8	Histone deacetylase 8 suppresses osteogenic differentiation of bone marrow stromal cells by inhibiting histone H3K9 acetylation and RUNX2 activity. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2014</b> , 54, 68-77	5.6	48
7	Genetic variants in let-7/Lin28 modulate the risk of oral cavity cancer in a Chinese Han population. <i>Scientific Reports</i> , <b>2014</b> , 4, 7434	4.9	14

6	Interleukin-17 gene polymorphisms contribute to cancer risk. <i>Mediators of Inflammation</i> , <b>2014</b> , 2014, 128490	4.3	12
5	Genetic variants at 4q23 and 12q24 are associated with head and neck cancer risk in China. <i>Molecular Carcinogenesis</i> , <b>2013</b> , 52 Suppl 1, E2-9	5	10
4	Meta-analysis of phospholipase C epsilon 1 polymorphism and cancer risk. <i>Cancer Biomarkers</i> , <b>2013</b> , 13, 483-9	3.8	4
3	Association of TLR2 and TLR4 polymorphisms with risk of cancer: a meta-analysis. <i>PLoS ONE</i> , <b>2013</b> , 8, e82858	3.7	29
2	Lentivirus-mediated RNA interference of E2F-1 suppresses Tca8113 cell proliferation. <i>Molecular Medicine Reports</i> , <b>2012</b> , 5, 420-6	2.9	3
1	Preparation and Evaluation of Self-Hardening Bone-Rehabilitative Composite with Natural Hydroxyapatite/Chitosan. <i>Key Engineering Materials</i> , <b>2007</b> , 334-335, 1197-1200	0.4	2