
Neal Michelutti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5199431/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Climate oscillations drive millennialâ€scale changes in seabird colony size. Global Change Biology, 2022, 28, 4292-4307.	9.5	4
2	Developing diatomâ€based inference models to assess lake ecosystem change along a gradient of metal smelting impacts: sudbury lakes revisited. Journal of Phycology, 2022, , .	2.3	5
3	Categorizing the influences of two large seabird colonies on island freshwater ecosystems in the Northwest Atlantic Ocean. Hydrobiologia, 2021, 848, 885-900.	2.0	8
4	The response of diatom assemblages in a Jamaican coastal lagoon to hurricane and drought activity over the past millennium. Holocene, 2021, 31, 1359-1365.	1.7	2
5	Limnological Characteristics Reveal Metal Pollution Legacy in Lakes near Canada's Northernmost Mine, Little Cornwallis Island, Nunavut. Arctic, 2021, 74, 167-174.	0.4	1
6	Diatoms and other siliceous indicators track the ontogeny of a "bofedal―(wetland) ecosystem in the Peruvian Andes. Botany, 2021, 99, 491-505.	1.0	2
7	Reply to formal comment on Griffiths et al. (2017) submitted by Gajewski (2020). PLoS ONE, 2021, 16, e0254481.	2.5	0
8	Reconstructing Long-Term Changes in Avian Populations Using Lake Sediments: Opening a Window Onto the Past. Frontiers in Ecology and Evolution, 2021, 9, .	2.2	11
9	Using visible near-infrared reflectance spectroscopy (VNIRS) of lake sediments to estimate historical changes in cyanobacterial production: potential and challenges. Journal of Paleolimnology, 2020, 64, 335-345.	1.6	6
10	Differing limnological responses to late Holocene climate variability in the Cordillera Vilcanota, Peruvian Andes. Journal of Paleolimnology, 2020, 64, 121-135.	1.6	2
11	Long-Term Changes in Terrestrial Vegetation Linked to Shifts in a Colonial Seabird Population. Ecosystems, 2020, 23, 1643-1656.	3.4	24
12	Striking centennial-scale changes in the population size of a threatened seabird. Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20192234.	2.6	16
13	Linking 19th century European settlement to the disruption of a seabird's natural population dynamics. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 32484-32492.	7.1	13
14	Contrasting the ecological effects of decreasing ice cover versus accelerated glacial melt on the High Arctic's largest lake. Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20201185.	2.6	5
15	A limnological assessment of the diverse waterscape in the Cordillera Vilcanota, Peruvian Andes. Inland Waters, 2019, 9, 395-407.	2.2	8
16	Freshwater diatom assemblages from seabird-inhabited ponds in Hudson Strait, sub-Arctic Canada. Polar Biology, 2019, 42, 1549-1560.	1.2	2
17	Mountain lakes: Eyes on global environmental change. Global and Planetary Change, 2019, 178, 77-95.	3.5	185
18	Multicentury perspective assessing the sustainability of the historical harvest of seaducks. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 8425-8430.	7.1	19

NEAL MICHELUTTI

#	Article	IF	CITATIONS
19	Pond sediments on nesting islands in eastern Lake Ontario provide insights into the population dynamics and impacts of waterbird colonies. Journal of Great Lakes Research, 2019, 45, 350-359.	1.9	1
20	A pre-Inca pot from underwater ruins discovered in an Andean lake provides a sedimentary record of marked hydrological change. Scientific Reports, 2019, 9, 19193.	3.3	5
21	The browning and re-browning of lakes: Divergent lake-water organic carbon trends linked to acid deposition and climate change. Scientific Reports, 2019, 9, 16676.	3.3	81
22	Sterols and stanols as novel tracers of waterbird population dynamics in freshwater ponds. Proceedings of the Royal Society B: Biological Sciences, 2018, 285, 20180631.	2.6	11
23	Annual stratification patterns in tropical mountain lakes reflect altered thermal regimes in response to climate change. Fundamental and Applied Limnology, 2018, 191, 267-275.	0.7	16
24	Longâ€ŧerm limnological changes in the Ecuadorian páramo: Comparing the ecological responses to climate warming of shallow waterbodies versus deep lakes. Freshwater Biology, 2018, 63, 1316-1325.	2.4	22
25	Breeding eider ducks strongly influence subarctic coastal pond chemistry. Aquatic Sciences, 2018, 80, 1.	1.5	10
26	Inferring Past Trends in Lake Water Organic Carbon Concentrations in Northern Lakes Using Sediment Spectroscopy. Environmental Science & Technology, 2017, 51, 13248-13255.	10.0	28
27	Ice-cover is the principal driver of ecological change in High Arctic lakes and ponds. PLoS ONE, 2017, 12, e0172989.	2.5	59
28	Tracking pesticide use in the Saint Lawrence River and its ecological impacts during the World Exposition of 1967 in Montreal, Canada. Science of the Total Environment, 2016, 572, 498-507.	8.0	6
29	Visible spectroscopy reliably tracks trends in paleo-production. Journal of Paleolimnology, 2016, 56, 253-265.	1.6	85
30	Assessing the effects of climate and volcanism on diatom and chironomid assemblages in an Andean lake near Quito, Ecuador. Journal of Limnology, 2015, , .	1.1	3
31	Climate Change Forces New Ecological States in Tropical Andean Lakes. PLoS ONE, 2015, 10, e0115338.	2.5	78
32	Climate-driven changes in lakes from the Peruvian Andes. Journal of Paleolimnology, 2015, 54, 153-160.	1.6	34
33	Tracking the History and Ecological Changes of Rising Double-Crested Cormorant Populations Using Pond Sediments from Islands in Eastern Lake Ontario. PLoS ONE, 2015, 10, e0134167.	2.5	16
34	Determining diatom ecotones and their relationship to terrestrial ecoregion designations in the central Canadian Arctic Islands. Journal of Phycology, 2014, 50, 610-623.	2.3	15
35	Using paleolimnology to track the impacts of early Arctic peoples on freshwater ecosystems from southern Baffin Island, Nunavut. Quaternary Science Reviews, 2013, 76, 82-95.	3.0	19
36	Contrasting the effects of climatic, nutrient, and oxygen dynamics on subfossil chironomid assemblages: a paleolimnological experiment from eutrophic High Arctic ponds. Journal of Paleolimnology, 2013, 49, 205-219.	1.6	35

NEAL MICHELUTTI

#	Article	IF	CITATIONS
37	Comparison of Freshwater Diatom Assemblages from a High Arctic Oasis to Nearby Polar Desert Sites and Their Application to Environmental Inference Models. Journal of Phycology, 2013, 49, 41-53.	2.3	18
38	A Holocene Perspective on Algal Mercury Scavenging to Sediments of an Arctic Lake. Environmental Science & Technology, 2012, 46, 7135-7141.	10.0	24
39	Arctic lake ontogeny across multiple interglaciations. Quaternary Science Reviews, 2012, 31, 112-126.	3.0	31
40	Using paleolimnology to track Holocene climate fluctuations and aquatic ontogeny in poorly buffered High Arctic lakes. Palaeogeography, Palaeoclimatology, Palaeoecology, 2012, 321-322, 1-15.	2.3	18
41	A 200â€year perspective on alternative stable state theory and lake management from a biomanipulated shallow lake. Ecological Applications, 2012, 22, 1483-1496.	3.8	60
42	Historical pesticide applications coincided with an altered diet of aerially foraging insectivorous chimney swifts. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 3114-3120.	2.6	66
43	Cultural eutrophication, anoxia, and ecosystem recovery in Meretta Lake, High Arctic Canada. Limnology and Oceanography, 2011, 56, 639-650.	3.1	46
44	Historical seabird population dynamics and their effects on Arctic pond ecosystems: a multi-proxy paleolimnological study from Cape Vera, Devon Island, Arctic Canada. Fundamental and Applied Limnology, 2011, 179, 51-66.	0.7	23
45	Chironomid assemblages from seabird-affected High Arctic ponds. Polar Biology, 2011, 34, 799-812.	1.2	19
46	Comparing nitrogen isotopic signals between bulk sediments and invertebrate remains in High Arctic seabird-influenced ponds. Journal of Paleolimnology, 2010, 44, 405-412.	1.6	23
47	Do spectrally inferred determinations of chlorophyll a reflect trends in lake trophic status?. Journal of Paleolimnology, 2010, 43, 205-217.	1.6	156
48	Trophic position influences the efficacy of seabirds as metal biovectors. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 10543-10548.	7.1	98
49	Recent changes in a remote Arctic lake are unique within the past 200,000 years. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 18443-18446.	7.1	78
50	Seabird-driven shifts in Arctic pond ecosystems. Proceedings of the Royal Society B: Biological Sciences, 2009, 276, 591-596.	2.6	102
51	Temporal trends of pollution Pb and other metals in east-central Baffin Island inferred from lake sediment geochemistry. Science of the Total Environment, 2009, 407, 5653-5662.	8.0	42
52	Accelerated delivery of polychlorinated biphenyls (PCBs) in recent sediments near a large seabird colony in Arctic Canada. Environmental Pollution, 2009, 157, 2769-2775.	7.5	26
53	Biogenic silica concentration as a highâ€resolution, quantitative temperature proxy at Hallet Lake, southâ€central Alaska. Geophysical Research Letters, 2008, 35, .	4.0	69
54	Climatically controlled chemical and biological development in Arctic lakes. Journal of Geophysical Research, 2007, 112, .	3.3	52

NEAL MICHELUTTI

#	Article	IF	CITATIONS
55	Evaluating diatom community composition in the absence of marked limnological gradients in the high Arctic: a surface sediment calibration set from Cornwallis Island (Nunavut, Canada). Polar Biology, 2007, 30, 1459-1473.	1.2	30
56	Delayed response of diatom assemblages to sewage inputs in an Arctic lake. Aquatic Sciences, 2007, 69, 523-533.	1.5	32
57	Ecological characteristics of modern diatom assemblages from Axel Heiberg Island (High Arctic) Tj ETQq1 1 0.784 2006, 84, 1695-1713.	4314 rgBT 1.1	/Overlock 10 18
58	Experimental calibration of lake-sediment spectral reflectance to chlorophyll a concentrations: methodology and paleolimnological validation. Journal of Paleolimnology, 2006, 36, 91-100.	1.6	120
59	A multi-proxy lacustrine record of Holocene climate change on northeastern Baffin Island, Arctic Canada. Quaternary Research, 2006, 65, 431-442.	1.7	79
60	Heightened sensitivity of a poorly buffered high arctic lake to late-Holocene climatic change. Quaternary Research, 2006, 65, 421-430.	1.7	35
61	Climate-driven regime shifts in the biological communities of arctic lakes. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 4397-4402.	7.1	828
62	Recent primary production increases in arctic lakes. Geophysical Research Letters, 2005, 32, n/a-n/a.	4.0	146
63	PERIPHYTIC DIATOM ASSEMBLAGES FROM ULTRA-OLIGOTROPHIC AND UV TRANSPARENT LAKES AND PONDS ON VICTORIA ISLAND AND COMPARISONS WITH OTHER DIATOM SURVEYS IN THE CANADIAN ARCTIC1. Journal of Phycology, 2003, 39, 465-480.	2.3	82
64	Diatom response to recent climatic change in a high arctic lake (Char Lake, Cornwallis Island,) Tj ETQq0 0 0 rgBT	/Oyerlock	10 Tf 50 382
65	Limnological Characteristics of 38 Lakes and Pondson Axel Heiberg Island, High Arctic Canada. International Review of Hydrobiology, 2002, 87, 385.	0.9	41
66	Title is missing!. Hydrobiologia, 2002, 482, 1-13.	2.0	55
67	Title is missing!. Journal of Paleolimnology, 2002, 28, 377-381.	1.6	26
68	Diatom Changes in Lake Sediments from the Mackenzie Delta, N.W.T., Canada: Paleohydrological Applications. Arctic, Antarctic, and Alpine Research, 2001, 33, 1-12.	1.1	12
69	Title is missing!. Water, Air, and Soil Pollution, 2001, 125, 231-241.	2.4	42
70	Diatom Changes in Lake Sediments from the Mackenzie Delta, N.W.T., Canada: Paleohydrological Applications. Arctic, Antarctic, and Alpine Research, 2001, 33, 1.	1.1	12
71	Equatorial mountain lakes show extended periods of thermal stratification with climate warming. Journal of Limnology, 0, , .	1.1	7
72	Changes in cladoceran assemblages from tropical high mountain lakes during periods of recent climate change. Journal of Plankton Research, 0, , .	1.8	4

#	Article	IF	CITATIONS
73	Using stable water isotope composition (δ ¹⁸ O and δ ² H) to track the interannual responses of Arctic and tropical Andean water bodies to rising air temperatures. Journal of Geophysical Research G: Biogeosciences, 0, , .	3.0	0