

Xunhui Xiong

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5200105/xunhui-xiong-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

7,618
citations

48
h-index

86
g-index

110
ext. papers

8,980
ext. citations

9.9
avg, IF

6.28
L-index

#	Paper	IF	Citations
108	Oxygen-rich graphene vertically grown on 3D N-Doped carbon foam for high-performance sodium ion batteries. <i>Journal of Power Sources</i> , 2022 , 530, 231292	8.9	5
107	A Covalent Heterostructure of Metal Phosphide Quantum Dots Anchored in N, P Co-doped Carbon Nanocapsules for Fast and Durable Lithium Storage. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 53965-53973	9.5	1
106	Self-assembled MoS ₂ /C Nanoflowers with Expanded Interlayer Spacing as a High-Performance Anode for Sodium Ion Batteries. <i>Chinese Journal of Chemical Engineering</i> , 2021 , 39, 240-240	3.2	4
105	Lithiophilic amide-functionalized carbon nanotube skeleton for dendrite-free lithium metal anodes. <i>Chemical Engineering Journal</i> , 2021 , 414, 128698	14.7	10
104	Facile synthesis of uniform N-doped carbon-coated TiO hollow spheres with enhanced lithium storage performance. <i>Nanoscale</i> , 2021 , 13, 2368-2372	7.7	4
103	Constructing MoO ₂ @MoS ₂ heterostructures anchored on graphene nanosheets as a high-performance anode for sodium ion batteries. <i>Electrochimica Acta</i> , 2021 , 388, 138612	6.7	4
102	Nitrogen-doped carbon decorated TiO ₂ /Ti ₃ C ₂ T MXene composites as anode material for high-performance sodium-ion batteries. <i>Surface and Coatings Technology</i> , 2021 , 422, 127568	4.4	6
101	Phenoxy Radical-Induced Formation of Dual-Layered Protection Film for High-Rate and Dendrite-Free Lithium-Metal Anodes. <i>Angewandte Chemie</i> , 2021 , 133, 26922	3.6	2
100	Phenoxy Radical-Induced Formation of Dual-Layered Protection Film for High-Rate and Dendrite-Free Lithium-Metal Anodes. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 26718-26724	16.4	10
99	An inorganic-rich SEI induced by LiNO additive for a stable lithium metal anode in carbonate electrolyte. <i>Chemical Communications</i> , 2021 , 57, 9232-9235	5.8	7
98	Synergistic Effect of Nitrogen and Sulfur Dual-Doping Endows TiO ₂ with Exceptional Sodium Storage Performance. <i>Advanced Energy Materials</i> , 2021 , 11, 2003037	21.8	42
97	Melamine-assisted synthesis of Fe ₃ N featuring highly reversible crystalline-phase transformation for ultrastable sodium ion storage. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 6768-6775	13	31
96	Facile and efficient fabrication of Li ₃ PO ₄ -coated Ni-rich cathode for high-performance lithium-ion battery. <i>Applied Surface Science</i> , 2020 , 504, 144506	6.7	61
95	Self-Stabilized and Strongly Adhesive Supramolecular Polymer Protective Layer Enables Ultrahigh-Rate and Large-Capacity Lithium-Metal Anode. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 2055-2060	16.4	113
94	Self-Stabilized and Strongly Adhesive Supramolecular Polymer Protective Layer Enables Ultrahigh-Rate and Large-Capacity Lithium-Metal Anode. <i>Angewandte Chemie</i> , 2020 , 132, 2071-2076	3.6	19
93	Convenient fabrication of a core-shell Sn@TiO anode for lithium storage from tinplate electroplating sludge. <i>Chemical Communications</i> , 2020 , 56, 10187-10190	5.8	10
92	Upcycling of Electroplating Sludge into Ultrafine Sn@C Nanorods with Highly Stable Lithium Storage Performance. <i>Nano Letters</i> , 2019 , 19, 1860-1866	11.5	104

91	Rational Design of TiO-TiO Heterostructure/Polypyrrole as a Multifunctional Sulfur Host for Advanced Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 5055-5063	9.5	69
90	Suppressing dendrite growth by a functional electrolyte additive for robust Li metal anodes. <i>Energy Storage Materials</i> , 2019 , 23, 701-706	19.4	67
89	5LiFe0.9Mn0.1PO4/Li3V2(PO4)3/C composites as high capacity cathode materials for lithium-ion batteries. <i>Applied Surface Science</i> , 2019 , 483, 1166-1173	6.7	2
88	A robust sulfur host with dual lithium polysulfide immobilization mechanism for long cycle life and high capacity Li-S batteries. <i>Energy Storage Materials</i> , 2019 , 16, 344-353	19.4	109
87	Lithiated zinc oxide nanorod arrays on copper current collectors for robust Li metal anodes. <i>Chemical Engineering Journal</i> , 2019 , 378, 122243	14.7	43
86	General and Scalable Fabrication of Core-Shell Metal Sulfides@C Anchored on 3D N-Doped Foam toward Flexible Sodium Ion Batteries. <i>Small</i> , 2019 , 15, e1903259	11	46
85	Scalable synthesis of FeS nanoparticles encapsulated into N-doped carbon nanosheets as a high-performance sodium-ion battery anode. <i>Nanoscale</i> , 2019 , 11, 3773-3779	7.7	48
84	Sulfuryl chloride as a functional additive towards dendrite-free and long-life Li metal anodes. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 25003-25009	13	10
83	PPy-encapsulated SnS Nanosheets Stabilized by Defects on a TiO Support as a Durable Anode Material for Lithium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 811-815	16.4	209
82	PPy-encapsulated SnS2 Nanosheets Stabilized by Defects on a TiO2 Support as a Durable Anode Material for Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2019 , 131, 821-825	3.6	18
81	One-pot synthesis of SnS/C nanocomposites on carbon paper as a high-performance free-standing anode for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2019 , 779, 67-73	5.7	14
80	A Scalable Approach for Dendrite-Free Alkali Metal Anodes via Room-Temperature Facile Surface Fluorination. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 4962-4968	9.5	32
79	N/S codoped carbon microboxes with expanded interlayer distance toward excellent potassium storage. <i>Chemical Engineering Journal</i> , 2019 , 358, 1147-1154	14.7	84
78	Three-dimensional (3D) flower-like MoSe2/N-doped carbon composite as a long-life and high-rate anode material for sodium-ion batteries. <i>Chemical Engineering Journal</i> , 2019 , 357, 226-236	14.7	58
77	A renewable natural cotton derived and nitrogen/sulfur co-doped carbon as a high-performance sodium ion battery anode. <i>Materials Today Energy</i> , 2018 , 8, 37-44	7	44
76	Sb@C/expanded graphite as high-performance anode material for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2018 , 744, 481-486	5.7	29
75	Rational Design of Nickel Hydroxide-Based Nanocrystals on Graphene for Ultrafast Energy Storage. <i>Advanced Energy Materials</i> , 2018 , 8, 1702247	21.8	172
74	Uniform Li deposition regulated via three-dimensional polyvinyl alcohol nanofiber networks for effective Li metal anodes. <i>Nanoscale</i> , 2018 , 10, 10018-10024	7.7	32

73	SnS ₂ nanoparticles anchored on three-dimensional reduced graphene oxide as a durable anode for sodium ion batteries. <i>Chemical Engineering Journal</i> , 2018 , 339, 78-84	14.7	44
72	Ni-polymer gels-derived hollow NiSb alloy confined in 3D interconnected carbon as superior sodium-ion battery anode. <i>Electrochimica Acta</i> , 2018 , 269, 225-231	6.7	16
71	Nanoscale gadolinium doped ceria (GDC) surface modification of Li-rich layered oxide as a high performance cathode material for lithium ion batteries. <i>Chemical Engineering Journal</i> , 2018 , 334, 497-507	14.7	62
70	N/S Co-doped Carbon Derived From Cotton as High Performance Anode Materials for Lithium Ion Batteries. <i>Frontiers in Chemistry</i> , 2018 , 6, 78	5	22
69	Facile synthesis of M-Sb (M = Ni, Sn) alloy nanoparticles embedded in N-doped carbon nanosheets as high performance anode materials for lithium ion batteries. <i>Chemical Engineering Journal</i> , 2018 , 348, 653-660	14.7	44
68	MoS ₂ -covered SnS nanosheets as anode material for lithium-ion batteries with high capacity and long cycle life. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 592-598	13	109
67	Mn doped NaV ₃ (PO ₄) ₃ /C anode with high-rate and long cycle-life for sodium ion batteries. <i>Energy Storage Materials</i> , 2018 , 12, 153-160	19.4	36
66	Chemically activated hollow carbon nanospheres as a high-performance anode material for potassium ion batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 24317-24323	13	129
65	Direct synthesis of FeS/N-doped carbon composite for high-performance sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 24702-24708	13	29
64	Construction of MoS/C Hierarchical Tubular Heterostructures for High-Performance Sodium Ion Batteries. <i>ACS Nano</i> , 2018 , 12, 12578-12586	16.7	188
63	Fluorine-Doped Carbon Surface Modification of Li-Rich Layered Oxide Composite Cathodes for High Performance Lithium-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 16399-16411	8.3	34
62	Nitrogen-doped bamboo-like carbon nanotubes as anode material for high performance potassium ion batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 15162-15169	13	113
61	MoS ₂ encapsulated SnO ₂ -SnS/C nanosheets as a high performance anode material for lithium ion batteries. <i>Chemical Engineering Journal</i> , 2017 , 316, 393-400	14.7	115
60	In situ X-ray diffraction characterization of NiSe ₂ as a promising anode material for sodium ion batteries. <i>Journal of Power Sources</i> , 2017 , 343, 483-491	8.9	125
59	A New rGO-Overcoated Sb ₂ Se ₃ Nanorods Anode for Na ⁺ Battery: In Situ X-Ray Diffraction Study on a Live Sodiation/Desodiation Process. <i>Advanced Functional Materials</i> , 2017 , 27, 1606242	15.6	184
58	A tailored double perovskite nanofiber catalyst enables ultrafast oxygen evolution. <i>Nature Communications</i> , 2017 , 8, 14586	17.4	251
57	The effect of composite organic acid (citric acid & tartaric acid) on microstructure and electrochemical properties of Li 1.2 Mn 0.54 Ni 0.13 Co 0.13 O 2 Li-rich layered oxides. <i>Journal of Power Sources</i> , 2017 , 346, 31-39	8.9	40
56	Sn-MoS -C@C Microspheres as a Sodium-Ion Battery Anode Material with High Capacity and Long Cycle Life. <i>Chemistry - A European Journal</i> , 2017 , 23, 5051-5058	4.8	34

55	MoS ₂ Decorated Fe ₃ O ₄ /Fe _{1-x} S _x @C Nanosheets as High-Performance Anode Materials for Lithium Ion and Sodium Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 4739-4745	8.3	55
54	Sb/C composite as a high-performance anode for sodium ion batteries. <i>Electrochimica Acta</i> , 2017 , 242, 159-164	6.7	52
53	Interfacial effects on electrical conductivity in ultrafine-grained Sm _{0.2} Ce _{0.8} O _{2-δ} electrolytes fabricated by a two-step sintering process. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 11823-11829	6.7	9
52	V ₅ S ₈ /graphite hybrid nanosheets as a high rate-capacity and stable anode material for sodium-ion batteries. <i>Energy and Environmental Science</i> , 2017 , 10, 107-113	35.4	219
51	A high-energy, long cycle-life hybrid supercapacitor based on graphene composite electrodes. <i>Energy Storage Materials</i> , 2017 , 7, 32-39	19.4	124
50	Three-dimensional N-doped graphene as anode material with superior cycle stability for sodium ion batteries. <i>Materials Letters</i> , 2017 , 202, 123-126	3.3	13
49	Sodium Ion Batteries: A New rGO-Overcoated Sb ₂ Se ₃ Nanorods Anode for Na ⁺ Battery: In Situ X-Ray Diffraction Study on a Live Sodiation/Desodiation Process (Adv. Funct. Mater. 13/2017). <i>Advanced Functional Materials</i> , 2017 , 27,	15.6	3
48	Surface Modification of NaV(PO) by Nitrogen and Sulfur Dual-Doped Carbon Layer with Advanced Sodium Storage Property. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 13151-13162	9.5	79
47	Exfoliated V ₅ S ₈ /graphite nanosheet with excellent electrochemical performance for enhanced lithium storage. <i>Chemical Engineering Journal</i> , 2017 , 320, 485-493	14.7	42
46	SnS nanoparticles electrostatically anchored on three-dimensional N-doped graphene as an active and durable anode for sodium-ion batteries. <i>Energy and Environmental Science</i> , 2017 , 10, 1757-1763	35.4	345
45	In situ X-ray diffraction investigation of CoSe ₂ anode for Na-ion storage: Effect of cut-off voltage on cycling stability. <i>Electrochimica Acta</i> , 2017 , 258, 1387-1396	6.7	49
44	Exploration of VPO as a new anode material for sodium-ion batteries. <i>Chemical Communications</i> , 2017 , 53, 12696-12699	5.8	19
43	LiNiCoMnO with Controllable Morphology and Size for High Performance Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 25358-25368	9.5	59
42	One-step synthesis of architectural Ni ₃ S ₂ nanosheet-on-nanorods array for use as high-performance electrodes for supercapacitors. <i>NPG Asia Materials</i> , 2016 , 8, e300-e300	10.3	69
41	Composites of Single/Double Perovskites as Cathodes for Solid Oxide Fuel Cells. <i>Energy Technology</i> , 2016 , 4, 804-808	3.5	9
40	In situ X-ray diffraction characterization of NbS ₂ nanosheets as the anode material for sodium ion batteries. <i>Journal of Power Sources</i> , 2016 , 325, 410-416	8.9	79
39	Enhancing Sodium Ion Battery Performance by Strongly Binding Nanostructured SbS on Sulfur-Doped Graphene Sheets. <i>ACS Nano</i> , 2016 , 10, 10953-10959	16.7	293
38	Probing Structural Evolution and Charge Storage Mechanism of NiOH Electrode Materials using In Operando Resonance Raman Spectroscopy. <i>Advanced Science</i> , 2016 , 3, 1500433	13.6	58

37	Controlled synthesis of NiCo ₂ S ₄ nanostructured arrays on carbon fiber paper for high-performance pseudocapacitors. <i>Nano Energy</i> , 2015 , 16, 71-80	17.1	292
36	Probing the Charge Storage Mechanism of a Pseudocapacitive MnO ₂ Electrode Using in Operando Raman Spectroscopy. <i>Chemistry of Materials</i> , 2015 , 27, 6608-6619	9.6	141
35	Three-dimensional ultrathin Ni(OH) ₂ nanosheets grown on nickel foam for high-performance supercapacitors. <i>Nano Energy</i> , 2015 , 11, 154-161	17.1	329
34	Facile synthesis of ultrathin nickel hydroxides nanoflakes on nickel foam for high-performance supercapacitors. <i>Materials Letters</i> , 2015 , 138, 5-8	3.3	13
33	Nanoscale Surface Modification of Lithium-Rich Layered-Oxide Composite Cathodes for Suppressing Voltage Fade. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 13058-62	16.4	277
32	Nanoscale Surface Modification of Lithium-Rich Layered-Oxide Composite Cathodes for Suppressing Voltage Fade. <i>Angewandte Chemie</i> , 2015 , 127, 13250-13254	3.6	19
31	One-step facile synthesis of porous Co ₃ O ₄ microspheres as anode materials for lithium-ion batteries. <i>Materials Letters</i> , 2014 , 120, 73-75	3.3	23
30	Enhanced electrochemical performance in LiNi _{0.8} Co _{0.15} Al _{0.05} O ₂ cathode material: Resulting from Mn-surface-modification using a facile oxidizing-boating method. <i>Materials Letters</i> , 2014 , 115, 49-52	3.3	25
29	Enhanced electrochemical properties of a LiNiO ₂ -based cathode material by removing lithium residues with (NH ₄) ₂ HPO ₄ . <i>Journal of Materials Chemistry A</i> , 2014 , 2, 11691-11696	13	110
28	Surface modification of LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ with conducting polypyrrole. <i>Journal of Solid State Electrochemistry</i> , 2014 , 18, 2619-2624	2.6	77
27	A novel carbamide-assistant hydrothermal process for coating Al ₂ O ₃ onto LiMn _{1.5} Ni _{0.5} O ₄ particles used for cathode material of lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2014 , 583, 313-319	5.7	56
26	Synthesis of Mg-doped LiNi _{0.8} Co _{0.15} Al _{0.05} O ₂ oxide and its electrochemical behavior in high-voltage lithium-ion batteries. <i>Ceramics International</i> , 2014 , 40, 13223-13230	5.1	102
25	Effect of sintering temperature on cycling performance and rate performance of LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ . <i>Transactions of Nonferrous Metals Society of China</i> , 2014 , 24, 4023-4029	3.3	20
24	Beneficial effects of 1-propylphosphonic acid cyclic anhydride as an electrolyte additive on the electrochemical properties of LiNi _{0.5} Mn _{1.5} O ₄ cathode material. <i>Journal of Power Sources</i> , 2014 , 263, 231-238	8.9	61
23	Role of V ₂ O ₅ coating on LiNiO ₂ -based materials for lithium ion battery. <i>Journal of Power Sources</i> , 2014 , 245, 183-193	8.9	192
22	Synthesis and characterization of Li ₄ Ti ₅ O ₁₂ /graphene composite as anode material with enhanced electrochemical performance. <i>Ionics</i> , 2013 , 19, 717-723	2.7	14
21	A low temperature fluorine substitution on the electrochemical performance of layered LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ -Fz cathode materials. <i>Electrochimica Acta</i> , 2013 , 92, 1-8	6.7	81
20	Preparation of TiO ₂ from ilmenite using sulfuric acid decomposition of the titania residue combined with separation of Fe ³⁺ with EDTA during hydrolysis. <i>Advanced Powder Technology</i> , 2013 , 24, 60-67	4.6	35

19	Washing effects on electrochemical performance and storage characteristics of LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ as cathode material for lithium-ion batteries. <i>Journal of Power Sources</i> , 2013 , 222, 318-325	8.9	258
18	Effect of fluorine on the electrochemical performance of spherical LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ cathode materials via a low temperature method. <i>Powder Technology</i> , 2013 , 237, 623-626	5.2	44
17	Li ₄ Ti ₅ O ₁₂ /Reduced Graphene Oxide composite as a high rate capability material for lithium ion batteries. <i>Solid State Ionics</i> , 2013 , 236, 30-36	3.3	31
16	The enhanced electrochemical performance of LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathode materials by low temperature fluorine substitution. <i>Electrochimica Acta</i> , 2013 , 95, 112-118	6.7	102
15	Synthesis and electrochemical performance of xLi ₂ MnO ₃ [(1-x)LiMn _{0.5} Ni _{0.4} Co _{0.1} O ₂] for lithium ion battery. <i>Powder Technology</i> , 2013 , 235, 158-162	5.2	14
14	A modified LiF coating process to enhance the electrochemical performance characteristics of LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ cathode materials. <i>Materials Letters</i> , 2013 , 110, 4-9	3.3	92
13	Synthesis and characterization of LiVPO ₄ F/C using precursor obtained through a soft chemical route with mechanical activation assist. <i>Electrochimica Acta</i> , 2013 , 91, 75-81	6.7	46
12	Enhanced electrochemical properties of lithium-reactive V ₂ O ₅ coated on the LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ cathode material for lithium ion batteries at 60 °C. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 1284-1288	13	187
11	High performance LiV ₃ O ₈ cathode materials prepared by spray-drying method. <i>Electrochimica Acta</i> , 2012 , 71, 206-212	6.7	22
10	Study on ultrafast synthesis of LiV ₃ O ₈ cathode material for lithium-ion batteries. <i>Materials Letters</i> , 2012 , 76, 8-10	3.3	14
9	Low-temperature synthesis of nano-micron Li ₄ Ti ₅ O ₁₂ by an aqueous mixing technique and its excellent electrochemical performance. <i>Journal of Power Sources</i> , 2012 , 202, 374-379	8.9	49
8	Spherical Li ₄ Ti ₅ O ₁₂ synthesized by spray drying from a different kind of solution. <i>Journal of Alloys and Compounds</i> , 2012 , 540, 39-45	5.7	29
7	Characterization of spherical-shaped Li ₄ Ti ₅ O ₁₂ prepared by spray drying. <i>Electrochimica Acta</i> , 2012 , 78, 331-339	6.7	33
6	Preparation and characterization of spinel Li ₄ Ti ₅ O ₁₂ anode material from industrial titanyl sulfate solution. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 596-601	5.7	25
5	A novel method to synthesize anatase TiO ₂ nanowires as an anode material for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 3711-3715	5.7	35
4	Preparation of TiO ₂ nanosheets and Li ₄ Ti ₅ O ₁₂ anode material from natural ilmenite. <i>Powder Technology</i> , 2011 , 213, 192-198	5.2	22
3	Inexpensive synthesis of anatase TiO ₂ nanowires by a novel method and its electrochemical characterization. <i>Materials Letters</i> , 2011 , 65, 1514-1517	3.3	15
2	Hydrogen peroxide leaching of hydrolyzed titania residue prepared from mechanically activated Panzihua ilmenite leached by hydrochloric acid. <i>International Journal of Mineral Processing</i> , 2011 , 98, 106-112		47

- 1 Grain-Boundary-Rich Artificial SEI Layer for High-Rate Lithium Metal Anodes. *Advanced Functional Materials*, 2107249 15.6 16