## Petar Adzic

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5201934/publications.pdf

Version: 2024-02-01

451 papers

18,862 citations

13854 67 h-index 24232 110 g-index

471 all docs

471 docs citations

times ranked

471

9500 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at \$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.                          | 1.6 | 6         |
| 2  | Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions. Journal of High Energy Physics, 2022, 2022, 1.   | 1.6 | 8         |
| 3  | Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.                 | 1.6 | 6         |
| 4  | Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.                      | 1.6 | 5         |
| 5  | Search for long-lived particles produced in association with a Z boson in proton-proton collisions at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 1.6 | 3         |
| 6  | Study of dijet events with large rapidity separation in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 1.6 | 1         |
| 7  | Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.  | 1.4 | 18        |
| 8  | Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.                     | 1.6 | 13        |
| 9  | Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .                         | 1.6 | 5         |
| 10 | Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 1.6 | 12        |
| 11 | Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 1.6 | 2         |
| 12 | Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.                                     | 1.6 | 6         |
| 13 | Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 1.6 | 5         |
| 14 | Search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 1.6 | 5         |
| 15 | Measurement of the inclusive $\mbox{mathrm{t}}\$ mathrm{t} when the proton-proton collisions at $\mbox{sqrt{s}}\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 1.6 | 2         |
| 16 | Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $$$ sqrt $\{s\}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .                        | 1.6 | 2         |
| 17 | Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .  | 1.6 | 4         |
| 18 | Search for single production of a vector-like T quark decaying to a top quark and a Z boson in the final state with jets and missing transverse momentum at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, . | 1.6 | 5         |

| #  | ARTICLE  | IF              | CITATIONS          |
|----|--|-----------------|--------------------|
| 19 | Measurement of the inclusive and differential t\$\$ overline{t} \$\$ $\hat{I}^3$ cross sections in the dilepton channel and effective field theory interpretation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, . | 1.6             | 2                  |
| 20 | Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .                | 1.4             | 1                  |
| 21 | Evidence for Higgs boson decay to a pair of muons. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6             | 54                 |
| 22 | Search for top squark pair production using dilepton final states in $\{\{p\}\}\$ collision data collected at $\{p\}=13$ ,ext $\{TeV\}$ \$\$. European Physical Journal C, 2021, 81, 3.  | 1.4             | 33                 |
| 23 | Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6             | 14                 |
| 24 | Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6             | 15                 |
| 25 | Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6             | 26                 |
| 26 | Search for new physics in top quark production with additional leptons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV using effective field theory. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6             | 12                 |
| 27 | Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6             | 5                  |
| 28 | Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\$$ sqrt $\{s\} = 13$ ,ext $\{Te\}$ ext $\{V\}$ $\$$ . European Physical Journal C, 2021, 81, 378.          | 1.4             | 40                 |
| 29 | Measurement of b jet shapes in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6             | 4                  |
| 30 | First measurement of large area jet transverse momentum spectra in heavy-ion collisions. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6             | 11                 |
| 31 | Study of Drell-Yan dimuon production in proton-lead collisions at \$\$ sqrt{s_{mathrm{NN}}} \$\$ = 8.16 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6             | 3                  |
| 32 | In-medium modification of dijets in PbPb collisions at $\$$ sqrt $\{s_{NN}\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6             | 5                  |
| 33 | Measurement of the Z boson differential production cross section using its invisible decay mode (Z →) Tj ETQq1 Physics, 2021, 2021, 1.   | 1 0.7843<br>1.6 | l 4 rgBT /Ove<br>2 |
| 34 | Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.  | 1.4             | 35                 |
| 35 | Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6             | 27                 |
| 36 | Search for resonant and nonresonant new phenomena in high-mass dilepton final states at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6             | 62                 |

| #  | Article   | IF          | CITATIONS |
|----|---|-------------|-----------|
| 37 | Search for a heavy vector resonance decaying to a $f(z)_{mathrm{Z}}_{mathrm{Z}}^{mathrm{Z}}$ Aboson and a Higgs boson in proton-proton collisions at $f(z)_{mathrm{Z}}^{mathrm{Z}}$ European Physical Journal C, 2021, 81, 688.   | 1.4         | 9         |
| 38 | Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.  | 1.4         | 19        |
| 39 | Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.  | 1.4         | 123       |
| 40 | Search for chargino-neutralino production in events with Higgs and W bosons using 137 fba $^{1}$ 1 of proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6         | 8         |
| 41 | Measurements of the pp $\hat{a}$ †' $\hat{W}\hat{A}\pm\hat{I}^3\hat{I}^3$ and pp $\hat{a}$ †' $\hat{Z}\hat{I}^3\hat{I}^3$ cross sections at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV and limits anomalous quartic gauge couplings. Journal of High Energy Physics, 2021, 2021, 1. | s on<br>1.6 | 7         |
| 42 | Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the $\ddot{\parallel}$ , $\ddot{\parallel}$ , $\ddot{\parallel}$ bb final state at 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6         | 11        |
| 43 | Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6         | 36        |
| 44 | Observation of tW production in the single-lepton channel in pp collisions at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6         | 2         |
| 45 | Measurement of prompt open-charm production cross sections in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6         | 2         |
| 46 | Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6         | 5         |
| 47 | Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6         | 8         |
| 48 | Search for a heavy resonance decaying to a top quark and a W boson at $\$\$ $ sqrt $\$\$ = 13$ TeV in the fully hadronic final state. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6         | 1         |
| 49 | The production of isolated photons in PbPb and pp collisions at $\$$ sqrt $\{s_{NN}\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6         | 4         |
| 50 | Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6         | 10        |
| 51 | Measurement of the cross section for $\$ mathrm{t}-overline{mathrm{t}} \$\$ production with additional jets and b jets in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6         | 5         |
| 52 | Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6         | 41        |
| 53 | Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{1}{2} = 13$ , {ext {TeV}} \$\$. European Physical Journal C, 2020, 80, 752.                                      | 1.4         | 23        |
| 54 | Search for supersymmetry in proton-proton collisions at $\$\$ \cdot \$ = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6         | 4         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in $\$ mathrm {PbPb}\$\$ collisions at \$\$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 2.76\$\$ and 5.02\$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 534.   | 1.4 | 14        |
| 56 | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.  | 1.4 | 198       |
| 57 | Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 8         |
| 58 | Measurement of single-diffractive dijet production in protonâ $\in$ proton collisions at \$\$qrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.  | 1.4 | 5         |
| 59 | Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two $\ddot{l}$ , leptons and two jets in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 33        |
| 60 | Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 5         |
| 61 | Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 13        |
| 62 | Inclusive search for supersymmetry in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 3         |
| 63 | Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 17        |
| 64 | Search for excited leptons in $\hat{a}$ , " $\hat{a}$ ," final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 3         |
| 65 | Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 24        |
| 66 | Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.  | 1.4 | 9         |
| 67 | Measurement of exclusive $\{\{\{uprho _{}^{}\}\}_{\{\{left( 770\}ight) \}}_{}^{}}\}$   | 1.4 | 33        |
| 68 | Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$   | 1.4 | 35        |
| 69 | Measurement of the top quark mass in the all-jets final state at $\$\$qrt\{s\}=13$ ,ext $\{TeV\}$ $\$\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.  | 1.4 | 40        |
| 70 | Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$ , ext $f(x) = 13$ , | 1.4 | 8         |
| 71 | Search for resonant production of second-generation sleptons with same-sign dimuon events in protonâ $\in$ proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.  | 1.4 | 4         |
| 72 | Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV via Higgs boson decays to $I$ , leptons. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 7         |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | Search for the pair production of light top squarks in the e± $1\frac{1}{4}$ â" final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 5         |
| 74 | Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.   | 1.4 | 355       |
| 75 | Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.  | 1.4 | 11        |
| 76 | Measurements of the pp â†' WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 14        |
| 77 | Measurement of the $f(t) = \frac{1}{2} $ Measurement of $f(t) = \frac{1}{2} $ Measurement of the $f(t) = \frac{1}{2} $ Measurement of the $f(t) = \frac{1}{2} $ Measurement of $f(t) = $ | 1.4 | 68        |
| 78 | Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$sqrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.   | 1.4 | 12        |
| 79 | Search for nonresonant Higgs boson pair production in the $\$$ mathrm $\{b\}$ overline $\{mathrm\{b\}\}$ s final state at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 11        |
| 80 | Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in protonâ $\in$ "proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.  | 1.4 | 29        |
| 81 | Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 13        |
| 82 | Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.   | 1.4 | 48        |
| 83 | Search for single production of vector-like quarks decaying to a top quark and a \$\$mathrm {W} \$\$ W boson in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.  | 1.4 | 34        |
| 84 | Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.   | 1.4 | 11        |
| 85 | Search for rare decays of \$\$mathrm {Z}\$\$ Z and Higgs bosons to \$\${mathrm {J}/psi } \$\$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at \$\$sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.  | 1.4 | 20        |
| 86 | Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 15        |
| 87 | Measurements of $\$$ mathrm{t}overline{mathrm{t}} $\$$ differential cross sections in proton-proton collisions at $\$$ sqrt{mathrm{s}}=13 $\$$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 28        |
| 88 | Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 28        |
| 89 | Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at \$ sqrt{s} = 13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 6         |
| 90 | Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 14        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 91  | Search for resonant $\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 23        |
| 92  | Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 14        |
| 93  | Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a $W$ or $Z$ boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 12        |
| 94  | Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 40        |
| 95  | Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.   | 1.4 | 18        |
| 96  | Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 18        |
| 97  | Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s. European Physical Journal C, 2019, 79, 886.  | 1.4 | 16        |
| 98  | Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\$$ sqrt $\{s\}=7$ \$\$ \$\$,ext $\{TeV\}$ \$\$. European Physical Journal C, 2018, 78, 242.  | 1.4 | 10        |
| 99  | Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{NN}}}= $5.02 \$\$$ and $8.16 \text{ TeV}$ . Journal of High Energy Physics, $2018$ , $2018$ , $1$ .   | 1.6 | 8         |
| 100 | Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$ , " $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," " $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," " $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," " $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," " $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," " $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," " $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," " $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," | 1.6 | 36        |
| 101 | Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.  | 1.4 | 27        |
| 102 | Measurements of the $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ p p ât' Z Z production cross section and the $\mbox{mathrm} \{Z\}$ ightarrow 4ell $\mbox{nd} \{Z\}$ 4 â," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.   | 1.4 | 52        |
| 103 | Measurement of associated Z + charm production in proton–proton collisions at \$\$\$qrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.  | 1.4 | 16        |
| 104 | Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 5         |
| 105 | Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 0         |
| 106 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 5         |
| 107 | Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13 \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 6         |
| 108 | Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 57        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 63        |
| 110 | Measurement of differential cross sections in the kinematic angular variable $\ddot{l}$ * for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                              | 1.6 | 4         |
| 111 | Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 12        |
| 112 | Measurement of normalized differential $\mbox{mathrm{t}}\$ mathrm{t} structure from pp collisions at $\mbox{sqrt{s}=13 }\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 18        |
| 113 | Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                                       | 1.6 | 17        |
| 114 | Search for ZZ resonances in the $2\hat{a}$ , " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 4         |
| 115 | Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 20        |
| 116 | Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.                                    | 1.6 | 9         |
| 117 | Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt $\{s_{mathrm{NN}}\}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 12        |
| 118 | Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                               | 1.6 | 11        |
| 119 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                         | 1.6 | 19        |
| 120 | Search for natural and split supersymmetry in proton-proton collisions at $\$\$ $ sqrt $\$\$=13 $ \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.                                | 1.6 | 43        |
| 121 | Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 12        |
| 122 | Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two $\ddot{l}$ , leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 34        |
| 123 | Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 26        |
| 124 | Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                                      | 1.6 | 13        |
| 125 | Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{NN}\}$ = 5.44 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 17        |
| 126 | Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm $\{p\}$ \$\$ collisions at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ \$\$. European Physical Journal C, 2018, 78, 891.  | 1.4 | 34        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                 | 1.6 | 18        |
| 128 | Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 57        |
| 129 | Event shape variables measured using multijet final states in proton-proton collisions at $\$\$$ sqrt $\$=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 4         |
| 130 | Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 23        |
| 131 | Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.      | 1.6 | 82        |
| 132 | Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ $\sqrt{s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                                      | 1.6 | 17        |
| 133 | Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                | 1.6 | 17        |
| 134 | Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $s=13 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 14        |
| 135 | Search for supersymmetry in events with a Ï,, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                          | 1.6 | 21        |
| 136 | Search for the decay of a Higgs boson in the $\hat{a}$ , " $\hat{a}$ ," " $\hat{a}$ " channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                      | 1.6 | 17        |
| 137 | Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ sqrt $\$$ =13,ext $\{$ Te $\}$ ext $\{$ V $\}$ $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.     | 1.4 | 46        |
| 138 | Measurement of differential cross sections for $\{Z\}$ boson production in association with jets in proton-proton collisions at $\{S\} = 13$ , ext $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.  | 1.4 | 39        |
| 139 | Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 â^— ( 5840 ) 0 and \$\${mathrm {B}}  |     |           |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 25        |
| 146 | Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 13        |
| 147 | Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 18        |
| 148 | Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ Z / $\hat{I}^3$ â^— â†' $\hat{I}$ ,, $\hat{I}$ , cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708. | 1.4 | 10        |
| 149 | Search for vector-like T and B quark pairs in final states with leptons at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 42        |
| 150 | Search for dark matter produced in association with a Higgs boson decaying to $\hat{l}^3\hat{l}^3$ or $\hat{l}_3$ at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 12        |
| 151 | Search for additional neutral MSSM Higgs bosons in the $\ddot{l}$ , $\ddot{l}$ , final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 73        |
| 152 | Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 11        |
| 153 | Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 34        |
| 154 | Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 10        |
| 155 | Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 35        |
| 156 | Search for beyond the standard model Higgs bosons decaying into a $\$\$$ mathrm $\{b\}$ overline $\{mathrm\{b\}\}$ $\$\$$ pair in pp collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                                 | 1.6 | 21        |
| 157 | Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.  | 1.4 | 58        |
| 158 | Measurement of prompt and nonprompt charmonium suppression in $\$$ ext {PbPb} $\$$ \$ collisions at 5.02 $\$$ 9, ext {Te}ext {V} $\$$ 8. European Physical Journal C, 2018, 78, 509.   | 1.4 | 83        |
| 159 | Search for lepton flavour violating decays of the Higgs boson to $1\frac{1}{4}$ , and ei, in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 29        |
| 160 | Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\ddot{l}$ , leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                          | 1.6 | 38        |
| 161 | Electroweak production of two jets in association with a Z boson in proton $\hat{a}\in \text{``proton collisions at $$} = 13 $$,ext {TeV}$$ TeV. European Physical Journal C, 2018, 78, 1.$  | 1.4 | 17        |
| 162 | Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 29        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 163 | Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 20        |
| 164 | Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 16        |
| 165 | Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt ${s}=13$ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 23        |
| 166 | Search for a singly produced third-generation scalar leptoquark decaying to a $\ddot{l}$ , lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 15        |
| 167 | Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $$$ sqrt ${s}=13$ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 13        |
| 168 | Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 62        |
| 169 | Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 31        |
| 170 | Search for high-mass resonances in dilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 86        |
| 171 | Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 42        |
| 172 | Jet properties in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 13        |
| 173 | Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$\$$ sqrt $\$\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 37        |
| 174 | Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ $\in$ proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.   | 1.4 | 44        |
| 175 | Measurement of b hadron lifetimes in pp collisions at $\$$ sqrt $\{s\} = 8$ \$ s = 8 \$\$,ext $\{Te\}$ ext $\{V\}$ \$\$ TeV. European Physical Journal C, 2018, 78, 457.  | 1.4 | 15        |
| 176 | Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV})., 2018, 78, 1.  |     | 3         |
| 177 | Measurement of b hadron lifetimes in pp collisions at $(sqrt\{s\} = 8)$ (,ext $\{Te\}$ ext $\{V\}$ )., 2018, 78, 1.   |     | 1         |
| 178 | Measurements of the $\mbox{mathrm{t}overline{mathrm{t}}}$ t t $\mbox{$\hat{A}^{-}$}$ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7Â \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.   | 1.4 | 34        |
| 179 | Measurement of the $\frac{t}{\sigma}$ mathrm{t}-werline{mathrm{t}} \$\$ t t $\hat{A}^-$ production cross section using events in the $\frac{t}{\sigma}$ at $t \in \mathbb{R}$ with $t \in \mathbb{R}$ and $t \in \mathbb{R}$ so $t \in \mathbb{R}$ at $t \in \mathbb{R}$ so $t \in \mathbb$ | 1.4 | 40        |
| 180 | Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$ sqrt{s}= $8 $ \$ TeV and cross section ratios to $2.76 $ and $7 $ TeV. Journal of High Energy Physics, $2017, 2017, 1.$  | 1.6 | 54        |

| #   | Article   | IF       | CITATIONS |
|-----|---|----------|-----------|
| 181 | Search for electroweak production of charginos in final states with two $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6      | 11        |
| 182 | Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8$ , mathrm $\{\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.   | 1.4      | 16        |
| 183 | Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\} = 7$ \$\$ s = 7 and 8 $\$$ s,ext $\{TeV\}$ \$\$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\} = 8$ ,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.             | 1.4      | 37        |
| 184 | Measurement of prompt and nonprompt $\frac{J}{{psi }} $ production in $\frac{p}{mathrm }$ phathrm {p}mathrm {p}\$\$ p p and $\frac{p}{s} $ p p and $\frac{p}{s} $ p b collisions at $\frac{s}{r} $ mathrm {NN}}} =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.                    | 1.4      | 53        |
| 185 | A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$ $\$$ \$ $\hat{I}$ ± T variable. European Physical Journal C, 2017, 77, 294. | 1.4      | 29        |
| 186 | Search for new physics in the monophoton final state in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6      | 17        |
| 187 | Measurement of double-differential cross sections for top quark pair production in pp collisions at $$$ sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.   | 1.4      | 52        |
| 188 | Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$$ sqrt{s_{mathrm{N}}= $5.02 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6      | 103       |
| 189 | Search for t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6      | 22        |
| 190 | Search for associated production of dark matter with a Higgs boson decaying to b b $\hat{A}^-$ \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6      | 14        |
| 191 | Observation of Y(1S) pair production in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6      | 48        |
| 192 | Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6      | 35        |
| 193 | Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6      | 13        |
| 194 | Measurement of the semileptonic t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ + $\hat{I}^3$ production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6      | 11        |
| 195 | Measurements of the pp $\hat{a}$ †' $\hat{W}^{\hat{i}\hat{j}\hat{i}\hat{j}\hat{j}\hat{j}\hat{j}\hat{j}\hat{j}\hat{j}\hat{j}\hat{j}j$  | S<br>1.6 | 10        |
| 196 | Search for new phenomena with the $M_{\text{mathrm }T2}$ M T 2 variable in the all-hadronic final state produced in protonâe proton collisions at $\frac{5}{5} = 13$ s, ext $TeV$ Furopean Physical Journal C, 2017, 77, 710.   | 1.4      | 98        |
| 197 | Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6      | 14        |
| 198 | Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6      | 23        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 14        |
| 200 | Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 23        |
| 201 | Suppression and azimuthal anisotropy of prompt and nonprompt $f(x) = 1 $ production in PbPb collisions at $f(x) = 1 $ production PbPb collisions at $f(x) = 1 $ production Physical Journal C, 2017, 77, 252.   | 1.4 | 82        |
| 202 | Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.  | 1.4 | 32        |
| 203 | Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ or $s=8$ and $s=8$ such that $s=8$ is $s=8$ and $s=8$ are $s=8$ for $s=8$ and $s=8$ is $s=8$ for $s=8$ and $s=8$ is $s=8$ for $s=8$ fo | 1.4 | 23        |
| 204 | Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 95        |
| 205 | Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 22        |
| 206 | Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.   | 1.4 | 38        |
| 207 | Measurement of electroweak-induced production of $\hat{W}^3$ with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 17        |
| 208 | Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 8         |
| 209 | Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 10        |
| 210 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 22        |
| 211 | Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 15        |
| 212 | Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 27        |
| 213 | Search for top squark pair production in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 31        |
| 214 | Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 15        |
| 215 | Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 15        |
| 216 | Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.  | 1.4 | 57        |
| 218 | Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 3         |
| 219 | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 29        |
| 220 | Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 17        |
| 221 | Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 21        |
| 222 | Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 15        |
| 223 | Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 62        |
| 224 | Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13 $ \$ sqrt{ $s$ }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                          | 1.6 | 41        |
| 225 | Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.   | 1.4 | 2         |
| 226 | Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.  | 1.4 | 38        |
| 227 | Search for high-mass $Z^{\hat{1}}$ resonances in e+eâ <sup>-</sup> ' $\hat{1}^3$ and $\hat{1}^1/4 + \hat{1}^1/4$ â <sup>-</sup> ' $\hat{1}^3$ final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 7         |
| 228 | Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying $\ddot{l}$ , leptons and two jets in proton-proton collisions at $s = 13 $ \$ sqrt $s=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                    | 1.6 | 22        |
| 229 | Search for CP violation in t t $\hat{A}^-$ \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 4         |
| 230 | Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ % s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.   | 1.4 | 23        |
| 231 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 10        |
| 232 | Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13 $ \$\$ sqrt{ $s$ }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                            | 1.6 | 14        |
| 233 | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 101       |
| 234 | Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{sqrt\{s\}\} = 8$ , ext $TeV$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.  | 1.4 | 30        |

| #   | Article  | lF  | Citations |
|-----|--|-----|-----------|
| 235 | Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 11        |
| 236 | Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                                   | 1.6 | 23        |
| 237 | Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=2.76 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                                    | 1.6 | 18        |
| 238 | Measurement of the double-differential inclusive jet cross section in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.  | 1.4 | 55        |
| 239 | Measurement of the $\{\{mathrm\{W\}\}^{+}\}$ mathrm $\{W\}^{-}\}$ \$\ W + W - cross section in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.              | 1.4 | 74        |
| 240 | Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.   | 1.4 | 33        |
| 241 | Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 17        |
| 242 | Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317. | 1.4 | 16        |
| 243 | Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 5         |
| 244 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = $2.76$ \$\$ sqrt{s_{mathrm{NN}}}= $2.76$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 31        |
| 245 | Search for anomalous single top quark production in association with a photon in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 27        |
| 246 | Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                                  | 1.6 | 7         |
| 247 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 13        |
| 248 | Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8<br>\$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.  | 1.4 | 25        |
| 249 | Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.   | 1.4 | 64        |
| 250 | Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.   | 1.4 | 16        |
| 251 | Search for dark matter particles in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 4         |
| 252 | Search for s channel single top quark production in pp collisions at $s = 7 $ \$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 14        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Measurement of inclusive jet production and nuclear modifications in pPb collisions at $s=\{mathrm \{NN\}\}\} = 5.02$ , mathrm $t=\{TeV\}$ \$\$ s NN. European Physical Journal C, 2016, 76, 372.   | 1.4 | 29        |
| 254 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ $sqrt{s}=7$ \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 19        |
| 255 | Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 41        |
| 256 | Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 17        |
| 257 | Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 13        |
| 258 | Evidence for exclusive $\hat{I}^3\hat{I}^3$ $\hat{a}^4$ , $\hat{W}$ + $\hat{W}$ $\hat{a}^2$ production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.                       | 1.6 | 42        |
| 259 | Search for supersymmetry in pp collisions at $s=13$ \$\$ $sqrt{s}=13$ \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 14        |
| 260 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ qrt $\{s\} = 8$ ;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.  | 1.4 | 18        |
| 261 | Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 20        |
| 262 | Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 12        |
| 263 | Measurement of the mass of the top quark in decays with a J/ $\hat{\Gamma}$ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 6         |
| 264 | Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$ , ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.  | 1.4 | 26        |
| 265 | Measurement of $\$ mathrm {t}overline{mathrm {t}}\$\$ t t  production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379. | 1.4 | 34        |
| 266 | Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ ightarrow mathrm $\{W\}^{p} + X$ p p → $\mbox{W } \hat{A}_{\pm} + X$ production at $\{q\}^{p} = 8$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.                         | 1.4 | 83        |
| 267 | Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 23        |
| 268 | Search for Wâ $\in$ 2 → tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 3         |
| 269 | Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$\$$ sqrt{s_{mathrm{NN}}}= $2.76 \$\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 29        |
| 270 | Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Search for excited leptons in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 16        |
| 272 | Measurement of the $\frac{t}{v}$ mathrm $t$ overline $m$ the all-jets final state in pp collisions at $\frac{s}{v}$ s = 8 $\frac{a}{v}$ production cross section in the Journal C, 2016, 76, 128.  | 1.4 | 41        |
| 273 | Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.  | 1.4 | 499       |
| 274 | Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â,," $\hat{1}\frac{1}{2}$ b b $\hat{A}^-$ final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237. | 1.4 | 30        |
| 275 | Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2016, 2016, 1.                                   | 1.6 | 16        |
| 276 | Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 15        |
| 277 | Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm + j$ ets and $e\hat{A}\pm \hat{1}\frac{1}{4}\hat{A}\pm + j$ ets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 35        |
| 278 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                    | 1.6 | 19        |
| 279 | Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}=8$ ,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.                                | 1.4 | 62        |
| 280 | Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                        | 1.6 | 8         |
| 281 | Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s $$$ sqrt{s} $$$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6 | 24        |
| 282 | Search for third-generation scalar leptoquarks in the $t\ddot{i}$ , channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6 | 24        |
| 283 | Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6 | 34        |
| 284 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 37        |
| 285 | Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.                           | 1.6 | 20        |
| 286 | Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6 | 81        |
| 287 | Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 12        |
| 288 | Search for a light charged Higgs boson decaying to c s $\hat{A}^-$ \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.                                       | 1.6 | 44        |

| #   | Article  | IF         | Citations                 |
|-----|--|------------|---------------------------|
| 289 | Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6        | 24                        |
| 290 | Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6        | 1                         |
| 291 | Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6        | 92                        |
| 292 | Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.      | 1.4        | 541                       |
| 293 | Measurement of the $Z\hat{l}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6        | 11                        |
| 294 | Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.                    | 1.4        | 68                        |
| 295 | Measurement of the differential cross section for top quark pair production in pp collisions at $s=8$ , ext $TeV$ $s=8$ TeV. European Physical Journal C, 2015, 75, 542.   | 1.4        | 191                       |
| 296 | Measurements of the $\frac{Z}$ \$ Z $\frac{Z}$ \$ production cross sections in the \$\$2 mathrm{I} 2u \$\$ 2   2 î½ channel in protonâ e"proton collisions at \$\$ sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511. | 1.4        | 32                        |
| 297 | Comparison of the $Z/\hat{1}^3$ $\hat{a}^-$ + jets to $\hat{1}^3$ + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6        | 6                         |
| 298 | Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6        | 30                        |
| 299 | Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.   | 1.4        | 73                        |
| 300 | Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.   | 1.4        | 31                        |
| 301 | Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.                                   | 1.4        | 88                        |
| 302 | Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.   | 1.4        | 44                        |
| 303 | and B± → J/ſrK ± and â,,¬ B c ± → J / Ir Ï€ ± Ï€ ± Ï€ â^" / â,,¬ B c ± → J / Ir Ï€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm} o mathrm{J}/psi {pi}^{pm} }{pi}^{pm} Tj ETQq1 1 0.7  | '84314 rgI | BT <sub>1</sub> /Overlock |
| 304 | Search for disappearing tracks in proton-proton collisions at $s = 8 $ \$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6        | 46                        |
| 305 | Study of Z production in PbPb and pp collisions at s N N = $2.76 \$\$$ sqrt $\$_{mathrm{NN}}=2.76 \$\$$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6        | 27                        |
| 306 | Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$\$ sqrt $s=8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6        | 78                        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76~$ \$\$ sqrt{ $s$ }=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 10        |
| 308 | Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ $\in$ "proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.                                   | 1.4 | 320       |
| 309 | Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\$$ sqrt $\{s\} = 7$ \$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 288. | 1.4 | 54        |
| 310 | Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$ TeV. European Physical Journal C, 2015, 75, 302.   | 1.4 | 6         |
| 311 | Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.                           | 1.4 | 43        |
| 312 | Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in protonâ€"proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.  | 1.4 | 179       |
| 313 | Measurement of top quarkâ $\in$ "antiquark pair production in association with a W or Z boson in pp collisions at $\$$ sqrt $\{s\} = 8$ \$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.                                 | 1.4 | 43        |
| 314 | Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.  | 1.4 | 49        |
| 315 | Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.  | 1.4 | 241       |
| 316 | Measurement of prompt J/ $\hat{\Gamma}$ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.   | 1.6 | 61        |
| 317 | Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.  | 1.4 | 342       |
| 318 | Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.   | 1.6 | 51        |
| 319 | Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 1.6 | 3         |
| 320 | Search for standard model production of four top quarks in the lepton $+$ jets channel in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.  | 1.6 | 17        |
| 321 | Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.   | 1.6 | 43        |
| 322 | Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.   | 1.6 | 169       |
| 323 | Measurement of the $\$ toverline{t} $\$ production cross section in the dilepton channel in pp collisions at $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.  | 1.6 | 52        |
| 324 | Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $q=1.76$ TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 1.6 | 77        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Measurement of associated W + charm production in pp collisions at sqrts = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 1.6 | 55        |
| 326 | Search for new physics in events with same-sign dileptons and jets in pp collisions at $q = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 1.6 | 48        |
| 327 | Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{s}{TeV}$ TeV. European Physical Journal C, 2014, 74, 1.                                      | 1.4 | 75        |
| 328 | Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ $\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.            | 1.4 | 23        |
| 329 | Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980.  | 1.4 | 171       |
| 330 | Measurement of jet multiplicity distributions in $\frac{t}{\text{TeV}} $ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.   | 1.4 | 16        |
| 331 | Study of double parton scattering using W + 2-jet events in proton-proton collisions at sqrts = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.  | 1.6 | 85        |
| 332 | Event activity dependence of $Y $ (nS) production in $q = 1.02$ FeV pPb and $q = 1.02$ FeV pP collisions. Journal of High Energy Physics, 2014, 2014, 1.   | 1.6 | 56        |
| 333 | Measurements of the \$ mathrm{t}overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ $qt_s$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.         | 1.6 | 20        |
| 334 | Evidence for the 125 GeV Higgs boson decaying to a pair of $\ddot{\text{l}}_{\text{n}}$ leptons. Journal of High Energy Physics, 2014, 2014, 1.  | 1.6 | 123       |
| 335 | Search for W′ → tb decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 1.6 | 26        |
| 336 | Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.              | 1.6 | 31        |
| 337 | Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.              | 1.6 | 100       |
| 338 | Measurement of the t-channel single-top-quark production cross section and of the $ Vtb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1. | 1.6 | 70        |
| 339 | Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.                 | 1.6 | 39        |
| 340 | Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.  | 1.6 | 4         |
| 341 | Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.      | 1.6 | 85        |
| 342 | Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.                         | 1.6 | 69        |

| #   | Article   | IF  | Citations  |
|-----|---|-----|------------|
| 343 | Measurement of the top-quark mass in all-jets $\frac{t}{ar}$ by the top-quark mass in all-jets $\frac{t}{ar}$ by the collisions at $\frac{A^-}{s}$ events in pp collisions at $\frac{A^-}{s}$ s = 7 TeV. European Physical Journal C, 2014, 74, 2758. | 1.4 | 35         |
| 344 | Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt $\{s_{NN}\} = $ \$\$ s N N = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.  | 1.4 | 85         |
| 345 | Probing color coherence effects in pp collisions at $\$$ sqrt $\{s\}=7$ ,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.   | 1.4 | 17         |
| 346 | Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV., 2014, 2014, 1.   |     | 3          |
| 347 | Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.   |     | 6          |
| 348 | Search for microscopic black holes in pp collisions at $q=1$ Sqrt $q=1$ Full Physics, 2013, 2013, 1.  | 1.6 | 44         |
| 349 | Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qrt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 1.6 | 17         |
| 350 | Searches for long-lived charged particles in pp collisions at $\$ sqrt{s} $\$ =7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 1.6 | 118        |
| 351 | Study of exclusive two-photon production of W+W $\hat{a}$ in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.  | 1.6 | <b>7</b> 5 |
| 352 | Observation of a new boson with mass near 125 GeV in pp collisions at $q=1$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 1.6 | 320        |
| 353 | Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.   | 1.6 | 39         |
| 354 | Studies of jet mass in dijet and $W/Z$ + jet events. Journal of High Energy Physics, 2013, 2013, 1.   | 1.6 | 58         |
| 355 | Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at \$ $q^2 = 7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 1.6 | 16         |
| 356 | Measurement of the X(3872) production cross section via decays to J/i ´i€ + Ï€ â´' in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 1.6 | 73         |
| 357 | Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.   | 1.6 | 50         |
| 358 | Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 1.6 | 15         |
| 359 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=1$ sqrt $q=1$ TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 1.6 | 33         |
| 360 | Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.   | 1.6 | 32         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 361 | Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 1.6 | 20        |
| 362 | Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.  | 1.4 | 20        |
| 363 | Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC.<br>European Physical Journal C, 2013, 73, 2469.  | 1.4 | 68        |
| 364 | Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on $ZZ^{\hat{1}3}$ and $Z^{\hat{1}3}^{\hat{1}3}$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1. | 1.6 | 14        |
| 365 | Measurement of the W-boson helicity in top-quark decays from $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at $\mbox{sqrt{s}}=7 \mbox{TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.                                   | 1.6 | 30        |
| 366 | Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{l}\pm$ T and b-quark multiplicity in pp collisions at $\frac{s}{s} = 8 \text{ mathrm}{TeV}$ . European Physical Journal C, 2013, 73, 2568.                        | 1.4 | 147       |
| 367 | Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.                        | 1.6 | 16        |
| 368 | Measurement of masses in the $mathrm{t}$ overline $mathrm{t}$ \$ system by kinematic endpoints in pp collisions at $q=0.013, 73, 2494.$  | 1.4 | 55        |
| 369 | Search for physics beyond the standard model in events with Ï,, leptons, jets, and large transverse momentum imbalance in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.   | 1.4 | 22        |
| 370 | Measurement of the $mathrm{t}ar{mathrm{t}}$ production cross section in the $\ddot{l}$ ,+jets channel in pp collisions at $q=1$ mbox $red{TeV}$ . European Physical Journal C, 2013, 73, 1.  | 1.4 | 24        |
| 371 | Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.   | 1.4 | 32        |
|     |  |     |           |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or $\hat{a}$ % $\pm 3$ b-quark jets in 7 TeV pp collisions using the variable $\hat{l}$ $\pm$ T. Journal of High Energy Physics, 2013, 2013, 1. | 1.6 | 34        |
| 380 | Search for heavy quarks decaying into a top quark and a W or Z boson using lepton $+$ jets events in pp collisions at $q=0$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 1.6 | 13        |
| 381 | Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $q=7 \text{ mbox}$ European Physical Journal C, 2013, 73, 2283.   | 1.4 | 64        |
| 382 | Measurement of differential top-quark-pair production cross sections in pp collisions at $q = 7 \text{ mathrm}$ European Physical Journal C, 2013, 73, 1.  | 1.4 | 125       |
| 383 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( sqrt{s}=8 ) TeV. , 2013, 2013, 1.   |     | 2         |
| 384 | Inclusive b-jet production in pp collisions at $q = 7 \text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 39        |
| 385 | Search for quark compositeness in dijet angular distributions from pp collisions at $\$$ sqrt $\{s\} = 7\{\}$ $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 18        |
| 386 | Suppression of non-prompt J/ $\hat{\Gamma}$ , prompt J/ $\hat{\Gamma}$ , and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{\text{NN}}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.                 | 1.6 | 200       |
| 387 | Measurement of the cross section for production of $\$$ boverline b $X$ \$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.                                      | 1.6 | 6         |
| 388 | Search for anomalous production of multilepton events in pp collisions at sqrt s} = 7,TeV 5. Journal of High Energy Physics, 2012, 2012, 1.  | 1.6 | 68        |
| 389 | Search for leptonic decays of $W\hat{a}\in \mathbb{R}^2$ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 49        |
| 390 | Search for stopped long-lived particles produced in pp collisions at $\$$ sqrt $\{s\} = \{ext\{7TeV\}\} \$$ . Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 17        |
| 391 | Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at  sqrt  {s} = 7  TeV. Journal of High Energy Physics, 2012, 2012, 1.  | 1.6 | 30        |
| 392 | Measurement of the underlying event activity in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 13        |
| 393 | Search for dark matter and large extra dimensions in monojet events in pp collisions at sqrt 5 = 7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 168       |
| 394 | Search for a fermiophobic Higgs boson in pp collisions at  sqrt  = 7  TeV. Journal of High Energy Physics, 2012, 2012, 1.  | 1.6 | 15        |
| 395 | Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ $ \sqrt{\{s_{mathrm{NN}}\}\}} = 2.76 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 85        |
| 396 | Measurement of the $\mbox{mathrm}\{t\}$ overline{mathrm $\{t\}$ } production cross section in the dilepton channel in pp collisions at $\mbox{sqrt}\{s\}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.                      | 1.6 | 69        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | Search for exclusive or semi-exclusive $\hat{I}^3\hat{I}^3$ production and observation of exclusive and semi-exclusive e+eâ° production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 51        |
| 398 | Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 7         |
| 399 | Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.  | 1.6 | 41        |
| 400 | Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 11        |
| 401 | Search for resonant $\mbox{mathrm{t}}$ overline{mathrm{t}} $\mbox{production}$ production in lepton+jets events in pp collisions at $\mbox{qrt{s}=7 }\mbox{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 26        |
| 402 | Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.  | 1.6 | 34        |
| 403 | Measurement of the single-top-quark t-channel cross section in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 1.6 | 83        |
| 404 | Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\frac{1}{5}=7$ ; TeV $\frac{1}$ | 1.6 | 14        |
| 405 | Measurement of the top-quark mass in $\mbox{mathrm}\{t\}$ verified mathrm $\{t\}$ events with lepton+jets final states in pp collisions at $\mbox{sqrt}\{s\}=7\ \mbox{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.  | 1.6 | 38        |
| 406 | Measurement of the underlying event in the Drellâ€"Yan process in protonâ€"proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.  | 1.4 | 33        |
| 407 | Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7~mbox{TeV}$ . European Physical Journal C, 2012, 72, 1.   | 1.4 | 154       |
| 408 | A search for a doubly-charged Higgs boson in pp collisions at $sqrt{s} = 7 \text{ mbox}{TeV}$ . European Physical Journal C, 2012, 72, 1.   | 1.4 | 129       |
| 409 | Measurement of the top-quark mass in $mathrm{t}$ overline $mathrm{t}$ events with dilepton final states in pp collisions at $q=0$ mbox $e^2$ . European Physical Journal C, 2012, 72, 1.  | 1.4 | 42        |
| 410 | Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in protonâ $\in$ proton collisions at $q=7 \text{ mathrm}$ European Physical Journal C, 2012, 72, 1.  | 1.4 | 26        |
| 411 |   |     |           |

| #   | Article   | IF           | CITATIONS |
|-----|---|--------------|-----------|
| 415 | Search for the standard model Higgs boson in the H $\hat{a}$ † $ZZ \hat{a}$ † $\hat{a}$ , " $\hat{a}$ ", " $\hat{a}$ ", " $\hat{a}$ " decay channel in pp collisions at $\hat{a}$ {s} = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1. | sart<br>1.6  | 11        |
| 416 | Search for $\{\text{ext}\{B\}\}_{\text{ext}\{s\}}^0 \ \hat{i}' \ \hat{i}'_4 + \hat{i}'_4 \ \hat{a}'' \ \text{and BO } \hat{a}'' \ \hat{i}'_4 + \hat{i}'_4 \ \hat{a}'' \ \text{decays. Journal of High Energy Physics, 22012, 1.}$                         | 2012,<br>1.6 | 57        |
| 417 | Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.   | 1.6          | 15        |
| 418 | Study of high-p T charged particle suppression in PbPb compared to pp collisions at \$sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.  | 1.4          | 369       |
| 419 | Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at \$sqrt{s_{NN}}= 2.76 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.   | 1.4          | 181       |
| 420 | Exclusive $\hat{1}^3\hat{1}^3$ â†' $\hat{1}^1/4 + \hat{1}^1/4$ â^' production in proton-proton collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 1.6          | 56        |
| 421 | Measurement of the production cross section for pairs of isolated photons in pp collisions at $\$ sqrt $\$ s} = 7;TeV $\$ . Journal of High Energy Physics, 2012, 2012, 1.  | 1.6          | 26        |
| 422 | Prompt and non-prompt J/ $\hat{\Gamma}$ production in pp collisions at $q=7$ TeV. European Physical Journal C, 2011, 71, 1.   | 1.4          | 135       |
| 423 | Measurement of the $\frac{tar{t}}}$ production cross section in pp collisions at $\frac{sqrt{s}=7}$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.   | 1.4          | 37        |
| 424 | Measurements of inclusive W and Z cross sections in pp collisions at sqrt s= 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.  | 1.6          | 122       |
| 425 | Search for heavy stable charged particles in pp collisions at   | 1.6          | 38        |
| 426 | Inclusive b-hadron production cross section with muons in pp collisions at $\$$ sqrt $\{s\}$ = $7$ ; {ext{TeV}} $\$$ . Journal of High Energy Physics, 2011, 2011, 1.   | 1.6          | 23        |
| 427 | Measurement of $\{\text{ext}\{B\}\}$ overline $\{\text{ext}\{B\}\}$ angular correlations based on secondary vertex reconstruction at $\{\text{s}\} = 7, \{\text{ext}\{\text{TeV}\}\}$ \$. Journal of High Energy Physics, 2011, 2011, 1.                  | 1.6          | 32        |
| 428 | Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\$ $ sqrt $\{s\} = 7; \{ext\{TeV\}\} \$$ . Journal of High Energy Physics, 2011, 2011, 1.   | 1.6          | 59        |
| 429 | Measurement of Bose-Einstein correlations in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 1.6          | 30        |
| 430 | Strange particle production in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.  | 1.6          | 139       |
| 431 | Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.  | 1.6          | 22        |
| 432 | Search for resonances in the dilepton mass distribution in pp collisions at  sqrt  = 7  TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 1.6          | 39        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 433 | Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.  | 1.6 | 46        |
| 434 | Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at  sqrt  sqrt  TeV. Journal of High Energy Physics, 2011, 2011, 1.                               | 1.6 | 10        |
| 435 | Measurement of the $\{m t\}$ ar $\{m t\}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\text{sqrt} \{s\} = 7 $ TeV. Journal of High Energy Physics, 2011, 2011, 1. | 1.6 | 53        |
| 436 | Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt {{{s_{ext{NN}}}}} \$  = 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.                                    | 1.6 | 65        |
| 437 | Search for light resonances decaying into pairs of muons as a signal of new physics. Journal of High Energy Physics, 2011, 2011, 1.  | 1.6 | 13        |
| 438 | Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.  | 1.6 | 29        |
| 439 | Search for same-sign top-quark pair production at $\$ sqrt $\{s\}$ = 7 $\$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.                   | 1.6 | 40        |
| 440 | Charged particle transverse momentum spectra in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.  | 1.6 | 56        |
| 441 | Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at  sqrt  sqrt  and  TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 1.6 | 20        |
| 442 | Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\{\{s_{ext}NN\}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.                            | 1.6 | 99        |
| 443 | Search for new physics with jets and missing transverse momentum in pp collisions at  sqrt  = 7  TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 1.6 | 49        |
| 444 | Search for supersymmetry in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.                  | 1.6 | 32        |
| 445 | Measurement of the underlying event activity at the LHC with $\$$ sqrt $\{s\} = 7 \$$ TeV and comparison with $\$$ sqrt $\{s\} = 0.9 \$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.                       | 1.6 | 97        |
| 446 | Measurement of the Drell-Yan cross section in pp collisions at sqrt s= 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 1.6 | 36        |
| 447 | Measurement of the inclusive W and Z production cross sections in pp collisions at \$ sqrt $\{s\} = 7$ \$ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.                              | 1.6 | 158       |
| 448 | First measurement of the underlying event activity at $\hat{A}$ the $\hat{A}$ LHC $\hat{A}$ with $\hat{A}$ \$ sqrt {s} = 0.9\$ $\hat{A}$ TeV. European Physical Journal C, 2010, 70, 555-572.                      | 1.4 | 50        |
| 449 | CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.   | 1.4 | 120       |
| 450 | Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.   | 1.6 | 497       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 451 | Reconstruction of the signal amplitude of the CMS electromagnetic calorimeter. European Physical Journal C, 2006, 46, 23-35. | 1.4 | 37        |