

Ashok Malla

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5202261/ashok-malla-publications-by-year.pdf>

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

2,813
citations

29
h-index

48
g-index

152
ext. papers

3,451
ext. citations

4.6
avg, IF

5.34
L-index

#	Paper	IF	Citations
137	Whose responsibility? Part 2 of 2: views of patients, families, and clinicians about responsibilities for addressing the needs of persons with mental health problems in Chennai, India and Montreal, Canada.. <i>International Journal of Mental Health Systems</i> , 2022 , 16, 2	3.6	0
136	Meeting the challenges of the new frontier of youth mental health care.. <i>World Psychiatry</i> , 2022 , 21, 78-79	14.4	2
135	An observational study of antipsychotic medication discontinuation in first-episode psychosis: clinical and functional outcomes.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	1
134	Whose responsibility? Part 1 of 2: A scale to assess how stakeholders apportion responsibilities for addressing the needs of persons with mental health problems.. <i>International Journal of Mental Health Systems</i> , 2022 , 16, 1	3.6	2
133	Medial temporal lobe and basal ganglia volume trajectories in persistent negative symptoms following a first episode of psychosis.. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 110551	5.5	0
132	Demographic and Clinical Presentations of Youth using Enhanced Mental Health Services in Six Indigenous Communities from the ACCESS Open Minds Network. <i>Canadian Journal of Psychiatry</i> , 2021 , 7067437211055416	4.8	0
131	The effects of childhood adversity on treatment delays and its components in first-episode psychosis.. <i>Psychiatry Research</i> , 2021 , 308, 114341	9.9	0
130	Unfinished business: Functional outcomes in a randomized controlled trial of a three-year extension of early intervention versus regular care following two years of early intervention for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2021 ,	6.5	2
129	The New Wave of Youth Mental Health Services: Time for Reflection and Caution. <i>Canadian Journal of Psychiatry</i> , 2021 , 66, 616-620	4.8	3
128	Patient satisfaction with random assignment to extended early intervention for psychosis vs regular care: Relationship with service engagement. <i>Microbial Biotechnology</i> , 2021 , 15, 746-750	3.3	1
127	Suicidality Over the First 5 Years of Psychosis: Does Extending Early Intervention Have Benefits?. <i>Canadian Journal of Psychiatry</i> , 2021 , 66, 468-476	4.8	2
126	Economic Evaluation of Extended Early Intervention Service vs Regular Care Following 2 Years of Early Intervention: Secondary Analysis of a Randomized Controlled Trial. <i>Schizophrenia Bulletin</i> , 2021 , 47, 465-473	1.3	5
125	The reality of at risk mental state services: a response to recent criticisms. <i>Psychological Medicine</i> , 2021 , 51, 212-218	6.9	14
124	Dynamic Interplay Between Insight and Persistent Negative Symptoms in First Episode of Psychosis: A Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	3
123	Intervention précoce pour les premiers épisodes psychotiques d'«hier à demain»: comment relever les défis liés à son déploiement pour en maximiser les bénéfices?. <i>Sante Mentale Au Quebec</i> , 2021 , 46, 391	0.2	0
122	Context and contact: a comparison of patient and family engagement with early intervention services for psychosis in India and Canada. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	8
121	The value of early intervention in creating the new mental health system: Response to Allison et al. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 667-669	2.6	4

120	Altered hippocampal centrality and dynamic anatomical covariance of intracortical microstructure in first episode psychosis. <i>Hippocampus</i> , 2020 , 30, 1058-1072	3.5	3
119	Engagement in specialized early intervention services for psychosis as an interplay between personal agency and critical structures: A qualitative study. <i>International Journal of Nursing Studies</i> , 2020 , 108, 103583	5.8	3
118	Posttraumatic growth and recovery following a first episode of psychosis: a narrative review of two concepts. <i>Psychosis</i> , 2020 , 12, 285-294	1.2	2
117	A polymorphism in the glutamate metabotropic receptor 7 is associated with cognitive deficits in the early phases of psychosis. <i>Schizophrenia Research</i> , 2020 ,	3.6	4
116	Comparison of clinical outcomes following 2 years of treatment of first-episode psychosis in urban early intervention services in Canada and India. <i>British Journal of Psychiatry</i> , 2020 , 217, 514-520	5.4	9
115	Investigating subjective cognitive complaints in psychosis: Introducing the brief scale to Investigate cognition in schizophrenia (SSTICS-Brief). <i>Cognitive Neuropsychiatry</i> , 2020 , 25, 190-200	2	0
114	Understanding sex differences in cognitive insight across first-and-multiple episode psychosis. <i>Schizophrenia Research</i> , 2020 , 218, 276-282	3.6	1
113	Sex Differences in Verbal Memory Predict Functioning Through Negative Symptoms in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1587-1595	1.3	10
112	Adaptation of a Digital Health Innovation to Prevent Relapse and Support Recovery in Youth Receiving Services for First-Episode Psychosis: Results From the Horyzons-Canada Phase 1 Study. <i>JMIR Formative Research</i> , 2020 , 4, e19887	2.5	8
111	Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. <i>Lancet Psychiatry</i> , 2020 , 7, 378-380	23.3	8
110	Socioeconomic deprivation and blood lipids in first-episode psychosis patients with minimal antipsychotic exposure: Implications for cardiovascular risk. <i>Schizophrenia Research</i> , 2020 , 216, 111-117	3.6	4
109	Cover Image, Volume 30, Issue 10. <i>Hippocampus</i> , 2020 , 30, C1	3.5	
108	Shared Decision Making in a Youth Mental Health Service Design and Research Project: Insights From the Pan-Canadian ACCESS Open Minds Network. <i>Patient</i> , 2020 , 13, 653-666	3.7	4
107	Service provider perceptions of posttraumatic growth experienced by service users receiving treatment for a first episode of psychosis. <i>International Journal of Mental Health</i> , 2020 , 49, 271-279	1.4	1
106	The Case for Cautious Interpretation and Replication: Lead-Time Bias as a Potential Explanation for the Link Between Duration of Untreated Psychosis and Outcome. <i>American Journal of Psychiatry</i> , 2020 , 177, 1180-1181	11.9	2
105	Transcending false dichotomies and diagnostic silos to reduce disease burden in mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1095-1103	4.5	6
104	Look Before You Leap: Representativeness of Those Completing Self-Reports in Early Psychosis Research. <i>Canadian Journal of Psychiatry</i> , 2020 , 65, 56-58	4.8	
103	A Promising Route Towards Improvement of Homeless Young People's Access to Mental Health Services: The Creation and Evolution of an Outreach Service Network in Montréal. <i>Community Mental Health Journal</i> , 2020 , 56, 258-270	2.1	1

102	Youth Mental Health Services: Promoting Wellness or Treating Mental Illness?. <i>Canadian Journal of Psychiatry</i> , 2020 , 65, 531-535	4.8	2
101	Delusional content at initial presentation to a catchment-based early intervention service for psychosis. <i>British Journal of Psychiatry</i> , 2020 , 1-7	5.4	1
100	Sex Differences in Clinical and Functional Outcomes among Patients Treated in an Early Intervention Service for Psychotic Disorders: An Observational Study. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 708-717	4.8	7
99	Real-life assessment of aripiprazole monthly (Abilify Maintena) in schizophrenia: a Canadian naturalistic non-interventional prospective cohort study. <i>BMC Psychiatry</i> , 2019 , 19, 114	4.2	11
98	Short duration of untreated psychosis enhances negative symptom remission in extended early intervention service for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 65-76	6.5	18
97	A Model of Mental Health Care Involving Trained Lay Health Workers for Treatment of Major Mental Disorders Among Youth in a Conflict-Ridden, Low-Middle Income Environment: Part I Adaptation and Implementation. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 621-629	4.8	7
96	Testing the Effectiveness of Implementing a Model of Mental Healthcare Involving Trained Lay Health Workers in Treating Major Mental Disorders Among Youth in a Conflict-Ridden, Low-Middle Income Environment: Part II Results. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 630-637	4.8	2
95	Fidelity scales, performance measures and early intervention in psychosis services. <i>Microbial Biotechnology</i> , 2019 , 13, 342-344	3.3	1
94	Caught in the "NEET Trap": The Intersection Between Vocational Inactivity and Disengagement From an Early Intervention Service for Psychosis. <i>Psychiatric Services</i> , 2019 , 70, 302-308	3.3	6
93	Transforming youth mental health care in a semi-urban and rural region of Canada: A service description of ACCESS Open Minds Chatham-Kent. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 48-55	3.3	10
92	Transforming youth mental health services in a large urban centre: ACCESS Open Minds Edmonton. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 14-19	3.3	10
91	Improving youth mental wellness services in an Indigenous context in Ulukhaktok, Northwest Territories: ACCESS Open Minds Project. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 35-41	3.3	8
90	Improving mental health services for homeless youth in downtown Montreal, Canada: Partnership between a local network and ACCESS Esprits ouverts (Open Minds), a National Services Transformation Research Initiative. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 20-28	3.3	11
89	Foreword: The real world of implementing early intervention services for young people, their families and their communities. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 5-7	3.3	0
88	Transforming child and youth mental health care: ACCESS Open Minds New Brunswick in the rural Francophone region of the Acadian Peninsula. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 29-34	3.3	6
87	Eskasoni First Nation's transformation of youth mental healthcare: Partnership between a Mi'kmaq community and the ACCESS Open Minds research project in implementing innovative practice and service evaluation. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 42-47	3.3	8
86	ACCESS Open Minds at the University of Alberta: Transforming student mental health services in a large Canadian post-secondary educational institution. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 56-64	3.3	5
85	Early Intervention in Psychosis in Young People: A Population and Public Health Perspective. <i>American Journal of Public Health</i> , 2019 , 109, S181-S184	5.1	20

84	Canadian response to need for transformation of youth mental health services: ACCESS Open Minds (Esprits ouverts). <i>Microbial Biotechnology</i> , 2019 , 13, 697-706	3.3	47
83	Does an integrated outreach intervention targeting multiple stages of early psychosis improve the identification of individuals at clinical high risk?. <i>Microbial Biotechnology</i> , 2019 , 13, 989-992	3.3	2
82	Cognitive capacity similarly predicts insight into symptoms in first- and multiple-episode psychosis. <i>Schizophrenia Research</i> , 2019 , 206, 236-243	3.6	3
81	Association of Pre-onset Subthreshold Psychotic Symptoms With Longitudinal Outcomes During Treatment of a First Episode of Psychosis. <i>JAMA Psychiatry</i> , 2019 , 76, 61-70	14.5	23
80	Progress of negative symptoms over the initial 5 years of a first episode of psychosis. <i>Psychological Medicine</i> , 2019 , 49, 66-74	6.9	8
79	Social Determinants of Health and Preclinical Glycemic Control in Newly Diagnosed First-Episode Psychosis Patients. <i>Canadian Journal of Psychiatry</i> , 2018 , 63, 547-556	4.8	11
78	Understanding the course of persistent symptoms in schizophrenia: Longitudinal findings from the pattern study. <i>Psychiatry Research</i> , 2018 , 267, 56-62	9.9	17
77	Youth Mental Health Should Be a Top Priority for Health Care in Canada. <i>Canadian Journal of Psychiatry</i> , 2018 , 63, 216-222	4.8	61
76	Description, evaluation and scale-up potential of a model for rapid access to early intervention for psychosis. <i>Microbial Biotechnology</i> , 2018 , 12, 1222-1228	3.3	8
75	Pathways to functional outcomes following a first episode of psychosis: The roles of premorbid adjustment, verbal memory and symptom remission. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 793-803	2.6	18
74	Predictors of 'all-cause discontinuation' of initial oral antipsychotic medication in first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 201, 287-293	3.6	10
73	Baby or bathwater? Referrals of "non-cases" in a targeted early identification intervention for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 757-761	4.5	5
72	Outcome in patients converting to psychosis following a treated clinical high risk state. <i>Microbial Biotechnology</i> , 2018 , 12, 715-719	3.3	8
71	A longitudinal study of cognitive insight and cortical thickness in first-episode psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 251-260	3.6	9
70	Disengagement in immigrant groups receiving services for a first episode of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 399-405	3.6	37
69	Cultural and Contextual Adaptation of an eHealth Intervention for Youth Receiving Services for First-Episode Psychosis: Adaptation Framework and Protocol for Horyzons-Canada Phase 1. <i>JMIR Research Protocols</i> , 2018 , 7, e100	2	14
68	A NEET distinction: youths not in employment, education or training follow different pathways to illness and care in psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1401-1411	4.5	15
67	Comparing cognitive clusters across first- and multiple-episode of psychosis. <i>Psychiatry Research</i> , 2018 , 269, 707-718	9.9	14

66	What Is the Place of Clozapine in the Treatment of Early Psychosis in Canada?. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 109-114	4.8	14
65	Duration of active psychosis and first-episode psychosis negative symptoms. <i>Microbial Biotechnology</i> , 2017 , 11, 63-71	3.3	13
64	Psychological and psychosocial interventions for negative symptoms in psychosis: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2017 , 210, 324-332	5.4	81
63	Polygenic Risk Score associated with specific symptom dimensions in first-episode psychosis. <i>Schizophrenia Research</i> , 2017 , 184, 116-121	3.6	23
62	Comparing three-year extension of early intervention service to regular care following two years of early intervention service in first-episode psychosis: a randomized single blind clinical trial. <i>World Psychiatry</i> , 2017 , 16, 278-286	14.4	48
61	Integrated (one-stop shop) youth health care: best available evidence and future directions. <i>Medical Journal of Australia</i> , 2017 , 207, S5-S18	4	115
60	Advances and challenges in early intervention in psychosis. <i>World Psychiatry</i> , 2017 , 16, 274-275	14.4	5
59	Longitudinal trajectory of clinical insight and covariation with cortical thickness in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2017 , 86, 46-54	5.2	10
58	Authors' reply. <i>British Journal of Psychiatry</i> , 2017 , 211, 116-117	5.4	
57	Bipolar disorder risk gene modulates negative symptoms in schizophrenia: a neuroimaging genetics study. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 172-180	4.5	4
56	Neuroanatomical and Symptomatic Sex Differences in Individuals at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2017 , 8, 291	5	8
55	The effect of brexpiprazole in adult outpatients with early-episode schizophrenia: an exploratory study. <i>International Clinical Psychopharmacology</i> , 2016 , 31, 307-14	2.2	6
54	Early Intervention for Psychosis in Canada: What Is the State of Affairs?. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 186-94	4.8	30
53	From early intervention in psychosis to youth mental health reform: a review of the evolution and transformation of mental health services for young people. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 319-26	4.5	91
52	Therapeutic effectiveness and tolerability of aripiprazole as initial choice of treatment in first episode psychosis in an early intervention service: A one-year outcome study. <i>Schizophrenia Research</i> , 2016 , 174, 120-125	3.6	16
51	Adolescent vs. adult onset of a first episode psychosis: Impact on remission of positive and negative symptoms. <i>Schizophrenia Research</i> , 2016 , 174, 183-188	3.6	18
50	A five-year randomized parallel and blinded clinical trial of an extended specialized early intervention vs. regular care in the early phase of psychotic disorders: study protocol. <i>BMC Psychiatry</i> , 2015 , 15, 22	4.2	30
49	Subjective experiences of illness recovery in individuals treated for first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1069-77	4.5	25

48	Understanding the impact of persistent symptoms in schizophrenia: Cross-sectional findings from the Pattern study. <i>Schizophrenia Research</i> , 2015 , 169, 234-240	3.6	26
47	Service Engagement in First-Episode Psychosis: Current Issues and Future Directions. <i>Canadian Journal of Psychiatry</i> , 2015 , 60, 341-5	4.8	60
46	The impact of caregiver familiarity with mental disorders on timing of intervention in first-episode psychosis. <i>Microbial Biotechnology</i> , 2015 , 9, 388-96	3.3	1
45	Early intervention for psychosis: a Canadian perspective. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 356-64	1.8	86
44	Clinical and functional implications of a history of childhood ADHD in first-episode psychosis. <i>Schizophrenia Research</i> , 2015 , 165, 128-33	3.6	9
43	Source retrieval is not properly differentiated from object retrieval in early schizophrenia: an fMRI study using virtual reality. <i>NeuroImage: Clinical</i> , 2015 , 7, 336-46	5.3	10
42	Psychotic disorders comorbid with attention-deficit hyperactivity disorder: an important knowledge gap. <i>Canadian Journal of Psychiatry</i> , 2015 , 60, S48-52	4.8	14
41	Preferences of Young Adults With First-Episode Psychosis for Receiving Specialized Mental Health Services Using Technology: A Survey Study. <i>JMIR Mental Health</i> , 2015 , 2, e18	6	74
40	Exit exceptionalism: mental disease is like any other medical disease - Author response. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, E36-7	4.5	
39	A controlled evaluation of a targeted early case detection intervention for reducing delay in treatment of first episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1711-8	4.5	14
38	TCF4 gene polymorphism and cognitive performance in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2014 , 152, 124-9	3.6	16
37	Predictors of cognition in first episode psychosis. <i>Schizophrenia Research</i> , 2014 , 152, 164-9	3.6	13
36	Relapse risk assessment in early phase psychosis: the search for a reliable and valid tool. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 655-8	4.8	11
35	Electroencephalographic abnormalities and 5-year outcome in first-episode psychosis. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 285-8	4.8	11
34	Response to comment on Schmitz et al. Recurrent subthreshold depression in type 2 diabetes: an important risk factor for poor health outcomes. <i>Diabetes Care</i> 2014;37:970-978. <i>Diabetes Care</i> , 2014 , 37, e146-7	14.6	
33	Do reward-processing deficits in schizophrenia-spectrum disorders promote cannabis use? An investigation of physiological response to natural rewards and drug cues. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 339-47	4.5	6
32	Meanings of well-being from the perspectives of youth recently diagnosed with psychosis. <i>Journal of Mental Health</i> , 2014 , 23, 25-30	2.7	24
31	Weight cycling and depressive symptoms in diabetes: a community-based study of adults with type 2 diabetes mellitus in Quebec. <i>Canadian Journal of Diabetes</i> , 2014 , 38, 456-60	2.1	5

30	Association of a risk allele of ANK3 with cognitive performance and cortical thickness in patients with first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 31-9	4.5	24
29	The relative contribution of cognition and symptomatic remission to functional outcome following treatment of a first episode of psychosis. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e566-72	4.6	68
28	Changes in depressive symptoms and changes in lifestyle-related indicators: a 1-year follow-up study among adults with type 2 diabetes in Quebec. <i>Canadian Journal of Diabetes</i> , 2013 , 37, 243-248	2.1	10
27	Persistent negative symptoms in schizophrenia: survey of Canadian psychiatrists. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2013 , 10, 69-72		
26	Mode of entry to an early intervention service for psychotic disorders: determinants and impact on outcome. <i>Psychiatric Services</i> , 2013 , 64, 1166-9	3.3	4
25	Well-being and engagement in valued activities: experiences of young people with psychosis. <i>OTJR Occupation, Participation and Health</i> , 2013 , 33, 190-7	1.3	17
24	The influence of perceived social support on medication adherence in first-episode psychosis. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 59-65	4.8	22
23	Long-acting injectable antipsychotics: recommendations for clinicians. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 30S-5S	4.8	37
22	A qualitative study of experiences with and perceptions regarding long-acting injectable antipsychotics: Part I-patient perspectives. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 14S-22S	4.8	37
21	A qualitative study of experiences with and perceptions regarding long-acting injectable antipsychotics: part II-physician perspectives. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 23S-9S	4.8	30
20	Persistent negative symptoms in schizophrenia: survey of Canadian psychiatrists. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2013 , 10, 69-72		
19	Impact of symptom resolution on medication adherence in first episode psychosis. <i>Psychiatry Research</i> , 2012 , 196, 45-51	9.9	11
18	Cannabis use and anticipatory pleasure as reported by subjects with early psychosis and community controls. <i>Schizophrenia Research</i> , 2012 , 137, 39-44	3.6	29
17	A 12-month outcome study of insight and symptom change in first-episode psychosis. <i>Microbial Biotechnology</i> , 2010 , 4, 79-88	3.3	28
16	Testing definitions of symptom remission in first-episode psychosis for prediction of functional outcome at 2 years. <i>Schizophrenia Bulletin</i> , 2010 , 36, 1001-8	1.3	92
15	A comparison study of multiple measures of adherence to antipsychotic medication in first-episode psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 64-7	1.7	46
14	Is treating patients with first-episode psychosis cost-effective?. <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 3-7; discussion 7-8	4.8	13
13	Cognitive insight and verbal memory in first episode of psychosis. <i>European Psychiatry</i> , 2008 , 23, 368-74	6	66

12	The promises and challenges of early intervention in psychotic disorders. <i>World Psychiatry</i> , 2008 , 7, 157-84.4	5
11	Cognitive markers of short-term clinical outcome in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008 , 193, 297-304	5.4 37
10	Determinants of help-seeking and system related components of delay in the treatment of first-episode psychosis. <i>Schizophrenia Research</i> , 2007 , 96, 206-14	3.6 70
9	A multisite Canadian study of outcome of first-episode psychosis treated in publicly funded early intervention services. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 563-71	4.8 37
8	Benefits of enriched intervention compared with standard care for patients with recent-onset psychosis: a metaanalytic approach. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 464-72	4.8 41
7	Predictors of rate and time to remission in first-episode psychosis: a two-year outcome study. <i>Psychological Medicine</i> , 2006 , 36, 649-58	6.9 168
6	First-episode psychosis: psychopathology, quality of life, and functional outcome. <i>Schizophrenia Bulletin</i> , 2005 , 31, 650-71	1.3 172
5	A community intervention for early identification of first episode psychosis: impact on duration of untreated psychosis (DUP) and patient characteristics. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 337-44	4.5 52
4	A comparison of two novel antipsychotics in first episode non-affective psychosis: one-year outcome on symptoms, motor side effects and cognition. <i>Psychiatry Research</i> , 2004 , 129, 159-69	9.9 21
3	A Canadian programme for early intervention in non-affective psychotic disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 407-13	2.6 121
2	An epidemiological study of electroconvulsive therapy: rate and diagnosis. <i>Canadian Journal of Psychiatry</i> , 1986 , 31, 824-30	4.8 15
1	A longitudinal qualitative follow-up study of post-traumatic growth among service users who experienced positive change following a first episode of psychosis. <i>Psychosis</i> , 1-12	1.2