Caecilia S Reiner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5203697/publications.pdf

Version: 2024-02-01

279798 377865 43 1,248 23 34 citations h-index g-index papers 43 43 43 2083 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	CT/MRI and CEUS LI-RADS Major Features Association with Hepatocellular Carcinoma: Individual Patient Data Meta-Analysis. Radiology, 2022, 302, 326-335.	7.3	32
2	Evaluation of a structured treatment discontinuation in patients with inoperable alveolar echinococcosis on long-term benzimidazole therapy: AÂretrospective cohort study. PLoS Neglected Tropical Diseases, 2022, 16, e0010146.	3.0	11
3	Impact of Reference Standard on CT, MRI, and Contrast-enhanced US LI-RADS Diagnosis of Hepatocellular Carcinoma: A Meta-Analysis. Radiology, 2022, 303, 544-545.	7.3	15
4	Characteristics and Clinical Course of Alveolar Echinococcosis in Patients with Immunosuppression-Associated Conditions: A Retrospective Cohort Study. Pathogens, 2022, 11, 441.	2.8	3
5	Multimodal treatment strategies for colorectal liver metastases. Swiss Medical Weekly, 2021, 151, w20390.	1.6	9
6	Role of intravoxel incoherent motion parameters in gastroesophageal cancer: relationship with 18F-FDG-positron emission tomography, computed tomography perfusion and magnetic resonance perfusion imaging parameters. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2021, 65, 178-186.	0.7	0
7	Can magnetic resonance imaging radiomics of the pancreas predict postoperative pancreatic fistula?. European Journal of Radiology, 2021, 140, 109733.	2.6	21
8	Secondary sclerosing cholangitis as cause of persistent jaundice in patients with severe COVIDâ€19. Liver International, 2021, 41, 2404-2417.	3.9	58
9	Choices of Therapeutic Strategies for Colorectal Liver Metastases Among Expert Liver Surgeons. Annals of Surgery, 2020, 272, 715-722.	4.2	53
10	Reduced and standard field-of-view diffusion weighted imaging in patients with rectal cancer at 3 T—Comparison of image quality and apparent diffusion coefficient measurements. European Journal of Radiology, 2020, 131, 109257.	2.6	6
11	Sequential Treatment of Metastatic Adenocarcinoma of the Pancreatic Duct with Liver Metastasis Following the NAPOLI-1 Study Protocol with nal-Irinotecan plus 5-FU in the Second Line. Case Reports in Oncology, 2020, 13, 79-84.	0.7	4
12	Does quantitative assessment of arterial phase hyperenhancement and washout improve LI-RADS v2018–based classification of liver lesions?. European Radiology, 2020, 30, 2922-2933.	4.5	16
13	Diagnostic accuracy of texture analysis and machine learning for quantification of liver fibrosis in MRI: correlation with MR elastography and histopathology. European Radiology, 2020, 30, 4675-4685.	4.5	42
14	Diffusion tensor imaging of the abdominal organs: Influence of oriented intravoxel flow compartments. NMR in Biomedicine, 2019, 32, e4159.	2.8	6
15	Diagnostic Accuracy of Multiparametric MRI versus ⁶⁸ Ga-PSMA-11 PET/MRI for Extracapsular Extension and Seminal Vesicle Invasion in Patients with Prostate Cancer. Radiology, 2019, 293, 350-358.	7.3	80
16	MRI and PET-CT Failed to Differentiate Between Hepatic Malignancy and Brucelloma. Open Forum Infectious Diseases, 2018, 5, ofy052.	0.9	1
17	Impact of associating liver partition and portal vein ligation for staged hepatectomy (ALPPS) on growth of colorectal liver metastases. Surgery, 2018, 163, 311-317.	1.9	42
18	Liver Allograft Failure After Nivolumab Treatment—A Case Report With Systematic Literature Research. Transplantation Direct, 2018, 4, e376.	1.6	98

#	Article	IF	Citations
19	Preoperative Evaluation of Pancreatic Fibrosis and Lipomatosis. Investigative Radiology, 2018, 53, 720-727.	6.2	12
20	Dynamic MRI of the pelvic floor: comparison of performance in supine <i>vs</i> left lateral body position. British Journal of Radiology, 2018, 91, 20180393.	2.2	4
21	How to define pathologic pelvic floor descent in MR defecography during defecation?. Abdominal Radiology, 2018, 43, 3233-3240.	2.1	13
22	Evaluation of multifunctional imaging parameters in gastro-oesophageal cancer using F-18-FDG-PET/CT with integrated perfusion CT. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2018, , .	0.7	1
23	The 3D Pelvic Inclination Correction System (PICS): A universally applicable coordinate system for isovolumetric imaging measurements, tested in women with pelvic organ prolapse (POP). Computerized Medical Imaging and Graphics, 2017, 59, 28-37.	5.8	20
24	Direct comparison of PI-RADS version 2 and version 1 regarding interreader agreement and diagnostic accuracy for the detection of clinically significant prostate cancer. European Journal of Radiology, 2017, 94, 58-63.	2.6	36
25	How much liver needs to be transected in ALPPS? A translational study investigating the concept of less invasiveness. Surgery, 2017, 161, 453-464.	1.9	57
26	Increased interreader agreement in diagnosis of hepatocellular carcinoma using an adapted LI-RADS algorithm. European Journal of Radiology, 2017, 86, 33-40.	2.6	29
27	Liver kinetic growth rate predicts postoperative liver failure after ALPPS. Hpb, 2016, 18, 800-805.	0.3	28
28	Reliability, Validity, and Reader Acceptance of LI-RADSâ€"An In-depth Analysis. Academic Radiology, 2016, 23, 1145-1153.	2.5	39
29	Simultaneous multi-slice echo planar diffusion weighted imaging of the liver and the pancreas: Optimization of signal-to-noise ratio and acquisition time and application to intravoxel incoherent motion analysis. European Journal of Radiology, 2016, 85, 1948-1955.	2.6	47
30	Adoption of Splenic Enhancement to Time and Trigger the Late Hepatic Arterial Phase During MDCT of the Liver: Proof of Concept and Clinical Feasibility. American Journal of Roentgenology, 2016, 207, 310-320.	2.2	4
31	Liver-fat and liver-function indices derived from Gd-EOB-DTPA-enhanced liver MRI for prediction of future liver remnant growth after portal vein occlusion. European Journal of Radiology, 2016, 85, 843-849.	2.6	12
32	Histogram Analysis of CT Perfusion of Hepatocellular Carcinoma for Predicting Response to Transarterial Radioembolization: Value of Tumor Heterogeneity Assessment. CardioVascular and Interventional Radiology, 2016, 39, 400-408.	2.0	27
33	Age- and Gender Dependent Liver Fat Content in a Healthy Normal BMI Population as Quantified by Fat-Water Separating DIXON MR Imaging. PLoS ONE, 2015, 10, e0141691.	2.5	15
34	Assessment of Obstructive Defecation by High-Resolution Anorectal Manometry Compared With Magnetic Resonance Defecography. Clinical Gastroenterology and Hepatology, 2015, 13, 1310-1317.e1.	4.4	63
35	Early Treatment Response Evaluation after Yttrium-90 Radioembolization of Liver Malignancy with CT Perfusion. Journal of Vascular and Interventional Radiology, 2014, 25, 747-759.	0.5	26
36	Protocol requirements and diagnostic value of PET/MR imaging for liver metastasis detection. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 649-658.	6.4	71

#	ARTICLE	IF	CITATIONS
37	Perfusion CT best predicts outcome after radioembolization of liver metastases: a comparison of radionuclide and CT imaging techniques. European Radiology, 2014, 24, 1455-1465.	4.5	27
38	Dynamic pelvic floor imaging: MRI techniques and imaging parameters. Abdominal Imaging, 2013, 38, 903-911.	2.0	27
39	Computed Tomographic Perfusion Imaging for the Prediction of Response and Survival to Transarterial Radioembolization of Liver Metastases. Investigative Radiology, 2013, 48, 787-794.	6.2	42
40	Computed Tomography Perfusion Imaging of Renal Cell Carcinoma. Investigative Radiology, 2013, 48, 183-191.	6.2	59
41	CT Perfusion of Renal Cell Carcinoma. Investigative Radiology, 2012, 47, 33-40.	6.2	38
42	Liver Perfusion Imaging in Patients with Primary and Metastatic Liver Malignancy. Academic Radiology, 2012, 19, 613-621.	2.5	20
43	Preoperative Liver Volumetry. Journal of Computer Assisted Tomography, 2009, 33, 390-397.	0.9	34