

Marco Schmidt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/520408/publications.pdf>

Version: 2024-02-01

67
papers

2,864
citations

331538

21
h-index

197736

49
g-index

68
all docs

68
docs citations

68
times ranked

5849
citing authors

#	ARTICLE	IF	CITATIONS
1	Mit dem Smartphone für die Wissenschaft – Wie Bürger zur Kenntnis der Frankfurter und hessischen Flora beitragen können. <i>Der Palmengarten</i> , 2021, 84, 132-137.	0.0	0
2	sPlotOpen – An environmentally balanced, open-access, global dataset of vegetation plots. <i>Global Ecology and Biogeography</i> , 2021, 30, 1740-1764.	2.7	49
3	Root traits explain plant species distributions along climatic gradients yet challenge the nature of ecological trade-offs. <i>Nature Ecology and Evolution</i> , 2021, 5, 1123-1134.	3.4	62
4	TRY plant trait database – enhanced coverage and open access. <i>Global Change Biology</i> , 2020, 26, 119-188.	4.2	1,038
5	Similar factors underlie tree abundance in forests in native and alien ranges. <i>Global Ecology and Biogeography</i> , 2020, 29, 281-294.	2.7	21
6	Role of termites in the restoration of soils and plant richness on bowan in West Africa. <i>African Journal of Ecology</i> , 2020, 58, 828-835.	0.4	4
7	Matching biodiversity and ecology ontologies: challenges and evaluation results. <i>Knowledge Engineering Review</i> , 2020, 35, .	2.1	9
8	Climate change reduces the distribution area of the shea tree (<i>Vitellaria paradoxa</i> C.F. Gaertn.) in Burkina Faso. <i>Journal of Arid Environments</i> , 2020, 181, 104237.	1.2	29
9	Mapping mycological ignorance – checklists and diversity patterns of fungi known for West Africa. <i>IMA Fungus</i> , 2020, 11, 13.	1.7	17
10	Detection and annotation of plant organs from digitised herbarium scans using deep learning. <i>Biodiversity Data Journal</i> , 2020, 8, e57090.	0.4	20
11	A checklist of vascular plants of the W National Park in Burkina Faso, including the adjacent hunting zones of Tapoa-Djerma and Kondio. <i>Biodiversity Data Journal</i> , 2020, 8, e54205.	0.4	2
12	sPlot – A new tool for global vegetation analyses. <i>Journal of Vegetation Science</i> , 2019, 30, 161-186.	1.1	185
13	Plant biodiversity patterns along a climatic gradient and across protected areas in West Africa. <i>African Journal of Ecology</i> , 2018, 56, 641-652.	0.4	7
14	Taxon and trait recognition from digitized herbarium specimens using deep convolutional neural networks. <i>Botany Letters</i> , 2018, 165, 377-383.	0.7	42
15	Global trait-environment relationships of plant communities. <i>Nature Ecology and Evolution</i> , 2018, 2, 1906-1917.	3.4	397
16	Climatic differentiation in polyploid apomictic <i>Ranunculus auricomus</i> complex in Europe. <i>BMC Ecology</i> , 2018, 18, 16.	3.0	18
17	Taxonomic, ecological and palaeoecological significance of leaf phytoliths in West African grasses. <i>Quaternary International</i> , 2017, 434, 15-32.	0.7	52
18	Diversity, distribution and preliminary conservation status of the flora of Burkina Faso. <i>Phytotaxa</i> , 2017, 304, 1.	0.1	27

#	ARTICLE	IF	CITATIONS
19	Chromosome numbers of the flora of Germany – a new online database of georeferenced chromosome counts and flow cytometric ploidy estimates. <i>Plant Systematics and Evolution</i> , 2017, 303, 1123-1129.	0.3	33
20	VAT: A Scientific Toolbox for Interactive Geodata Exploration. <i>Datenbank-Spektrum</i> , 2017, 17, 233-243.	1.2	3
21	Extraction of timber and non-timber products from the Swamp Forest of Lokoli (Benin): use patterns, harvesting impacts and management options. <i>Extraction de bois et de produits non ligneux de la Forêt Maderable de Lokoli (Bénin): utilisations, impacts d'exploitation et options d'aménagement</i> . <i>Extracción de productos maderables y no maderables en el bosque de pantano, Lokoli (Benín): patrones de uso, impactos de las cosechas y opciones de manejo</i> . <i>International Forestry Review</i> , 2017, 19, 133-144.	0.3	1
22	Spatially explicit multi-threat assessment of food tree species in Burkina Faso: A fine-scale approach. <i>PLoS ONE</i> , 2017, 12, e0184457.	1.1	50
23	Pleistocene refugia and genetic diversity patterns in West Africa: Insights from the liana <i>Chasmanthera dependens</i> (Menispermaceae). <i>PLoS ONE</i> , 2017, 12, e0170511.	1.1	7
24	Climate and the distribution of grasses in West Africa. <i>Journal of Vegetation Science</i> , 2016, 27, 306-317.	1.1	30
25	The flora phenotype ontology (FLOPO): tool for integrating morphological traits and phenotypes of vascular plants. <i>Journal of Biomedical Semantics</i> , 2016, 7, 65.	0.9	34
26	The impact of land use on species composition and habitat structure in Sudanian savannas – A modelling study in protected areas and agricultural lands of southeastern Burkina Faso. <i>Candollea</i> , 2016, 71, 265-274.	0.1	7
27	Traditional plant use in Burkina Faso (West Africa): a national-scale analysis with focus on traditional medicine. <i>Journal of Ethnobiology and Ethnomedicine</i> , 2015, 11, 9.	1.1	63
28	The Vascular Plant Diversity of Burkina Faso (West Africa) – A Quantitative Analysis and Implications for Conservation. <i>Candollea</i> , 2015, 70, 9.	0.1	14
29	Using species distribution models to select species resistant to climate change for ecological restoration of <i>Croton</i> in West Africa. <i>African Journal of Ecology</i> , 2015, 53, 83-92.	0.4	17
30	Effect of land degradation on carbon and nitrogen pools in two soil types of a semi-arid landscape in West Africa. <i>Geoderma</i> , 2015, 241-242, 330-338.	2.3	21
31	Land cover change and plants diversity in the Sahel: A case study from northern Burkina Faso. <i>Annals of Forest Research</i> , 2015, 58, 109.	0.6	11
32	Floristic diversity of classified forest and partial faunal reserve of Comoé-Léraba, southwest Burkina Faso. <i>Check List</i> , 2015, 11, 1557.	0.1	7
33	Typologie spatiale de la végétation sahélienne en relation avec les indicateurs de dégradation au Burkina Faso. <i>International Journal of Biological and Chemical Sciences</i> , 2014, 8, 1049.	0.1	1
34	Introducing <i>African Plants – A Photo Guide</i> – An Interactive Photo Database and Rapid Identification Tool for Continental Africa. <i>Taxon</i> , 2014, 63, 1159-1161.	0.4	25
35	Using high-resolution remote sensing data for habitat suitability models of Bromeliaceae in the city of Mérida, Venezuela. <i>Landscape and Urban Planning</i> , 2013, 120, 107-118.	3.4	11
36	The projected impact of climate and land use change on plant diversity: An example from West Africa. <i>Journal of Arid Environments</i> , 2013, 96, 48-54.	1.2	52

#	ARTICLE	IF	CITATIONS
37	Diversity and levels of endemism of the Bromeliaceae of Costa Rica – an updated checklist. <i>PhytoKeys</i> , 2013, 29, 17-62.	0.4	3
38	Geographical Patterns of Woody Plants' Functional Traits in Burkina Faso. <i>Candollea</i> , 2013, 68, 197.	0.1	18
39	Acacia communities and species responses to soil and climate gradients in the Sudano-Sahelian zone of West Africa. <i>Journal of Arid Environments</i> , 2012, 87, 144-152.	1.2	13
40	Impact of Future Climate and Land Use Change on Non-timber Forest Product Provision in Benin, West Africa: Linking Niche-based Modeling with Ecosystem Service Values. <i>Economic Botany</i> , 2012, 66, 383-397.	0.8	28
41	Continental-scale variability in browser diversity is a major driver of diversity patterns in acacias across Africa. <i>Journal of Ecology</i> , 2012, 100, 1093-1104.	1.9	29
42	The BIOTA Biodiversity Observatories in Africa – a standardized framework for large-scale environmental monitoring. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 655-678.	1.3	58
43	A methodological framework to quantify the spatial quality of biological databases. <i>Biodiversity and Ecology = Biodiversitat Und Okologie</i> , 2012, 4, 25-39.	0.2	13
44	The West African Vegetation Database. <i>Biodiversity and Ecology = Biodiversitat Und Okologie</i> , 2012, 4, 105-110.	0.2	17
45	Magnoliophyta, Arly National Park, Tapoa, Burkina Faso [with erratum]. <i>Check List</i> , 2011, 7, 085.	0.1	9
46	A synopsis of the Bromeliaceae of Panama, including new records for the country. <i>Willdenowia</i> , 2011, 41, 357-369.	0.5	5
47	Patterns of plant functional traits in the biogeography of West African grasses (Poaceae). <i>African Journal of Ecology</i> , 2011, 49, 490-500.	0.4	26
48	Addressing data property rights concerns and providing incentives for collaborative data pooling: the West African Vegetation Database approach. <i>Journal of Vegetation Science</i> , 2011, 22, 614-620.	1.1	13
49	Chilean Bromeliaceae: diversity, distribution and evaluation of conservation status. <i>Biodiversity and Conservation</i> , 2009, 18, 2449-2471.	1.2	56
50	Modelling species richness and life form composition in Sahelian Burkina Faso with remote sensing data. <i>Journal of Arid Environments</i> , 2008, 72, 1506-1517.	1.2	17
51	Magnoliophyta of the partial faunal reserve of Pama, Burkina Faso. <i>Check List</i> , 2008, 4, 251.	0.1	14
52	A study of climate change and anthropogenic impacts in West Africa. <i>Environmental Science and Pollution Research</i> , 2007, 14, 182-189.	2.7	76
53	Herbarium collections and field data-based plant diversity maps for Burkina Faso. <i>Diversity and Distributions</i> , 2005, 11, 509-516.	1.9	56
54	Machine Learning as a Service for DiSSCo's Digital Specimen Architecture. <i>Biodiversity Information Science and Standards</i> , 0, 5, .	0.0	2

#	ARTICLE	IF	CITATIONS
55	Tropische Falter im neuen Blatzen- und Schmetterlingshaus des Palmengartens. Der Palmengarten, 0, 85, 5-22.	0.0	0
56	Edeldisteln, beliebte Insektennahrungspflanzen fur den Garten. Der Palmengarten, 0, 85, 38-42.	0.0	0
57	Wildlebende Arten im Palmengarten und im Botanischen Garten Frankfurt. Der Palmengarten, 0, 85, 94-100.	0.0	0
58	Wenn Bestauber in die Klemmfalle geraten. Der Palmengarten, 0, 85, 74-76.	0.0	0
59	Restoration of bare incrustated soils in the Sahel region of Burkina Faso. Flora Et Vegetatio Sudano-Sambesica, 0, 13, 3-9.	0.0	3
60	Plant diversity, functional traits and soil conditions of grass savannas on lateritic crusts (bow) in south eastern Burkina Faso. Flora Et Vegetatio Sudano-Sambesica, 0, 15, 15-24.	0.0	13
61	Biota of the WAP complex  starting a citizen science project for West Africas largest complex of protected areas. Flora Et Vegetatio Sudano-Sambesica, 0, 19, 3-6.	0.0	3
62	New species records for the flora of Burkina Faso. Flora Et Vegetatio Sudano-Sambesica, 0, 21, 3-6.	0.0	2
63	A Machine Learning Based Approach for Similarity Search on Biodiversity Knowledge Graphs. Biodiversity Information Science and Standards, 0, 3, .	0.0	1
64	A complete digitization of German herbaria is possible, sensible and should be started now. Research Ideas and Outcomes, 0, 6, .	1.0	18
65	Workflow and Current Achievements of BIOfid, an Information Service Mobilizing Biodiversity Data from Literature Sources. Biodiversity Information Science and Standards, 0, 2, e25876.	0.0	2
66	Current progress in the development of taxonomic and anatomical ontologies within the scope of BIOfid. Biodiversity Information Science and Standards, 0, 2, e25585.	0.0	0
67	A Workflow for Data Extraction from Digitized Herbarium Specimens. Biodiversity Information Science and Standards, 0, 3, .	0.0	0