

Krzysztof Fic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5205713/publications.pdf>

Version: 2024-02-01

66
papers

3,785
citations

212478

28
h-index

145109

60
g-index

68
all docs

68
docs citations

68
times ranked

5259
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Advanced characterization techniques for electrochemical capacitors. <i>Advances in Inorganic Chemistry</i> , 2022, , 151-207. | 0.4 | 2 |
| 2 | Gold nanoparticles for power retention in electrochemical capacitors with KSCN-based aqueous electrolyte. <i>Journal of Power Sources Advances</i> , 2022, 14, 100087. | 2.6 | 0 |
| 3 | Operando monitoring of activated carbon electrodes operating with aqueous electrolytes. <i>Energy Storage Materials</i> , 2022, 49, 518-528. | 9.5 | 9 |
| 4 | High frequency response of adenine-derived carbon in aqueous electrochemical capacitor. <i>Electrochimica Acta</i> , 2022, 424, 140649. | 2.6 | 1 |
| 5 | Performance evaluation of electrochemical capacitors with activated carbon spheres as electrode material and aqueous electrolyte. <i>Journal of Power Sources</i> , 2022, 542, 231714. | 4.0 | 4 |
| 6 | Link between Alkali Metals in Salt Templates and in Electrolytes for Improved Carbon-Based Electrochemical Capacitors. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 2584-2599. | 4.0 | 20 |
| 7 | Peculiar role of the electrolyte viscosity in the electrochemical capacitor performance. <i>Journal of Materials Chemistry A</i> , 2021, 9, 8644-8654. | 5.2 | 18 |
| 8 | Anti-corrosive siloxane coatings for improved long-term performance of supercapacitors with an aqueous electrolyte. <i>Electrochimica Acta</i> , 2021, 372, 137840. | 2.6 | 18 |
| 9 | New insight into ion dynamics in nanoporous carbon materials: An application of the step potential electrochemical spectroscopy (SPECS) technique and electrochemical dilatometry. <i>Electrochimica Acta</i> , 2021, 377, 138115. | 2.6 | 6 |
| 10 | Enhancing capacitor lifetime by alternate constant polarization. <i>Journal of Power Sources</i> , 2021, 506, 230131. | 4.0 | 7 |
| 11 | Deep Eutectic Solvents for High-Temperature Electrochemical Capacitors. <i>ChemElectroChem</i> , 2021, 8, 4028-4037. | 1.7 | 8 |
| 12 | Specific carbon/iodide interactions in electrochemical capacitors monitored by EQCM technique. <i>Energy and Environmental Science</i> , 2021, 14, 2381-2393. | 15.6 | 25 |
| 13 | Novel Type of Li-Ion Capacitor with Improved Energy/Power Performance. <i>ECS Meeting Abstracts</i> , 2021, MA2021-02, 451-451. | 0.0 | 0 |
| 14 | Interfacial aspects induced by saturated aqueous electrolytes in electrochemical capacitor applications. <i>Electrochimica Acta</i> , 2020, 334, 135572. | 2.6 | 23 |
| 15 | Agar-based aqueous electrolytes for electrochemical capacitors with reduced self-discharge. <i>Electrochimica Acta</i> , 2020, 332, 135435. | 2.6 | 54 |
| 16 | Three-Dimensional Architectures in Electrochemical Capacitor Applications – Insights, Opinions, and Perspectives. <i>Frontiers in Energy Research</i> , 2020, 8, . | 1.2 | 10 |
| 17 | Regulating the Hidden Solvation-Ion-Exchange in Concentrated Electrolytes for Stable and Safe Lithium Metal Batteries. <i>Advanced Energy Materials</i> , 2020, 10, 2000901. | 10.2 | 65 |
| 18 | Electrochemical capacitors operating in aqueous electrolyte with volumetric characteristics improved by sustainable templating of electrode materials. <i>Electrochimica Acta</i> , 2020, 338, 135788. | 2.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Redox Activity of Bromides in Carbon-Based Electrochemical Capacitors. Batteries and Supercaps, 2020, 3, 1080-1090. | 2.4 | 5 |
| 20 | (Invited) Influence of Current Collector on the Long-Term Performance of Electrochemical Capacitors. ECS Meeting Abstracts, 2020, MA2020-02, 612-612. | 0.0 | 0 |
| 21 | (Invited) Demystifying the Electrode/Electrolyte Interface in Carbon-Based Electrochemical Capacitors with Specs Technique and Electrochemical Dilatometry. ECS Meeting Abstracts, 2020, MA2020-02, 611-611. | 0.0 | 0 |
| 22 | Towards more Durable Electrochemical Capacitors by Elucidating the Ageing Mechanisms under Different Testing Procedures. ChemElectroChem, 2019, 6, 566-573. | 1.7 | 21 |
| 23 | Revisited insights into charge storage mechanisms in electrochemical capacitors with Li ₂ SO ₄ -based electrolyte. Energy Storage Materials, 2019, 22, 1-14. | 9.5 | 43 |
| 24 | Mechanisms of the performance fading of carbon-based electrochemical capacitors operating in a LiNO ₃ electrolyte. Journal of Power Sources, 2019, 438, 227029. | 4.0 | 27 |
| 25 | Electrochemical capacitor with water-based electrolyte operating at wide temperature range. Journal of Power Sources, 2019, 414, 183-191. | 4.0 | 29 |
| 26 | Selenocyanate-based ionic liquid as redox-active electrolyte for hybrid electrochemical capacitors. Electrochimica Acta, 2019, 314, 1-8. | 2.6 | 15 |
| 27 | Redox activity of selenocyanate anion in electrochemical capacitor application. Synthetic Metals, 2019, 253, 62-72. | 2.1 | 22 |
| 28 | Ageing mechanisms in electrochemical capacitors with aqueous redox-active electrolytes. Electrochimica Acta, 2019, 311, 211-220. | 2.6 | 30 |
| 29 | Polypyrrole-Nickel Hydroxide Hybrid Nanowires as Future Materials for Energy Storage. Nanomaterials, 2019, 9, 307. | 1.9 | 12 |
| 30 | Supercapacitors (electrochemical capacitors). , 2019, , 383-427. | | 6 |
| 31 | Self-buffered pH at carbon surfaces in aqueous supercapacitors. Carbon, 2018, 129, 758-765. | 5.4 | 56 |
| 32 | Sustainable materials for electrochemical capacitors. Materials Today, 2018, 21, 437-454. | 8.3 | 255 |
| 33 | Effect of benzoquinone additives on the performance of symmetric carbon/carbon capacitors – electrochemical impedance study. Journal of Energy Storage, 2018, 18, 340-348. | 3.9 | 6 |
| 34 | New Trends in Electrochemical Capacitors. Advances in Inorganic Chemistry, 2018, 72, 247-286. | 0.4 | 9 |
| 35 | Thiocyanates as attractive redox-active electrolytes for high-energy and environmentally-friendly electrochemical capacitors. Physical Chemistry Chemical Physics, 2017, 19, 7923-7935. | 1.3 | 34 |
| 36 | Comparative operando study of degradation mechanisms in carbon-based electrochemical capacitors with Li ₂ SO ₄ and LiNO ₃ electrolytes. Carbon, 2017, 120, 281-293. | 5.4 | 46 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Electrochemical performance of silicon nanostructures in low-temperature ionic liquids for microelectronic applications. <i>Journal of Materials Chemistry A</i> , 2017, 5, 22708-22716. | 5.2 | 14 |
| 38 | Lithium rhenium(VII) oxide as a novel material for graphite pre-lithiation in high performance lithium-ion capacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 12609-12615. | 5.2 | 77 |
| 39 | Carbon-based electrochemical capacitors with acetate aqueous electrolytes. <i>Electrochimica Acta</i> , 2016, 215, 179-186. | 2.6 | 57 |
| 40 | Influence of aqueous electrolyte concentration on parasitic reactions in high-voltage electrochemical capacitors. <i>Energy Storage Materials</i> , 2016, 5, 111-115. | 9.5 | 39 |
| 41 | Enhancement of the carbon electrode capacitance by brominated hydroquinones. <i>Journal of Power Sources</i> , 2016, 326, 587-594. | 4.0 | 52 |
| 42 | Use of sacrificial lithium nickel oxide for loading graphitic anode in Li-ion capacitors. <i>Electrochimica Acta</i> , 2016, 206, 440-445. | 2.6 | 43 |
| 43 | Ageing phenomena in high-voltage aqueous supercapacitors investigated by in situ gas analysis. <i>Energy and Environmental Science</i> , 2016, 9, 623-633. | 15.6 | 204 |
| 44 | Around the thermodynamic limitations of supercapacitors operating in aqueous electrolytes. <i>Electrochimica Acta</i> , 2016, 206, 496-503. | 2.6 | 66 |
| 45 | Hybrid aqueous capacitors with improved energy/power performance. <i>Progress in Natural Science: Materials International</i> , 2015, 25, 642-649. | 1.8 | 29 |
| 46 | Interfacial Redox Phenomena for Enhanced Aqueous Supercapacitors. <i>Journal of the Electrochemical Society</i> , 2015, 162, A5140-A5147. | 1.3 | 75 |
| 47 | Towards sustainable power sources: chitin-bound carbon electrodes for electrochemical capacitors. <i>Journal of Materials Chemistry A</i> , 2015, 3, 22923-22930. | 5.2 | 22 |
| 48 | Continuous fast Fourier transform admittance voltammetry as a new approach for studying the change in morphology of polyaniline for supercapacitors application. <i>RSC Advances</i> , 2015, 5, 84076-84083. | 1.7 | 15 |
| 49 | Electrode/Electrolyte Interface with Various Redox Couples. <i>ECS Transactions</i> , 2014, 61, 1-8. | 0.3 | 4 |
| 50 | The effect of halide ion concentration on capacitor performance. <i>Journal of Applied Electrochemistry</i> , 2014, 44, 439-445. | 1.5 | 40 |
| 51 | Strategies for enhancing the performance of carbon/carbon supercapacitors in aqueous electrolytes. <i>Electrochimica Acta</i> , 2014, 128, 210-217. | 2.6 | 48 |
| 52 | Electrochemical capacitors as attractive power sources. <i>Solid State Ionics</i> , 2014, 265, 61-67. | 1.3 | 28 |
| 53 | Redox-active electrolyte for supercapacitor application. <i>Faraday Discussions</i> , 2014, 172, 179-198. | 1.6 | 177 |
| 54 | Quinone-Decorated Carbon Materials for Capacitive Energy Storage Applications. <i>Materials Research Society Symposia Proceedings</i> , 2014, 1679, 12. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Quinone/hydroquinone redox couple as a source of enormous capacitance of activated carbon electrodes. <i>Materials Research Society Symposia Proceedings</i> , 2013, 1505, 1. | 0.1 | 3 |
| 56 | Unusual energy enhancement in carbon-based electrochemical capacitors. <i>Journal of Materials Chemistry</i> , 2012, 22, 24213. | 6.7 | 115 |
| 57 | Novel insight into neutral medium as electrolyte for high-voltage supercapacitors. <i>Energy and Environmental Science</i> , 2012, 5, 5842-5850. | 15.6 | 695 |
| 58 | Electrochemistry Serving People and Nature: High-Energy Ecocapacitors based on Redox-Active Electrolytes. <i>ChemSusChem</i> , 2012, 5, 1181-1185. | 3.6 | 148 |
| 59 | Effect of surfactants on capacitance properties of carbon electrodes. <i>Electrochimica Acta</i> , 2012, 60, 206-212. | 2.6 | 45 |
| 60 | Correlation of hydrogen capacity in carbon material with the parameters of electrosorption. <i>Open Chemistry</i> , 2011, 9, 20-24. | 1.0 | 9 |
| 61 | Carbon nanotubes and their composites in electrochemical applications. <i>Energy and Environmental Science</i> , 2011, 4, 1592. | 15.6 | 535 |
| 62 | Alkali metal iodide/carbon interface as a source of pseudocapacitance. <i>Electrochemistry Communications</i> , 2011, 13, 38-41. | 2.3 | 166 |
| 63 | Effect of surfactants on capacitance properties of carbon electrodes. <i>Materials Research Society Symposia Proceedings</i> , 2011, 1333, 110701. | 0.1 | 2 |
| 64 | Hybrid materials for supercapacitor application. <i>Journal of Solid State Electrochemistry</i> , 2010, 14, 811-816. | 1.2 | 70 |
| 65 | Electrochemical properties of supercapacitors operating in aqueous electrolyte with surfactants. <i>Electrochimica Acta</i> , 2010, 55, 7484-7488. | 2.6 | 97 |
| 66 | Redox Mediated Electrolytes in Electrochemical Capacitors. , 0, , . | | 0 |