

Magnus Forssblad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5205726/publications.pdf>

Version: 2024-02-01

34
papers

1,530
citations

361045

20
h-index

414034

32
g-index

34
all docs

34
docs citations

34
times ranked

1127
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Increased occurrence of ACL injuries for football players in teams changing coach and for players going to a higher division. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1380-1387. | 2.3 | 5 |
| 2 | Long-term evaluation of pediatric ACL reconstruction: high risk of further surgery but a restrictive postoperative management was related to a lower revision rate. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 1951-1961. | 1.3 | 12 |
| 3 | Age, time from injury to surgery and hop performance after primary ACLR affect the risk of contralateral ACLR. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1828-1835. | 2.3 | 5 |
| 4 | How to translate and locally adapt a PROM. Assessment of cross-cultural differential item functioning. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 999-1008. | 1.3 | 24 |
| 5 | Delayed Anterior Cruciate Ligament Reconstruction Increases the Risk of Abnormal Preconstruction Laxity, Cartilage, and Medial Meniscus Injuries. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1214-1220. | 1.3 | 25 |
| 6 | Can Talented Youth Soccer Players Who Have Undergone Anterior Cruciate Ligament Reconstruction Reach the Elite Level?. <i>American Journal of Sports Medicine</i> , 2021, 49, 384-390. | 1.9 | 4 |
| 7 | Age, time from injury to surgery and quadriceps strength affect the risk of revision surgery after primary ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 4154-4162. | 2.3 | 24 |
| 8 | Risk Factors for Septic Arthritis After Anterior Cruciate Ligament Reconstruction: A Nationwide Analysis of 26,014 ACL Reconstructions. <i>American Journal of Sports Medicine</i> , 2021, 49, 1769-1776. | 1.9 | 17 |
| 9 | Knee laxity and functional knee outcome after contralateral ACLR are comparable to those after primary ACLR. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3864-3870. | 2.3 | 4 |
| 10 | Age, gender, quadriceps strength and hop test performance are the most important factors affecting the achievement of a patient-acceptable symptom state after ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 369-380. | 2.3 | 48 |
| 11 | High Risk of Further Anterior Cruciate Ligament Injury in a 10-Year Follow-up Study of Anterior Cruciate Ligament-Reconstructed Soccer Players in the Swedish National Knee Ligament Registry. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 189-195. | 1.3 | 36 |
| 12 | Meniscus Repair Does Not Result in an Inferior Short-term Outcome Compared With Meniscus Resection: An Analysis of 5,378 Patients With Primary Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 1145-1153. | 1.3 | 19 |
| 13 | There is no general use of thromboprophylaxis and prolonged antibiotic prophylaxis in anterior cruciate ligament reconstruction: a nation-wide survey of ACL surgeons in Sweden. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2535-2542. | 2.3 | 14 |
| 14 | One sixth of primary anterior cruciate ligament reconstructions may undergo reoperation due to complications or new injuries within 2 years. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2478-2485. | 2.3 | 13 |
| 15 | Regarding "Editorial Commentary: Meniscal Repair" "Why Bother?" <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 1794-1795. | 1.3 | 0 |
| 16 | Increased knee laxity with hamstring tendon autograft compared to patellar tendon autograft: a cohort study of 5462 patients with primary anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 381-388. | 2.3 | 46 |
| 17 | Revision anterior cruciate ligament reconstruction restores knee laxity but shows inferior functional knee outcome compared with primary reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 137-145. | 2.3 | 36 |
| 18 | Should "garbage in" be replaced by "little in"? Questionnaire response rates need to be improved in surgical quality registries!. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2387-2388. | 2.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Only one patient out of five achieves symmetrical knee function 6 months after primary anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3461-3470. | 2.3 | 59 |
| 20 | Medial Meniscus Resection Increases and Medial Meniscus Repair Preserves Anterior Knee Laxity: A Cohort Study of 4497 Patients With Primary Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2018, 46, 357-362. | 1.9 | 40 |
| 21 | Meniscal repair results in inferior short-term outcomes compared with meniscal resection: a cohort study of 6398 patients with primary anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2251-2258. | 2.3 | 33 |
| 22 | Contralateral knee hyperextension is associated with increased anterior tibial translation and fewer meniscal injuries in the anterior cruciate ligament-injured knee. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3020-3028. | 2.3 | 5 |
| 23 | Risk Factors for Abnormal Anteroposterior Knee Laxity After Primary Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 2478-2484. | 1.3 | 26 |
| 24 | A non-response analysis of 2-year data in the Swedish Knee Ligament Register. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2481-2487. | 2.3 | 40 |
| 25 | Swedish Society for Physical Activity and Sports Medicine: a long history of excellence in sport and exercise medicine. <i>British Journal of Sports Medicine</i> , 2016, 50, 1355-1355. | 3.1 | 1 |
| 26 | No Difference in Revision Rates Between Single- and Double-Bundle Anterior Cruciate Ligament Reconstruction: A Comparative Study of 16,791 Patients From the Swedish National Knee Ligament Register. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 659-664. | 1.3 | 39 |
| 27 | Looking back over 20 years of sports medicine prevention and treatment: progress, but still a lot to achieve. <i>British Journal of Sports Medicine</i> , 2015, 49, 1421-1421. | 3.1 | 1 |
| 28 | Factors associated with returning to football after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 2514-2521. | 2.3 | 43 |
| 29 | Postoperative Septic Arthritis After Anterior Cruciate Ligament Reconstruction: Does It Affect the Outcome? A Retrospective Controlled Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014, 30, 1100-1109. | 1.3 | 37 |
| 30 | Outcomes after ACL reconstruction with focus on older patients: results from The Swedish National Anterior Cruciate Ligament Register. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 379-386. | 2.3 | 72 |
| 31 | Results From the Swedish National Anterior Cruciate Ligament Register. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014, 30, 803-810. | 1.3 | 194 |
| 32 | Functional recovery after anterior cruciate ligament reconstruction, a study of health-related quality of life based on the Swedish National Knee Ligament Register. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 914-927. | 2.3 | 90 |
| 33 | The Swedish National Anterior Cruciate Ligament Register. <i>American Journal of Sports Medicine</i> , 2012, 40, 2230-2235. | 1.9 | 329 |
| 34 | Sex Differences in Patient-Reported Outcomes After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2010, 38, 1334-1342. | 1.9 | 189 |