Zdzislaw Chilmonczyk

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5206047/zdzislaw-chilmonczyk-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50 774 16 25 g-index

52 868 4 3.69 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
50	Fluoroaryl analogs of sulforaphane - A group of compounds of anticancer and antimicrobial activity. Bioorganic Chemistry, 2020 , 94, 103454	5.1	4
49	In the triple-negative breast cancer MDA-MB-231 cell line, sulforaphane enhances the intracellular accumulation and anticancer action of doxorubicin encapsulated in liposomes. <i>International Journal of Pharmaceutics</i> , 2019 , 558, 311-318	6.5	20
48	Deoxynucleosides with benzimidazoles as aglycone moiety are potent anticancer agents. <i>European Journal of Pharmacology</i> , 2018 , 820, 146-155	5.3	7
47	Autophagic cell death and premature senescence: New mechanism of 5-fluorouracil and sulforaphane synergistic anticancer effect in MDA-MB-231 triple negative breast cancer cell line. <i>Food and Chemical Toxicology</i> , 2018 , 111, 1-8	4.7	35
46	In Vitro Evaluation of Sulforaphane and a Natural Analog as Potent Inducers of 5-Fluorouracil Anticancer Activity. <i>Molecules</i> , 2018 , 23,	4.8	6
45	Oncotoxic Properties of Serotonin Transporter Inhibitors and 5-HT Receptor Ligands. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	3
44	From Homology Models to a Set of Predictive Binding Pockets-a 5-HT Receptor Case Study. <i>Journal of Chemical Information and Modeling</i> , 2017 , 57, 311-321	6.1	22
43	Serotonin transporter and receptor ligands with antidepressant activity as neuroprotective and proapoptotic agents. <i>Pharmacological Reports</i> , 2017 , 69, 469-478	3.9	16
42	Sulforaphane Regulates NFE2L2/Nrf2-Dependent Xenobiotic Metabolism Phase II and Phase III Enzymes Differently in Human Colorectal Cancer and Untransformed Epithelial Colon Cells. <i>Nutrition and Cancer</i> , 2016 , 68, 1338-1348	2.8	21
41	New generation of camptothecin derivatives spontaneously alkylating DNA. <i>New Journal of Chemistry</i> , 2016 , 40, 7978-7985	3.6	6
40	Up-regulation of glutathione-related genes, enzyme activities and transport proteins in human cervical cancer cells treated with doxorubicin. <i>Biomedicine and Pharmacotherapy</i> , 2016 , 83, 397-406	7.5	21
39	The Comparison of MTT and CVS Assays for the Assessment of Anticancer Agent Interactions. <i>PLoS ONE</i> , 2016 , 11, e0155772	3.7	94
38	Organofluorine Isoselenocyanate Analogues of Sulforaphane: Synthesis and Anticancer Activity. <i>ChemMedChem</i> , 2016 , 11, 2398-2409	3.7	18
37	Functional Selectivity and Antidepressant Activity of Serotonin 1A Receptor Ligands. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 18474-506	6.3	60
36	New benzimidazole-derived isothioureas as potential antileukemic agentsstudies in vitro. <i>Medicinal Chemistry</i> , 2015 , 11, 364-72	1.8	9
35	Ligand-directed trafficking of receptor stimulus. <i>Pharmacological Reports</i> , 2014 , 66, 1011-21	3.9	5
34	Identification of novel serotonin transporter compounds by virtual screening. <i>Journal of Chemical Information and Modeling</i> , 2014 , 54, 933-43	6.1	27

(2005-2014)

33	New enantiomeric fluorine-containing derivatives of sulforaphane: synthesis, absolute configurations and biological activity. <i>European Journal of Medicinal Chemistry</i> , 2014 , 76, 332-42	6.8	19
32	New validated HPLC methodology for the determination of (-)-trans-paroxetine and its enantiomer in pharmaceutical formulations with use of ovomucoid chiral stationary phase. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 3697-702	4.4	6
31	Synthesis, antidepressant evaluation and docking studies of long-chain alkylnitroquipazines as serotonin transporter inhibitors. <i>Chemical Biology and Drug Design</i> , 2013 , 81, 695-706	2.9	7
30	A linear combination of pharmacophore hypotheses as a new tool in search of new active compoundsan application for 5-HT1A receptor ligands. <i>PLoS ONE</i> , 2013 , 8, e84510	3.7	29
29	Molecular mechanism of serotonin transporter inhibition elucidated by a new flexible docking protocol. <i>European Journal of Medicinal Chemistry</i> , 2012 , 47, 24-37	6.8	20
28	Synthesis, in vitro binding studies and docking of long-chain arylpiperazine nitroquipazine analogues, as potential serotonin transporter inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2012 , 49, 200-10	6.8	4
27	Mass-spectrometric studies of new 6-nitroquipazines-serotonin transporter inhibitors. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 537-41	4.4	
26	Proapoptotic effects of novel pentabromobenzylisothioureas in human leukemia cell lines. <i>Medicinal Chemistry Research</i> , 2012 , 21, 3111-3118	2.2	5
25	The new HPLC methodology for the chiral separation of tamsulosin enantiomers on amylose tris(3,5-dimethylphenylcarbamate) stationary phase. <i>Talanta</i> , 2012 , 102, 75-8	6.2	1
24	The development and validation of a novel virtual screening cascade protocol to identify potential serotonin 5-HT(7)R antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 2465-8	2.9	26
23	Synthesis and proapoptotic properties of new casein kinase II inhibitors. <i>Acta Poloniae Pharmaceutica</i> , 2010 , 67, 635-41	1.3	4
22	Genotoxicity of alpha-asarone analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 6069-74	3.4	12
21	The molecular interactions of buspirone analogues with the serotonin transporter. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 9283-94	3.4	8
20	Comparison of Volatile Constituents of Acorus calamus and Asarum europaeum Obtained by Different Techniques. <i>Journal of Essential Oil Research</i> , 2008 , 20, 390-395	2.3	8
19	3D QSAR study of hypolipidemic asarones by comparative molecular surface analysis. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 1630-43	3.4	10
18	In-vivo effects of the 1,2,4-piperazine derivatives MM5 and MC1, putative 5-HT agonists, on dopamine and serotonin release in rat prefrontal cortex. <i>Journal of Pharmacy and Pharmacology</i> , 2005 , 57, 205-11	4.8	3
17	1H, 13C, 15N NMR analysis of sildenafil base and citrate (Viagra) in solution, solid state and pharmaceutical dosage forms. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 38, 865-70	3.5	70
16	Structure-retention relationship in a series of chiral 1,4-disubstituted piperazine derivatives on carbohydrate chiral stationary phases. <i>Il Farmaco</i> , 2005 , 60, 439-43		5

15	Intrinsic activity and comparative molecular dynamics of buspirone analogues at the 5-HT(1A) receptors. <i>Biochemical Pharmacology</i> , 2004 , 67, 2219-30	6	15
14	Pharmacological properties and SAR of new 1,4-disubstituted piperazine derivatives with hypnotic-sedative activity. <i>Journal of Pharmacy and Pharmacology</i> , 2002 , 54, 689-98	4.8	4
13	Interaction of 1,2,4-substituted piperazines, new serotonin receptor ligands, with 5-HT1A and 5-HT2A receptors. <i>Il Farmaco</i> , 2002 , 57, 285-301		12
12	Rigid analogues of buspirone and gepirone, 5-HT1A receptors partial agonists. <i>Il Farmaco</i> , 2002 , 57, 917	'-23	4
11	Relationship between chromatographic behavior and affinity to 5-hT1A serotonin receptors of new buspirone analogues. <i>Journal of Separation Science</i> , 2002 , 25, 273-279	3.4	13
10	Enantioselectivity of 3-amino-2-oxazolidinone derivatives with potential psychotropic activity on cellulose tris(4-methylbenzoate) chiral selector. <i>Chirality</i> , 2001 , 13, 148-52	2.1	4
9	Molecular dynamics of 5-HT1A and 5-HT2A serotonin receptors with methylated buspirone analogues. <i>Journal of Computer-Aided Molecular Design</i> , 2001 , 15, 1005-23	4.2	10
8	Ligand-5-HT1A receptor interaction. <i>Il Farmaco</i> , 2000 , 55, 191-3		2
7	Synthesis and hypolipidemic and antiplatelet activities of alpha-asarone isomers in humans (in vitro), mice (in vivo), and rats (in vivo). <i>Journal of Medicinal Chemistry</i> , 2000 , 43, 3671-6	8.3	41
6	Enantioselective separation of 1,4-disubstituted piperazine derivatives on two cellulose chiralcel OD and OJ and one amylose chiralpak AD chiral selectors. <i>Chirality</i> , 1999 , 11, 790-4	2.1	15
5	Direct separation of Ehydroxy acid enantiomers by ligand exchange chromatography. <i>Chirality</i> , 1998 , 10, 821-830	2.1	18
4	Vibrational spectrum of buspirone. <i>Journal of Molecular Structure</i> , 1997 , 404, 221-234	3.4	2
3	NMR studies of buspirone (an anxiolytic drug) analogues. <i>Journal of Molecular Structure</i> , 1996 , 385, 195	-3/047	13
2	Some analogues of 1,4-disubstituted piperazines as hypnotic and sedative agents. <i>Archiv Der Pharmazie</i> , 1995 , 328, 187-91	4.3	5
1	Direct determination of the enantiomeric purity of (R)- and (S)-2-hydroxy-4-phenylbutyric acid. <i>Chirality</i> , 1994 , 6, 627-630	2.1	3