

Anneke Kwee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5207140/publications.pdf>

Version: 2024-02-01

52
papers

1,195
citations

516710

16
h-index

395702

33
g-index

53
all docs

53
docs citations

53
times ranked

1729
citing authors

#	ARTICLE	IF	CITATIONS
1	European Guidelines on Perinatal Care - Oxytocin for induction and augmentation of labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 7166-7172.	1.5	6
2	New possibilities for ST analysis – A post-hoc analysis on the Dutch STAN RCT. <i>Early Human Development</i> , 2022, 166, 105537.	1.8	0
3	Prognostic models versus single risk factor approach in first-trimester selective screening for gestational diabetes mellitus: a prospective population-based multicentre cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 645-654.	2.3	15
4	Placenta Pathology From Term Born Neonates With Normal or Adverse Outcome. <i>Pediatric and Developmental Pathology</i> , 2021, 24, 121-130.	1.0	9
5	Implementation of a first-trimester prognostic model to improve screening for gestational diabetes mellitus. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 298.	2.4	2
6	Associations between periconceptional lifestyle behaviours and adverse pregnancy outcomes. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 492.	2.4	11
7	A prospective population-based multicentre study on the impact of maternal body mass index on adverse pregnancy outcomes: Focus on normal weight. <i>PLoS ONE</i> , 2021, 16, e0257722.	2.5	6
8	External validation of a prediction model on vaginal birth after caesarean in a The Netherlands: a prospective cohort study. <i>Journal of Perinatal Medicine</i> , 2021, 49, 357-363.	1.4	7
9	Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 98-99.	1.3	0
10	Perinatal death in a term fetal growth restriction randomized controlled trial: the paradox of prior risk and consent. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2020, 2, 100239.	2.6	2
11	Fetal electrocardiography ST-segment analysis for intrapartum monitoring: a critical appraisal of conflicting evidence and a way forward. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 577-601.e11.	1.3	16
12	Significant reduction in umbilical artery metabolic acidosis after implementation of intrapartum ST waveform analysis of the fetal electrocardiogram. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 63.e1-63.e13.	1.3	14
13	External validation of prognostic models for preeclampsia in a Dutch multicenter prospective cohort. <i>Hypertension in Pregnancy</i> , 2019, 38, 78-88.	1.1	16
14	Relative versus absolute rises in T/QRS ratio by ST analysis of fetal electrocardiograms in labour: A case-control pilot study. <i>PLoS ONE</i> , 2019, 14, e0214357.	2.5	6
15	Cost-effectiveness of diagnostic testing strategies including cervical length measurement and fibronectin testing in women with symptoms of preterm labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 596-603.	1.7	22
16	Perspectives, preferences and needs regarding early prediction of preeclampsia in Dutch pregnant women: a qualitative study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 12.	2.4	14
17	Increased rates of complications in singleton pregnancies of women previously diagnosed with polycystic ovary syndrome predominantly in the hyperandrogenic phenotype. <i>Fertility and Sterility</i> , 2017, 108, 333-340.	1.0	61
18	Prediction models for the risk of gestational diabetes: a systematic review. <i>Diagnostic and Prognostic Research</i> , 2017, 1, 3.	1.8	40

#	ARTICLE	IF	CITATIONS
19	Which Factors Contribute to False-Positive, False-Negative, and Invalid Results in Fetal Fibronectin Testing in Women with Symptoms of Preterm Labor?. <i>American Journal of Perinatology</i> , 2017, 34, 234-239.	1.4	5
20	Practice variation of vaginal birth after cesarean and the influence of risk factors at patient level: a retrospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 158-165.	2.8	8
21	The electrical heart axis and ST events in fetal monitoring: A post-hoc analysis following a multicentre randomised controlled trial. <i>PLoS ONE</i> , 2017, 12, e0175823.	2.5	11
22	Quantitative fetal fibronectin testing in combination with cervical length measurement in the prediction of spontaneous preterm delivery in symptomatic women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1965-1971.	2.3	38
23	Reply: Intrapartum and neonatal mortality in primary midwife-led and secondary obstetrician-led care in the Amsterdam region of the Netherlands: a retrospective cohort study. <i>Midwifery</i> , 2016, 34, 264-265.	2.3	1
24	ST-analysis in electronic foetal monitoring is cost-effective from both the maternal and neonatal perspective. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1-6.	1.5	1
25	The impact of fetal gender and ethnicity on the risk of spontaneous preterm delivery in women with symptoms of preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 3563-3569.	1.5	14
26	Absolute first trimester cell-free DNA levels and their associations with adverse pregnancy outcomes. <i>Prenatal Diagnosis</i> , 2016, 36, 1104-1111.	2.3	28
27	Cardiotocography alone is outdated and ST analysis is the way forward in fetal monitoring: FOR: Does the use of ST analysis in conjunction with cardiotocography improve perinatal outcome and/or reduce interventions for fetal distress?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1636-1636.	2.3	4
28	Comparison of the Actim Partus test and the fetal fibronectin test in the prediction of spontaneous preterm birth in symptomatic women undergoing cervical length measurement. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 206, 220-224.	1.1	14
29	External validation of prognostic models to predict risk of gestational diabetes mellitus in one Dutch cohort: prospective multicentre cohort study. <i>BMJ, The</i> , 2016, 354, i4338.	6.0	77
30	Prognostic models in obstetrics: available, but far from applicable. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 79-90.e36.	1.3	138
31	Combined cardiotocographic and ST event analysis: A review. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2016, 30, 48-61.	2.8	19
32	Development and Measurement of Guidelines-Based Quality Indicators of Caesarean Section Care in the Netherlands: A RAND-Modified Delphi Procedure and Retrospective Medical Chart Review. <i>PLoS ONE</i> , 2016, 11, e0145771.	2.5	12
33	Predictive Factors for Delivery within 7 Days after Successful 48-Hour Treatment of Threatened Preterm Labor. <i>AJP Reports</i> , 2015, 05, e141-e149.	0.7	10
34	Meta-analyses triggered by previous (false-)significant findings: problems and solutions. <i>Systematic Reviews</i> , 2015, 4, 57.	5.3	17
35	Risk indicators for referral during labor from community midwife to gynecologist: a prospective cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 29, 1-8.	1.5	4
36	Risk factors for preterm delivery: do they add to fetal fibronectin testing and cervical length measurement in the prediction of preterm delivery in symptomatic women?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 192, 79-85.	1.1	4

#	ARTICLE	IF	CITATIONS
37	Randomized Comparison of Nifedipine and Placebo in Fibronectin-Negative Women with Symptoms of Preterm Labor and a Short Cervix (APOSTEL-I Trial). <i>American Journal of Perinatology</i> , 2015, 32, 451-460.	1.4	12
38	Prescribing patterns of antenatal corticosteroids in women with threatened preterm labor. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 192, 47-53.	1.1	4
39	Evaluation of strategies regarding management of imminent preterm delivery before 32 weeks of gestation: a regional cohort study among 1375 women in the Netherlands. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 348.e1-348.e7.	1.3	2
40	Which intrauterine growth restricted fetuses at term benefit from early labour induction? A secondary analysis of the DIGITAT randomised trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 172, 20-25.	1.1	13
41	Can neonatal sepsis be predicted in late preterm premature rupture of membranes? Development of a prediction model. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 176, 90-95.	1.1	10
42	A clinical prediction model to assess the risk of operative delivery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 1418-1419.	2.3	0
43	Agreement on cardiotocogram interpretation and clinical decision using the STAN guidelines – Authors' Reply. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 1541-1542.	2.3	0
44	Limitations of ST analysis in clinical practice: three cases of intrapartum metabolic acidosis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 670-671.	2.3	1
45	Outcome of subsequent delivery after a previous early preterm cesarean section. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 33-37.	1.5	19
46	Trends in obstetric interventions in the Dutch obstetrical care system in the period 1993–2002. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 132, 70-75.	1.1	28
47	Obstetric management and outcome of pregnancy in women with a history of caesarean section in the Netherlands. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 132, 171-176.	1.1	87
48	Occurrence of ST-changes recorded with the STAN® S21-monitor during normal and abnormal fetal heart rate patterns during labour. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 135, 28-34.	1.1	17
49	Emergency peripartum hysterectomy: A prospective study in The Netherlands. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 124, 187-192.	1.1	211
50	Uterine rupture and its complications in the Netherlands: A prospective study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 128, 257-261.	1.1	41
51	STAN® S21 fetal heart monitor for fetal surveillance during labor: an observational study in 637 patients. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2004, 15, 400-407.	1.5	53
52	Caesarean section on request: a survey in The Netherlands. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 113, 186-190.	1.1	45