

Andrzej Ozyhar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5207598/publications.pdf>

Version: 2024-02-01

100
papers

1,566
citations

279798

23
h-index

395702

33
g-index

101
all docs

101
docs citations

101
times ranked

1546
citing authors

#	ARTICLE	IF	CITATIONS
1	Single-molecule electrometry. <i>Nature Nanotechnology</i> , 2017, 12, 488-495.	31.5	75
2	Structure of the heterodimeric ecdysone receptor DNA-binding complex. <i>EMBO Journal</i> , 2003, 22, 5827-5840.	7.8	73
3	Insect Juvenile Hormone Binding Protein Shows Ancestral Fold Present in Human Lipid-Binding Proteins. <i>Journal of Molecular Biology</i> , 2008, 377, 870-881.	4.2	53
4	Juvenile hormone binding protein traffic â€” Interaction with ATP synthase and lipid transfer proteins. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009, 1788, 1695-1705.	2.6	52
5	pH-Induced transformation of ligated Au₂₅ to brighter Au₂₃ nanoclusters. <i>Nanoscale</i> , 2018, 10, 11335-11341.	5.6	39
6	Juvenile-hormone-binding protein from the hemolymph of <i>Galleria mellonella</i> (L). Isolation and characterization. <i>FEBS Journal</i> , 1987, 162, 675-682.	0.2	38
7	Characterization of a specific ecdysteroid receptor-DNA complex reveals common properties for invertebrate and vertebrate hormone-receptor/DNA interactions. <i>FEBS Journal</i> , 1991, 200, 329-335.	0.2	38
8	Polarity of the ecdysone receptor complex interaction with the palindromic response element from the hsp27 gene promoter. <i>FEBS Journal</i> , 2000, 267, 507-519.	0.2	38
9	Novel DNA-binding element within the C-terminal extension of the nuclear receptor DNA-binding domain. <i>Nucleic Acids Research</i> , 2007, 35, 2705-2718.	14.5	36
10	Phosphorylation of Intrinsically Disordered Starmaker Protein Increases Its Ability To Control the Formation of Calcium Carbonate Crystals. <i>Crystal Growth and Design</i> , 2012, 12, 158-168.	3.0	36
11	Intrinsically Disordered and Pliable Starmaker-Like Protein from Medaka (<i>Oryzias latipes</i>) Controls the Formation of Calcium Carbonate Crystals. <i>PLoS ONE</i> , 2014, 9, e114308.	2.5	36
12	EcR and Usp, components of the ecdysteroid nuclear receptor complex, exhibit differential distribution of molecular determinants directing subcellular trafficking. <i>Cellular Signalling</i> , 2007, 19, 490-503.	3.6	35
13	GST-Induced Dimerization of DNA-Binding Domains Alters Characteristics of Their Interaction with DNA. <i>Protein Expression and Purification</i> , 1998, 14, 208-220.	1.3	33
14	Influence of silybin on biophysical properties of phospholipid bilayers. <i>Acta Pharmacologica Sinica</i> , 2007, 28, 296-306.	6.1	33
15	Starmaker Exhibits Properties of an Intrinsically Disordered Protein. <i>Biomacromolecules</i> , 2008, 9, 2118-2125.	5.4	32
16	Ultraspiracle promotes the nuclear localization of ecdysteroid receptor in mammalian cells. <i>Biological Chemistry</i> , 2005, 386, 463-70.	2.5	31
17	Crystallization and preliminary crystallographic studies of juvenile hormone-binding protein from <i>Galleria mellonella</i> haemolymph. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2003, 59, 519-521.	2.5	30
18	Age dependent changes in the binding and hydrolysis of juvenile hormone in the haemolymph of last instar larvae of <i>Galleria mellonella</i> . <i>Insect Biochemistry</i> , 1983, 13, 435-441.	1.8	28

#	ARTICLE	IF	CITATIONS
19	Analysis of Usp DNA binding domain targeting reveals critical determinants of the ecdysone receptor complex interaction with the response element. <i>FEBS Journal</i> , 2001, 268, 3751-3758.	0.2	27
20	Isoform-specific variation in the intrinsic disorder of the ecdysteroid receptor N-terminal domain. <i>Proteins: Structure, Function and Bioinformatics</i> , 2009, 76, 291-308.	2.6	27
21	Plasticity of the Ecdysone Receptor DNA Binding Domain. <i>Molecular Endocrinology</i> , 2004, 18, 2166-2184.	3.7	26
22	Positions of disulfide bonds and N-glycosylation site in juvenile hormone binding protein. <i>Archives of Biochemistry and Biophysics</i> , 2004, 421, 260-266.	3.0	25
23	Calcium Ion Binding Properties and the Effect of Phosphorylation on the Intrinsically Disordered Starmaker Protein. <i>Biochemistry</i> , 2015, 54, 6525-6534.	2.5	25
24	Effect of calcium ions on structure and stability of the C1q-like domain of otolin from human and zebrafish. <i>FEBS Journal</i> , 2017, 284, 4278-4297.	4.7	25
25	Dual FRET assay for detecting receptor protein interaction with DNA. <i>Nucleic Acids Research</i> , 2010, 38, e108-e108.	14.5	24
26	Cloning and Sequence Analysis of <i>Galleria mellonella</i> Juvenile Hormone Binding Protein A Search for Ancestors and Relatives. <i>Biological Chemistry</i> , 2002, 383, 1343-55.	2.5	22
27	Sequences that direct subcellular traffic of the <i>Drosophila</i> methoprene-tolerant protein (MET) are located predominantly in the PAS domains. <i>Molecular and Cellular Endocrinology</i> , 2011, 345, 16-26.	3.2	22
28	<i>In vivo</i> and <i>in vitro</i> analysis of starmaker activity in zebrafish otolith biomineralization. <i>FASEB Journal</i> , 2019, 33, 6877-6886.	0.5	22
29	Homodimerization propensity of the intrinsically disordered N-terminal domain of Ultraspiracle from <i>Aedes aegypti</i> . <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 1153-1166.	2.3	21
30	Lattice Shrinkage by Incorporation of Recombinant Starmaker-Like Protein within Bioinspired Calcium Carbonate Crystals. <i>Chemistry - A European Journal</i> , 2019, 25, 12740-12750.	3.3	20
31	Presence of anionic phospholipids rules the membrane localization of phenothiazine type multidrug resistance modulator. <i>Biophysical Chemistry</i> , 2004, 109, 399-412.	2.8	19
32	Transthyretin: From Structural Stability to Osteoarticular and Cardiovascular Diseases. <i>Cells</i> , 2021, 10, 1768.	4.1	19
33	The rod-shaped conformation of Starmaker. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2009, 1794, 1616-1624.	2.3	18
34	Structural properties of the intrinsically disordered, multiple calcium ion-binding otolith matrix macromolecule-64 (OMM-64). <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2017, 1865, 1358-1371.	2.3	17
35	The structure of the juvenile hormone binding protein gene from <i>Galleria mellonella</i> . <i>Biological Chemistry</i> , 2005, 386, 1-10.	2.5	16
36	A fluorescence method for determining transport of charged compounds across lipid bilayer. <i>Biophysical Chemistry</i> , 2007, 129, 120-125.	2.8	16

#	ARTICLE	IF	CITATIONS
37	Intrinsic disorder of <i>Drosophila melanogaster</i> hormone receptor 38 N-terminal domain. <i>Proteins: Structure, Function and Bioinformatics</i> , 2011, 79, 376-392.	2.6	15
38	Magnetic DNA affinity purification of ecdysteroid receptor. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1992, 43, 629-634.	2.5	14
39	Purification of <i>Drosophila melanogaster</i> Ultraspiracle Protein and Analysis of Its A/B Region-Dependent Dimerization Behavior in vitro. <i>Biological Chemistry</i> , 2003, 384, 59-69.	2.5	12
40	The variety of complexes formed by EcR and Usp nuclear receptors in the nuclei of living cells. <i>Molecular and Cellular Endocrinology</i> , 2008, 294, 45-51.	3.2	12
41	The dityrosine cross-link as an intrinsic donor for assembling FRET pairs in the study of protein structure. <i>Biophysical Chemistry</i> , 2012, 170, 1-8.	2.8	12
42	Mapping of the Sequences Directing Localization of the <i>Drosophila</i> Germ Cell-Expressed Protein (GCE). <i>PLoS ONE</i> , 2015, 10, e0133307.	2.5	12
43	Insight into the Unfolding Properties of Chd64, a Small, Single Domain Protein with a Globular Core and Disordered Tails. <i>PLoS ONE</i> , 2015, 10, e0137074.	2.5	12
44	Destabilisation of the structure of transthyretin is driven by Ca ²⁺ . <i>International Journal of Biological Macromolecules</i> , 2021, 166, 409-423.	7.5	12
45	Affinity labelling of a partially purified ecdysteroid receptor with a bromoacetylated 20-OH-ecdysone derivative. <i>FEBS Journal</i> , 1990, 189, 137-143.	0.2	11
46	Regulatory elements in the juvenile hormone binding protein gene from <i>Galleria mellonella</i> – Topography of binding sites for Usp and EcRDBD. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2008, 1779, 390-401.	1.9	11
47	Ordered structure-forming properties of the intrinsically disordered AB region of hRXR ³ and its ability to promote liquid-liquid phase separation. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020, 198, 105571.	2.5	11
48	Fish Otolith Matrix Macromolecule-64 (OMM-64) and Its Role in Calcium Carbonate Biomineralization. <i>Crystal Growth and Design</i> , 2020, 20, 5808-5819.	3.0	11
49	Calcium ions modulate the structure of the intrinsically disordered Nucleobindin-2 protein. <i>International Journal of Biological Macromolecules</i> , 2020, 154, 1091-1104.	7.5	11
50	Investigation of Excited-State Proton Transfer in 2-Naphthol Derivatives Included in Langmuir-Blodgett Films. <i>Journal of Physical Chemistry A</i> , 2004, 108, 5308-5314.	2.5	10
51	The composite nature of the interaction between nuclear receptors EcR and DHR38. <i>Biological Chemistry</i> , 2012, 393, 457-471.	2.5	10
52	Multiple sequences orchestrate subcellular trafficking of neuronal PAS domain-containing protein 4 (NPAS4). <i>Journal of Biological Chemistry</i> , 2018, 293, 11255-11270.	3.4	10
53	Calponin-Like Chd64 Is Partly Disordered. <i>PLoS ONE</i> , 2014, 9, e96809.	2.5	10
54	The DNA-Binding Domain of the Ultraspiracle Drives Deformation of the Response Element Whereas the DNA-Binding Domain of the Ecdysone Receptor Is Responsible for a Slight Additional Change of the Preformed Structure. <i>Biochemistry</i> , 2006, 45, 668-675.	2.5	9

#	ARTICLE	IF	CITATIONS
55	Functional derivatives of human dentin matrix protein 1 modulate morphology of calcium carbonate crystals. <i>FASEB Journal</i> , 2020, 34, 6147-6165.	0.5	9
56	Is Transthyretin a Regulator of Ubc9 SUMOylation?. <i>PLoS ONE</i> , 2016, 11, e0160536.	2.5	9
57	Identification of specific interaction of juvenile hormone binding protein with isocitrate dehydrogenase.. <i>Acta Biochimica Polonica</i> , 2011, 58, .	0.5	9
58	Unfolding and Refolding of Juvenile Hormone Binding Protein. <i>Biophysical Journal</i> , 2004, 86, 1138-1148.	0.5	8
59	The Application of an Immobilized Molecular Beacon for the Analysis of the DNA Binding Domains from the Ecdysteroid Receptor Proteins Usp and EcR's Interaction with the hsp27 Response Element. <i>Journal of Biomolecular Screening</i> , 2008, 13, 899-905.	2.6	8
60	The intrinsically disordered region of GCE protein adopts a more fixed structure by interacting with the LBD of the nuclear receptor FTZ-F1. <i>Cell Communication and Signaling</i> , 2020, 18, 180.	6.5	8
61	The Multifaceted Nature of Nucleobindin-2 in Carcinogenesis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5687.	4.1	8
62	Intrinsic Disorder of the C-Terminal Domain of Drosophila Methoprene-Tolerant Protein. <i>PLoS ONE</i> , 2016, 11, e0162950.	2.5	8
63	Juvenile hormone binding protein core promoter is TATA-driven with a suppressory element. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2011, 1809, 226-235.	1.9	7
64	Alternative sumoylation sites in the Drosophila nuclear receptor Usp. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2012, 132, 227-238.	2.5	7
65	Multidomain sumoylation of the ecdysone receptor (EcR) from Drosophila melanogaster. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2013, 138, 162-173.	2.5	7
66	Nucleoplasmin-like domain of FKBP39 from Drosophila melanogaster forms a tetramer with partly disordered tentacle-like C-terminal segments. <i>Scientific Reports</i> , 2017, 7, 40405.	3.3	7
67	The intrinsically disordered C-terminal F domain of the ecdysteroid receptor from Aedes aegypti exhibits metal ion-binding ability. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 186, 42-55.	2.5	7
68	Functionality versus strength -- has functional selection taken place in the case of the ecdysteroid receptor response element?.. <i>Acta Biochimica Polonica</i> , 2002, 49, 747-756.	0.5	7
69	Pyridoxal phosphate inhibits the DNA-binding activity of the ecdysteroid receptor. <i>FEBS Journal</i> , 1990, 192, 167-174.	0.2	6
70	High-resolution gel filtration of the ecdysteroid receptor-DNA complex -- an alternative to the electrophoretic mobility shift assay. <i>Journal of Chromatography A</i> , 1991, 587, 11-17.	3.7	6
71	Juvenile Hormone Binding Protein and Transferrin from Galleria mellonella Share a Similar Structural Motif. <i>Biological Chemistry</i> , 2001, 382, 1027-37.	2.5	6
72	Overexpression of juvenile hormone binding protein in bacteria and Pichia pastoris. <i>Protein Expression and Purification</i> , 2003, 31, 173-180.	1.3	6

#	ARTICLE	IF	CITATIONS
73	N-linked glycosylation of <i>G. mellonella</i> juvenile hormone binding protein – Comparison of recombinant mutants expressed in <i>P. pastoris</i> cells with native protein. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2011, 1814, 610-621.	2.3	6
74	Molecular determinants of <i>Drosophila</i> immunophilin FKBP39 nuclear localization. <i>Biological Chemistry</i> , 2018, 399, 467-484.	2.5	6
75	The method utilized to purify the SARS-CoV-2 N protein can affect its molecular properties. <i>International Journal of Biological Macromolecules</i> , 2021, 188, 391-403.	7.5	6
76	Equilibrium Analysis of the DNA Binding Domain of the Ultraspiracle Protein Interaction with the Response Element from the <i>hsp27</i> Gene Promoter – the Application of Molecular Beacon Technology. <i>Journal of Fluorescence</i> , 2008, 18, 1-10.	2.5	5
77	Conformational changes in the DNA-binding domains of the ecdysteroid receptor during the formation of a complex with the <i>hsp27</i> response element. <i>Journal of Biomolecular Structure and Dynamics</i> , 2012, 30, 379-393.	3.5	5
78	Intrinsically disordered N-terminal domain of the <i>Helicoverpa armigera</i> Ultraspiracle stabilizes the dimeric form via a scorpion-like structure. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018, 183, 167-183.	2.5	5
79	The subcellular localization of bHLH transcription factor TCF4 is mediated by multiple nuclear localization and nuclear export signals. <i>Scientific Reports</i> , 2019, 9, 15629.	3.3	5
80	Counter-Diffusion System as an <i>In Vitro</i> Model in the Investigation of Proteins Involved in the Formation of Calcium Carbonate Biominerals. <i>Crystal Growth and Design</i> , 2021, 21, 1389-1400.	3.0	5
81	Natural Mutations Affect Structure and Function of gC1q Domain of Otolin-1. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9085.	4.1	5
82	Deep blue autofluorescence reveals the instability of human transthyretin. <i>International Journal of Biological Macromolecules</i> , 2021, 191, 492-499.	7.5	5
83	Temperature-sensitive Ovarian Carcinoma Cell Line (OvBH-1). <i>Japanese Journal of Cancer Research</i> , 2002, 93, 976-985.	1.7	4
84	Intracellular Localization of the Ecdysteroid Receptor. , 2009, , 389-409.		4
85	Destabilised human transthyretin shapes the morphology of calcium carbonate crystals. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019, 1863, 313-324.	2.4	4
86	Nucleobindin-2 consists of two structural components: The Zn ²⁺ -sensitive N-terminal half, consisting of nesfatin-1 and -2, and the Ca ²⁺ -sensitive C-terminal half, consisting of nesfatin-3. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 4300-4318.	4.1	4
87	Metal Ions Induce Liquid Condensate Formation by the F Domain of <i>Aedes aegypti</i> Ecdysteroid Receptor. <i>New Perspectives of Nuclear Receptor Studies. Cells</i> , 2021, 10, 571.	4.1	4
88	Molecular mechanism of calcium induced trimerization of C1q-like domain of otolin-1 from human and zebrafish. <i>Scientific Reports</i> , 2021, 11, 12778.	3.3	4
89	Transcription Regulators and Membraneless Organelles Challenges to Investigate Them. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12758.	4.1	4
90	Intramolecular cross-linking in the native JHBP molecule. <i>Archives of Biochemistry and Biophysics</i> , 2012, 517, 12-19.	3.0	3

#	ARTICLE	IF	CITATIONS
91	The Effect of Counter Ions on the Conformation of Intrinsically Disordered Proteins Studied by Size-Exclusion Chromatography. , 2012, 896, 319-330.		3
92	Copper(II)-Binding Induces a Unique Polyproline Type II Helical Structure within the Ion-Binding Segment in the Intrinsically Disordered F-Domain of Ecdysteroid Receptor from <i>Aedes aegypti</i> . Inorganic Chemistry, 2019, 58, 11782-11792.	4.0	3
93	Nuclear immunophilin FKBP39 from <i>Drosophila melanogaster</i> drives spontaneous liquid-liquid phase separation. International Journal of Biological Macromolecules, 2020, 163, 108-119.	7.5	3
94	Liquid-liquid phase separation of the intrinsically disordered AB region of hRXR β 3 is driven by hydrophobic interactions. International Journal of Biological Macromolecules, 2021, 183, 936-949.	7.5	3
95	The Molecular Basis of Conformational Instability of the Ecdysone Receptor DNA Binding Domain Studied by In Silico and In Vitro Experiments. PLoS ONE, 2014, 9, e86052.	2.5	2
96	N-terminally- and Ca ²⁺ -induced stabilization of high-order oligomers of full-length <i>Danio rerio</i> and <i>Homo sapiens</i> otolin-1. International Journal of Biological Macromolecules, 2022, 209, 1032-1047.	7.5	2
97	The physiological role of nucleobindin-2/nesfatin-1 and their potential clinical significance. Postepy Higieny I Medycyny Doswiadczalnej, 2018, 72, 1084-1096.	0.1	1
98	DIFFERENT PATTERN OF <i>Galleria mellonella</i> jhbp GENE EXPRESSION IN HIGH FIVE AND Sf9 CELLS. Archives of Insect Biochemistry and Physiology, 2013, 82, 141-157.	1.5	0
99	Structural Analyses of Ordered and Disordered Regions in Ecdysteroid Receptor. , 2015, , 93-117.		0
100	Controlling the conformational stability of coiled-coil peptides with a single stereogenic center of a peripheral l ² -amino acid residue. RSC Advances, 2022, 12, 4640-4647.	3.6	0